

### STRIPING LEGEND AND SYMBOLS

	INSTALL THERMOPLASTIC STRIPING PER PER CALTRANS STANDARD PLAN NOS. A20A, A20B, A20C, AND A20D. (DETAIL NO. SHOWN, TYP.)		INSTALL THERMOPLASTIC TYPE IV (L OR R) WHITE ARROWS CENTERED IN LANE AS SHOWN PER CALTRANS STANDARD PLAN A24A.
	INSTALL LEAD LANE LINE THERMOPLASTIC STRIPING, 4-INCH-WIDE SOLID WHITE WITH TYPE G MARKERS AT 24' O.C.		INSTALL BICYCLE LOOP DETECTOR SYMBOL PER CITY OF FRESNO STANDARD E-14, AFTER LOOP DETECTOR IS INSTALLED.
	INSTALL STOP BAR THERMOPLASTIC STRIPING, 12-INCH-WIDE SOLID WHITE.		INSTALL BICYCLE LOOP DETECTOR SYMBOL (FOR 3'X3' LOOP) PER CITY OF FRESNO STANDARD E-13, AFTER LOOP DETECTOR IS INSTALLED.
	EXISTING STRIPING TO REMAIN, SEE PLAN FOR DETAIL #.		INSTALL BIKE LANE ARROW AND SYMBOL PER CA MUTCD 2012 STANDARDS, FIGURE 9C-3-B.
	INSTALL BICYCLE LOOP DETECTOR SYMBOL ON LOOP AS SHOWN IN LEGEND.		INSTALL THERMOPLASTIC TYPE VI WHITE ARROW CENTERED IN LANE AS SHOWN PER CALTRANS STANDARD PLAN A24A.
	JOIN AND MATCH EXISTING STRIPING ALIGNMENT.		ANGLE POINT
	PAINT AND/OR RE-PAINT MEDIAN ISLAND NOSE YELLOW, 2 COATS.		ANGLE POINT LOCATIONS
	INSTALL 12" WIDE THERMOPLASTIC CROSSWALK STRIPES AS SHOWN. CROSSWALK WIDTH SHALL BE 11 FT CENTER TO CENTER OF STRIPES, COLOR WHITE OR AS INDICATED ON PLAN PER CALTRANS STANDARD PLAN A24F.		BC, EC, AND PRC LOCATIONS
	SEE PLANS FOR DETAILS. PROPOSED STRIPING.		CHANGE OF DETAIL
	EXISTING STRIPING TO BE REMOVED OR REMAIN.		BEGIN CURVE
	REMOVE AND SALVAGE EXISTING SIGN TO CITY YARD.		END CURVE
	FURNISH AND INSTLL ROADWAY SIGN ON CITY OF FRESNO POST		SEE PLANS FOR DETAILS.
	EXISTING SIGN TO REMAIN		PROPOSED STRIPING.
			EXISTING STRIPING TO BE REMOVED OR REMAIN.

### SURFACE LEGEND

	PLACE GREEN PAINT, METHYL METHACRYLATE (MMA) TO CITY REQUIREMENTS.
--	--

### SIGNING AND STRIPING GENERAL NOTES

- WORK SHALL BE DONE IN ACCORDANCE WITH THE 2015 EDITION OF THE STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION STANDARD PLANS AND SPECIFICATIONS, INCLUDING ALL REVISIONS WITH EXCEPTION TO RSP A20A, RSP A20B, RSP A20C, AND RSP A20D, DETAIL 1 THROUGH 32 SHALL USE 4" WIDE STRIPE, THE LATEST CALTRANS ADOPTED EDITION OF THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CA-MUTCD), AND THE LATEST EDITION OF THE CITY OF FRESNO STANDARD SPECIFICATIONS, DRAWINGS, AND SPECIAL PROVISIONS.
- THESE PLANS ARE ACCURATE FOR SIGNING AND STRIPING ONLY.
- ALL SIGNS SHALL BE TYPE III OR IV RETROREFLECTIVE SHEETING PER ASTM D4956-09. ALL SIGNS SHALL BE COVERED WITH A TRANSLUCENT ANTI-GRAFFITI FLUOROPOLYMER FILM THAT DOES NOT IMPAIR THE REFLECTIVITY OF THE SIGN.
- WITH THE EXCEPTION OF BIKE LANE SYMBOLS, ALL STRIPING SHALL BE THERMOPLASTIC.
- ALL CROSSWALKS SHALL BE 12 FEET WIDE, OUTSIDE EDGE TO OUTSIDE EDGE.
- THE CONTRACTOR SHALL FURNISH AND INSTALL NEW TYPE K-1 (CA) MARKERS ON ALL MEDIAN ISLAND NOSES, UNLESS OTHERWISE NOTED ON THE PLAN.
- THE CONTRACTOR SHALL INSTALL DETAIL 26 (RETRO-REFLECTIVE PAVEMENT MARKERS) ALONG ALL RAISED MEDIANS, AS PER 2014 CALIFORNIA MUTCD.
- THE CONTRACTOR SHALL PAINT THE RADI OF ALL RAISED MEDIAN ISLAND NOSES WITH TWO COATS OF YELLOW TRAFFIC PAINT WITH RETRO REFLECTIVE GLASS BEADS, UNLESS OTHERWISE NOTED ON THE PLAN.
- SIGNS SHALL BE INSTALLED PER CITY STANDARD DRAWING P-88, UNLESS OTHERWISE NOTED ON THE PLANS.
- ALL R28(S)(CA) SIGNS SHALL BE "TOW-AWAY/NO STOPPING ANY TIME" SIGNS PER CITY STANDARD DRAWING P-91.
- ALL EXISTING STRIPING SHOWN OUTSIDE PAVING OR SLURRY SEALING OPERATIONS SHALL BE GROUND AND SLURRY SEALED PRIOR TO PLACEMENT OF NEW STRIPING.

K:\02 PROJECTS\02 PROJECTS (PUBLIC WORKS)\PWO0806 DUAL LT AT AUDUBON AND NEES\04 PROJECT DESIGN\02 PLANS\01 Acad\SCHEME B1\PLANS\PWO0806 Audubon NO Nees Sign Stripe.dwg 11-01-21 01:52:37 PM EricJ





STEVE DELSID, JR. DATE



PW File No. 12348 Proj. ID: PWO0806 File: S15TR189001	CITY OF FRESNO Department of Public Works	APPROVED: _____ OFFICE ENG. CITY ENG.
Ref. & Rev.	DUAL LEFT TURN PHASING ON W. AUDUBON DR. AT W. NEES AVE.	SHEET NO. 6 OF 9 SHEETS
	SIGNING AND STRIPING	DATE: _____ SCALE: As Noted

PWO0806 DUAL LT PHASING AT AUDUBON DR. AT NEES



### STRIPING LEGEND AND SYMBOLS

- INSTALL THERMOPLASTIC STRIPING PER PER CALTRANS STANDARD PLAN NOS. A20A, A20B, A20C, AND A20D. (DETAIL NO. SHOWN, TYP.)
- INSTALL LEAD LANE LINE THERMOPLASTIC STRIPING, 4-INCH-WIDE SOLID WHITE WITH TYPE G MARKERS AT 24' O.C.
- INSTALL STOP BAR THERMOPLASTIC STRIPING, 12-INCH-WIDE SOLID WHITE.
- EXISTING STRIPING TO REMAIN, SEE PLAN FOR DETAIL #.
- INSTALL BICYCLE LOOP DETECTOR SYMBOL ON LOOP AS SHOWN IN LEGEND.
- JOIN AND MATCH EXISTING STRIPING ALIGNMENT.
- PAINT AND/OR RE-PAINT MEDIAN ISLAND NOSE YELLOW, 2 COATS.
- INSTALL 12" WIDE THERMOPLASTIC CROSSWALK STRIPES AS SHOWN. CROSSWALK WIDTH SHALL BE 11 FT CENTER TO CENTER OF STRIPES. COLOR WHITE OR AS INDICATED ON PLAN PER CALTRANS STANDARD PLAN A24F.
- SEE PLANS FOR DETAILS.  
PROPOSED TRAFFIC SIGN PER CITY STANDARD, ON SIGN POST OR STREET LIGHT, SEE PLAN FOR DETAILS.
- EXISTING TRAFFIC SIGN TO BE REMOVED OR TO REMAIN, SEE PLAN FOR DETAILS.
- REMOVE AND SALVAGE EXISTING SIGN TO CITY YARD.
- FURNISH AND INSTLL ROADWAY SIGN ON CITY OF FRESNO POST
- EXISTING SIGN TO REMAIN
- INSTALL THERMOPLASTIC TYPE IV (L OR R) WHITE ARROWS CENTERED IN LANE AS SHOWN PER CALTRANS STANDARD PLAN A24A.
- INSTALL BICYCLE LOOP DETECTOR SYMBOL PER CITY OF FRESNO STANDARD E-14, AFTER LOOP DETECTOR IS INSTALLED.
- INSTALL BICYCLE LOOP DETECTOR SYMBOL (FOR 3'X3' LOOP) PER CITY OF FRESNO STANDARD E-13, AFTER LOOP DETECTOR IS INSTALLED.
- INSTALL BIKE LANE ARROW AND SYMBOL PER CA MUTCD 2012 STANDARDS, FIGURE 9C-3-B.
- INSTALL THERMOPLASTIC TYPE VI WHITE ARROW CENTERED IN LANE AS SHOWN PER CALTRANS STANDARD PLAN A24A.
- LPT. ANGLE POINT
- ANGLE POINT LOCATIONS
- BC, EC, AND PRC LOCATIONS
- CHANGE OF DETAIL
- BC BEGIN CURVE
- EC END CURVE
- SEE PLANS FOR DETAILS.  
PROPOSED STRIPING.
- EXISTING STRIPING TO BE REMOVED OR REMAIN.

### SURFACE LEGEND

- PLACE GREEN PAINT, METHYL METHACRYLATE (MMA) TO CITY REQUIREMENTS.
- SLURRY SEAL  
PLACE SLURRY SEAL PER CITY STANDARDS AND PROJECT SPECIFICATIONS, AS SHOWN ON THE PLANS.



STEVE DELSID, JR. DATE



PW File No. 12348  
Proj. ID: PW00806  
File: 31579/189001  
Ref. & Rev.

CITY OF FRESNO		Department of Public Works	
DUAL LEFT TURN PHASING ON W. AUDUBON DR. AT W. NEES AVE.			
APPROVED:	OFFICE ENG.	CITY ENG.	
DR. BY: <u>EWJ</u>	SHEET NO. 7	OF 9 SHEETS	
CH. BY:	DATE:		
SCALE: As Noted		15-E-12200	

K:\02\_PROJECTS\04\_PROJECTS\04\_PROJECT DESIGN\02\_PLANS\01Acad\SCHEME B1\PLANS\PW00806 Audubon NO Nees Sign Stripe.dwg 11-01-21 01:51:54 PM EricJ

PW00806 DUAL LT PHASING AT AUDUBON DR. AT NEES