

**EVALUATION OF BID
PROPOSALS**

FOR: Sewer Rehabilitation Improvements in the Area Bound By Blackstone, Maroa, McKinley
and Clinton Avenues.

Bid File No. 3836
Bid Opening: 03/22/2022

BIDDERS

TOTAL NET BID AMOUNT

- | | |
|---|-----------------------------------|
| 1. Emmett's Excavation, Inc.
1477 Menlo Ave.
Clovis, CA 93611 | \$1,578,078.00 |
| 2. Nor Cal Pipeline
983 Reserve Dr.
Roseville, CA 95678 | \$1,900,714.00
*Non-Responsive |

*Bidder's proposal missing required document

Each bidder has agreed to allow the City sixty-four (64) days from date bids are opened to accept or reject their bid proposal. Purchasing requests that you complete the following sections and return this bid evaluation to the Purchasing Unit at the latest by Monday, April 18, 2022 5:00 P.M.

The Engineer's Estimate for this expenditure is \$2,722,000. The contract price is 42% below the Engineer's Estimate. If the overage is greater than 10% or only one bid was received, give explanation:

Not Applicable

BACKGROUND OF PROJECT (To be completed by Evaluating Department/Division. Explain need for project/equipment):

The 2015 Wastewater Collection System Master Plan incorporated inspections of the City's sewer system. Through this investigation, various sections of sewer pipes were found to have structural deficiencies such as cracks, offsets, exposed aggregate and corrosion damage and some are past the design useful life. The ages of the pipes in the Project area range from 43 to 100 years. The typical design life of a sewer pipe is 50 to 75 years. The advanced age and structural deficiencies discovered in these areas require that certain sections of the sewer pipes be rehabilitated and a portion of the sewer pipe be removed and replaced.

The Project consists of the rehabilitation of sewer mains by means of (1) installation of Cured-in-Place Pipe liner along 5,606 linear feet of 6-inch pipe and 2,584 linear feet of 8-inch pipe, (2) removal of 1,044 linear feet of 6-inch sewer main for replacement with 6-inch and 8-inch Polyvinyl Chloride (PVC), and (3) removal of 40 linear feet of 8-in sewer main for replacement with 8-inch PVC. Additionally, the Project includes rehabilitation of deteriorated access structures and localized point repairs in areas of severe damage at various locations along these sewer mains.

EVALUATION OF BID
PROPOSALS

FOR: Sewer Rehabilitation Improvements in the Area Bound By Blackstone, Maroa, McKinley and Clinton Avenues.

Bid File No. 3836
Bid Opening: 03/22/2022

DEPARTMENT CONCLUSIONS AND RECOMMENDATION:

Award a contract in the amount of \$1,578,078.00 to Emmett's Excavation, Inc. as the lowest responsive and responsible bidder.

Remarks:

Reject all bids. Reason:

Department Head Approval



Title Public Utilities Manager

Date 3/29/22

Approve Dept. Recommendation

Approve Finance/Purchasing Recommendation

Disapprove


Disapprove

See Attachment

FINANCE DEPARTMENT

CITY MANAGER


Purchasing Manager 03/29/2022
Date


City Manager or Designee 3/30/22
Date


Finance Director 3/29/22
Date

FISCAL IMPACT STATEMENT

PROGRAM: _Sewer Rehabilitation Improvements in the Area Bond By Blackstone, Maroa, McKinley and Clinton Avenues

PROJECT ID: RC00177 **PC BU:** DPU **FUND:** 40501 **ORG:** 413501

RECOMMENDATION	TOTAL OR CURRENT	ANNUALIZED COST
Direct Costs	\$ 1,578,078	\$ 1,578,078
Indirect Costs*	\$ 239,050	\$ 239,050
Total Costs	\$ 1,817,128	\$ 1,817,128
Additional Revenue or Savings Generated	-	-
Net City Cost	\$ 1,817,128	\$ 1,817,128
Amount Budgeted (if none budgeted, identify source)	\$ 2,020,150	\$ 2,020,150

***Indirect Costs**

Inspection	\$ 190,550
Administration	\$ 40,000
Contract Compliance	\$ 5,500
Other	\$ 3,000
Indirect Costs	\$ 239,050