



PHASE I ENVIRONMENTAL SITE ASSESSMENT

FOR

SIMONIAN ESTATES
APNS: 316-160-16s, -17s, -43s, -59s, AND -61s
1099, 1139, AND 1183 SOUTH ARMSTRONG AVENUE
FRESNO, CALIFORNIA 93727

for

KB Home Central California 744 P Street, Suite 321 Fresno, California 93721

October 27, 2023

Project Number 07-230797-1



October 27, 2023 Project No. 07-230797-1

KB Home Central California

744 P Street, Suite 321 Fresno, California 93721

Attention: Mr. Zach Gomes

zgomes@kbhome.com

Subject: Phase I Environmental Site Assessment

Simonian Estates

APNs: 316-160-16s, -17s, -43s, -59s, and -61s 1099, 1139, and 1183 South Armstrong Avenue

Addressee (1 pdf copy to zgomes@kbhome.com)

Fresno, California 93727

Dear Mr. Gomes;

Pursuant to your request and authorization, a Phase I Environmental Site Assessment has been performed at the subject property in accordance with the current Standard of Practice for Phase I Environmental Site Assessments per the ASTM: E1527-21 guidelines. This report is presented for the sole use of the KB Home Central California and their representatives and/or associates to use as an indication whether hazardous materials and or soil contamination may be present on the subject property. This report may not contain sufficient information for other uses.

If you have any questions regarding the information presented in this report, please do not hesitate to contact our office. We appreciate the opportunity to be of service to you.

Sincerely,

RMA GeoScience, Inc.

Jim Vue, GIT Staff Geologist

Distribution:

Josue A. Montes, GE 2904

Principal Engineer

XXII. More



TABLE OF CONTENTS

| 1.0 INTR | RODUCTION | 1 |
|----------|--|----|
| 1.1 | Purpose | 1 |
| 1.2 | Site Location and Description | 1 |
| 1.3 | Scope of Work | 1 |
| 1.4 | General Limitations and Exceptions | 2 |
| 1.5 | Special Terms and Conditions | 3 |
| 1.6 | User Provided Information | 3 |
| 2.0 SITE | OVERVIEW | 4 |
| 2.1 | Site Observations | 4 |
| 2.1.1 | Exterior Observations | 4 |
| 2.2 | Hazardous Substances & Petroleum Containers/Products | 4 |
| 2.3 | Aboveground Storage Tanks (ASTs) | 4 |
| 2.4 | Underground Storage Tanks (USTs) | 5 |
| 2.5 | Polychlorinated Biphenyls (PCBs) | 5 |
| 2.6 | Stressed Vegetation, Pits, Ponds and Lagoons and Standing Water | 5 |
| 2.7 | Solid Waste, Mounds, or Depressions Suggesting Trash or Solid Waste Disposal | 5 |
| 2.8 | Wastewater or Stormwater | 5 |
| 2.9 | Existing or Abandoned Oil and Water Wells | 5 |
| 2.10 | Septic Systems | 5 |
| 2.11 | Railroad Lines or Spurs | 6 |
| 2.12 | Site Reconnaissance of Adjacent Properties | |
| 2.13 | Current Site Use | 6 |
| 2.14 | Drains and Sumps | 6 |
| 3.0 GEO | LOGY AND HYDROGEOLOGY | 6 |
| 3.1 | Geology | 6 |
| 3.2 | Hydrogeology | 7 |
| 4.0 RESU | ULTS OF RECORDS SEARCH | 7 |
| 4.1 | Aerial Photograph Review | 7 |
| 4.2 | Sanborn Map Review | 10 |
| 4.3 | Topographic Map Review | 10 |
| 4.4 | Governmental Agency Database Review | 12 |
| 4.4.1 | Target Property Search Results | 13 |
| 4.4.2 | Surrounding Facilities Search Results | 14 |
| 4.5 | City Directory Review | 15 |
| 4.6 | State and Local Agencies | 16 |
| 5.0 INTE | FRVIEWS | 16 |
| 5.1 | Present Owner | |
| 6.0 FIND | DINGS | 17 |
| 6.1 | Recognized Environmental Conditions | |
| 6.2 | Controlled Recognized Environmental Conditions | |
| 6.3 | Historical Recognized Environmental Conditions | |
| 6.4 | Business Environmental Risk | |
| 6.5 | De minimis Conditions | |
| 6.6 | Data Gap and Data Failure | _ |
| | · | |



| 7.0 CONCLUSIONS | 19 |
|--------------------|----|
| 7.1 Conclusions | 19 |
| 8.0 QUALIFICATIONS | 21 |
| 9.0 LIMITATIONS | 21 |
| 10.0 REFERENCES | 22 |

Figures:

Figure 1, Site Vicinity Map Figure 2, Site Map Site Photographs

Enclosures:

EDR Radius Report
EDR Aerial Photographs
EDR Topographic Maps
EDR Sanborn Map Report
EDR City Directory Search
User Questionnaire
Interview Questionnaire
Record Requests and Responses
Documents and Reports
Qualifications



1.0 INTRODUCTION

1.1 Purpose

A Phase I Environmental Site Assessment (ESA) was performed for five parcels located to the west of South Armstrong Avenue and East California Avenue in Fresno, California (subject property). The purpose of the assessment was to identify to the extent feasible any recognized environmental conditions in connection with the aforementioned property. The American Society for Testing and Materials (ASTM) E1527-21 defines recognized environmental conditions as the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment. De minimis conditions are not recognized environmental conditions. De minimis conditions generally do not present a material risk of harm to public health or the environment and generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies.

1.2 Site Location and Description

The subject property is located to the west of South Armstrong Avenue and East California Avenue in Fresno, California (Figure 1). The subject property is comprised of five parcels and has a total area of approximately 37.92-acres (Figure 2). The subject property is at or near street grade and is currently vacant land.

Its central geographic position is 36.7212° north latitude and 119.6754° west longitude.

| APN | Acreage | Current Subject Property Address |
|-------------|---------|----------------------------------|
| 316-160-16s | 0.48 | 1099 South Armstrong Avenue |
| 316-160-17s | 17.59 | Not available |
| 316-160-43s | 0.98 | 1183 South Armstrong Avenue |
| 316-160-59s | 0.50 | 1139 South Armstrong Avenue |
| 316-160-61s | 18.37 | 1139 South Armstrong Avenue |

1.3 Scope of Work

Our work was performed in conformance with the scope and limitations of the American Society for Testing and Materials (ASTM) E:1527-21. In order to complete this report, the following scope of work was completed.

- a. A visual reconnaissance of the subject property and surrounding area to visually evaluate the potential for site contamination and to identify the current land use
- b. A review of the regional geologic maps and geologic references pertinent to the subject property
- c. A review of historical aerial photographs and topographic maps to assess the subject property's historical land use, and for indications of potential contamination or sources of contamination



- d. A database search of federal, state, and local regulatory agencies obtained by Environmental Data Resource (EDR), which is included with this report
- e. Review of local governmental databases and files
- f. Identify key personnel, local officials, and current owners of the subject property to conduct interviews with persons knowledgeable of the subject property and surrounding areas
- g. Preparation of this report

1.4 General Limitations and Exceptions

This report was completed in substantial conformance with the scope and practice set forth by the ASTM Standard E1527-21 with a level of care and skill ordinarily exercised by members of our profession currently practicing in California. No environmental site assessment can wholly eliminate uncertainty regarding the potential for recognized environmental conditions. This assessment is not, and should not be construed as, a warranty or guarantee concerning the presence or not of hazardous substances which may affect the subject property. All information presented in this report is based on visual observations, research of publicly available information, review of maps and literature, experience, and professional judgment. The ASTM standard defines reasonably ascertainable information as information that is publicly available with reasonable time and cost constraints and yields relevant information without the need for extraordinary analysis of irrelevant data.

The subject property was accessible on foot.

The following are considered non-scope items and are not included in the scope of this report:

- * Asbestos Containing Building Materials
- Biological Agents
- * Cultural and Historical Resources
- Ecological Resources
- Endangered Species
- * Health and Safety
- * Indoor Air Quality
- * Industrial Hygiene
- * Lead-Based Paint
- Lead in Drinking Water
- * Mold or Microbial Growth Conditions
- PCB Containing Building Materials
- * Naturally Occurring Radon
- * Regulatory Compliance
- Substances not defined as hazardous substances (including some substances sometime generally referred to as emerging contaminants) unless or until such substances are classified as a CERCLA hazardous substance
- * Wetlands



1.5 Special Terms and Conditions

This report is intended for the sole use of KB Home Central California (User). Its contents are considered to be privileged and confidential. The contents should not be relied upon by any party other than the aforementioned without the express written consent of RMA GeoScience, Inc. and KB Home Central California.

An environmental liens and activity and use limitations (AULs) search was not included with the scope of this report, as per the direction of the User. In order to satisfy the ASTM E1527-21 requirements for a Phase I ESA, a search for environmental liens and AULs must be appended.

1.6 User Provided Information

A User Questionnaire was sent to Mr. Zach Gomes, the Vice President, South Valley Business Unit of KB Home Central California, identified user or party seeking to complete an environmental site assessment of the subject property. The User Questionnaire serves to assist the environmental professional in gathering information from the user that may be material to identifying recognized environmental conditions. As of the date of this report, the User Questionnaire has not been completed by Mr. Zach Gomes.



2.0 SITE OVERVIEW

2.1 Site Observations

Our visual site reconnaissance was conducted on October 6, 2023. The purpose of our reconnaissance was to visually assess the subject property and surrounding area for any recognized environmental conditions. Photographs of the subject property during site reconnaissance are included with this report.

2.1.1 Exterior Observations

| Item | Observed or Suspected | Not Observed or Suspected |
|---|--------------------------|---------------------------|
| Hazardous substances & Petroleum products | | Х |
| Above Ground Storage Tanks | | X |
| Underground Storage Tanks | X | |
| Odors | | Х |
| Standing water or pools of liquids | | Х |
| Drums, hazardous substance, or petroleum containers | | Х |
| Unidentified substance containers | | Х |
| Electrical or hydraulic equipment known or likely to contain PCBs | | X |
| Pits, ponds, or lagoons | | X |
| Stained soil or pavement | | X |
| Stresses vegetation (other than from insufficient water) | | X |
| Solid waste, mounds or depressions suggesting trash or soil waste disposal | X | |
| Wastewater or storm water discharge into a drain, ditch, stream, or adjacent property | | Х |
| Wells (active, inactive, or abandoned) | Х | |
| Sewage disposal system | Х | |
| Roads | | Х |
| Railroad lines or spurs | | Х |

2.2 Hazardous Substances & Petroleum Containers/Products

Hazardous substances or petroleum products containers for liquids are generally less than 5 gallons and may be made of metal, glass, or plastic. Containers may also contain solids and gasses and may be made of paper, plastic, cardboard, or metal. Hazardous substances or petroleum products can be contained in equipment such as elevator and hoist pistons, machinery, forklifts, and other equipment.

During our site reconnaissance, no hazardous substances & petroleum containers or products were observed on the subject property.

2.3 Aboveground Storage Tanks (ASTs)

During our site reconnaissance, no features associated with ASTs were observed on the subject property.



2.4 Underground Storage Tanks (USTs)

During our site reconnaissance, no features associated with USTs were observed on the subject property. However, a 350-gallon fuel and an unknown capacity fuel USTs are listed under the subject property addresses and further discussed in the sections below.

2.5 Polychlorinated Biphenyls (PCBs)

Polychlorinated biphenyl's (PCBs) were once widely used in dielectric and coolant oils in transformers and capacitors. PCB production was banned in the US in 1979 but some older transformers and electrical equipment may still contain PCBs. Many fluorescent light ballasts manufactured before 1979 also contained small quantities of PCBs. An inventory and inspection of fluorescent light ballasts was not conducted as part of this investigation.

During our site reconnaissance, no pad- or pole-mounted transformers were observed on the subject property.

2.6 Stressed Vegetation, Pits, Ponds and Lagoons and Standing Water

During our site reconnaissance, no stressed vegetation, pits, ponds, lagoons, or standing water were observed on the subject property.

2.7 Solid Waste, Mounds, or Depressions Suggesting Trash or Solid Waste Disposal

During our site reconnaissance, no mounds or depressions suggesting trash or solid waste disposal were observed on the subject property. However, debris were observed on the southern boundary of the subject property.

2.8 Wastewater or Stormwater

During our site reconnaissance, no stormwater retention basins are on or adjacent to the subject property. No industrial wastewater exists on the subject property and there are no wastewater treatment facilities located on or near the subject property.

2.9 Existing or Abandoned Oil and Water Wells

According to the database maintained by the Department of Oil, Gas, and Geothermal Resources there are no oil wells located at or in the near vicinity of the subject property. During our site reconnaissance, one abandoned water well was observed on the subject property.

2.10 Septic Systems

During our site reconnaissance, no features associated with a septic system were observed on the subject property. The agency that provides sewer service in the area is the City of Fresno.



2.11 Railroad Lines or Spurs

During our site reconnaissance and review of the standard historical resources (aerial photograph, Sanborn maps, topographic maps, etc.), no railroad lines or spurs were observed on the subject property.

2.12 Site Reconnaissance of Adjacent Properties

Properties immediately adjacent to the subject property consist of the following:

- To the north Residential development / ponding basin
- To the east Residential development / ponding basin
- To the south Agricultural land
- To the west Vacant land

2.13 Current Site Use

The subject property is currently vacant land.

2.14 Drains and Sumps

During our site reconnaissance, no drains or sumps were observed on the subject property.

3.0 GEOLOGY AND HYDROGEOLOGY

3.1 Geology

The subject property is located in the east-central San Joaquin Valley, which comprises the southern half of the Great Valley geomorphic province. The valley is a westward-tilting trough which forms a broad alluvial fan, approximately 200 miles long and 50 to 70 miles wide, were the eastern flank is broad and gently inclined, as opposed to the western flank which is relatively narrow (Bartow, 1991; Page, 1968). The Central Valley consists of the Great Valley Sequence, overlain by Cenozoic alluvium. Underlying the Great Valley Sequence are the Franciscan Assemblage to the west and the Sierra Nevada batholith to the east (Bailey, Irwin, and Jones, 1964).

The Franciscan Assemblage, made up of deformed and high pressure and low temperature metamorphosed mafic and ultramafic rocks, was formed around the Late Jurassic through the Miocene (160 to about 20 million years ago) by the offscraping of rocks from a subducting plate dipping to the east (Wakabayashi, 1992; Wakabayashi, 2010).

The Sierra Nevada started to form during the Early Jurassic (around 200 million years ago) when the Farallon Plate began subducting under the North American Plate. This subduction resulted in several orogenies, or mountain building events, that created the granitic Sierra Nevada Batholith deep below the surface. During the Miocene (around 10 million years ago), vertical movement along the Sierra Nevada Frontal Fault Zone (part of the Eastern California Shear Zone) began to uplift the Sierra Nevada. This uplift and erosion exposed the batholiths to the surface. From the Pleistocene (commonly known as the last Ice Age) to the present, glaciers have been carving out many parts of the Sierras. The current uplift of the Sierra Nevada is 1 - 2mm per year (Hammond, et al. 2012).



The Great Valley Sequence is a 40,000-foot sequence of marine shale, sandstone, and conglomerate beds, deposited in a deep marine environment during the Late Jurassic through the Cretaceous (150 – 65 million years ago). Overlying the Great Valley Sequence is several thousand feet of Cenozoic alluvium, deposited by: streams and rivers draining from the mountains and creating alluvial fans; by lakes that covered parts of the valley floor from time to time; flooding; and marsh environments (Page, 1986). In some places, it is thousands of feet thick, and more than half of this thickness is composed of fine grained fluvial and lacustrine deposits. Holocene deposition consists mainly of episodic deposition of alluvial sediments (Bartow, 1991; Page, 1986). The subject property is situated on Quaternary fan deposits that are several hundred feet deep.

3.2 Hydrogeology

The subject property is located within the Kings Subbasin within the San Joaquin Valley Groundwater Basin. The Kings Subbasin is bounded by the Madera Subbasin at the north, by the Kaweah and Tulare Lake Subbasins at the south, by the Sierra Nevada at the east, and Delta-Mendota and Westside Subbasins at the west. Groundwater recharge occurs from river and stream seepage, deep percolation of irrigation water, canal seepage, and intentional recharge (Groundwater Bulletin 118, 2003).

According to Groundwater Contour Maps available at California Department of Water Resources website, depth to groundwater in Fall 2022 was at 85 feet below ground surface and direction of groundwater in Fall 2022 flowed to the southwest in the vicinity of the subject property. Groundwater as shallow as 29 feet below ground surface was measured in 1950 in a well located approximately 0.89 miles southwest of the subject property.

The subject property is located within an area zoned by FEMA to be inside of the 0.2% annual chance floodplain.

4.0 RESULTS OF RECORDS SEARCH

4.1 Aerial Photograph Review

1937

Subject property:

The subject property appears to be used for agricultural purposes.

Surrounding properties:

What appears to be agricultural land, residences, and associated outbuildings are visible surrounding the subject property. The existing South Armstrong Avenue is visible to the east of the subject property. The existing railroad track is visible to the north of the subject property.

1946

Subject property and Surrounding properties:

There is no significant change to the subject property and surrounding properties from the 1937 photograph.



1950

Subject property:

What appears to be a residence and associated outbuildings are visible on the eastern portion of the subject property.

Surrounding properties:

There is no significant change to the surrounding properties from the 1946 photograph.

1957

Subject property and Surrounding properties:

There is no significant change to the subject property and surrounding properties from the 1950 photograph.

1962

Subject property:

What appears to be another residence and associated outbuildings are visible on the eastern portion of the subject property.

Surrounding properties:

There is no significant change to the surrounding properties from the 1957 photograph.

1967

Subject property:

The southeast corner of the subject property appears to be vacant land. Features that appear to be vehicles are visible on the vacant land.

Surrounding properties:

There is no significant change to the surrounding properties from the 1962 photograph.

1973

Subject property:

The southeast corner of the subject property appears to be a ponding basin. What appears to be a structure is visible on the southeast corner of the subject property.

Surrounding properties:

The residence and associated outbuildings are no longer visible to the southwest of the subject property and replaced with the existing residences. The property immediately adjacent to the west of the subject property appears to be used for agricultural purposes.

1979

Subject property:

The ponding basin is no longer visible on the southeast corner of the subject property and replaced with a residence and associated outbuildings.

Surrounding properties:

There is no significant change to the surrounding properties from the 1973 photograph.



1984

Subject property and Surrounding properties:

There is no significant change to the subject property and surrounding properties from the 1979 photograph.

1987

Subject property and Surrounding properties:

There is no significant change to the subject property and surrounding properties from the 1984 photograph.

1999

Subject property:

There is no significant change to the subject property from the 1987 photograph.

Surrounding properties:

What appears to be the existing Fresno Irrigation District ponding basin is visible to the northwest of the subject property. The existing residence and associated outbuildings are visible to the east of the subject property.

2006

Subject property:

The subject property appears to be fallow land with three residences and associated outbuildings.

Surrounding properties:

What appears to be graded residential lots associated are visible to the north of the subject property.

2009

Subject property:

There is no significant change to the subject property from the 2006 photograph.

Surrounding properties:

What appears to be graded residential lots associated are visible to the east of the subject property.

2012

Subject property and Surrounding properties:

There is no significant change to the subject property and surrounding properties from the 2009 photograph.

2016

Subject property:

There is no significant change to the subject property from the 2012 photograph.



Surrounding properties:

What appears to be the existing residential development and ponding basin are visible to the east of the subject property.

2020

Subject property and Surrounding properties:

There is no significant change to the subject property and surrounding properties from the 2016 photograph.

Copies of the aerial photographs are included with this report.

4.2 Sanborn Map Review

The Sanborn Library collection was searched by EDR. No maps covering the subject property were found.

4.3 Topographic Map Review

1923

Subject property:

There are no structures visible on the subject property.

Surrounding properties:

What appears to be a structure is visible to the north, east, south, and west of the subject property. The existing South Armstrong Avenue is visible to the east of the subject property. The existing railroad track is visible to the north of the subject property.

1946

Subject property and Surrounding properties:

There is no significant change to the subject property and surrounding properties from the 1923 topographic map.

1947

Subject property and Surrounding properties:

There is no significant change to the subject property and surrounding properties from the 1946 topographic map.

1948

Subject property and Surrounding properties:

There is no significant change to the subject property and surrounding properties from the 1947 topographic map.

1964

Subject property:

There are structures visible on the eastern portion of the subject property.



Surrounding properties:

There is no significant change to the surrounding properties from the 1948 topographic map.

1972

Subject property and Surrounding properties:

There is no significant change to the subject property and surrounding properties from the 1964 topographic map.

1981

Subject property:

There is one structure visible on the southeast corner of the subject property.

Surrounding properties:

There are structures visible to the west of the subject property.

2012

Subject property and Surrounding properties:

The 2012 topographic map does not reveal any structures on the subject property or surrounding properties.

2015

Subject property and Surrounding properties:

The 2015 topographic map does not reveal any structures on the subject property or surrounding properties.

2018

Subject property and Surrounding properties:

The 2018 topographic map does not reveal any structures on the subject property or surrounding properties.

Copies of the topographic maps are included with this report.



4.4 Governmental Agency Database Review

A search of available government databases was conducted for RMA GeoScience, Inc. by EDR, an information retrieval service which identifies current and historical environmental risk management information for a specific site (Target Property) and surrounding area. The search included the area within a one-mile radius of the subject property. The search radius used meets or exceeds the standard search distance adopted by ASTM-E:1527-21. Copies of the EDR reports are included with this report. The following is an abridged list of environmental databases that were searched by EDR:

| <u>Federal</u> | | |
|----------------|---|--|
| * | Proposed National Priorities List (NPL) | |
| * | Delisted National Priorities List (DNPL) | |
| * | Federal Superfund Liens | |
| * | Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) | |
| * | Federal Facility Site Information listing | |
| * | CERCLIS No Further Remedial Action Planned (CERCLIS-NFRAP) | |
| * | Corrective Action Report (CORRACTS) | |
| * | RCRA Treatment Storage and Disposal | |
| * | RCRA-LQG RCRA - Large Quantity Generators | |
| * | RCRA-CESQG RCRA - Conditionally Exempt Small Quantity Generator | |
| * | US ENG CONTROLS Engineering Controls Sites List | |
| * | US INST CONTROL Sites with Institutional Controls | |
| * | LUCIS Land Use Control Information System | |
| * | US BROWNFIELDS A Listing of Brownfields Sites | |
| * | Emergency Response Notification System (ERNSCA) | |
| * | National Pollutant Discharge Elimination System-Region 9 (NPDSR09) | |
| * | PCB Activity Database | |
| * | Open Dump Inventory (ODI) | |
| * | Toxics Release Inventory (TRI) | |
| <u>State</u> | | |
| * | Above Ground Storage Tanks (ABST) | |
| * | INDIAN LUST Leaking Underground Storage Tanks on Indian Land | |
| * | INDIAN UST Underground Storage Tanks on Indian Land | |
| * | FEMA UST Underground Storage Tank Listing | |
| * | RESPONSE State Response Sites | |

Solid Waste Information System (SWIS) VCP Voluntary Cleanup Program Properties INDIAN VCP Voluntary Cleanup Priority Listing

State Brownfields Properties Calsites Database

California Hazardous Material Incident Report System (CHMIRS)

Clandestine Drug Labs (CDL)

Dry Cleaner Facilities State Cortese List



- California Dept. of Toxic Substances Control Deed Restrictions (DTSCDR)
- California Department of Toxic Substances Control Envirostor

<u>Local</u>

- Well Investigation Program Case List
- CDEBRIS REGION 9 Torres Martinez Reservation Illegal Dump Site Locations
- * ODI Open Dump Inventory
- * WMUDS/SWAT Waste Management Unit Database
- * HAULERS Registered Waste Tire Haulers Listing
- * INDIAN ODI Report on the Status of Open Dumps on Indian Lands
- * HIST Cal-Sites Historical Calsites Database
- * SCH School Property Evaluation Program
- * Toxic Pits Toxic Pits Cleanup Act Sites
- * CDL Clandestine Drug Labs
- * US HIST CDL National Clandestine Laboratory Register
- * LIENS 2 CERCLA Lien Information
- * LIENS Environmental Liens Listing
- DEED Deed Restriction Listing

4.4.1 Target Property Search Results

The following facilities listed by EDR under the subject property addresses are listed in the table below.

| Facility Name | Address | Databases |
|-----------------------|----------------------|---------------------------------------|
| Simonian Family Trust | 1099 South Armstrong | RCRA NonGen / NLR and ECHO |
| Simoman ranning trust | Avenue | Rena Nongeri / Nen and Eerio |
| Simonian III | 1139 South Armstrong | HIST UST, SWEEPS UST, and CA FID UST |
| Simonian iii | Avenue | HIST UST, SWEEPS UST, allu CA FID UST |
| Simonian 4 | 1183 South Armstrong | HIST UST, SWEEPS UST, and CA FID UST |
| Simonan 4 | Avenue | nisi usi, sweers usi, aliu CA FID usi |

Simonian Family Trust, 1099 South Armstrong Avenue

This facility was located approximately on the subject property and listed in the RCRA NonGen / NLR and ECHO databases. According to the records obtained, there are no violations or evaluations found. Due to this information, we therefore conclude that this facility is not a REC with respect to the subject property.

Simonian III, 1139 South Armstrong Avenue

This facility was located approximately on the subject property and listed in the HIST UST, SWEEPS UST, and CA FID UST databases. According to the records obtained, an unknown size unleaded fuel underground storage tank (UST) is listed at this facility. There are no records of any leaks, spills, or the UST being removed from this facility. The potential that this facility may have negatively impacted the subject property cannot be ruled out at this time.



Simonian 4, 1183 South Armstrong Avenue

This facility was located approximately on the subject property and listed in the HIST UST, SWEEPS UST, and CA FID UST databases. According to the records obtained, a 350-gallon fuel UST is listed at this facility. There are no records of any leaks, spills, or the UST being removed from this facility. The potential that this facility may have negatively impacted the subject property cannot be ruled out at this time.

4.4.2 Surrounding Facilities Search Results

The following facilities listed by EDR within a one-mile radius of the subject property that have or have had known releases of contaminants to the environment are listed in the table below.

| Facility Name | Address | Databases | Distance (miles) |
|--|-----------------------------------|---|------------------|
| Yamamoto | 1258 South Armstrong Avenue | HIST UST, SWEEPS UST, and CA FID UST | 0.050 |
| Bill Kermoyan Farms / W.L. Kermoyan | 901 South Armstrong Avenue | HIST UST, SWEEPS UST, CA FID UST, and CUPA Listings | 0.100 |
| Riley Joseh V & Ramona J. / D&J Services | 1108 South Fowler Avenue | HIST UST, SWEEPS UST, CA FID UST, and CUPA Listings | 0.187 |
| New High School and Middle School | Fowler Avenue/Jensen Avenue | ENVIRSTOR and SCH | 0.572 |
| Proposed Sanger Unified School District Elementary | Armstrong Avenue/Jensen Avenue | ENVIROSTOR and SCH | 0.767 |

Yamamoto, 1258 South Armstrong Avenue

This facility was located approximately 0.050 miles southeast of the subject property and listed in the HIST UST, SWEEPS UST, and CA FID UST databases. According to the records obtained, a 550-gallon fuel UST is listed at this facility. There are no records of any leaks, spills, or the UST being removed from this facility. The potential that this facility may have negatively impacted the subject property cannot be ruled out at this time.

Bill Kermoyan Farms / W.L. Kermoyan, 901 South Armstrong Avenue

This facility was located approximately 0.100 miles northeast of the subject property and listed in the HIST UST, SWEEPS UST, CA FID UST, and CUPA Listings databases. According to the records obtained, one 2,000-gallon diesel UST and one 2,000-gallon fuel UST were removed from this facility. A Fresno County letter dated April 10, 2001, revealed that no further action is required. Due to this information, we therefore conclude that this facility is not a REC with respect to the subject property.

Riley Joseh V & Ramona J., 1108 South Fowler Avenue

This facility was located approximately 0.187 miles southwest of the subject property and listed in the HIST UST, SWEEPS UST, CA FID UST, and CUPA Listings databases. According to the records obtained, one 675-gallon gas UST and one 4,000-gallon diesel UST were removed from this facility. A Fresno County letter dated February 12, 1988, stated that Fresno County Health Department "concur with the results and conclusions



of this report based solely on its scope, procedures, and findings submitted by Twinning Labs". Due to this information, we therefore conclude that this facility is not a REC with respect to the subject property.

New High School and Middle School, Fowler Avenue/Jensen Avenue

This facility is located approximately 0.572 miles southwest of the subject property and listed in the ENVIROSTOR and SCH databases. According to the Department of Toxic Substances Control's (DTSC) EnviroStor website, this facility has a "Certified" status. Due to this information, we therefore conclude that this facility is not a REC with respect to the subject property.

Proposed Sanger Unified School District Elementary, Armstrong Avenue/Jensen Avenue

This facility was located approximately 0.767 miles south of the subject property and listed in the ENVIROSTOR and SCH databases. According to the EnviroStor website, this facility has a "No Further Action" status. Due to this information, we therefore conclude that this facility is not a REC with respect to the subject property.

4.5 City Directory Review

A search of available city directories from 1973 to 2020 was conducted for RMA GeoScience, Inc. by EDR, an information retrieval service which identifies current and historical environmental risk management information for a specific site (Target Property) and surrounding area. The following listings for the subject property address and adjacent property's addresses are identified and listed below.

Current subject property address:

1099 South Armstrong Avenue

2010 – 2014 Angelica Gonzalez
 2002 Henry Margaret A

1139 South Armstrong Avenue

2010 – 2017 Elisabeth Montgomery
 2005 Occupant Unknown
 1995 Alice Simonian

1183 South Armstrong Avenue

• 1992 – 2014 Gary C Simonian

Adjacent property addresses:

1218 South Fowler Avenue

• 1922 – 2020 Not listed

1375 South Armstrong Avenue

• 1922 – 2020 Not listed

6505 – 6519 East Christine Avenue

• 1922 – 2020 Not listed



<u>6265 – 6489 East Dwight Avenue</u>

• 1922 – 2020 Not listed

1129 - 1213 South Filbert Avenue

• 1922 – 2020 Not listed

4.6 State and Local Agencies

California Department of Conservation Division of Oil and Gas and Geothermal Resources

We searched the online databases that are maintained by the California Department of Conservation - Division of Oil and Gas regarding any current or abandoned oil wells located on or near the subject property. There are no oil wells listed on the subject property.

Fresno County Department of Public Health, Division of Environmental Health

Available records for the subject property and adjacent facilities to the subject property were viewed on the Fresno County Department of Public Health, Division of Environmental Health's website on October 4, 2023 and discussed in Section 4.4. Requests for additional information were sent on October 5 and 6, 2023 and discussed in Section 4.4.

City of Fresno Attorney's Office

A request to review available records for the subject property was submitted to this agency on September 20, 2023. We specified that we were looking for building records. According to Ms. Aimee Rios, the Paralegal for Travis R. Stokes, the Assistant City Attorney of the City of Fresno, there are no records for the subject property.

Fresno County Department of Public Works and Planning

A request to review available records for the subject property was submitted to this agency on October 6, 2023. We specified that we were looking for building records. On October 20, 2023, Fresno County provided numerous building records (drainage fee, reroof, repairs residence due to fire damage, wire conversion on 10hp pump, new septic, extend patio cover, new residence and garage, upgrade electrical service for existing residence, ag pump, carport, 2hp pump, and ag exempt) from 1968 to 2015 for the subject property. These records are included at the end of this report.

5.0 INTERVIEWS

5.1 Present Owner

An interview questionnaire was sent to Mr. Greg Simonian, the property owner, with questions pertaining to his knowledge of the subject property. Mr. Simonian indicated that there are no litigation or administrative proceedings relevant to hazardous substances or petroleum and no chemicals, pesticides, or herbicides used, mixed, or formulated on the subject property. Mr. Simonian revealed that three residences and septic systems were removed from the subject property. Mr. Simonian stated in an email that the former USTs



were removed approximately 35-40 years ago and provided the approximate locations of the former USTs. A copy of the questionnaire with Mr. Greg Simonian's response is included with this report.

6.0 FINDINGS

6.1 Recognized Environmental Conditions

ASTM E1527-21 defines recognized environmental conditions (RECs) as "(1) the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment."

This assessment has revealed the following RECs in connection with the subject property.

 According to the records obtained, one unknown size fuel and one 350-gallon fuel underground storage tanks (USTs) are listed under the subject property addresses (1139 and 1183 South Armstrong Avenue, respectively). Mr. Greg Simonian, the property owner, stated that the USTs were removed approximately 35-40 years ago and provided the approximate locations of the USTs. Mr. Simonian also stated that he does not have any records of soil samples being collected after the removal of the USTs. It is the opinion of RMA GeoScience that additional investigation is warranted, such as a subsurface investigation (Phase II ESA).

6.2 Controlled Recognized Environmental Conditions

ASTM E1527-21 defines controlled recognized environmental conditions (CRECs) as "a recognized environmental condition affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to implementation of required controls (for example, activity and use limitation or other property use limitations)."

This assessment has revealed no evidence of CRECs in connection with the subject property.

6.3 Historical Recognized Environmental Conditions

ASTM E1527-21 defines historical recognized environmental conditions (HRECs) as "a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities without subjecting the subject property to any controls (for example, activity and use limitations or other property use limitations)."

This assessment has revealed no evidence of HRECs in connection with the subject property.



6.4 Business Environmental Risk

ASTM E1527-21 defines business environmental risks (BERs) as "a risk which can have a material environmental or environmentally driven impact on the business associated with the current or planned use of commercial real estate and is not necessarily an issue required to be investigated under this practice. A BER may include one or more of the non-scope issues that were indicated in Section 1.4 of this report. This assessment has revealed the following BER in connection with the subject property.

- The former residence located on the subject property was constructed before the 1978 ban on the
 manufacture of friable asbestos containing materials. Therefore, asbestos-containing construction
 materials may be present in the building materials used for their construction. An asbestos survey
 was not conducted as part of this investigation, but it is recommended.
- The Consumer Products Safety Commission limited lead content in residential paint in 1978. The use
 of paint containing lead was also prohibited in areas where consumers have direct access to painted
 surfaces. Based on the estimated construction dates of the former structures located on the subject
 property, lead-based paint may be present in or on original building materials. An assessment of
 lead-based paint in building materials was not conducted as part of this investigation, but it is
 recommended.
- Much of the subject property has been used for agricultural purposes sometime prior to 1937. It is recommended that prior to development, the subject property be tested for agricultural pesticides.

6.5 De minimis Conditions

ASTM E1527-21 defines de minimis conditions as "a condition related to a release that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. A condition determined to be a de minimis condition is not a REC nor a CREC."

This assessment revealed no evidence of de minimis conditions in connection with the subject property.

6.6 Data Gap and Data Failure

ASTM E1527-21 defines data gaps as "a lack of or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information. Data gaps may result from incompleteness in any of the activities required by this practice, including, but not limited to, site reconnaissance (for example, an inability to conduct the site visit), and interviews (for example, an inability to interview the key site manager, regulatory officials, etc.)."

ASTM E1527-21 defines data failures as "failure to achieve the historical research objectives even after reviewing standard historical sources that are reasonably attainable and likely to be useful. Data failure is one type of data gap. Data failures can occur when the use of the property was unable to be identified at approximately five-year intervals back to the first use or 1940, whichever is earlier."

This assessment has revealed the following data gaps or data failures in connection with the subject property.



- Records of ownership of the subject property may be incomplete. The ownership record obtained during this assessment is based on reasonably attainable information and does not constitute a title search.
- Data gaps in excess of five years were encountered during the review of the standard historical sources.
- Interviews were not conducted with past owners, past operators, or past occupants.
- As of the date of this report, the User Questionnaire has not been completed by Mr. Zach Gomes.

7.0 CONCLUSIONS

7.1 Conclusions

RMA GeoScience, Inc. has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-21 of five parcels (APNs: 316-160-16s, -17s, -43s, -59s, and -61s / Addresses: 1099, 1139, and 1183 South Armstrong Avenue) in Fresno, California, the subject property. Any exceptions to, or deletions from, this practice are described in Section 1 of this report.

| Environmental Concern | Number of Findings |
|--|--------------------|
| Recognized Environmental Conditions (RECs) | 1 |
| Controlled Recognized Environmental Conditions (CRECs) | 0 |
| Historical Recognized Environmental Conditions (HRECs) | 0 |
| Business Environmental Risks (BERs) | 3 |
| De minimis Conditions | 0 |
| Data Gap / Data Failure | 4 |

This assessment has revealed no evidence of CRECs, HRECs, or De minimis conditions in connection with the subject property.

This assessment has revealed the following REC in connection with the subject property.

 According to the records obtained, one unknown size fuel and one 350-gallon fuel underground storage tanks (USTs) are listed under the subject property addresses (1139 and 1183 South Armstrong Avenue, respectively). Mr. Greg Simonian, the property owner, stated that the USTs were removed approximately 35-40 years ago and provided the approximate locations of the USTs. Mr. Simonian also stated that he does not have any records of soil samples being collected after the removal of the USTs. It is the opinion of RMA GeoScience that additional investigation is warranted, such as a subsurface investigation (Phase II ESA).



This assessment has revealed the following BERs in connection with the subject property.

- The former residence located on the subject property was constructed before the 1978 ban on the
 manufacture of friable asbestos containing materials. Therefore, asbestos-containing construction
 materials may be present in the building materials used for their construction. An asbestos survey
 was not conducted as part of this investigation, but it is recommended.
- The Consumer Products Safety Commission limited lead content in residential paint in 1978. The use
 of paint containing lead was also prohibited in areas where consumers have direct access to painted
 surfaces. Based on the estimated construction dates of the former structures located on the subject
 property, lead-based paint may be present in or on original building materials. An assessment of
 lead-based paint in building materials was not conducted as part of this investigation, but it is
 recommended.
- Much of the subject property has been used for agricultural purposes sometime prior to 1937. It is recommended that prior to development, the subject property be tested for agricultural pesticides.

This assessment has revealed the following data gaps or data failures in connection with the subject property.

- Records of ownership of the subject property may be incomplete. The ownership record obtained during this assessment is based on reasonably attainable information and does not constitute a title search.
- Data gaps in excess of five years were encountered during the review of the standard historical sources.
- Interviews were not conducted with past owners, past operators, or past occupants.
- As of the date of this report, the User Questionnaire has not been completed by Mr. Zach Gomes.

Based on our findings, further environmental investigation is warranted at this time.



8.0 QUALIFICATIONS

The following statements are provided as specified by ASTM E1527-21 and 40 CFE 312.21(d):

"We declare that, to the best of my professional knowledge and belief, we meet the definition of Environmental professional as defined by §312.10 of 40 CFR 312 and we have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed all the appropriate inquires in conformance with the standards and practices set forth in 40 CFR Part 312."

9.0 LIMITATIONS

This Phase I Environmental Site Assessment was completed in accordance with generally accepted industry practice for determining the likelihood of the presence of hazardous substances at or beneath the subject property. Information presented in this report is based on visual observations, limited research, review of maps and literature, experience, and professional judgment. This assessment is not, and should not be construed as, a warranty or guarantee concerning the presence or not of hazardous substances which may affect the property. All discovered information has been disclosed and a good faith effort has been made to consult pertinent sources.

This study and report have been prepared on behalf and for the exclusive use of KB Home Central California, and solely for use in an environmental evaluation of the subject property. This report and its findings shall not, in whole or in part, be disseminated or conveyed to any other party, nor used by any other party in whole or in part, without prior written consent of RMA GeoScience, Inc. and KB Home Central California. However, RMA GeoScience, Inc. acknowledges and agrees that the report may be conveyed to the Buyer, Seller and Lender associated with the financing of the property.



10.0 REFERENCES

Bartow, J.A., 1991, The Cenozoic Evolution of the San Joaquin Valley, California, USGS Professional Paper 1501.

California Department of Water Resources Website: http://www.water.ca.gov/waterdatalibrary

California Department of Water Resources, 1980, updated 2003, Groundwater Bulletin 118 http://www.water.ca.gov/pubs/groundwater/bulletin_118

California Department of Toxic Substance Control Website: http://www.envirostor.dtsc.ca.gov

Federal Emergency Management Agency, Flood Hazard Mapping Website, http://www.fema.gov/

Page, R.W., 1986, Geology of the Fresh Ground-Water Basin of the Central Valley, California, U.S. Geological Survey Professional Paper 1401-C.

State Water Resources Control Board Website, http://geotracker.swrcb.ca.gov/

State of California Department of Conservation Division of Oil, Gas and Geothermal Website: http://www.conservation.ca.gov/dog/.

United States Environmental Protection Agency,
Risk Management for Per- and Polyfluoroalkyl Substances (PFAS) under TSCA | US EPA



FIGURES



References: Google Earth

Approximate Scale: 1" ≈ 2,142'

FIGURE 1

SITE VICINITY MAP

Simonian Estates
APNs: 316-160-16, -17, -43, -59, & -61
1099, 1139, and 1183 South Armstrong Avenue
Fresno, California 93727
Project # 07-230797-1



Approximate Limits of the Subject Property





Reference: Google Earth

FIGURE 2

SITE MAP

Simonian Estates APNs: 316-160-16, -17, -43, -59, & -61 1099, 1139, and 1183 South Armstrong Avenue Fresno, California 93727 Project # 07-230797-1 Approximate Scale: 1" ≈ 267'



Approximate Limits of the Subject Property





SITE PHOTOGRAPHS






Photograph 1: View of the subject property, South Armstrong Avenue, and residential development.



Photograph 2: View of an abandoned irrigation well located on the northern portion of the subject property.





Photograph 3: View of the subject property, railroad tracks, and residential development.



Photograph 4: View of a pile of debris located on the southern boundary of the subject property.





Photograph 5: View of a pile of debris located on the southern boundary of the subject property.



Photograph 6: The location of one of the three former subject property residence.



Photograph 7: The location of one of the three former subject property residence.



Photograph 8: The location of one of the three former subject property residence.



EDR RADIUS REPORT

Simonian Estates 1099 S Armstrong Avenue Fresno, CA 93727

Inquiry Number: 7454414.2s

September 26, 2023

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

TABLE OF CONTENTS

| SECTION | PAGE |
|--|-------------|
| Executive Summary | ES1 |
| Overview Map. | 2 |
| Detail Map. | 3 |
| Map Findings Summary. | 4 |
| Map Findings. | 9 |
| Orphan Summary | |
| Government Records Searched/Data Currency Tracking | GR-1 |
| GEOCHECK ADDENDUM | |
| Physical Setting Source Addendum | A-1 |
| Physical Setting Source Summary | A-2 |
| Physical Setting SSURGO Soil Map. | A-5 |
| Physical Setting Source Map. | |
| Physical Setting Source Map Findings. | A-11 |
| Physical Setting Source Records Searched | PSGR- |

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

1099 S ARMSTRONG AVENUE FRESNO, CA 93727

COORDINATES

Latitude (North): 36.7212250 - 36° 43' 16.41" Longitude (West): 119.6754490 - 119° 40' 31.61"

Universal Tranverse Mercator: Zone 11 UTM X (Meters): 261052.1 UTM Y (Meters): 4067082.2

Elevation: 323 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 12012201 MALAGA, CA

Version Date: 2018

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20200705 Source: USDA

MAPPED SITES SUMMARY

Target Property Address: 1099 S ARMSTRONG AVENUE FRESNO, CA 93727

Click on Map ID to see full detail.

| MAP ID | SITE NAME | ADDRESS | DATABASE ACRONYMS | RELATIVE ELEVATION | DIST (ft. & mi.) DIRECTION |
|-----------|----------------------|----------------------|----------------------------------|-----------------------|-------------------------------|
| A1 | SIMONIAN FAMILY TRUS | 1099 SOUTH ARMSTRONG | RCRA NonGen / NLR | | TP |
| A2 | SIMONIAN FAMILY TRUS | 1099 SOUTH ARMSTRONG | ECHO | | TP |
| B3 | SIMONIAN III | 1139 S ARMSTRONG AVE | HIST UST | Higher | 1 ft. |
| B4 | SIMONIAN 4 | 1183 S ARMSTRONG | SWEEPS UST, HIST UST, CA FID UST | Higher | 1 ft. |
| B5 | SIMONIAN 4 | 1183 S ARMSTRONG AVE | HIST UST | Higher | 1 ft. |
| B6 | SIMONIAN III | 1139 S ARMSTRONG | SWEEPS UST, HIST UST, CA FID UST | Higher | 1 ft. |
| C7 | YAMAMOTO | 1258 S ARMSTRONG | HIST UST | Higher | 265, 0.050, SSE |
| C8 | YAMAMOTO | 1258 S ARMSTRONG | SWEEPS UST, CA FID UST | Higher | 265, 0.050, SSE |
| D9 | BILL KERMOYAN FARMS | 901 S ARMSTRONG | CUPA Listings | Higher | 526, 0.100, NE |
| D10 | W.L. KERMOYAN | 901 S ARMSTRONG | SWEEPS UST, HIST UST, CA FID UST | Higher | 526, 0.100, NE |
| D11 | W.L. KERMOYAN | 901 S ARMSTRONG AVE | HIST UST | Higher | 526, 0.100, NE |
| E12 | RILEY JOSEH V & RAMO | 1108 S FOWLER | SWEEPS UST, CA FID UST | Lower | 986, 0.187, WSW |
| E13 | RILEY JOSEH V & RAMO | 1108 S FOWLER AVE | HIST UST | Lower | 986, 0.187, WSW |
| E14 | D&J SERVICES | 1108 S FOWLER | HIST UST, CUPA Listings | Lower | 986, 0.187, WSW |
| 15 | CITY OF FRESNO WELL | 750 S ARMSTRONG AVE | CUPA Listings, CERS | Higher | 1277, 0.242, NNE |
| 16 | GARABEDIAL ESTATE | 960 N FOWLER AVE | SWEEPS UST | Lower | 1304, 0.247, WNW |
| 17 | NEW HIGH SCHOOL AND | FOWLER AVE./JENSEN A | ENVIROSTOR, SCH | Lower | 3020, 0.572, SSW |
| 18 | PROPOSED SANGER UNIF | SOUTH ARMSTRONG/EAST | ENVIROSTOR, SCH | Higher | 4052, 0.767, South |

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 9 of the attached EDR Radius Map report:

| Site | Database(s) | EPA ID |
|--|--|--------------|
| SIMONIAN FAMILY TRUS 1099 SOUTH ARMSTRONG FRESNO, CA 93727 | RCRA NonGen / NLR EPA ID:: CAC003234989 | CAC003234989 |
| SIMONIAN FAMILY TRUS 1099 SOUTH ARMSTRONG FRESNO, CA 93727 | ECHO | N/A |

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

| Lists of Federal NPL (Supera | fund) sites |
|--------------------------------|---|
| NPL Proposed NPL NPL LIENS | Proposed National Priority List Sites |
| Lists of Federal Delisted NP | L sites |
| Delisted NPL | National Priority List Deletions |
| Lists of Federal sites subject | et to CERCLA removals and CERCLA orders |
| | Federal Facility Site Information listing Superfund Enterprise Management System |
| Lists of Federal CERCLA sit | es with NFRAP |
| SEMS-ARCHIVE | Superfund Enterprise Management System Archive |
| Lists of Federal RCRA facility | ties undergoing Corrective Action |
| CORRACTS | Corrective Action Report |
| Lists of Federal RCRA TSD | facilities |
| RCRA-TSDF | RCRA - Treatment, Storage and Disposal |

| Lists of Fede | ral RCRA | generators |
|---------------|----------|------------|
|---------------|----------|------------|

Generators)

Federal institutional controls / engineering controls registries

LUCIS...... Land Use Control Information System US ENG CONTROLS..... Engineering Controls Sites List US INST CONTROLS..... Institutional Controls Sites List

Federal ERNS list

ERNS..... Emergency Response Notification System

Lists of state- and tribal (Superfund) equivalent sites

RESPONSE...... State Response Sites

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF..... Solid Waste Information System

Lists of state and tribal leaking storage tanks

LUST...... Geotracker's Leaking Underground Fuel Tank Report INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land CPS-SLIC...... Statewide SLIC Cases

Lists of state and tribal registered storage tanks

FEMA UST..... Underground Storage Tank Listing

UST_____ Active UST Facilities

AST..... Aboveground Petroleum Storage Tank Facilities INDIAN UST..... Underground Storage Tanks on Indian Land

Lists of state and tribal voluntary cleanup sites

INDIAN VCP.......Voluntary Cleanup Priority Listing VCP......Voluntary Cleanup Program Properties

Lists of state and tribal brownfield sites

BROWNFIELDS..... Considered Brownfieds Sites Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT...... Waste Management Unit Database

SWRCY...... Recycler Database

HAULERS...... Registered Waste Tire Haulers Listing

ODI...... Open Dump Inventory IHS OPEN DUMPS..... Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register

HIST Cal-Sites Historical Calsites Database

SCH_____School Property Evaluation Program

CDL...... Clandestine Drug Labs

CERS HAZ WASTE..... California Environmental Reporting System Hazardous Waste

Toxic Pits...... Toxic Pits Cleanup Act Sites

US CDL...... National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

CERS TANKS...... California Environmental Reporting System (CERS) Tanks

Local Land Records

LIENS...... Environmental Liens Listing
LIENS 2...... CERCLA Lien Information
DEED...... Deed Restriction Listing

Records of Emergency Release Reports

HMIRS...... Hazardous Materials Information Reporting System CHMIRS..... California Hazardous Material Incident Report System

Other Ascertainable Records

FUDS Formerly Used Defense Sites DOD Department of Defense Sites

SCRD DRYCLEANERS...... State Coalition for Remediation of Drycleaners Listing

US FIN ASSUR..... Financial Assurance Information

EPA WATCH LIST..... EPA WATCH LIST

TRIS...... Toxic Chemical Release Inventory System

RAATS......RCRA Administrative Action Tracking System

ICIS...... Integrated Compliance Information System

Act)/TSCA (Toxic Substances Control Act)

MLTS..... Material Licensing Tracking System

COAL ASH DOE..... Steam-Electric Plant Operation Data COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List PCB TRANSFORMER_____ PCB Transformer Registration Database RADINFO...... Radiation Information Database HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing DOT OPS..... Incident and Accident Data CONSENT..... Superfund (CERCLA) Consent Decrees INDIAN RESERV..... Indian Reservations FUSRAP..... Formerly Utilized Sites Remedial Action Program UMTRA..... Uranium Mill Tailings Sites LEAD SMELTERS..... Lead Smelter Sites US AIRS..... Aerometric Information Retrieval System Facility Subsystem US MINES...... Mines Master Index File ABANDONED MINES..... Abandoned Mines FINDS......Facility Index System/Facility Registry System DOCKET HWC..... Hazardous Waste Compliance Docket Listing UXO...... Unexploded Ordnance Sites FUELS PROGRAM..... EPA Fuels Program Registered Listing PFAS NPL..... Superfund Sites with PFAS Detections Information PFAS FEDERAL SITES Federal Sites PFAS Information PFAS TSCA...... PFAS Manufacture and Imports Information PFAS RCRA MANIFEST..... PFAS Transfers Identified In the RCRA Database Listing PFAS ATSDR..... PFAS Contamination Site Location Listing PFAS WQP..... Ambient Environmental Sampling for PFAS PFAS NPDES...... Clean Water Act Discharge Monitoring Information PFAS ECHO..... Facilities in Industries that May Be Handling PFAS Listing PFAS ECHO FIRE TRAINING Facilities in Industries that May Be Handling PFAS Listing PFAS PART 139 AIRPORT... All Certified Part 139 Airports PFAS Information Listing AQUEOUS FOAM NRC...... Aqueous Foam Related Incidents Listing PFAS Contamination Site Location Listing AQUEOUS FOAM..... Former Fire Training Facility Assessments Listing CA BOND EXP. PLAN..... Bond Expenditure Plan Cortese "Cortese" Hazardous Waste & Substances Sites List DRYCLEANERS..... Cleaner Facilities EMI..... Emissions Inventory Data ENF..... Enforcement Action Listing Financial Assurance Information Listing ICE......Inspection, Compliance and Enforcement HIST CORTESE..... Hazardous Waste & Substance Site List HWP..... EnviroStor Permitted Facilities Listing

HAZNET Facility and Manifest Data MINES Mines Site Location Listing

MWMP..... Medical Waste Management Program Listing

HWT...... Registered Hazardous Waste Transporter Database

NPDES Permits Listing

PEST LIC..... Pesticide Regulation Licenses Listing

PROC...... Certified Processors Database
Notify 65...... Proposition 65 Records
HAZMAT...... Hazardous Material Facilities

UIC...... UIC Listing

WIP..... Well Investigation Program Case List MILITARY PRIV SITES..... MILITARY PRIV SITES (GEOTRACKER)

PROJECT.....PROJECT (GEOTRACKER)

WDR...... Waste Discharge Requirements Listing CIWQS...... California Integrated Water Quality System

CERS..... CERS

NON-CASE INFO...... NON-CASE INFO (GEOTRACKER) OTHER OIL GAS..... OTHER OIL & GAS (GEOTRACKER) PROD WATER PONDS...... PROD WATER PONDS (GEOTRACKER) SAMPLING POINT..... SAMPLING POINT (GEOTRACKER) WELL STIM PROJ...... Well Stimulation Project (GEOTRACKER) HWTS..... Hazardous Waste Tracking System PFAS TRIS.....List of PFAS Added to the TRI MINES MRDS..... Mineral Resources Data System BIOSOLIDS...... ICIS-NPDES Biosolids Facility Data

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

| EDR MGP | EDR Proprietary Manufactured Gas Plants |
|------------------|---|
| | EDR Exclusive Historical Auto Stations |
| EDR Hist Cleaner | EDR Exclusive Historical Cleaners |

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

| RGA LF | Recovered Government Archive Solid Waste Facilities List |
|----------|---|
| RGA LUST | Recovered Government Archive Leaking Underground Storage Tank |

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in **bold italics** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Lists of state- and tribal hazardous waste facilities

ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State

Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the ENVIROSTOR list, as provided by EDR, and dated 04/24/2023 has revealed that there are 2 ENVIROSTOR sites within approximately 1 mile of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|--|----------------------|-----------------------------|--------|------|
| PROPOSED SANGER UNIF Status: No Further Action Facility Id: 60001057 | SOUTH ARMSTRONG/EAST | S 1/2 - 1 (0.767 mi.) | 18 | 34 |
| Lower Elevation | Address | Direction / Distance | Map ID | Page |
| NEW HIGH SCHOOL AND Status: Certified Facility Id: 60001617 | FOWLER AVE./JENSEN A | SSW 1/2 - 1 (0.572 mi.) | 17 | 24 |

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Registered Storage Tanks

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there are 6 SWEEPS UST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|------------------|---------------------------|--------|------|
| SIMONIAN 4 Status: A Tank Status: A Comp Number: 53868 | 1183 S ARMSTRONG | 0 - 1/8 (0.000 mi.) | B4 | 12 |
| SIMONIAN III Status: A Tank Status: A Comp Number: 53867 | 1139 S ARMSTRONG | 0 - 1/8 (0.000 mi.) | B6 | 14 |
| YAMAMOTO Status: A Tank Status: A Comp Number: 11907 | 1258 S ARMSTRONG | SSE 0 - 1/8 (0.050 mi.) | C8 | 16 |
| W.L. KERMOYAN Status: A Tank Status: A Comp Number: 43120 | 901 S ARMSTRONG | NE 0 - 1/8 (0.100 mi.) | D10 | 17 |
| Lower Elevation | Address | Direction / Distance | Map ID | Page |
| RILEY JOSEH V & RAMO | 1108 S FOWLER | WSW 1/8 - 1/4 (0.187 mi.) | E12 | 19 |

Status: A Tank Status: A Comp Number: 50235 GARABEDIAL ESTATE

ARABEDIAL ESTATE 960 N FOWLER AVE WNW 1/8 - 1/4 (0.247 mi.) 16 24 Comp Number: 42422

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 9 HIST UST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|--|----------------------|---------------------------|--------|------|
| SIMONIAN III Facility Id: 00000053867 | 1139 S ARMSTRONG AVE | 0 - 1/8 (0.000 mi.) | В3 | 11 |
| SIMONIAN 4 | 1183 S ARMSTRONG | 0 - 1/8 (0.000 mi.) | B4 | 12 |
| SIMONIAN 4 Facility ld: 00000053868 | 1183 S ARMSTRONG AVE | 0 - 1/8 (0.000 mi.) | B5 | 13 |
| SIMONIAN III | 1139 S ARMSTRONG | 0 - 1/8 (0.000 mi.) | B6 | 14 |
| YAMAMOTO Facility ld: 00000011907 | 1258 S ARMSTRONG | SSE 0 - 1/8 (0.050 mi.) | C7 | 15 |
| W.L. KERMOYAN | 901 S ARMSTRONG | NE 0 - 1/8 (0.100 mi.) | D10 | 17 |
| W.L. KERMOYAN Facility Id: 00000043120 | 901 S ARMSTRONG AVE | NE 0 - 1/8 (0.100 mi.) | D11 | 18 |
| Lower Elevation | Address | Direction / Distance | Map ID | Page |
| RILEY JOSEH V & RAMO Facility Id: 00000050235 | 1108 S FOWLER AVE | WSW 1/8 - 1/4 (0.187 mi.) | E13 | 20 |
| D&J SERVICES | 1108 S FOWLER | WSW 1/8 - 1/4 (0.187 mi.) | E14 | 21 |

CA FID UST: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there are 5 CA FID UST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|--|------------------|-------------------------|--------|------|
| SIMONIAN 4 Facility Id: 10008025 Status: A | 1183 S ARMSTRONG | 0 - 1/8 (0.000 mi.) | B4 | 12 |
| SIMONIAN III Facility Id: 10008024 Status: A | 1139 S ARMSTRONG | 0 - 1/8 (0.000 mi.) | В6 | 14 |
| YAMAMOTO Facility Id: 10005280 Status: A | 1258 S ARMSTRONG | SSE 0 - 1/8 (0.050 mi.) | C8 | 16 |
| W.L. KERMOYAN Facility Id: 10007239 | 901 S ARMSTRONG | NE 0 - 1/8 (0.100 mi.) | D10 | 17 |

Status: A

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---------------|---------------------------|--------|------|
| RILEY JOSEH V & RAMO Facility Id: 10007790 | 1108 S FOWLER | WSW 1/8 - 1/4 (0.187 mi.) | E12 | 19 |
| Status: A | | | | |

Other Ascertainable Records

CUPA Listings: A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

A review of the CUPA Listings list, as provided by EDR, has revealed that there are 3 CUPA Listings sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page 16 | |
|---|--|---------------------------|--------|-------------------|--|
| BILL KERMOYAN FARMS Database: CUPA FRESNO, Date of Facility Id: FA0274821 | 901 S ARMSTRONG of Government Version: 06/28/2021 | NE 0 - 1/8 (0.100 mi.) | D9 | | |
| CITY OF FRESNO WELL Database: CUPA FRESNO, Date of Facility Id: FA0283556 | 750 S ARMSTRONG AVE of Government Version: 06/28/2021 | NNE 1/8 - 1/4 (0.242 mi.) | 15 | 22 | |
| Lower Elevation | Address | Direction / Distance | Map ID | Page | |
| D&J SERVICES Detabase: CLIDA EDESNO, Data | 1108 S FOWLER | WSW 1/8 - 1/4 (0.187 mi.) | E14 | 21 | |

Database: CUPA FRESNO, Date of Government Version: 06/28/2021


Facility Id: FA0169517

Due to poor or inadequate address information, the following sites were not mapped. Count: 3 records.

Site Name Database(s)

PACIFIC GAS AND ELECTRIC - FRESNO FOWLER-MCKINLEY ELEMENTARY SCHOOL PROPOSED TEMPERANCE ELEMENTARY SCH CA BOND EXP. PLAN ENVIROSTOR, SCH ENVIROSTOR, SCH

OVERVIEW MAP - 7454414.2S




RMA Geoscience

CLIENT: CONTACT: SITE NAME: Simonian Estates ADDRESS: 1099 S Armstrong Avenue Jim Vue Fresno CA 93727 INQUIRY#: 7454414.2s LAT/LONG: 36.721225 / 119.675449

DATE: September 26, 2023 2:33 pm

DETAIL MAP - 7454414.2S



Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

Sensitive Receptors

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA



Power transmission lines



Special Flood Hazard Area (1%)



0.2% Annual Chance Flood Hazard

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

Areas of Concern

SITE NAME: Simonian Estates ADDRESS: 1099 S Armstrong Avenue

Fresno CA 93727 LAT/LONG: 36.721225 / 119.675449 CLIENT: CONTACT: RMA Geoscience Jim Vue INQUIRY#: 7454414.2s

DATE: September 26, 2023 2:35 pm

Copyright © 2023 EDR, Inc. © 2015 TomTom Rel. 2015.

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|--|-------------------------------|--------------------|-------------|-------------|----------------|----------------|----------------|------------------|
| STANDARD ENVIRONMENT | AL RECORDS | | | | | | | |
| Lists of Federal NPL (Su | perfund) sites | s | | | | | | |
| NPL Proposed NPL NPL LIENS | 1.000 1.000 1.000 | | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | NR NR NR | 0 0 0 |
| Lists of Federal Delisted | NPL sites | | | | | | | |
| Delisted NPL | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| Lists of Federal sites sul CERCLA removals and C | | rs | | | | | | |
| FEDERAL FACILITY SEMS | 0.500 0.500 | | 0 0 | 0 0 | 0 | NR NR | NR NR | 0 0 |
| Lists of Federal CERCLA | sites with N | FRAP | | | | | | |
| SEMS-ARCHIVE | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| Lists of Federal RCRA fa undergoing Corrective A | | | | | | | | |
| CORRACTS | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| Lists of Federal RCRA To | SD facilities | | | | | | | |
| RCRA-TSDF | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| Lists of Federal RCRA ge | enerators | | | | | | | |
| RCRA-LQG RCRA-SQG RCRA-VSQG | 0.250 0.250 0.250 | | 0 0 0 | 0 0 0 | NR NR NR | NR NR NR | NR NR NR | 0 0 0 |
| Federal institutional con engineering controls reg | | | | | | | | |
| LUCIS US ENG CONTROLS US INST CONTROLS | 0.500 0.500 0.500 | | 0 0 0 | 0 0 0 | 0 0 0 | NR NR NR | NR NR NR | 0 0 0 |
| Federal ERNS list | | | | | | | | |
| ERNS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| Lists of state- and tribal (Superfund) equivalent s | ites | | | | | | | |
| RESPONSE | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| Lists of state- and tribal hazardous waste facilitie | es | | | | | | | |
| ENVIROSTOR | 1.000 | | 0 | 0 | 0 | 2 | NR | 2 |
| Lists of state and tribal la and solid waste disposal | | | | | | | | |
| SWF/LF | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|--|---|--------------------|----------------------------|------------------------------------|--------------------------------------|--------------------------------------|----------------------------------|----------------------------|
| Lists of state and tribal le | eaking storag | e tanks | | | | | | |
| LUST INDIAN LUST CPS-SLIC | 0.500 0.500 0.500 | | 0 0 0 | 0 0 0 | 0 0 0 | NR NR NR | NR NR NR | 0 0 0 |
| Lists of state and tribal re | egistered sto | rage tanks | | | | | | |
| FEMA UST UST AST INDIAN UST | 0.250 0.250 0.250 0.250 | | 0 0 0 0 | 0 0 0 0 | NR NR NR NR | NR NR NR NR | NR NR NR NR | 0 0 0 0 |
| Lists of state and tribal v | oluntary clea | nup sites | | | | | | |
| INDIAN VCP VCP | 0.500 0.500 | | 0 0 | 0 0 | 0 0 | NR NR | NR NR | 0 0 |
| Lists of state and tribal b | rownfield site | es | | | | | | |
| BROWNFIELDS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ADDITIONAL ENVIRONMEN | TAL RECORDS | <u> </u> | | | | | | |
| | | | | | | | | |
| Local Brownfield lists | 0.500 | | 0 | 0 | 0 | ND | ND | 0 |
| US BROWNFIELDS Local Lists of Landfill / S Waste Disposal Sites | 0.500 olid | | 0 | 0 | 0 | NR | NR | 0 |
| WMUDS/SWAT SWRCY HAULERS INDIAN ODI DEBRIS REGION 9 ODI IHS OPEN DUMPS | 0.500 0.500 0.001 0.500 0.500 0.500 0.500 | | 0 0 0 0 0 | 0 0 NR 0 0 | 0 0 NR 0 0 | NR NR NR NR NR NR | NR NR NR NR NR NR | 0 0 0 0 0 |
| Local Lists of Hazardous Contaminated Sites | waste / | | | | | | | |
| US HIST CDL HIST Cal-Sites SCH CDL CERS HAZ WASTE Toxic Pits US CDL | 0.001 1.000 0.250 0.001 0.250 1.000 0.001 | | 0 0 0 0 0 0 | NR 0 0 NR 0 0 NR | NR 0 NR NR NR 0 NR | NR 0 NR NR NR 0 NR | NR NR NR NR NR NR | 0 0 0 0 0 0 |
| Local Lists of Registered | l Storage Tan | ks | | | | | | |
| SWEEPS UST HIST UST CA FID UST CERS TANKS | 0.250 0.250 0.250 0.250 | | 4 7 4 0 | 2 2 1 0 | NR NR NR NR | NR NR NR NR | NR NR NR NR | 6 9 5 0 |
| Local Land Records | | | | | | | | |
| LIENS | 0.001 | | 0 | NR | NR | NR | NR | 0 |

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|--|---|--------------------|----------------------------|---|--|--|--|--|
| LIENS 2 DEED | 0.001 0.500 | | 0 | NR 0 | NR 0 | NR NR | NR NR | 0 0 |
| Records of Emergency I | Release Repo | orts | | | | | | |
| HMIRS CHMIRS LDS MCS SPILLS 90 | 0.001 0.001 0.001 0.001 0.001 | | 0 0 0 0 | NR NR NR NR NR | NR NR NR NR NR | NR NR NR NR NR | NR NR NR NR NR | 0 0 0 0 |
| Other Ascertainable Rec | ords | | | | | | | |
| RCRA NonGen / NLR FUDS DOD SCRD DRYCLEANERS US FIN ASSUR EPA WATCH LIST 2020 COR ACTION TSCA TRIS SSTS ROD RMP RAATS PRP PADS ICIS FTTS MLTS COAL ASH DOE COAL ASH EPA PCB TRANSFORMER RADINFO HIST FTTS DOT OPS CONSENT INDIAN RESERV FUSRAP UMTRA LEAD SMELTERS US AIRS US MINES ABANDONED MINES FINDS | 0.250 1.000 1.000 0.500 0.001 | 1 | | 0 0 0 0 RR 0 RR 0 RR RR RR RR RR O RR O | N6 0 0 R R R R R O R R R R R R R O R R R R | NR O O NR NR NR NR O R R R R R R R R R R | NR N | 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| ECHO DOCKET HWC UXO FUELS PROGRAM PFAS NPL PFAS FEDERAL SITES PFAS TSCA | 0.001 0.001 1.000 0.250 0.250 0.250 0.250 | 1 | 0 0 0 0 0 0 | NR NR 0 0 0 0 | NR NR O NR NR NR | NR NR 0 NR NR NR NR | NR NR NR NR NR NR | 1 0 0 0 0 0 |

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|----------------------------------|-------------------------------|--------------------|--------|-----------|-----------|----------|----------|------------------|
| DE 1 0 DOD 1 1111 EFOT | 0.050 | | | | ND | NID | | |
| PFAS RCRA MANIFEST | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS ATSDR | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS WQP | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS NPDES | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS ECHO PFAS ECHO FIRE TRAINII | 0.250 | | 0 0 | 0 0 | NR NR | NR NR | NR NR | 0 0 |
| PFAS PART 139 AIRPORT | | | 0 | 0 | NR NR | NR | NR | 0 |
| AQUEOUS FOAM NRC | 0.250 | | 0 | 0 | NR NR | NR | NR | 0 |
| PFAS | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| AQUEOUS FOAM | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| CA BOND EXP. PLAN | 1.000 | | 0 | ő | 0 | 0 | NR | 0 |
| Cortese | 0.500 | | Ö | Ö | Ö | NR | NR | Õ |
| CUPA Listings | 0.250 | | 1 | 2 | NR | NR | NR | 3 |
| DRYCLEANERS | 0.250 | | 0 | 0 | NR | NR | NR | Ō |
| EMI | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| ENF | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| Financial Assurance | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| ICE | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| HIST CORTESE | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| HWP | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| HWT | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| HAZNET | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| MINES | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| MWMP | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| NPDES | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| PEST LIC | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| PROC | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| Notify 65 | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| HAZMAT UIC | 0.250 | | 0 | 0 ND | NR NR | NR | NR | 0 |
| UIC GEO | 0.001 0.001 | | 0 0 | NR NR | NR NR | NR NR | NR NR | 0 0 |
| WASTEWATER PITS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| WDS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| WIP | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| MILITARY PRIV SITES | 0.001 | | Ö | NŘ | NR | NR | NR | 0 |
| PROJECT | 0.001 | | Ö | NR | NR | NR | NR | Ö |
| WDR | 0.001 | | Ö | NR | NR | NR | NR | Ö |
| CIWQS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| CERS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| NON-CASE INFO | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| OTHER OIL GAS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| PROD WATER PONDS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| SAMPLING POINT | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| WELL STIM PROJ | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| HWTS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| PFAS TRIS | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| MINES MRDS | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| BIOSOLIDS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| EDR HIGH RISK HISTORICAL RECORDS | | | | | | | | |
| EDR Exclusive Records | | | | | | | | |
| | 1.000 | | 0 | 0 | 0 | ^ | ND | 0 |
| EDR MGP | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted | |
|---|-------------------------------|--------------------|--------|-----------|-----------|----------|----------|------------------|--|
| EDR Hist Auto EDR Hist Cleaner | 0.125 0.125 | | 0 | NR NR | NR NR | NR NR | NR NR | 0 | |
| EDR RECOVERED GOVERNMENT ARCHIVES Exclusive Recovered Govt. Archives | | | | | | | | | |
| RGA LF RGA LUST | 0.001 0.001 | | 0 0 | NR NR | NR NR | NR NR | NR NR | 0 | |
| - Totals | 0.001 | 2 | 16 | 7 | 0 | 2 | 0 | 27 | |

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

Α1 SIMONIAN FAMILY TRUST RCRA NonGen / NLR 1027692386 **Target** 1099 SOUTH ARMSTRONG AVENUE CAC003234989

FRESNO, CA 93727 **Property**

Site 1 of 2 in cluster A

Actual: RCRA Listings:

323 ft. Date Form Received by Agency: 20230531 Handler Name: Simonian Family Trust

1099 SOUTH ARMSTRONG AVENUE Handler Address:

Handler City, State, Zip: FRESNO, CA 93727 EPA ID: CAC003234989 Contact Name: **GREG SIMONIAN** Contact Address: 441 SHERWOOD WAY Contact City, State, Zip: MENLO PARK, CA 94024

Contact Telephone: 650-255-4114 Contact Fax: Not reported

Contact Email: GSIMONIAN@LEGALTEAM.COM

Contact Title: Not reported EPA Region: 09

Land Type: Not reported

Federal Waste Generator Description: Not a generator, verified

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Not reported State District Owner: Not reported State District: Not reported

Mailing Address: 441 SHERWOOD WAY Mailing City, State, Zip: MENLO PARK, CA 94024 Owner Name: Simonian Family Trust

Owner Type: Other

Operator Name: Greg Simonian

Operator Type: Other Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: No Federal Universal Waste: No Active Site State-Reg Handler:

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator:

Sub-Part K Indicator: Not reported 2018 GPRA Permit Baseline: Not on the Baseline 2018 GPRA Renewals Baseline: Not on the Baseline

202 GPRA Corrective Action Baseline: No Subject to Corrective Action Universe: No Non-TSDFs Where RCRA CA has Been Imposed Universe: No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator: No Institutional Control Indicator: No

Distance Elevation

Site Database(s) EPA ID Number

SIMONIAN FAMILY TRUST (Continued)

1027692386

EDR ID Number

Human Exposure Controls Indicator:

Groundwater Controls Indicator:

N/A
Significant Non-Complier Universe:

No
Unaddressed Significant Non-Complier Universe:

No
Addressed Significant Non-Complier Universe:

No
Significant Non-Complier With a Compliance Schedule Universe:

No

Financial Assurance Required: Not reported Handler Date of Last Change: 20230601 Recognized Trader-Importer: No Recognized Trader-Exporter: No Importer of Spent Lead Acid Batteries: No Exporter of Spent Lead Acid Batteries: No Recycler Activity Without Storage: No Manifest Broker: No Sub-Part P Indicator: No

Handler - Owner Operator:

Owner/Operator Indicator: Owner

Owner/Operator Name: SIMONIAN FAMILY TRUST

Legal Status:OtherDate Became Current:Not reportedDate Ended Current:Not reported

Owner/Operator Address: 441 SHERWOOD WAY
Owner/Operator City,State,Zip: MENLO PARK, CA 94024

Owner/Operator Telephone: 650-255-4114
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: GREG SIMONIAN

Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported

Owner/Operator Address: 441 SHERWOOD WAY
Owner/Operator City, State, Zip: MENLO PARK, CA 94024

Owner/Operator Telephone: 650-255-4114
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 20230531

Handler Name: SIMONIAN FAMILY TRUST

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes Non Storage Recycler Activity: No Electronic Manifest Broker: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SIMONIAN FAMILY TRUST (Continued)

1027692386

List of NAICS Codes and Descriptions:

NAICS Code:

NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:

Violations: No Violations Found

Evaluation Action Summary:

Evaluations: No Evaluations Found

A2 SIMONIAN FAMILY TRUST ECHO 1027740639

1099 SOUTH ARMSTRONG AVENUE **Target** N/A

FRESNO, CA 93727 **Property**

Site 2 of 2 in cluster A

Actual: ECHO:

323 ft. Envid: 1027740639

Registry ID: Not reported

DFR URL: http://echo.epa.gov/detailed-facility-report?fid=CAC003234989

SIMONIAN FAMILY TRUST Name:

Address: 1099 SOUTH ARMSTRONG AVENUE

City,State,Zip: **FRESNO, CA 93727**

В3 SIMONIAN III HIST UST U001592990 N/A

1139 S ARMSTRONG AVE

< 1/8 1 ft.

Relative:

FRESNO, CA 93727

Site 1 of 4 in cluster B HIST UST:

Higher Name: SIMONIAN III

Address: 1139 S ARMSTRONG AVE Actual: FRESNO, CA 93727 City,State,Zip: 324 ft.

File Number: Not reported URL: Not reported Region: STATE Facility ID: 00000053867 Facility Type: Other Other Type: Not reported Contact Name: Not reported Telephone: 2092550096

ESTATE OF SAN SIMONIAN Owner Name: 1183 SO. ARMSTRONG Owner Address: FRESNO, CA 93727 Owner City, St, Zip:

Total Tanks: 0001

Tank Num: 001 Container Num: 3

Year Installed: Not reported Tank Capacity: 00000000 PRODUCT Tank Used for: UNLEADED Type of Fuel: Container Construction Thickness: Not reported

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

SIMONIAN III (Continued) U001592990

CA FID UST

Leak Detection: Stock Inventor

B4 SIMONIAN 4 SWEEPS UST S101622584 1183 S ARMSTRONG HIST UST N/A

< 1/8 FRESNO, CA 93727 1 ft.

Site 2 of 4 in cluster B

Relative: SWEEPS UST:

HigherName:SIMONIAN 4Actual:Address:1183 S ARMSTRONG

 324 ft.
 City:
 FRESNO

 Status:
 Active

 Comp Number:
 53868

 Number:
 9

Board Of Equalization: Not reported Referral Date: 07-01-85 Action Date: Not reported Created Date: 02-29-88

Owner Tank Id: 4

SWRCB Tank Id: 10-000-053868-000001

Tank Status: A
Capacity: 350
Active Date: 07-01-85
Tank Use: M.V. FUEL

STG: P

Content: REG UNLEADED

Number Of Tanks: 1

HIST UST:

Name: SIMONIAN 4

Address: 1183 SO ARMSTRONG City, State, Zip: FRESNO, CA 93727

File Number: 000241c9

URL: https://documents.geotracker.waterboards.ca.gov/ustpdfs/pdf/000241c9.pdf

Region: Not reported Facility ID: Not reported Facility Type: Not reported Other Type: Not reported Contact Name: Not reported Telephone: Not reported Not reported Owner Name: Not reported Owner Address: Owner City,St,Zip: Not reported Total Tanks: Not reported

Tank Num: Not reported Container Num: Not reported Not reported Year Installed: Tank Capacity: Not reported Not reported Tank Used for: Type of Fuel: Not reported Not reported Container Construction Thickness: Leak Detection: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

SIMONIAN 4 (Continued) S101622584

Click here for Geo Tracker PDF:

CA FID UST:

Facility ID: 10008025
Regulated By: UTNKA
Regulated ID: 00053868
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 2092550096
Mail To: Not reported

Mailing Address: 1183 S ARMSTRONG

Mailing Address 2: Not reported Mailing City,St,Zip: **FRESNO 93727** Contact: Not reported Contact Phone: Not reported DUNs Number: Not reported NPDES Number: Not reported EPA ID: Not reported Comments: Not reported Status: Active

B5 SIMONIAN 4

1183 S ARMSTRONG AVE

< 1/8 FRESNO, CA 93727

1 ft.

Site 3 of 4 in cluster B

Relative: Higher HIST UST:
Name: SIMONIAN 4
Address: 1183 S ARMSTRONG AVE

Actual: 324 ft.

City, State, Zip: FRESNO, CA 93727 File Number: Not reported URL: Not reported Region: STATE Facility ID: 00000053868 Facility Type: Other Other Type: Not reported Contact Name: Not reported 2092550096 Telephone:

Owner Name: GARY C. SIMONIAN
Owner Address: 1183 SO. ARMSTRONG
Owner City,St,Zip: FRESNO, CA 93727

Total Tanks: 0001

Tank Num: 001 Container Num: 4

Year Installed:

Tank Capacity:

O0000350

Tank Used for:

Type of Fuel:

Container Construction Thickness:

Leak Detection:

Not reported

Not reported

Stock Inventor

EDR ID Number

HIST UST U001592988

N/A

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

CA FID UST

B6 SIMONIAN III SWEEPS UST S101622586 1139 S ARMSTRONG HIST UST N/A

< 1/8 FRESNO, CA 93727

1 ft.

Site 4 of 4 in cluster B

Relative: SWEEPS UST: Higher Name:

HigherName:SIMONIAN IIIActual:Address:1139 S ARMSTRONG

 324 ft.
 City:
 FRESNO

 Status:
 Active

 Comp Number:
 53867

 Number:
 9

Board Of Equalization: Not reported Referral Date: 07-01-85 Action Date: Not reported Created Date: 02-29-88

Owner Tank Id: 3

SWRCB Tank Id: 10-000-053867-000001

Tank Status: A

Capacity: Not reported Active Date: 07-01-85 Tank Use: M.V. FUEL

STG:

Content: REG UNLEADED

Number Of Tanks: 1

HIST UST:

Name: SIMONIAN III

Address: 1139 SO ARMSTRONG City,State,Zip: FRESNO, CA 93727

File Number: 00023f78

URL: https://documents.geotracker.waterboards.ca.gov/ustpdfs/pdf/00023f78.pdf

Region: Not reported Facility ID: Not reported Not reported Facility Type: Other Type: Not reported Contact Name: Not reported Telephone: Not reported Owner Name: Not reported Not reported Owner Address: Owner City,St,Zip: Not reported Total Tanks: Not reported

Tank Num: Not reported Container Num: Not reported Year Installed: Not reported Tank Capacity: Not reported Tank Used for: Not reported Not reported Type of Fuel: Container Construction Thickness: Not reported Leak Detection: Not reported

Click here for Geo Tracker PDF:

CA FID UST:

Facility ID: 10008024 Regulated By: UTNKA

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SIMONIAN III (Continued) S101622586

Regulated ID: 00053867 Cortese Code: Not reported SIC Code: Not reported Facility Phone: 2092550096 Mail To: Not reported

Mailing Address: 1139 S ARMSTRONG

Mailing Address 2: Not reported Mailing City,St,Zip: FRESNO 93727 Contact: Not reported Contact Phone: Not reported Not reported **DUNs Number:** Not reported NPDES Number: Not reported EPA ID: Comments: Not reported Status: Active

YAMAMOTO

HIST UST U001593020 **C7 YAMAMOTO** N/A

SSE 1258 S ARMSTRONG < 1/8 FRESNO, CA 93727

0.050 mi.

265 ft. Site 1 of 2 in cluster C

HIST UST: Relative: Higher Name:

Address: 1258 S ARMSTRONG Actual: City, State, Zip: FRESNO. CA 93727 323 ft.

File Number: 00025294

URL: https://documents.geotracker.waterboards.ca.gov/ustpdfs/pdf/00025294.pdf

Region: STATE Facility ID: 00000011907 Facility Type: Not reported **TRACTOR** Other Type: Contact Name: NONE Telephone: 2092554015

Owner Name: SEICHI YAMAMOTO Owner Address: 1258 S. ARMSTRONG Owner City, St, Zip: FRESNO, CA 93727

Total Tanks: 0001

Tank Num: 001 Container Num: Year Installed: 1969 Tank Capacity: 00000550 Tank Used for: **PRODUCT REGULAR** Type of Fuel: Container Construction Thickness: Not reported Leak Detection: None

Click here for Geo Tracker PDF:

Direction Distance

Elevation Site Database(s) EPA ID Number

C8 YAMAMOTO SWEEPS UST S101622612 SSE 1258 S ARMSTRONG CA FID UST N/A

< 1/8 FRESNO, CA 93727

0.050 mi.

265 ft. Site 2 of 2 in cluster C

Relative: SWEEPS UST: Higher Name:

HigherName:YAMAMOTOActual:Address:1258 S ARMSTRONG323 ft.City:FRESNO

City: FRESNO
Status: Active
Comp Number: 11907
Number: 9

Board Of Equalization: Not reported Referral Date: 07-01-85 Action Date: Not reported Created Date: 02-29-88

Owner Tank Id: 1

SWRCB Tank Id: 10-000-011907-000001

 Tank Status:
 A

 Capacity:
 550

 Active Date:
 07-01-85

 Tank Use:
 M.V. FUEL

 STG:
 P

 Content:
 LEADED

Content: LEADED Number Of Tanks: 1

CA FID UST:

Facility ID: 10005280
Regulated By: UTNKA
Regulated ID: 00011907
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 2092554015
Mail To: Not reported

Mailing Address: 1258 S ARMSTRONG

Mailing Address 2: Not reported Mailing City,St,Zip: FRESNO 93727 Contact: Not reported Contact Phone: Not reported Not reported **DUNs Number:** NPDES Number: Not reported Not reported EPA ID: Comments: Not reported Status: Active

BILL KERMOYAN FARMS CUPA Listings S104867169
901 S ARMSTRONG N/A

NE 901 S ARMSTRONG < 1/8 FRESNO, CA 93727

0.100 mi.

Relative:

D9

526 ft. Site 1 of 3 in cluster D

CUPA FRESNO:

HigherName:BILL KERMOYAN FARMSActual:Address:901 S ARMSTRONG323 ft.City,State,Zip:FRESNO, CA 93727

Region: FRESNO
Cross Street: Not reported
Facility ID: FA0274821

EDR ID Number

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

BILL KERMOYAN FARMS (Continued)

APM Number: 31367109

Program Element: UST REMOVAL/CLOSURE W/2 TANKS

D10 W.L. KERMOYAN SWEEPS UST S101621470
NE 901 S ARMSTRONG HIST UST N/A

< 1/8 FRESNO, CA 93703

0.100 mi.

526 ft. Site 2 of 3 in cluster D

Relative: SWEEPS UST:

HigherName:W.L. KERMOYANActual:Address:901 S ARMSTRONG

 323 ft.
 City:
 FRESNO

 Status:
 Active

 Comp Number:
 43120

 Number:
 9

Board Of Equalization: Not reported Referral Date: 07-01-85 Action Date: Not reported Created Date: 02-29-88

Owner Tank Id: 1

SWRCB Tank Id: 10-000-043120-000001

 Tank Status:
 A

 Capacity:
 2000

 Active Date:
 07-01-85

 Tank Use:
 M.V. FUEL

 STG:
 P

 Content:
 DIESEL

Number Of Tanks: 2

Name: W.L. KERMOYAN
Address: 901 S ARMSTRONG

City: FRESNO
Status: Active
Comp Number: 43120
Number: 9

Board Of Equalization: Not reported Referral Date: 07-01-85 Action Date: Not reported Created Date: 02-29-88

Owner Tank Id: 2

SWRCB Tank Id: 10-000-043120-000002

Tank Status: A
Capacity: 2000
Active Date: 07-01-85
Tank Use: M.V. FUEL

STG: P

Content: REG UNLEADED Number Of Tanks: Not reported

HIST UST:

Name: WL KERMOYAN
Address: 901 SO ARMSTRONG
City,State,Zip: FRESNO, CA 93703

File Number: 000257c2

URL: https://documents.geotracker.waterboards.ca.gov/ustpdfs/pdf/000257c2.pdf

Region: Not reported

S104867169

CA FID UST

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

W.L. KERMOYAN (Continued)

S101621470

Facility ID: Not reported Not reported Facility Type: Other Type: Not reported Contact Name: Not reported Telephone: Not reported Owner Name: Not reported Owner Address: Not reported Owner City, St, Zip: Not reported Total Tanks: Not reported

Tank Num: Not reported Not reported Container Num: Year Installed: Not reported Tank Capacity: Not reported Tank Used for: Not reported Type of Fuel: Not reported Container Construction Thickness: Not reported Leak Detection: Not reported

Click here for Geo Tracker PDF:

CA FID UST:

Facility ID: 10007239 Regulated By: UTNKA 00043120 Regulated ID: Cortese Code: Not reported SIC Code: Not reported Facility Phone: 2092517312 Mail To: Not reported

901 S ARMSTRONG Mailing Address:

Mailing Address 2: Not reported Mailing City, St, Zip: **FRESNO 93703** Contact: Not reported Contact Phone: Not reported DUNs Number: Not reported NPDES Number: Not reported EPA ID: Not reported Comments: Not reported Status: Active

W.L. KERMOYAN HIST UST U001591408

W.L. KERMOYAN

NE 901 S ARMSTRONG AVE < 1/8 **FRESNO, CA 93703**

0.100 mi.

D11

Site 3 of 3 in cluster D 526 ft.

HIST UST: Relative: Higher Name:

901 S ARMSTRONG AVE Address: Actual: 323 ft. City,State,Zip: FRESNO, CA 93703

File Number: Not reported URL: Not reported Region: STATE Facility ID: 00000043120 Facility Type: Other Other Type: **FARM** Contact Name: Not reported

N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

W.L. KERMOYAN (Continued)

U001591408

S101622577

N/A

SWEEPS UST

CA FID UST

Telephone: 2092517312 Owner Name: W.L. KERMOYAN Owner Address: 4581 E. WELDON Owner City,St,Zip: FRESNO, CA 93703

Total Tanks: 0002

001 Tank Num: Container Num:

Year Installed: Not reported Tank Capacity: 00002000 **PRODUCT** Tank Used for: Type of Fuel: DIESEL Container Construction Thickness: Not reported Leak Detection: None

Tank Num: 002 Container Num: 2

Year Installed: Not reported Tank Capacity: 00002000 **PRODUCT** Tank Used for: Type of Fuel: UNLEADED Container Construction Thickness: Not reported Leak Detection: None

E12 RILEY JOSEH V & RAMONA J.

WSW 1108 S FOWLER 1/8-1/4 FRESNO, CA 93727

0.187 mi.

986 ft. Site 1 of 3 in cluster E

Relative: SWEEPS UST:

Lower RILEY JOSEH V & RAMONA J. Name:

Address: 1108 S FOWLER Actual: **FRESNO** City: 321 ft.

Status: Active Comp Number: 50235 Number: 9 Board Of Equalization: 44-004385 Referral Date: 07-01-85

Action Date: Not reported Created Date: 02-29-88

Owner Tank Id:

10-000-050235-000001 SWRCB Tank Id:

Tank Status: Α 675 Capacity: Active Date: 07-01-85 M.V. FUEL Tank Use:

STG:

Content: **REG UNLEADED**

Number Of Tanks:

RILEY JOSEH V & RAMONA J. Name:

Address: 1108 S FOWLER **FRESNO** City: Status: Active Comp Number: 50235 Number:

Board Of Equalization: 44-004385

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

RILEY JOSEH V & RAMONA J. (Continued)

S101622577

Referral Date: 07-01-85 Not reported Action Date: Created Date: 02-29-88

Owner Tank Id:

10-000-050235-000002 SWRCB Tank Id:

Tank Status: Α 4000 Capacity: Active Date: 07-01-85 Tank Use: M.V. FUEL STG: DIESEL Content: Number Of Tanks: Not reported

CA FID UST:

Facility ID: 10007790 Regulated By: UTNKA 00050235 Regulated ID: Cortese Code: Not reported SIC Code: Not reported 2092554734 Facility Phone: Mail To: Not reported 1108 S FOWLER Mailing Address: Mailing Address 2: Not reported FRESNO 93727 Mailing City, St, Zip: Contact: Not reported Contact Phone: Not reported **DUNs Number:** Not reported NPDES Number: Not reported EPA ID: Not reported Not reported Comments: Status: Active

E13 RILEY JOSEH V & RAMONA J. HIST UST U001592978 wsw 1108 S FOWLER AVE N/A

RILEY JOSEH V & RAMONA J.

1/8-1/4 0.187 mi. 986 ft.

Site 2 of 3 in cluster E

FRESNO, CA 93727

HIST UST: Relative: Lower Name:

Address: 1108 S FOWLER AVE Actual: City,State,Zip: FRESNO, CA 93727 321 ft. File Number: Not reported

URL: Not reported Region: STATE Facility ID: 00000050235 Facility Type: Other

Other Type: Not reported Contact Name: Not reported Telephone: 2092554734

RILEY JOSEH V & RAMONA J. Owner Name:

1

1108 S FOWLER Owner Address: Owner City, St, Zip: FRESNO, CA 93727

Total Tanks: 0002 Tank Num: 001

Container Num:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

RILEY JOSEH V & RAMONA J. (Continued)

U001592978

S104868816

N/A

HIST UST

CUPA Listings

Year Installed: 1978 Tank Capacity: 00000675 Tank Used for: **PRODUCT** Type of Fuel: UNLEADED

Container Construction Thickness:

Leak Detection: Stock Inventor, None

Tank Num: 002 Container Num: 2 Year Installed: 1984 00004000 Tank Capacity: Tank Used for: **PRODUCT** Type of Fuel: DIESEL Container Construction Thickness: 3/16

Leak Detection: Stock Inventor, None

E14 **D&J SERVICES**

wsw 1108 S FOWLER 1/8-1/4 FRESNO, CA 93725

0.187 mi.

986 ft. Site 3 of 3 in cluster E

HIST UST: Relative:

Lower RILEY JOSEH V AND RAMONA J Name:

Address: 1108 S FOWLER Actual: City,State,Zip: FRESNO. CA 93727 321 ft.

File Number: 00025060

URL: https://documents.geotracker.waterboards.ca.gov/ustpdfs/pdf/00025060.pdf

Region: Not reported Facility ID: Not reported Facility Type: Not reported Other Type: Not reported Contact Name: Not reported Telephone: Not reported Owner Name: Not reported Owner Address: Not reported Owner City, St, Zip: Not reported Total Tanks: Not reported

Tank Num: Not reported Container Num: Not reported Year Installed: Not reported Tank Capacity: Not reported Tank Used for: Not reported Type of Fuel: Not reported Container Construction Thickness: Not reported Leak Detection: Not reported

Click here for Geo Tracker PDF:

CUPA FRESNO:

Name: **D&J SERVICES** Address: 1108 S FOWLER City, State, Zip: **FRESNO, CA 93725**

Region: **FRESNO** Cross Street: Not reported Facility ID: FA0169517

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

D&J SERVICES (Continued) S104868816

APM Number: 31616039S

Program Element: UST REMOVAL/CLOSURE W/2 TANKS

CITY OF FRESNO WELL 327 CUPA Listings S116348288 15 NNE 750 S ARMSTRONG AVE CERS N/A

FRESNO, CA 93727 1/8-1/4

0.242 mi. 1277 ft.

Relative: **CUPA FRESNO:**

Higher CITY OF FRESNO WELL 327 Name: Address: 750 S ARMSTRONG AVE Actual: 326 ft. City,State,Zip: FRESNO, CA 93727

Region: **FRESNO** Cross Street: **HAMILTON** Facility ID: FA0283556 APM Number: 31376126T

Program Element: HAZARDOUS MATERIALS HANDLER - WELL SITE

CERS:

Name: CITY OF FRESNO WELL 327 Address: 750 S ARMSTRONG AVE City,State,Zip: FRESNO, CA 93727

Site ID: 419234 CERS ID: 10694113

CERS Description: Chemical Storage Facilities

Coordinates:

Site ID: 419234

Facility Name: CITY OF FRESNO WELL 327

Env Int Type Code: **HMBP** 10694113 Program ID: Coord Name: Not reported

Ref Point Type Desc: Entrance point of a facility or station,

Latitude: 36.725500 -119.672600 Longitude:

Affiliation:

CUPA District Affiliation Type Desc:

Entity Name: Fresno County Community Health Department

Entity Title: Not reported

Affiliation Address: 1221 Fulton St., 3rd FloorP.O. Box 11867

Affiliation City: Fresno Affiliation State: CA

Affiliation Country: Not reported Affiliation Zip: 93775 (559) 600-3271, Affiliation Phone:

Affiliation Type Desc: Facility Mailing Address Entity Name: Mailing Address Entity Title: Not reported

Affiliation Address: 1910 E. UNIVERSITY AVE.

FRESNO Affiliation City: Affiliation State: CA Affiliation Country: Not reported

Affiliation Zip: 93703 Affiliation Phone:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CITY OF FRESNO WELL 327 (Continued)

S116348288

Affiliation Type Desc: Identification Signer ROBERT LITTLE **Entity Name:**

Entity Title: WATER SYSTEMS SUPERVISOR

Affiliation Address: Not reported Affiliation City: Not reported Affiliation State: Not reported Affiliation Country: Not reported Affiliation Zip: Not reported

Affiliation Phone:

Affiliation Type Desc: **Document Preparer** Entity Name: ROBERT LITTLE Entity Title: Not reported Affiliation Address: Not reported Affiliation City: Not reported Not reported Affiliation State: Affiliation Country: Not reported Affiliation Zip: Not reported

Affiliation Phone:

Affiliation Type Desc: Parent Corporation

City of Fresno Well Site Organization Entity Name:

Entity Title: Not reported Affiliation Address: Not reported Not reported Affiliation City: Affiliation State: Not reported Affiliation Country: Not reported Not reported Affiliation Zip:

Affiliation Phone:

Affiliation Type Desc: **Environmental Contact** Entity Name: ROBERT LITTLE **Entity Title:** Not reported

1910 E. UNIVERSITY AVE. Affiliation Address:

FRESNO Affiliation City: Affiliation State: Affiliation Country: Not reported Affiliation Zip: 93703

Affiliation Phone:

Affiliation Type Desc: Legal Owner

Entity Name: CITY OF FRESNO, WATER DIVISION

Entity Title: Not reported

Affiliation Address: 1910 E. UNIVERSITY AVE.

Affiliation City: **FRESNO** Affiliation State: CA

Affiliation Country: **United States** Affiliation Zip: 93703

Affiliation Phone: (559) 621-5300,

Affiliation Type Desc: Operator

CITY OF FRESNO / DPU / WATER DIVISION Entity Name:

Entity Title: Not reported Affiliation Address: Not reported Affiliation City: Not reported Affiliation State: Not reported Affiliation Country: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CITY OF FRESNO WELL 327 (Continued)

S116348288

Affiliation Zip: Not reported (559) 621-5300, Affiliation Phone:

16 **GARABEDIAL ESTATE** SWEEPS UST S106926543 960 N FOWLER AVE WNW N/A

1/8-1/4 FRESNO, CA 93727

0.247 mi. 1304 ft.

Relative: SWEEPS UST:

Lower GARABEDIAL ESTATE Name: Address: 960 N FOWLER AVE Actual: 318 ft.

City: **FRESNO** Status: Not reported 42422 Comp Number: Number: Not reported Board Of Equalization: Not reported Referral Date: Not reported Action Date: Not reported Not reported Created Date:

> 10-000-042422-000001 SWRCB Tank Id:

Not reported

Tank Status: Not reported

Capacity: 300

Owner Tank Id:

Active Date: Not reported Tank Use: M.V. FUEL STG: **PRODUCT DIESEL** Content: Number Of Tanks: 1

17 **NEW HIGH SCHOOL AND MIDDLE SCHOOL ENVIROSTOR** S111418026 ssw FOWLER AVE./JENSEN AVE. SCH

FRESNO, CA 93727 1/2-1

0.572 mi. 3020 ft.

ENVIROSTOR: Relative:

Lower NEW HIGH SCHOOL AND MIDDLE SCHOOL Name:

Address: FOWLER AVE./JENSEN AVE. Actual: City,State,Zip: **FRESNO, CA 93727** 320 ft.

Facility ID: 60001617 Status: Certified Status Date: 12/10/2018 Site Code: 104699

Site Type: School Cleanup Site Type Detailed: School Acres: 116 NPL: NO

Regulatory Agencies: **SMBRP** Lead Agency: **SMBRP** Program Manager: Mellan Songco Supervisor: Jose Salcedo

Division Branch: Northern California Schools & Santa Susana

Assembly: 31 14 Senate:

N/A

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NEW HIGH SCHOOL AND MIDDLE SCHOOL (Continued)

S111418026

Special Program: Not reported

Restricted Use: NO

Site Mgmt Req: NONE SPECIFIED Funding: Responsible Party Latitude: 36.71033

Longitude: -119.6792

316-022-27\$, 316-022-28\$, 316-022-29\$, 316-022-30\$, 316-022-31, APN:

316-022-32, 316-022-33, 316-022-34, 316-022-35, 31602227\$, 31602228\$, 31602229\$, 31602230\$, 31602231, 31602232, 31602233, 31602234, 31602235

ABOVE GROUND STORAGE TANKS, AGRICULTURAL - ORCHARD, AGRICULTURAL -Past Use:

ROW CROPS, UNDERGROUND STORAGE TANKS

Potential COC: DDE DDT Lead Dieldrin Confirmed COC: 30 007 300 083 001 300 000

Potential Description: SOIL

Alias Name: **Proposed Education Complex**

Alias Type: Alternate Name 316-022-27S Alias Name: Alias Type: APN

316-022-28S Alias Name: Alias Type: APN

Alias Name: 316-022-29S Alias Type: APN

Alias Name: 316-022-30S Alias Type: APN Alias Name: 316-022-31 Alias Type: APN Alias Name: 316-022-32 Alias Type: APN

Alias Name: 316-022-33 Alias Type: APN Alias Name: 316-022-34 Alias Type: APN Alias Name: 316-022-35 Alias Type: APN Alias Name: 31602227S Alias Type: APN Alias Name: 31602228S

Alias Type:

Alias Name:

Alias Type:

31602229S Alias Name: Alias Type: APN Alias Name: 31602230S Alias Type: APN Alias Name: 31602231 Alias Type: APN Alias Name: 31602232 Alias Type: APN Alias Name: 31602233 Alias Type: APN Alias Name: 31602234 Alias Type: APN

Alias Name: 104699 Alias Type: Project Code (Site Code)

31602235

APN

APN

Alias Name: 60001617

Alias Type: **Envirostor ID Number**

Direction Distance

Elevation Site Database(s) EPA ID Number

NEW HIGH SCHOOL AND MIDDLE SCHOOL (Continued)

S111418026

EDR ID Number

Completed Info:

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Community Profile
Completed Date: 02/02/2016

Comments: Final Community Profile

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 01/18/2017

Comments: On January 18, 2017, DTSC approved the RAW and signed the NOD for

filing to Office of Planning and Research (OPR) within 5 days. The

NOD was filed with the OPR on the same day.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Public Notice
Completed Date: 11/17/2016

Comments: On November 17, 2016, PM received the final public notice from T.

Pickens.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Certification
Completed Date: 04/12/2019

Comments: On April 12, 2018, DTSC completed the project site certification

document.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Tech Memo

Completed Date: 07/18/2014

Comments: On July 18, 2014, DTSC provided comments on the draft/revised tech

memo for the soil sampling of irrigation wells at the site. In addition, DTSC approved the final tech memo via email.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Removal Action Workplan

Completed Date: 01/18/2017

Comments: On January 18, 2017, DTSC approved the revised RAW, SFPD 4.15 and a

Notice of Determination.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 05/05/2017
Comments: Not reported

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Tech Memo

Completed Date: 05/31/2013

Comments: On May 31, 2013, DTSC approved the Step-Out Sampling Addendum for

implementation

Direction Distance

Elevation Site Database(s) EPA ID Number

NEW HIGH SCHOOL AND MIDDLE SCHOOL (Continued)

S111418026

EDR ID Number

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Amendment - Order/Agreement

Completed Date: 07/01/2014
Comments: Not reported

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: School Cleanup Agreement

Completed Date: 04/02/2015

Comments: On April 3, 2015, DTSC mailed a Fully Executed School Cleanup

Agreement to the District.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: CEQA - Responsible Agency Review

Completed Date: 06/20/2016

Comments: On June 20, 2016, DTSC issued comments on the draft EIR.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Workplan

Completed Date: 11/02/2012

Comments: On November 2, 2012, DTSC approved the PEA Workplan for

implementation.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Tech Memo

Completed Date: 03/28/2013

Comments: On March 28, 2013, DTSC approved the Revised Step Out Tech Memo and

the Revised Workplan Addendum for implementation.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Report

Completed Date: 12/03/2014
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fieldwork
Completed Date: 02/28/2018

Comments: On February 28, 2018, DTSC conducted a site visit to observe the

implementation of the approved RAW. During the site visit, it was observed that all the areas to be excavated are marked with flags and orange spray marker on the ground (Parcels 5,8 and 9). Partially bagged materials (the District consultant mentioned chemicals used for agriculture) and other containers were left by the previous owner

in the barn (Parcel 5).

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 08/13/2013

Comments: On August 13, 2013, DTSC received photos of Parcels 6, 7 and 8 via

email. On August 15, 2013, DTSC received additional information on

Direction Distance

Elevation Site Database(s) EPA ID Number

NEW HIGH SCHOOL AND MIDDLE SCHOOL (Continued)

S111418026

EDR ID Number

Parcel 6.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 06/27/2012

Comments: On June 27, 2012, DTSC received photos from the District's consultant

of Parcel 3 (1700 S Fowler Ave).

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Removal Action Completion Report

Completed Date: 12/10/2018

Comments: On December 10, 2018, DTSC approved the revised RACR.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Environmental Oversight Agreement

Completed Date: 01/25/2012

Comments: Fully Executed EOA sent to district

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Site Inspections/Visit (Non LUR)

Completed Date: 03/21/2012

Comments: On March 21, 2012, DTSC conducted a site visit.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Site Inspections/Visit (Non LUR)

Completed Date: 12/14/2012

Comments: On December 14, 2012, DTSC observed the implementation of the

approved PEA Workplan for Parcel 5.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: 4.15 Request
Completed Date: 01/18/2017

Comments: On January 18, 2017, DTSC approved the revised RAW, SFPD 4.15 and a

Notice of Determination.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fact Sheets
Completed Date: 11/17/2016

Comments: On November 17, 2016, PM received the final Community Update (English

and Spanish versions) from T. Pickens.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Work Notice
Completed Date: 02/09/2018

Comments: On February 9, 2018, DTSC finalized the Work Notice and submitted for

mail out.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

NEW HIGH SCHOOL AND MIDDLE SCHOOL (Continued)

S111418026

EDR ID Number

Completed Document Type: Other Report Completed Date: 11/17/2016

Comments: On November 17, 2016, the Statement of Findings was finalized.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 04/03/2018

Comments: On April 3, 2018, DTSC approved the Tech Memo via email.

Future Area Name: Not reported Not reported Future Sub Area Name: Future Document Type: Not reported Future Due Date: Not reported Schedule Area Name: Not reported Schedule Sub Area Name: Not reported Not reported Schedule Document Type: Schedule Due Date: Not reported Schedule Revised Date: Not reported

SCH:

Name: NEW HIGH SCHOOL AND MIDDLE SCHOOL

Address: FOWLER AVE./JENSEN AVE.

City,State,Zip: FRESNO, CA 93727

Facility ID: 60001617 Site Type: School Cleanup

Site Type Detail: School

Site Mgmt. Req.: NONE SPECIFIED

Acres: 116
National Priorities List: NO
Cleanup Oversight Agencies: SMBRP
Lead Agency: SMBRP

Lead Agency Description: DTSC - Site Cleanup Program

Project Manager: Mellan Songco Supervisor: Jose Salcedo

Division Branch: Northern California Schools & Santa Susana

 Site Code:
 104699

 Assembly:
 31

 Senate:
 14

Special Program Status: Not reported Status: Certified Status Date: 12/10/2018 Restricted Use: NO

Funding: Responsible Party

Latitude: 36.71033 Longitude: -119.6792

APN: 316-022-27S, 316-022-28S, 316-022-29S, 316-022-30S, 316-022-31,

316-022-32, 316-022-33, 316-022-34, 316-022-35, 31602227S, 31602228S, 31602229S, 31602230S, 31602231, 31602232, 31602233, 31602234, 31602235

Not reported

Past Use: ABOVE GROUND STORAGE TANKS, AGRICULTURAL - ORCHARD, AGRICULTURAL -

ROW CROPS, UNDERGROUND STORAGE TANKS

Potential COC: DDE, DDT, Lead, Dieldrin Confirmed COC: 30, 007, 300, 083, 001, 300, 000

Potential Description: SOIL

Alias Name: Proposed Education Complex

MAP FINDINGS Map ID

Direction Distance

Elevation Site Database(s) **EPA ID Number**

NEW HIGH SCHOOL AND MIDDLE SCHOOL (Continued)

S111418026

EDR ID Number

Alias Type: Alternate Name Alias Name: 316-022-27S Alias Type: APN

Alias Name: 316-022-28S

Alias Type: APN

Alias Name: 316-022-29S

Alias Type: APN

Alias Name: 316-022-30S Alias Type: APN Alias Name: 316-022-31 Alias Type: APN Alias Name: 316-022-32

Alias Type: APN Alias Name: 316-022-33 Alias Type: APN Alias Name: 316-022-34 Alias Type: APN Alias Name: 316-022-35 Alias Type: APN

31602227S Alias Name: Alias Type: APN Alias Name: 31602228S Alias Type: APN

Alias Name: 31602229S Alias Type: APN Alias Name: 31602230S Alias Type: APN Alias Name: 31602231 Alias Type: APN Alias Name: 31602232 Alias Type: APN Alias Name: 31602233 Alias Type: APN

Alias Name: 31602234 Alias Type: APN Alias Name: 31602235 APN Alias Type: Alias Name: 104699

Project Code (Site Code) Alias Type:

Alias Name: 60001617

Alias Type: **Envirostor ID Number**

Completed Info:

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported Completed Document Type: Community Profile Completed Date: 02/02/2016

Comments: Final Community Profile

PROJECT WIDE Completed Area Name: Completed Sub Area Name: Not reported Completed Document Type: Other Report Completed Date: 01/18/2017

On January 18, 2017, DTSC approved the RAW and signed the NOD for Comments:

filing to Office of Planning and Research (OPR) within 5 days. The

NOD was filed with the OPR on the same day.

PROJECT WIDE Completed Area Name:

Direction Distance

Elevation Site **EPA ID Number** Database(s)

NEW HIGH SCHOOL AND MIDDLE SCHOOL (Continued)

S111418026

EDR ID Number

Completed Sub Area Name: Not reported Completed Document Type: **Public Notice** Completed Date: 11/17/2016

Comments: On November 17, 2016, PM received the final public notice from T.

Pickens.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported Completed Document Type: Certification Completed Date: 04/12/2019

On April 12, 2018, DTSC completed the project site certification Comments:

document.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Tech Memo

Completed Date: 07/18/2014

Comments: On July 18, 2014, DTSC provided comments on the draft/revised tech

> memo for the soil sampling of irrigation wells at the site. In addition, DTSC approved the final tech memo via email.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Removal Action Workplan 01/18/2017

Completed Date:

Comments: On January 18, 2017, DTSC approved the revised RAW, SFPD 4.15 and a

Notice of Determination.

PROJECT WIDE Completed Area Name: Completed Sub Area Name: Not reported Completed Document Type: Correspondence Completed Date: 05/05/2017 Comments: Not reported

PROJECT WIDE Completed Area Name: Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Tech Memo

Completed Date: 05/31/2013

Comments: On May 31, 2013, DTSC approved the Step-Out Sampling Addendum for

implementation

PROJECT WIDE Completed Area Name: Completed Sub Area Name: Not reported

Completed Document Type: Amendment - Order/Agreement

Completed Date: 07/01/2014 Comments: Not reported

PROJECT WIDE Completed Area Name: Completed Sub Area Name: Not reported

School Cleanup Agreement Completed Document Type:

Completed Date: 04/02/2015

Comments: On April 3, 2015, DTSC mailed a Fully Executed School Cleanup

Agreement to the District.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: CEQA - Responsible Agency Review

Direction Distance

Elevation Site Database(s) EPA ID Number

NEW HIGH SCHOOL AND MIDDLE SCHOOL (Continued)

S111418026

EDR ID Number

Completed Date: 06/20/2016

Comments: On June 20, 2016, DTSC issued comments on the draft EIR.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Workplan

Completed Date: 11/02/2012

Comments: On November 2, 2012, DTSC approved the PEA Workplan for

implementation.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Tech Memo

Completed Date: 03/28/2013

Comments: On March 28, 2013, DTSC approved the Revised Step Out Tech Memo and

the Revised Workplan Addendum for implementation.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Report

Completed Date: 12/03/2014
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fieldwork
Completed Date: 02/28/2018

Comments: On February 28, 2018, DTSC conducted a site visit to observe the

implementation of the approved RAW. During the site visit, it was observed that all the areas to be excavated are marked with flags and orange spray marker on the ground (Parcels 5,8 and 9). Partially bagged materials (the District consultant mentioned chemicals used for agriculture) and other containers were left by the previous owner

in the barn (Parcel 5).

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 08/13/2013

Comments: On August 13, 2013, DTSC received photos of Parcels 6, 7 and 8 via

email. On August 15, 2013, DTSC received additional information on

Parcel 6.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 06/27/2012

Comments: On June 27, 2012, DTSC received photos from the District's consultant

of Parcel 3 (1700 S Fowler Ave).

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Removal Action Completion Report

Completed Date: 12/10/2018

Comments: On December 10, 2018, DTSC approved the revised RACR.

Completed Area Name: PROJECT WIDE

Direction Distance

Elevation Site Database(s) EPA ID Number

NEW HIGH SCHOOL AND MIDDLE SCHOOL (Continued)

S111418026

EDR ID Number

Completed Sub Area Name: Not reported

Completed Document Type: Environmental Oversight Agreement

Completed Date: 01/25/2012

Comments: Fully Executed EOA sent to district

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Site Inspections/Visit (Non LUR)

Completed Date: 03/21/2012

Comments: On March 21, 2012, DTSC conducted a site visit.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Site Inspections/Visit (Non LUR)

Completed Date: 12/14/2012

Comments: On December 14, 2012, DTSC observed the implementation of the

approved PEA Workplan for Parcel 5.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: 4.15 Request
Completed Date: 01/18/2017

Comments: On January 18, 2017, DTSC approved the revised RAW, SFPD 4.15 and a

Notice of Determination.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fact Sheets
Completed Date: 11/17/2016

Comments: On November 17, 2016, PM received the final Community Update (English

and Spanish versions) from T. Pickens.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Work Notice
Completed Date: 02/09/2018

Comments: On February 9, 2018, DTSC finalized the Work Notice and submitted for

mail out.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 11/17/2016

Comments: On November 17, 2016, the Statement of Findings was finalized.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 04/03/2018

Comments: On April 3, 2018, DTSC approved the Tech Memo via email.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NEW HIGH SCHOOL AND MIDDLE SCHOOL (Continued)

S111418026

Schedule Document Type: Not reported Schedule Due Date: Not reported Schedule Revised Date: Not reported

18 PROPOSED SANGER UNIFIED SCHOOL DISTRICT ELEMENTARY **ENVIROSTOR** S109422385

South SOUTH ARMSTRONG/EAST JENSEN SCH N/A

1/2-1 FRESNO, CA 93727

0.767 mi. 4052 ft.

Relative: **ENVIROSTOR:**

Higher PROPOSED SANGER UNIFIED SCHOOL DISTRICT ELEMENTARY SCHOOL Name:

Address: SOUTH ARMSTRONG/EAST JENSEN Actual:

City,State,Zip: **FRESNO, CA 93727** 323 ft.

Facility ID: 60001057 Status: No Further Action Status Date: 12/15/2009 Site Code: 104665

Site Type: School Investigation

Site Type Detailed: School Acres: 13 NO **SMBRP** Regulatory Agencies: **SMBRP** Lead Agency: Program Manager: Not reported Supervisor: Mark Malinowski

Division Branch: Northern California Schools & Santa Susana

Assembly: 31 Senate: 14

Special Program: Not reported

Restricted Use: NO

NONE SPECIFIED Site Mgmt Req: Funding: School District Latitude: 36.71043 -119.6708 Longitude:

APN: NONE SPECIFIED

Past Use: AGRICULTURAL - ORCHARD, AGRICULTURAL - ROW CROPS

Potential COC: Arsenic Chlordane DDD DDE DDT Endrin Toxaphene

30001-NO 30004-NO 30023-NO 30006-NO 30007-NO 30008-NO 30010-NO No Confirmed COC:

Contaminants found

Potential Description: SOIL

Alias Name: 104665

Alias Type: Project Code (Site Code)

Alias Name: 60001057

Alias Type: **Envirostor ID Number**

Completed Info:

PROJECT WIDE Completed Area Name: Completed Sub Area Name: Not reported

Completed Document Type: **Environmental Oversight Agreement**

Completed Date: 04/06/2009

Fully Executed Oversight Agreement Comments:

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported Completed Document Type: Other Report Completed Date: 02/10/2009 Comments: Ag site. Needs PEA.

Direction Distance

Elevation Site Database(s) EPA ID Number

PROPOSED SANGER UNIFIED SCHOOL DISTRICT ELEMENTARY SCHOOL (Continued)

S109422385

EDR ID Number

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Workplan

Completed Date: 06/11/2009

Comments: PEA Workplan approved by PM.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Environmental Oversight Agreement Application

Completed Date: 03/20/2009

Comments: Received application on 3/20/2009. See uploaded document

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Report

Completed Date: 12/15/2009

Comments: DTSC approved the PEA with a no further action required determination.

Not reported

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Cost Recovery Closeout Memo

Completed Date: 12/17/2009

Comments: CRU completed and signed by TL.

Future Area Name: Not reported Future Sub Area Name: Not reported Future Document Type: Not reported Future Due Date: Not reported Not reported Schedule Area Name: Not reported Schedule Sub Area Name: Schedule Document Type: Not reported Schedule Due Date: Not reported Schedule Revised Date: Not reported

SCH:

Name: PROPOSED SANGER UNIFIED SCHOOL DISTRICT ELEMENTARY SCHOOL

Address: SOUTH ARMSTRONG/EAST JENSEN

City, State, Zip: FRESNO, CA 93727

Facility ID: 60001057

Site Type: School Investigation

Site Type Detail: School

Site Mgmt. Req.: NONE SPECIFIED

Acres: 13
National Priorities List: NO
Cleanup Oversight Agencies: SMBRP
Lead Agency: SMBRP

Lead Agency Description: DTSC - Site Cleanup Program

Project Manager: Not reported Supervisor: Mark Malinowski

Division Branch: Northern California Schools & Santa Susana

Site Code: 104665 Assembly: 31 Senate: 14

Special Program Status: Not reported Status: No Further Action

Direction Distance

Elevation Site Database(s) EPA ID Number

PROPOSED SANGER UNIFIED SCHOOL DISTRICT ELEMENTARY SCHOOL (Continued)

S109422385

EDR ID Number

Status Date: 12/15/2009 Restricted Use: NO

Funding: School District
Latitude: 36.71043
Longitude: -119.6708
APN: NONE SPECIFIED

Past Use: AGRICULTURAL - ORCHARD, AGRICULTURAL - ROW CROPS
Potential COC: Arsenic, Arsenic, Chlordane, DDD, DDE, DDT, Endrin, Toxaphene
Confirmed COC: 30001-NO, 30004-NO, 30023-NO, 30006-NO, 30007-NO, 30008-NO,

30010-NO, No Contaminants found

Potential Description: SOIL Alias Name: 104665

Alias Type: Project Code (Site Code)

Alias Name: 60001057

Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Environmental Oversight Agreement

Completed Date: 04/06/2009

Comments: Fully Executed Oversight Agreement

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 02/10/2009
Comments: Ag site. Needs PEA.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Workplan

Completed Date: 06/11/2009

Comments: PEA Workplan approved by PM.

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Environmental Oversight Agreement Application

Completed Date: 03/20/2009

Comments: Received application on 3/20/2009. See uploaded document

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Report

Completed Date: 12/15/2009

Comments: DTSC approved the PEA with a no further action required determination.

Not reported

Completed Area Name: PROJECT WIDE Completed Sub Area Name: Not reported

Completed Document Type: Cost Recovery Closeout Memo

Completed Date: 12/17/2009

Comments: CRU completed and signed by TL.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported

Map ID MAP FINDINGS Direction

Distance

Elevation Site Database(s) EPA ID Number

PROPOSED SANGER UNIFIED SCHOOL DISTRICT ELEMENTARY SCHOOL (Continued)

S109422385

EDR ID Number

Schedule Area Name: Not reported Schedule Sub Area Name: Not reported Schedule Document Type: Not reported Schedule Due Date: Not reported Schedule Revised Date: Not reported

Count: 3 records. ORPHAN SUMMARY

| City | EDR ID | Site Name | Site Address | Zip | Database(s) |
|--------|------------|------------------------------------|--------------------------------|-------|-------------------|
| FRESNO | S105960401 | PACIFIC GAS AND ELECTRIC - FRESNO | CALIFORNIA AND ORANGE AVENUES | 93725 | CA BOND EXP. PLAN |
| FRESNO | S123785057 | FOWLER-MCKINLEY ELEMENTARY SCHOOL | NORTHEAST CORNER OF FOWLER AVE | 93727 | ENVIROSTOR, SCH |
| FRESNO | S126143205 | PROPOSED TEMPERANCE ELEMENTARY SCH | WEST SIDE OF TEMPERANCE AVENUE | 93727 | ENVIROSTOR, SCH |

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 06/22/2023 Source: EPA
Date Data Arrived at EDR: 07/06/2023 Telephone: N/A

Date Made Active in Reports: 07/24/2023 Last EDR Contact: 09/01/2023

Number of Days to Update: 18 Next Scheduled EDR Contact: 10/09/2023
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1 EPA Region 6

Telephone 617-918-1143 Telephone: 214-655-6659

EPA Region 3 EPA Region 7

Telephone 215-814-5418 Telephone: 913-551-7247

EPA Region 4 EPA Region 8

Telephone 404-562-8033 Telephone: 303-312-6774

EPA Region 5 EPA Region 9

Telephone 312-886-6686 Telephone: 415-947-4246

EPA Region 10

Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 06/22/2023 Source: EPA
Date Data Arrived at EDR: 07/06/2023 Telephone: N/A

Next Scheduled EDR Contact: 10/09/2023
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991 Date Data Arrived at EDR: 02/02/1994 Date Made Active in Reports: 03/30/1994

Number of Days to Update: 56

Source: EPA

Telephone: 202-564-4267 Last EDR Contact: 08/15/2011

Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Source: EPA

Date of Government Version: 06/22/2023 Date Data Arrived at EDR: 07/06/2023 Date Made Active in Reports: 07/24/2023

Number of Days to Update: 18

Telephone: N/A Last EDR Contact: 09/01/2023

Next Scheduled EDR Contact: 10/09/2023

Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 06/23/2023 Date Data Arrived at EDR: 06/23/2023 Date Made Active in Reports: 09/20/2023

Number of Days to Update: 89

Source: Environmental Protection Agency Telephone: 703-603-8704

Last EDR Contact: 06/23/2023

Next Scheduled EDR Contact: 10/09/2023 Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 06/22/2023
Date Data Arrived at EDR: 07/06/2023
Date Made Active in Reports: 07/24/2023
Number of Days to Lindate: 18

Number of Days to Update: 18

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 09/01/2023

Next Scheduled EDR Contact: 10/23/2023 Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 06/22/2023 Date Data Arrived at EDR: 07/06/2023 Date Made Active in Reports: 07/24/2023

Number of Days to Update: 18

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 09/01/2023

Next Scheduled EDR Contact: 10/23/2023 Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 07/24/2023 Date Data Arrived at EDR: 07/31/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 14

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 07/24/2023 Date Data Arrived at EDR: 07/31/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 14

Source: Environmental Protection Agency

Telephone: (415) 495-8895 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 07/24/2023 Date Data Arrived at EDR: 07/31/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 14

Source: Environmental Protection Agency

Telephone: (415) 495-8895 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 07/24/2023 Date Data Arrived at EDR: 07/31/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 14

Source: Environmental Protection Agency

Telephone: (415) 495-8895 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)
RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation
and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database
includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste
as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate
less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 07/24/2023 Date Data Arrived at EDR: 07/31/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 14

Source: Environmental Protection Agency

Telephone: (415) 495-8895 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/25/2023 Date Data Arrived at EDR: 05/31/2023 Date Made Active in Reports: 07/24/2023

Number of Days to Update: 54

Source: Department of the Navy Telephone: 843-820-7326 Last EDR Contact: 08/02/2023

Next Scheduled EDR Contact: 11/20/2023 Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 05/22/2023 Date Data Arrived at EDR: 05/23/2023 Date Made Active in Reports: 07/24/2023

Number of Days to Update: 62

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 08/21/2023

Next Scheduled EDR Contact: 12/04/2023 Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 05/22/2023 Date Data Arrived at EDR: 05/23/2023 Date Made Active in Reports: 07/24/2023

Number of Days to Update: 62

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 08/21/2023

Next Scheduled EDR Contact: 12/04/2023

Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/12/2023 Date Data Arrived at EDR: 06/20/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 55

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

Lists of state- and tribal (Superfund) equivalent sites

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity.

These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 04/24/2023 Date Data Arrived at EDR: 04/25/2023 Date Made Active in Reports: 07/13/2023

Number of Days to Update: 79

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 07/25/2023

Next Scheduled EDR Contact: 11/06/2023 Data Release Frequency: Quarterly

Lists of state- and tribal hazardous waste facilities

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 04/24/2023 Date Data Arrived at EDR: 04/25/2023 Date Made Active in Reports: 07/13/2023

Number of Days to Update: 79

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 07/25/2023

Next Scheduled EDR Contact: 11/06/2023 Data Release Frequency: Quarterly

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inventory of solid waste disposal facilities or landfills. These may be active or inactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 05/08/2023 Date Data Arrived at EDR: 05/08/2023 Date Made Active in Reports: 07/31/2023

Number of Days to Update: 84

Source: Department of Resources Recycling and Recovery

Telephone: 916-341-6320 Last EDR Contact: 08/08/2023

Next Scheduled EDR Contact: 11/20/2023 Data Release Frequency: Quarterly

Lists of state and tribal leaking storage tanks

LUST REG 6L: Leaking Underground Storage Tank Case Listing

For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003 Date Data Arrived at EDR: 09/10/2003 Date Made Active in Reports: 10/07/2003

Number of Days to Update: 27

Source: California Regional Water Quality Control Board Lahontan Region (6)

Telephone: 530-542-5572 Last EDR Contact: 09/12/2011

Next Scheduled EDR Contact: 12/26/2011 Data Release Frequency: No Update Planned

LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources

Control Board's LUST database.

Date of Government Version: 03/01/2001 Date Data Arrived at EDR: 04/23/2001 Date Made Active in Reports: 05/21/2001

Number of Days to Update: 28

Source: California Regional Water Quality Control Board San Diego Region (9)

Telephone: 858-637-5595 Last EDR Contact: 09/26/2011

Next Scheduled EDR Contact: 01/09/2012 Data Release Frequency: No Update Planned

LUST REG 8: Leaking Underground Storage Tanks

California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer

to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005 Date Data Arrived at EDR: 02/15/2005 Date Made Active in Reports: 03/28/2005

Number of Days to Update: 41

Source: California Regional Water Quality Control Board Santa Ana Region (8)

Telephone: 909-782-4496 Last EDR Contact: 08/15/2011

Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

LUST REG 7: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004 Date Data Arrived at EDR: 02/26/2004 Date Made Active in Reports: 03/24/2004

Number of Days to Update: 27

Source: California Regional Water Quality Control Board Colorado River Basin Region (7)

Telephone: 760-776-8943 Last EDR Contact: 08/01/2011

Next Scheduled EDR Contact: 11/14/2011 Data Release Frequency: No Update Planned

LUST REG 5: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas,

Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008 Date Data Arrived at EDR: 07/22/2008 Date Made Active in Reports: 07/31/2008

Number of Days to Update: 9

Source: California Regional Water Quality Control Board Central Valley Region (5)

Telephone: 916-464-4834 Last EDR Contact: 07/01/2011

Next Scheduled EDR Contact: 10/17/2011 Data Release Frequency: No Update Planned

LUST REG 4: Underground Storage Tank Leak List

Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004 Date Data Arrived at EDR: 09/07/2004 Date Made Active in Reports: 10/12/2004

Number of Days to Update: 35

Source: California Regional Water Quality Control Board Los Angeles Region (4)

Telephone: 213-576-6710 Last EDR Contact: 09/06/2011

Next Scheduled EDR Contact: 12/19/2011 Data Release Frequency: No Update Planned

LUST REG 3: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003 Date Data Arrived at EDR: 05/19/2003 Date Made Active in Reports: 06/02/2003

Number of Days to Update: 14

Source: California Regional Water Quality Control Board Central Coast Region (3)

Telephone: 805-542-4786 Last EDR Contact: 07/18/2011

Next Scheduled EDR Contact: 10/31/2011 Data Release Frequency: No Update Planned

LUST REG 2: Fuel Leak List

Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa

Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004 Date Data Arrived at EDR: 10/20/2004 Date Made Active in Reports: 11/19/2004

Number of Days to Update: 30

Source: California Regional Water Quality Control Board San Francisco Bay Region (2)

Telephone: 510-622-2433 Last EDR Contact: 09/19/2011

Next Scheduled EDR Contact: 01/02/2012 Data Release Frequency: No Update Planned

LUST: Leaking Underground Fuel Tank Report (GEOTRACKER)

Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: see region list Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Quarterly

LUST REG 6V: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005 Date Data Arrived at EDR: 06/07/2005 Date Made Active in Reports: 06/29/2005

Number of Days to Update: 22

Source: California Regional Water Quality Control Board Victorville Branch Office (6)

Telephone: 760-241-7365 Last EDR Contact: 09/12/2011

Next Scheduled EDR Contact: 12/26/2011 Data Release Frequency: No Update Planned

LUST REG 1: Active Toxic Site Investigation

Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001 Date Data Arrived at EDR: 02/28/2001 Date Made Active in Reports: 03/29/2001

Number of Days to Update: 29

Source: California Regional Water Quality Control Board North Coast (1)

Telephone: 707-570-3769 Last EDR Contact: 08/01/2011

Next Scheduled EDR Contact: 11/14/2011 Data Release Frequency: No Update Planned

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/26/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 6 Telephone: 214-665-6597 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/20/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/14/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA, Region 5 Telephone: 312-886-7439 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 04/19/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 8 Telephone: 303-312-6271 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 04/20/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 4 Telephone: 404-562-8677 Last EDR Contact: 05/09/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/20/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 1 Telephone: 617-918-1313 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/25/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/19/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: Environmental Protection Agency Telephone: 415-972-3372 Last EDR Contact: 07/17/2023 Next Scheduled EDR Contact: 10/30/2023

Data Release Frequency: Varies

CPS-SLIC: Statewide SLIC Cases (GEOTRACKER)

Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Varies

SLIC REG 1: Active Toxic Site Investigations

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003 Date Data Arrived at EDR: 04/07/2003 Date Made Active in Reports: 04/25/2003

Number of Days to Update: 18

Source: California Regional Water Quality Control Board, North Coast Region (1)

Telephone: 707-576-2220 Last EDR Contact: 08/01/2011

Next Scheduled EDR Contact: 11/14/2011 Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004 Date Data Arrived at EDR: 10/20/2004 Date Made Active in Reports: 11/19/2004

Number of Days to Update: 30

Source: Regional Water Quality Control Board San Francisco Bay Region (2)

Telephone: 510-286-0457 Last EDR Contact: 09/19/2011

Next Scheduled EDR Contact: 01/02/2012 Data Release Frequency: No Update Planned

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006 Date Data Arrived at EDR: 05/18/2006 Date Made Active in Reports: 06/15/2006

Number of Days to Update: 28

Source: California Regional Water Quality Control Board Central Coast Region (3)

Telephone: 805-549-3147 Last EDR Contact: 07/18/2011

Next Scheduled EDR Contact: 10/31/2011 Data Release Frequency: No Update Planned

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004 Date Data Arrived at EDR: 11/18/2004 Date Made Active in Reports: 01/04/2005

Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)

Telephone: 213-576-6600 Last EDR Contact: 07/01/2011

Next Scheduled EDR Contact: 10/17/2011 Data Release Frequency: No Update Planned

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005 Date Data Arrived at EDR: 04/05/2005 Date Made Active in Reports: 04/21/2005

Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)

Telephone: 916-464-3291 Last EDR Contact: 09/12/2011

Next Scheduled EDR Contact: 12/26/2011 Data Release Frequency: No Update Planned

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005 Date Data Arrived at EDR: 05/25/2005 Date Made Active in Reports: 06/16/2005

Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch

Telephone: 619-241-6583 Last EDR Contact: 08/15/2011

Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

SLIC REG 6L: SLIC Sites

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004 Date Data Arrived at EDR: 09/07/2004 Date Made Active in Reports: 10/12/2004

Number of Days to Update: 35

Source: California Regional Water Quality Control Board, Lahontan Region

Telephone: 530-542-5574 Last EDR Contact: 08/15/2011

Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004 Date Data Arrived at EDR: 11/29/2004 Date Made Active in Reports: 01/04/2005

Number of Days to Update: 36

Source: California Regional Quality Control Board, Colorado River Basin Region

Telephone: 760-346-7491 Last EDR Contact: 08/01/2011

Next Scheduled EDR Contact: 11/14/2011 Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008 Date Data Arrived at EDR: 04/03/2008 Date Made Active in Reports: 04/14/2008

Number of Days to Update: 11

Source: California Region Water Quality Control Board Santa Ana Region (8)

Telephone: 951-782-3298 Last EDR Contact: 09/12/2011

Next Scheduled EDR Contact: 12/26/2011 Data Release Frequency: No Update Planned

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality

from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007 Date Data Arrived at EDR: 09/11/2007 Date Made Active in Reports: 09/28/2007

Number of Days to Update: 17

Source: California Regional Water Quality Control Board San Diego Region (9)

Telephone: 858-467-2980 Last EDR Contact: 08/08/2011

Next Scheduled EDR Contact: 11/21/2011 Data Release Frequency: No Update Planned

Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 03/08/2023 Date Data Arrived at EDR: 03/09/2023 Date Made Active in Reports: 05/30/2023

Number of Days to Update: 82

Source: FEMA

Telephone: 202-646-5797 Last EDR Contact: 06/27/2023

Next Scheduled EDR Contact: 10/16/2023

Data Release Frequency: Varies

MILITARY UST SITES: Military UST Sites (GEOTRACKER)

Military ust sites

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023

Data Release Frequency: Varies

UST: Active UST Facilities

Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: SWRCB Telephone: 916-341-5851 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Semi-Annually

UST CLOSURE: Proposed Closure of Underground Storage Tank (UST) Cases

UST cases that are being considered for closure by either the State Water Resources Control Board or the Executive Director have been posted for a 60-day public comment period. UST Case Closures being proposed for consideration by the State Water Resources Control Board. These are primarily UST cases that meet closure criteria under the decisional framework in State Water Board Resolution No. 92-49 and other Board orders. UST Case Closures proposed for consideration by the Executive Director pursuant to State Water Board Resolution No. 2012-0061. These are cases that meet the criteria of the Low-Threat UST Case Closure Policy. UST Case Closure Review Denials and Approved Orders.

Date of Government Version: 05/31/2023 Date Data Arrived at EDR: 06/02/2023 Date Made Active in Reports: 08/23/2023

Number of Days to Update: 82

Source: State Water Resources Control Board

Telephone: 916-327-7844 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023

Data Release Frequency: Varies

AST: Aboveground Petroleum Storage Tank Facilities

A listing of aboveground storage tank petroleum storage tank locations.

Date of Government Version: 07/06/2016 Date Data Arrived at EDR: 07/12/2016 Date Made Active in Reports: 09/19/2016

Number of Days to Update: 69

Source: California Environmental Protection Agency

Telephone: 916-327-5092 Last EDR Contact: 09/07/2023

Next Scheduled EDR Contact: 12/25/2023

Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/20/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023

Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/19/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 9 Telephone: 415-972-3368 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023

Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 04/20/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 4 Telephone: 404-562-9424 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/25/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/20/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA, Region 1 Telephone: 617-918-1313 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/14/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 5 Telephone: 312-886-6136 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/26/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 6 Telephone: 214-665-7591 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 04/20/2023 Date Data Arrived at EDR: 05/09/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 66

Source: EPA Region 8 Telephone: 303-312-6137 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

Lists of state and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Program Properties

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 04/24/2023 Date Data Arrived at EDR: 04/25/2023 Date Made Active in Reports: 07/13/2023

Number of Days to Update: 79

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 07/25/2023

Next Scheduled EDR Contact: 11/06/2023 Data Release Frequency: Quarterly

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015 Date Data Arrived at EDR: 09/29/2015 Date Made Active in Reports: 02/18/2016

Number of Days to Update: 142

Source: EPA, Region 1 Telephone: 617-918-1102 Last EDR Contact: 09/12/2023

Next Scheduled EDR Contact: 01/01/2024

Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 7 Telephone: 913-551-7365 Last EDR Contact: 07/08/2021

Next Scheduled EDR Contact: 07/20/2009

Data Release Frequency: Varies

Lists of state and tribal brownfield sites

BROWNFIELDS: Considered Brownfieds Sites Listing

A listing of sites the SWRCB considers to be Brownfields since these are sites have come to them through the MOA Process.

Date of Government Version: 06/14/2023 Date Data Arrived at EDR: 06/14/2023 Date Made Active in Reports: 09/06/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: 916-323-7905 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 04/06/2023 Date Data Arrived at EDR: 04/13/2023 Date Made Active in Reports: 04/19/2023

Number of Days to Update: 6

Source: Environmental Protection Agency

Telephone: 202-566-2777 Last EDR Contact: 08/30/2023

Next Scheduled EDR Contact: 12/25/2023 Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000 Date Data Arrived at EDR: 04/10/2000 Date Made Active in Reports: 05/10/2000

Number of Days to Update: 30

Source: State Water Resources Control Board

Telephone: 916-227-4448 Last EDR Contact: 07/19/2023

Next Scheduled EDR Contact: 11/06/2023 Data Release Frequency: No Update Planned

SWRCY: Recycler Database

A listing of recycling facilities in California.

Date of Government Version: 06/02/2023 Date Data Arrived at EDR: 06/02/2023 Date Made Active in Reports: 08/23/2023

Number of Days to Update: 82

Source: Department of Conservation

Telephone: 916-323-3836 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Quarterly

HAULERS: Registered Waste Tire Haulers Listing A listing of registered waste tire haulers.

Date of Government Version: 11/16/2022 Date Data Arrived at EDR: 11/22/2022 Date Made Active in Reports: 02/13/2023

Number of Days to Update: 83

Source: Integrated Waste Management Board

Telephone: 916-341-6422 Last EDR Contact: 08/29/2023

Next Scheduled EDR Contact: 11/20/2023 Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998 Date Data Arrived at EDR: 12/03/2007 Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-308-8245 Last EDR Contact: 07/19/2023

Next Scheduled EDR Contact: 11/06/2023 Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985 Date Data Arrived at EDR: 08/09/2004 Date Made Active in Reports: 09/17/2004

Number of Days to Update: 39

Source: Environmental Protection Agency

Telephone: 800-424-9346 Last EDR Contact: 06/09/2004 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009 Date Data Arrived at EDR: 05/07/2009 Date Made Active in Reports: 09/21/2009

Number of Days to Update: 137

Source: EPA, Region 9 Telephone: 415-947-4219 Last EDR Contact: 07/11/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States

Date of Government Version: 04/01/2014 Date Data Arrived at EDR: 08/06/2014 Date Made Active in Reports: 01/29/2015

Telephone: 301-443-1452 Last EDR Contact: 07/27/2023

Number of Days to Update: 176 Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 05/22/2023 Date Data Arrived at EDR: 05/23/2023 Date Made Active in Reports: 07/10/2023

Telephone: 202-307-1000 Last EDR Contact: 08/21/2023

Number of Days to Update: 48

Next Scheduled EDR Contact: 12/04/2023 Data Release Frequency: No Update Planned

Source: Drug Enforcement Administration

Source: Department of Health & Human Serivces, Indian Health Service

HIST CAL-SITES: Calsites Database

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

Date of Government Version: 08/08/2005 Date Data Arrived at EDR: 08/03/2006 Date Made Active in Reports: 08/24/2006 Source: Department of Toxic Substance Control Telephone: 916-323-3400 Last EDR Contact: 02/23/2009

Number of Days to Update: 21

Next Scheduled EDR Contact: 05/25/2009 Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 04/24/2023 Date Data Arrived at EDR: 04/25/2023

Source: Department of Toxic Substances Control

Date Made Active in Reports: 07/13/2023

Telephone: 916-323-3400 Last EDR Contact: 07/25/2023

Number of Days to Update: 79

Next Scheduled EDR Contact: 11/06/2023 Data Release Frequency: Quarterly

CDL: Clandestine Drug Labs

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 12/31/2020 Date Data Arrived at EDR: 11/30/2022

Source: Department of Toxic Substances Control

Date Made Active in Reports: 02/09/2023

Telephone: 916-255-6504 Last EDR Contact: 09/15/2023

Number of Days to Update: 71

Next Scheduled EDR Contact: 11/13/2023

Data Release Frequency: Varies

TOXIC PITS: Toxic Pits Cleanup Act Sites

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995 Date Data Arrived at EDR: 08/30/1995 Date Made Active in Reports: 09/26/1995 Source: State Water Resources Control Board

Telephone: 916-227-4364 Last EDR Contact: 01/26/2009

Number of Days to Update: 27

Next Scheduled EDR Contact: 04/27/2009 Data Release Frequency: No Update Planned

CERS HAZ WASTE: California Environmental Reporting System Hazardous Waste

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

Date of Government Version: 04/17/2023 Date Data Arrived at EDR: 04/18/2023 Date Made Active in Reports: 07/11/2023

Number of Days to Update: 84

Source: CalEPA Telephone: 916-323-2514 Last EDR Contact: 07/18/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Quarterly

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 05/22/2023 Date Data Arrived at EDR: 05/23/2023 Date Made Active in Reports: 07/10/2023

Number of Days to Update: 48

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 08/21/2023

Next Scheduled EDR Contact: 12/04/2023 Data Release Frequency: Quarterly

Local Lists of Registered Storage Tanks

SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994 Date Data Arrived at EDR: 07/07/2005 Date Made Active in Reports: 08/11/2005

Number of Days to Update: 35

Source: State Water Resources Control Board

Telephone: N/A

Last EDR Contact: 06/03/2005 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990 Date Data Arrived at EDR: 01/25/1991 Date Made Active in Reports: 02/12/1991

Number of Days to Update: 18

Source: State Water Resources Control Board

Telephone: 916-341-5851 Last EDR Contact: 07/26/2001 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

SAN FRANCISCO AST: Aboveground Storage Tank Site Listing

Aboveground storage tank sites

Date of Government Version: 04/28/2023 Date Data Arrived at EDR: 04/28/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 77

Source: San Francisco County Department of Public Health

Telephone: 415-252-3896 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Varies

CERS TANKS: California Environmental Reporting System (CERS) Tanks

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

Date of Government Version: 04/17/2023 Date Data Arrived at EDR: 04/18/2023 Date Made Active in Reports: 07/06/2023

Number of Days to Update: 79

Source: California Environmental Protection Agency

Telephone: 916-323-2514 Last EDR Contact: 07/18/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Quarterly

CA FID UST: Facility Inventory Database

The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994 Date Data Arrived at EDR: 09/05/1995 Date Made Active in Reports: 09/29/1995

Number of Days to Update: 24

Source: California Environmental Protection Agency

Telephone: 916-341-5851 Last EDR Contact: 12/28/1998 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

Local Land Records

LIENS: Environmental Liens Listing

A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 06/06/2023 Date Data Arrived at EDR: 06/07/2023 Date Made Active in Reports: 08/25/2023

Number of Days to Update: 79

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 08/22/2023

Next Scheduled EDR Contact: 12/11/2023

Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 06/22/2023 Date Data Arrived at EDR: 07/06/2023 Date Made Active in Reports: 07/24/2023

Number of Days to Update: 18

Source: Environmental Protection Agency

Telephone: 202-564-6023 Last EDR Contact: 09/01/2023

Next Scheduled EDR Contact: 10/09/2023 Data Release Frequency: Semi-Annually

DEED: Deed Restriction Listing

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 05/25/2023 Date Data Arrived at EDR: 05/25/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 81

Source: DTSC and SWRCB Telephone: 916-323-3400 Last EDR Contact: 08/29/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/19/2023 Date Data Arrived at EDR: 06/23/2023 Date Made Active in Reports: 09/20/2023

Number of Days to Update: 89

Source: U.S. Department of Transportation

Telephone: 202-366-4555 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material

incidents (accidental releases or spills).

Date of Government Version: 04/15/2023 Date Data Arrived at EDR: 04/28/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 77

Source: Office of Emergency Services

Telephone: 916-845-8400 Last EDR Contact: 07/18/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Semi-Annually

LDS: Land Disposal Sites Listing (GEOTRACKER)

Land Disposal sites (Landfills) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/25/2023

Number of Days to Update: 81

Source: State Water Quality Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Quarterly

MCS: Military Cleanup Sites Listing (GEOTRACKER)

Military sites (consisting of: Military UST sites; Military Privatized sites; and Military Cleanup sites [formerly known as DoD non UST]) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/25/2023

Number of Days to Update: 81

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Quarterly

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/06/2012 Date Data Arrived at EDR: 01/03/2013 Date Made Active in Reports: 02/22/2013

Number of Days to Update: 50

Source: FirstSearch Telephone: N/A

Last EDR Contact: 01/03/2013 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 07/24/2023 Date Data Arrived at EDR: 07/31/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 14

Source: Environmental Protection Agency

Telephone: (415) 495-8895 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 05/08/2023 Date Data Arrived at EDR: 05/16/2023 Date Made Active in Reports: 07/10/2023

Number of Days to Update: 55

Source: U.S. Army Corps of Engineers

Telephone: 202-528-4285 Last EDR Contact: 08/15/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021
Date Data Arrived at EDR: 07/13/2021
Date Made Active in Reports: 03/09/2022

Number of Days to Update: 239

Source: USGS

Telephone: 888-275-8747 Last EDR Contact: 07/10/2023

Next Scheduled EDR Contact: 10/23/2023

Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018 Date Data Arrived at EDR: 04/11/2018 Date Made Active in Reports: 11/06/2019

Number of Days to Update: 574

Source: U.S. Geological Survey Telephone: 888-275-8747 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023

Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 07/30/2021 Date Data Arrived at EDR: 02/03/2023 Date Made Active in Reports: 02/10/2023

Number of Days to Update: 7

Source: Environmental Protection Agency

Telephone: 615-532-8599 Last EDR Contact: 08/01/2023

Next Scheduled EDR Contact: 11/20/2023 Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 06/19/2023 Date Data Arrived at EDR: 06/20/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 55

Source: Environmental Protection Agency

Telephone: 202-566-1917 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013 Date Data Arrived at EDR: 03/21/2014 Date Made Active in Reports: 06/17/2014

Number of Days to Update: 88

Source: Environmental Protection Agency

Telephone: 617-520-3000 Last EDR Contact: 07/31/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017 Date Data Arrived at EDR: 05/08/2018 Date Made Active in Reports: 07/20/2018

Number of Days to Update: 73

Source: Environmental Protection Agency

Telephone: 703-308-4044 Last EDR Contact: 08/03/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2020 Date Data Arrived at EDR: 06/14/2022 Date Made Active in Reports: 03/24/2023

Number of Days to Update: 283

Source: EPA

Telephone: 202-260-5521 Last EDR Contact: 09/15/2023

Next Scheduled EDR Contact: 12/25/2023 Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2021 Date Data Arrived at EDR: 02/16/2023 Date Made Active in Reports: 05/02/2023

Number of Days to Update: 75

Source: EPA

Telephone: 202-566-0250 Last EDR Contact: 08/18/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 04/17/2023 Date Data Arrived at EDR: 04/18/2023 Date Made Active in Reports: 07/10/2023

Number of Days to Update: 83

Source: EPA

Telephone: 202-564-4203 Last EDR Contact: 07/18/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 06/22/2023 Date Data Arrived at EDR: 07/06/2023 Date Made Active in Reports: 07/24/2023

Number of Days to Update: 18

Source: EPA

Telephone: 703-416-0223 Last EDR Contact: 09/01/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 05/09/2023 Date Data Arrived at EDR: 06/29/2023 Date Made Active in Reports: 09/25/2023

Number of Days to Update: 88

Source: Environmental Protection Agency

Telephone: 202-564-8600 Last EDR Contact: 06/12/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Date Data Arrived at EDR: 07/03/1995 Date Made Active in Reports: 08/07/1995

Number of Days to Update: 35

Source: EPA

Telephone: 202-564-4104 Last EDR Contact: 06/02/2008

Next Scheduled EDR Contact: 09/01/2008 Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 06/22/2023 Date Data Arrived at EDR: 07/06/2023 Date Made Active in Reports: 07/24/2023

Number of Days to Update: 18

Source: EPA

Telephone: 202-564-6023 Last EDR Contact: 09/01/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 03/20/2023 Date Data Arrived at EDR: 04/04/2023 Date Made Active in Reports: 06/09/2023

Number of Days to Update: 66

Source: EPA

Telephone: 202-566-0500 Last EDR Contact: 07/07/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016 Date Data Arrived at EDR: 11/23/2016 Date Made Active in Reports: 02/10/2017

Number of Days to Update: 79

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 06/27/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667 Last EDR Contact: 08/18/2017

Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA

Telephone: 202-566-1667 Last EDR Contact: 08/18/2017

Next Scheduled EDR Contact: 12/04/2017 Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/20/2023 Date Data Arrived at EDR: 09/01/2023 Date Made Active in Reports: 09/20/2023

Number of Days to Update: 19

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169 Last EDR Contact: 07/12/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2021 Date Data Arrived at EDR: 04/14/2023 Date Made Active in Reports: 07/10/2023

Number of Days to Update: 87

Source: Department of Energy Telephone: 202-586-8719 Last EDR Contact: 09/01/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017 Date Data Arrived at EDR: 03/05/2019 Date Made Active in Reports: 11/11/2019

Number of Days to Update: 251

Source: Environmental Protection Agency

Telephone: N/A

Last EDR Contact: 08/28/2023

Next Scheduled EDR Contact: 12/11/2023

Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019 Date Data Arrived at EDR: 11/06/2019 Date Made Active in Reports: 02/10/2020

Number of Days to Update: 96

Source: Environmental Protection Agency

Telephone: 202-566-0517 Last EDR Contact: 08/03/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S.

Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019 Date Data Arrived at EDR: 07/01/2019 Date Made Active in Reports: 09/23/2019

Number of Days to Update: 84

Source: Environmental Protection Agency

Telephone: 202-343-9775 Last EDR Contact: 09/22/2023

Next Scheduled EDR Contact: 01/08/2024 Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2007

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2008

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

Source: Department of Transporation, Office of Pipeline Safety

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020 Date Data Arrived at EDR: 01/28/2020 Date Made Active in Reports: 04/17/2020

Number of Days to Update: 80

Telephone: 202-366-4595

Last EDR Contact: 07/25/2023

Next Scheduled EDR Contact: 11/06/2023 Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 03/31/2023 Date Data Arrived at EDR: 04/20/2023 Date Made Active in Reports: 07/10/2023

Number of Days to Update: 81

Source: Department of Justice, Consent Decree Library

Telephone: Varies

Last EDR Contact: 06/27/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2021 Date Data Arrived at EDR: 03/09/2023 Date Made Active in Reports: 03/20/2023

Number of Days to Update: 11

Source: EPA/NTIS Telephone: 800-424-9346 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014 Date Data Arrived at EDR: 07/14/2015 Date Made Active in Reports: 01/10/2017

Number of Days to Update: 546

Source: USGS Telephone: 202-208-3710 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 03/03/2023 Date Data Arrived at EDR: 03/03/2023 Date Made Active in Reports: 06/09/2023

Number of Days to Update: 98

Source: Department of Energy Telephone: 202-586-3559 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 08/30/2019 Date Data Arrived at EDR: 11/15/2019 Date Made Active in Reports: 01/28/2020

Number of Days to Update: 74

Source: Department of Energy Telephone: 505-845-0011 Last EDR Contact: 08/10/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 06/22/2023 Date Data Arrived at EDR: 07/06/2023 Date Made Active in Reports: 07/24/2023

Number of Days to Update: 18

Source: Environmental Protection Agency

Telephone: 703-603-8787 Last EDR Contact: 09/01/2023

Next Scheduled EDR Contact: 10/09/2023 Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001 Date Data Arrived at EDR: 10/27/2010 Date Made Active in Reports: 12/02/2010

Number of Days to Update: 36

Source: American Journal of Public Health

Telephone: 703-305-6451 Last EDR Contact: 12/02/2009 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016 Date Data Arrived at EDR: 10/26/2016 Date Made Active in Reports: 02/03/2017

Number of Days to Update: 100

Source: EPA

Telephone: 202-564-2496 Last EDR Contact: 09/26/2017

Next Scheduled EDR Contact: 01/08/2018 Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data A listing of minor source facilities.

Date of Government Version: 10/12/2016 Date Data Arrived at EDR: 10/26/2016 Date Made Active in Reports: 02/03/2017

Number of Days to Update: 100

Source: EPA

Telephone: 202-564-2496 Last EDR Contact: 09/26/2017

Next Scheduled EDR Contact: 01/08/2018 Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 07/05/2023 Date Data Arrived at EDR: 07/05/2023 Date Made Active in Reports: 09/25/2023

Number of Days to Update: 82

Source: DOL, Mine Safety & Health Admi

Telephone: 202-693-9424 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 11/20/2023 Data Release Frequency: Quarterly

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 05/01/2023 Date Data Arrived at EDR: 05/24/2023 Date Made Active in Reports: 07/24/2023

Number of Days to Update: 61

Source: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959 Last EDR Contact: 08/22/2023

Next Scheduled EDR Contact: 12/04/2023 Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 01/07/2022 Date Data Arrived at EDR: 02/24/2023 Date Made Active in Reports: 05/17/2023

Number of Days to Update: 82

Source: USGS

Telephone: 703-648-7709 Last EDR Contact: 08/24/2023

Next Scheduled EDR Contact: 12/04/2023

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011 Date Data Arrived at EDR: 06/08/2011 Date Made Active in Reports: 09/13/2011

Number of Days to Update: 97

Source: USGS

Telephone: 703-648-7709 Last EDR Contact: 08/24/2023

Next Scheduled EDR Contact: 12/04/2023 Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 06/13/2023 Date Data Arrived at EDR: 06/14/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 61

Source: Department of Interior Telephone: 202-208-2609 Last EDR Contact: 09/12/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 05/04/2023 Date Data Arrived at EDR: 05/25/2023 Date Made Active in Reports: 07/24/2023

Number of Days to Update: 60

Source: EPA Telephone: (415) 947-8000 Last EDR Contact: 08/29/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 11/09/2021 Date Data Arrived at EDR: 10/20/2022 Date Made Active in Reports: 01/10/2023

Number of Days to Update: 82

Source: Department of Defense Telephone: 703-704-1564 Last EDR Contact: 07/06/2023

Next Scheduled EDR Contact: 10/23/2023 Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 06/24/2023 Date Data Arrived at EDR: 06/29/2023 Date Made Active in Reports: 09/25/2023

Number of Days to Update: 88

Source: Environmental Protection Agency

Telephone: 202-564-2280 Last EDR Contact: 06/29/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021 Date Data Arrived at EDR: 05/21/2021 Date Made Active in Reports: 08/11/2021

Number of Days to Update: 82

Source: Environmental Protection Agency

Telephone: 202-564-0527 Last EDR Contact: 08/15/2023

Next Scheduled EDR Contact: 12/04/2023 Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 05/15/2023 Date Data Arrived at EDR: 05/17/2023 Date Made Active in Reports: 07/10/2023

Number of Days to Update: 54

Source: EPA

Telephone: 800-385-6164 Last EDR Contact: 08/15/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: Quarterly

PFAS NPL: Superfund Sites with PFAS Detections Information

EPA's Office of Land and Emergency Management and EPA Regional Offices maintain data describing what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment.

Date of Government Version: 06/07/2023 Date Data Arrived at EDR: 06/08/2023 Date Made Active in Reports: 06/09/2023

Number of Days to Update: 1

Source: Environmental Protection Agency

Telephone: 703-603-8895 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Varies

PFAS FEDERAL SITES: Federal Sites PFAS Information

Several federal entities, such as the federal Superfund program, Department of Defense, National Aeronautics and Space Administration, Department of Transportation, and Department of Energy provided information for sites with known or suspected detections at federal facilities.

Date of Government Version: 03/30/2023 Date Data Arrived at EDR: 03/30/2023 Date Made Active in Reports: 04/07/2023

Number of Days to Update: 8

Source: Environmental Protection Agency

Telephone: 202-272-0167 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Varies

PFAS TSCA: PFAS Manufacture and Imports Information

EPA issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. EPA publishes non-confidential business information (non-CBI) and includes descriptive information about each site, corporate parent, production volume, other manufacturing information, and processing and use information.

Date of Government Version: 03/30/2023 Date Data Arrived at EDR: 03/30/2023 Date Made Active in Reports: 06/09/2023

Number of Days to Update: 71

Source: Environmental Protection Agency

Telephone: 202-272-0167 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Varies

PFAS RCRA MANIFEST: PFAS Transfers Identified In the RCRA Database Listing

To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: PFAS, PFOA, PFOS, PERFL, AFFF, GENX, GEN-X (plus the VT waste codes). These keywords were searched for in the following text fields: Manifest handling instructions (MANIFEST_HANDLING_INSTR), Non-hazardous waste description (NON_HAZ_WASTE_DESCRIPTION), DOT printed information (DOT_PRINTED_INFORMATION), Waste line handling instructions (WASTE_LINE_HANDLING_INSTR), Waste residue comments (WASTE_RESIDUE_COMMENTS).

Date of Government Version: 03/30/2023 Date Data Arrived at EDR: 03/30/2023 Date Made Active in Reports: 05/02/2023

Number of Days to Update: 33

Source: Environmental Protection Agency

Telephone: 202-272-0167 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Varies

PFAS ATSDR: PFAS Contamination Site Location Listing

PFAS contamination site locations from the Department of Health & Human Services, Center for Disease Control & Prevention. ATSDR is involved at a number of PFAS-related sites, either directly or through assisting state and federal partners. As of now, most sites are related to drinking water contamination connected with PFAS production facilities or fire training areas where aqueous film-forming firefighting foam (AFFF) was regularly used.

Date of Government Version: 06/24/2020 Date Data Arrived at EDR: 03/17/2021 Date Made Active in Reports: 11/08/2022

Number of Days to Update: 601

Source: Department of Health & Human Services

Telephone: 202-741-5770 Last EDR Contact: 07/19/2023

Next Scheduled EDR Contact: 11/06/2023 Data Release Frequency: Varies

PFAS WQP: Ambient Environmental Sampling for PFAS

The Water Quality Portal (WQP) is a part of a modernized repository storing ambient sampling data for all environmental media and tissue samples. A wide range of federal, state, tribal and local governments, academic and non-governmental organizations and individuals submit project details and sampling results to this public repository. The information is commonly used for research and assessments of environmental quality.

Date of Government Version: 03/30/2023 Date Data Arrived at EDR: 03/30/2023 Date Made Active in Reports: 05/02/2023

Number of Days to Update: 33

Source: Environmental Protection Agency

Telephone: 202-272-0167 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Varies

PFAS NPDES: Clean Water Act Discharge Monitoring Information

Any discharger of pollutants to waters of the United States from a point source must have a National Pollutant Discharge Elimination System (NPDES) permit. The process for obtaining limits involves the regulated entity (permittee) disclosing releases in a NPDES permit application and the permitting authority (typically the state but sometimes EPA) deciding whether to require monitoring or monitoring with limits. Caveats and Limitations: Less than half of states have required PFAS monitoring for at least one of their permittees and fewer states have established PFAS effluent limits for permittees. New rulemakings have been initiated that may increase the number of facilities monitoring for PFAS in the future.

Date of Government Version: 03/30/2023 Date Data Arrived at EDR: 03/30/2023 Date Made Active in Reports: 04/07/2023

Number of Days to Update: 8

Source: Environmental Protection Agency

Telephone: 202-272-0167 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Varies

PFAS ECHO: Facilities in Industries that May Be Handling PFAS Listing

Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

Date of Government Version: 07/05/2023 Date Data Arrived at EDR: 07/05/2023 Date Made Active in Reports: 09/25/2023

Number of Days to Update: 82

Source: Environmental Protection Agency

Telephone: 202-272-0167 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Varies

PFAS ECHO FIRE TRAINING: Facilities in Industries that May Be Handling PFAS Listing

A list of fire training sites was added to the Industry Sectors dataset using a keyword search on the permitted facilitys name to identify sites where fire-fighting foam may have been used in training exercises. Additionally, you may view an example spreadsheet of the subset of fire training facility data, as well as the keywords used in selecting or deselecting a facility for the subset, as well as the keywords used in selecting or deselecting a facility for the subset. These keywords were tested to maximize accuracy in selecting facilities that may use fire-fighting foam in training exercises, however, due to the lack of a required reporting field in the data systems for designating fire training sites, this methodology may not identify all fire training sites or may potentially misidentify them.

Date of Government Version: 07/05/2023 Date Data Arrived at EDR: 07/05/2023 Date Made Active in Reports: 09/25/2023

Number of Days to Update: 82

Source: Environmental Protection Agency

Telephone: 202-272-0167 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Varies

PFAS PART 139 AIRPORT: All Certified Part 139 Airports PFAS Information Listing

Since July 1, 2006, all certified part 139 airports are required to have fire-fighting foam onsite that meet military specifications (MIL-F-24385) (14 CFR 139.317). To date, these military specification fire-fighting foams are fluorinated and have been historically used for training and extinguishing. The 2018 FAA Reauthorization Act has a provision stating that no later than October 2021, FAA shall not require the use of fluorinated AFFF. This provision does not prohibit the use of fluorinated AFFF at Part 139 civilian airports; it only prohibits FAA from mandating its use. The Federal Aviation Administration?s document AC 150/5210-6D - Aircraft Fire Extinguishing Agents provides guidance on Aircraft Fire Extinguishing Agents, which includes Aqueous Film Forming Foam (AFFF).

Date of Government Version: 07/05/2023 Date Data Arrived at EDR: 07/05/2023 Date Made Active in Reports: 09/25/2023

Number of Days to Update: 82

Source: Environmental Protection Agency

Telephone: 202-272-0167 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Varies

AQUEOUS FOAM NRC: Aqueous Foam Related Incidents Listing

The National Response Center (NRC) serves as an emergency call center that fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. The spreadsheets posted to the NRC website contain initial incident data that has not been validated or investigated by a federal/state response agency. Response center calls from 1990 to the most recent complete calendar year where there was indication of Aqueous Film Forming Foam (AFFF) usage are included in this dataset. NRC calls may reference AFFF usage in the ?Material Involved? or ?Incident Description? fields.

Date of Government Version: 07/05/2023 Date Data Arrived at EDR: 07/06/2023 Date Made Active in Reports: 09/25/2023 Number of Days to Update: 81 Source: Environmental Protection Agency Telephone: 202-272-0167 Last EDR Contact: 07/06/2023

Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: Varies

PFAS: PFAS Contamination Site Location Listing

A listing of PFAS contaminated sites included in the GeoTracker database.

Date of Government Version: 06/02/2023 Date Data Arrived at EDR: 06/02/2023 Date Made Active in Reports: 08/23/2023

Number of Days to Update: 82

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Varies

AQUEOUS FOAM: Former Fire Training Facility Assessments Listing

Airports shown on this list are those believed to use Aqueous Film Forming Foam (AFFF), and certified by the Federal Aviation Administration (FAA) under Title 14, Code of Federal Regulations (CFR), Part 139 (14 CFR Part 139). This list was created by SWRCB using information available from the FAA. Location points shown are from the latitude and longitude listed on the FAA airport master record.

Date of Government Version: 06/02/2023 Date Data Arrived at EDR: 06/02/2023 Date Made Active in Reports: 08/23/2023

Number of Days to Update: 82

Source: State Water Resources Control Board

Telephone: 916-341-5455 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Varies

CA BOND EXP. PLAN: Bond Expenditure Plan

Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989 Date Data Arrived at EDR: 07/27/1994 Date Made Active in Reports: 08/02/1994

Number of Days to Update: 6

Source: Department of Health Services

Telephone: 916-255-2118 Last EDR Contact: 05/31/1994 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

CORTESE: "Cortese" Hazardous Waste & Substances Sites List

The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste

Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 06/14/2023 Date Data Arrived at EDR: 06/14/2023 Date Made Active in Reports: 09/06/2023

Number of Days to Update: 84

Source: CAL EPA/Office of Emergency Information

Telephone: 916-323-3400 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

CUPA LIVERMORE-PLEASANTON: CUPA Facility Listing

list of facilities associated with the various CUPA programs in Livermore-Pleasanton

Date of Government Version: 03/31/2023 Date Data Arrived at EDR: 05/08/2023 Date Made Active in Reports: 07/31/2023

Number of Days to Update: 84

Source: Livermore-Pleasanton Fire Department

Telephone: 925-454-2361 Last EDR Contact: 08/10/2023

Next Scheduled EDR Contact: 11/20/2023

Data Release Frequency: Varies

DRYCLEANERS: Cleaner Facilities

A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 08/27/2021 Date Data Arrived at EDR: 09/01/2021 Date Made Active in Reports: 11/19/2021

Number of Days to Update: 79

Source: Department of Toxic Substance Control

Telephone: 916-327-4498 Last EDR Contact: 08/22/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: Annually

DRYCLEAN FEATHER RIVER DIST: Feather River Air Quality Management District Drycleaner Facility Listing

A listing of drycleaner facility locations, for the Feather River Air Quality Management District.

Date of Government Version: 03/08/2023 Date Data Arrived at EDR: 03/09/2023 Date Made Active in Reports: 06/05/2023

Number of Days to Update: 88

Source: Feather River Air Quality Management District

Telephone: 530-634-7659 Last EDR Contact: 06/08/2023

Next Scheduled EDR Contact: 09/11/2023

Data Release Frequency: Varies

DRYCLEAN SACRAMENTO METO DIST: Sacramento Metropolitan Air Quality Management DistrictDrycleaner Facility Listing

A listing of drycleaner facility locations, for the Sacramento Metropolitan Air Quality Management District.

Date of Government Version: 04/25/2023 Date Data Arrived at EDR: 04/28/2023 Date Made Active in Reports: 07/19/2023

Number of Days to Update: 82

Source: Sacramento Metropolitan Air Quality Management District

Telephone: 916-874-3958 Last EDR Contact: 08/15/2023

Next Scheduled EDR Contact: 09/11/2023

Data Release Frequency: Varies

DRYCLEAN SAN DIEGO CO DIST: San Diego County Air Pollution Control District Drycleaner Facility Listing

A listing of drycleaner facility locations, for the San Diego County Air Pollution Control District.

Date of Government Version: 02/01/2019 Date Data Arrived at EDR: 05/01/2019 Date Made Active in Reports: 05/01/2023

Number of Days to Update: 1461

Source: San Diego County Air Pollution Control District

Telephone: 858-586-2616 Last EDR Contact: 08/08/2023

Next Scheduled EDR Contact: 09/11/2023

DRYCLEAN SAN JOAQ VAL DIST: San Joaquin Valley Air Pollution Control District District Drycleaner Facility Listing A listing of drycleaner facility locations, for the San Joaquin Valley Air Pollution Control District.

Date of Government Version: 05/24/2023 Date Data Arrived at EDR: 05/30/2023 Date Made Active in Reports: 08/21/2023

Number of Days to Update: 83

Source: San Joaquin Valley Air Pollution Control District

Telephone: 559-230-6001 Last EDR Contact: 05/11/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN EAST KERN DIST: Eastern Kern Air Pollution Control District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Eastern Kern Air Pollution Control District.

Date of Government Version: 01/12/2023 Date Data Arrived at EDR: 04/26/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 79

Source: Eastern Kern Air Pollution Control District

Telephone: 661-862-9684 Last EDR Contact: 04/25/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN IMPERIAL CO DIST: Imperial County Air Pollution Control District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Imperial County Air Pollution Control District

Date of Government Version: 04/25/2023 Date Data Arrived at EDR: 04/26/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 79

Source: Imperial County Air Pollution Control District

Telephone: 442-265-1800 Last EDR Contact: 04/25/2023

Next Scheduled EDR Contact: 09/11/2023

Data Release Frequency: Varies

DRYCLEAN MENDO CO DIST: Mendocino County Air Quality Management District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Mendocino County Air Quality Management District.

Date of Government Version: 04/27/2023 Date Data Arrived at EDR: 04/28/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 77

Source: Mendocino County Air Quality Management District

Telephone: 707-463-4354 Last EDR Contact: 04/25/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN MOJAVE DESERT DIST: Mojave Desert Air Quality Management District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Mojave Desert Air Quality Management District.

Date of Government Version: 04/26/2023 Date Data Arrived at EDR: 04/27/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 78

Source: Mojave Desert Air Quality Management District

Telephone: 760-245-1661 Last EDR Contact: 04/25/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN MONTEREY BAY DIST: Monterey Bay Air Quality Management District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Monterey Bay Air Quality Management District.

Date of Government Version: 04/25/2023 Date Data Arrived at EDR: 04/26/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 79

Source: Monterey Bay Air Quality Management District

Telephone: 831-647-9411 Last EDR Contact: 04/25/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN SHASTA CO DIST: Shasta County Air Quality Management District District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Shasta County Air Quality Management District.

Date of Government Version: 04/26/2023 Date Data Arrived at EDR: 04/27/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 78

Source: Shasta County Air Quality Management District

Telephone: 530-225-5674 Last EDR Contact: 04/25/2023

Next Scheduled EDR Contact: 09/11/2023

DRYCLEAN YOLO-SOLANO DIST: Yolo-Solano Air Quality Management District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Yolo-Solano Air Quality Management District.

Date of Government Version: 04/25/2023 Date Data Arrived at EDR: 04/27/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 78

Source: Yolo-Solano Air Quality Management District

Telephone: 530-757-3650 Last EDR Contact: 04/25/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN AVAQMD: Antelope Valley Air Quality Management District Drycleaner Listing A listing of dry cleaners in the Antelope Valley Air Quality Management District.

Date of Government Version: 05/22/2023 Date Data Arrived at EDR: 05/24/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 82

Source: Antelope Valley Air Quality Management District

Telephone: 661-723-8070 Last EDR Contact: 08/22/2023

Next Scheduled EDR Contact: 12/11/2023

Data Release Frequency: Varies

DRYCLEAN PLACER CO DIST: Placer County Air Quality Management District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Placer County Air Quality Management District.

Date of Government Version: 05/15/2023 Date Data Arrived at EDR: 05/17/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 89

Source: Placer County Air Quality Management District

Telephone: 530-745-2335 Last EDR Contact: 05/11/2023

Next Scheduled EDR Contact: 09/11/2023

Data Release Frequency: Varies

DRYCLEAN BAY AREA DIST: Bay Area Air Quality Management District Drycleaner Facility Listing Bay Area Air Quality Management District Drycleaner Facility Listing.

Date of Government Version: 02/20/2019 Date Data Arrived at EDR: 05/30/2019 Date Made Active in Reports: 05/01/2023

Number of Days to Update: 1432

Source: Bay Area Air Quality Management District

Telephone: 415-516-1916 Last EDR Contact: 07/25/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN BUTTE CO DIST: Butte County Air Quality Management DistrictDrycleaner Facility Listing Butte County Air Quality Management DistrictDrycleaner Facility Listing.

Date of Government Version: 12/31/2018 Date Data Arrived at EDR: 04/23/2019 Date Made Active in Reports: 05/01/2023

Number of Days to Update: 1469

Source: Butte County Air Quality Management District

Telephone: 530-332-9400 Last EDR Contact: 07/13/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN CALAVERAS CO DIST: Calaveras County Environmental Management Agency Drycleaner Facility Listing A listing of drycleaner facility locations, for the Calaveras County Environmental Management Agency.

Date of Government Version: 06/17/2019 Date Data Arrived at EDR: 06/19/2019 Date Made Active in Reports: 05/01/2023

Number of Days to Update: 1412

Source: Calaveras County Environmental Management Agency

Telephone: 209-754-6399 Last EDR Contact: 04/24/2023

Next Scheduled EDR Contact: 09/16/2019 Data Release Frequency: Varies

DRYCLEAN GRANT: Grant Recipients List

Assembly Bill 998 (AB 998) established the Non-Toxic Dry Cleaning Incentive Program to provide financial assistance to the dry cleaning industry to switch from systems using perchloroethylene (Perc), an identified toxic air contaminant and potential human carcinogen, to non-toxic and non-smog forming alternatives.

Date of Government Version: 12/31/2020 Date Data Arrived at EDR: 02/04/2021 Date Made Active in Reports: 05/01/2023

Number of Days to Update: 816

Source: California Air Resources Board Telephone: 916-323-0006

Last EDR Contact: 07/24/2023

Next Scheduled EDR Contact: 11/06/2023

DRYCLEAN LAKE CO DIST: Lake County Air Quality Management District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Lake County Air Quality Management District,

Date of Government Version: 04/29/2019 Date Data Arrived at EDR: 05/07/2019 Date Made Active in Reports: 05/01/2023 Number of Days to Update: 1455

Source: Lake County Air Quality Management District Telephone: 707-263-7000 Last EDR Contact: 05/11/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN NO COAST UNIFIED DIST: North Coast Unified Air Quality Management District Drycleaner Facility Listing A listing of drycleaner facility locations, for the North Coast Unified Air Quality Management District.

Date of Government Version: 11/30/2016 Date Data Arrived at EDR: 04/19/2019

Date Made Active in Reports: 05/01/2023 Number of Days to Update: 1473

Source: North Coast Unified Air Quality Management District

Telephone: 707-443-3093 Last EDR Contact: 04/25/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN NO SIERRA DIST: Northern Sierra Air Quality Management District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Northern Sierra Air Quality Management District,

Date of Government Version: 05/07/2019 Date Data Arrived at EDR: 05/07/2019 Number of Days to Update: 1455

Date Made Active in Reports: 05/01/2023

Source: Northern Sierra Air Quality Management District

Telephone: 530-274-9350 Last EDR Contact: 04/25/2023

Next Scheduled EDR Contact: 09/11/2023

Data Release Frequency: Varies

DRYCLEAN NO SONOMA CO DIST: Norther Sonoma County County Air Pollution Control District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Northern Sonoma County Air Pollution Control District.,

Date of Government Version: 04/17/2019 Date Data Arrived at EDR: 04/17/2019 Date Made Active in Reports: 05/01/2023 Number of Days to Update: 1475

Last EDR Contact: 04/25/2023 Next Scheduled EDR Contact: 09/11/2023

Telephone: 707-433-5911

Data Release Frequency: Varies

DRYCLEAN SANTA BARB CO DIST: Santa Barbara County Air Pollution Control District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Santa Barbara County Air Pollution Control District.

Date of Government Version: 02/19/2019 Date Data Arrived at EDR: 04/17/2019 Date Made Active in Reports: 05/01/2023

Number of Days to Update: 1475

Source: Santa Barbara County Air Pollution Control District

Source: Santa Barbara County Air Pollution Control District

Telephone: 805-961-8867 Last EDR Contact: 04/25/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN SAN LUIS OB CO DIST: San Luis Obispo County Air Pollution Control District Drycleaner Facility Listing A listing of drycleaner facility locations, for the San Luis Obispo County Air Pollution Control District.

Date of Government Version: 04/23/2019 Date Data Arrived at EDR: 04/25/2019 Date Made Active in Reports: 05/01/2023

Number of Days to Update: 1467

Source: San Luis Obispo County Air Pollution Control District

Telephone: 805-781-5756 Last EDR Contact: 07/25/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN TEHAMA CO DIST: Tehama County Air Pollution Control District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Tehama County Air Pollution Control District.

Date of Government Version: 04/24/2019 Date Data Arrived at EDR: 04/24/2019 Date Made Active in Reports: 05/01/2023

Number of Days to Update: 1468

Source: Tehama County Air Pollution Control District

Telephone: 530-527-3717 Last EDR Contact: 04/25/2023

Next Scheduled EDR Contact: 09/11/2023

DRYCLEAN VENTURA CO DIST: Drycleaner Facility Listing

A listing of drycleaner facility locations, for the Ventura County Air Pollution Control District.

Date of Government Version: 04/16/2019 Date Data Arrived at EDR: 04/17/2019 Date Made Active in Reports: 05/01/2023

Number of Days to Update: 1475

Source: Ventura County Air Pollution Control District

Telephone: 805-645-1421 Last EDR Contact: 07/25/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

DRYCLEAN SOUTH COAST: South Coast Air Quality Management District Drycleaner Listing

A listing of dry cleaners in the South Coast Air Quality Management District

Date of Government Version: 05/17/2023 Date Data Arrived at EDR: 05/18/2023 Date Made Active in Reports: 08/09/2023

Number of Days to Update: 83

Source: South Coast Air Quality Management District

Telephone: 909-396-3211 Last EDR Contact: 08/15/2023

Next Scheduled EDR Contact: 12/04/2023

Data Release Frequency: Varies

DRYCLEAN AMADOR: Amador Air District Drycleaner Facility Listing

A listing of drycleaner facility locations, for the Amador Air Quality Management District

Date of Government Version: 04/26/2023 Date Data Arrived at EDR: 04/27/2023 Date Made Active in Reports: 07/13/2023

Number of Days to Update: 77

Source: Amador Air Quality Management District

Telephone: 209-257-0112 Last EDR Contact: 04/24/2023

Next Scheduled EDR Contact: 09/11/2023

Data Release Frequency: Varies

DRYCLEAN GLENN CO DIST: Glenn County Air Pollution Control District Drycleaner Facility Listing A listing of drycleaner facility locations, for the Glenn County Air Pollution Control District.

Date of Government Version: 05/02/2023 Date Data Arrived at EDR: 05/03/2023 Date Made Active in Reports: 07/25/2023

Number of Days to Update: 83

Source: Glenn County Air Pollution Control District

Telephone: 530-934-6500 Last EDR Contact: 05/03/2023

Next Scheduled EDR Contact: 09/11/2023 Data Release Frequency: Varies

EMI: Emissions Inventory Data

Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2021 Date Data Arrived at EDR: 06/09/2023 Date Made Active in Reports: 08/30/2023

Number of Days to Update: 82

Source: California Air Resources Board

Telephone: 916-322-2990 Last EDR Contact: 09/15/2023

Next Scheduled EDR Contact: 12/25/2023 Data Release Frequency: Varies

ENF: Enforcement Action Listing

A listing of Water Board Enforcement Actions. Formal is everything except Oral/Verbal Communication, Notice of Violation, Expedited Payment Letter, and Staff Enforcement Letter.

Date of Government Version: 04/17/2023 Date Data Arrived at EDR: 04/18/2023 Date Made Active in Reports: 07/06/2023

Number of Days to Update: 79

Source: State Water Resoruces Control Board

Telephone: 916-445-9379 Last EDR Contact: 07/18/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

Financial Assurance information

Date of Government Version: 09/13/2023 Date Data Arrived at EDR: 09/14/2023 Date Made Active in Reports: 09/21/2023

Number of Days to Update: 7

Source: Department of Toxic Substances Control

Telephone: 916-255-3628 Last EDR Contact: 09/13/2023

Next Scheduled EDR Contact: 10/30/2023

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 05/04/2023 Date Data Arrived at EDR: 05/25/2023 Date Made Active in Reports: 08/16/2023

Number of Days to Update: 83

Source: California Integrated Waste Management Board

Telephone: 916-341-6066 Last EDR Contact: 08/15/2023

Next Scheduled EDR Contact: 11/20/2023 Data Release Frequency: Varies

ICE: Inspection, Compliance and Enforcement

Contains data pertaining to the Permitted Facilities with Inspections / Enforcements sites tracked in Envirostor.

Date of Government Version: 05/15/2023 Date Data Arrived at EDR: 05/16/2023 Date Made Active in Reports: 08/09/2023

Number of Days to Update: 85

Source: Department of Toxic Subsances Control

Telephone: 877-786-9427 Last EDR Contact: 08/14/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: Quarterly

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

Date of Government Version: 04/01/2001 Date Data Arrived at EDR: 01/22/2009 Date Made Active in Reports: 04/08/2009

Number of Days to Update: 76

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 01/22/2009 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

Date of Government Version: 05/15/2023 Date Data Arrived at EDR: 05/16/2023 Date Made Active in Reports: 08/09/2023

Number of Days to Update: 85

Source: Department of Toxic Substances Control

Telephone: 916-323-3400 Last EDR Contact: 08/14/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: Quarterly

HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 06/29/2023 Date Data Arrived at EDR: 06/29/2023 Date Made Active in Reports: 09/19/2023

Number of Days to Update: 82

Source: Department of Toxic Substances Control

Telephone: 916-440-7145 Last EDR Contact: 06/29/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Quarterly

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method. This database begins with calendar year 1993.

Date of Government Version: 12/31/2021 Date Data Arrived at EDR: 07/05/2022 Date Made Active in Reports: 09/19/2022

Number of Days to Update: 76

Source: California Environmental Protection Agency

Telephone: 916-255-1136 Last EDR Contact: 07/07/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Annually

MINES: Mines Site Location Listing

A listing of mine site locations from the Office of Mine Reclamation.

Date of Government Version: 06/02/2023 Date Data Arrived at EDR: 06/02/2023 Date Made Active in Reports: 08/23/2023

Number of Days to Update: 82

Source: Department of Conservation Telephone: 916-322-1080

Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Quarterly

MWMP: Medical Waste Management Program Listing

The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the

state. MWMP also oversees all Medical Waste Transporters.

Date of Government Version: 05/08/2023 Date Data Arrived at EDR: 05/25/2023 Date Made Active in Reports: 08/16/2023

Number of Days to Update: 83

Source: Department of Public Health

Telephone: 916-558-1784 Last EDR Contact: 08/29/2023

Next Scheduled EDR Contact: 12/11/2023

Data Release Frequency: Varies

NPDES: NPDES Permits Listing

A listing of NPDES permits, including stormwater.

Date of Government Version: 05/08/2023 Date Data Arrived at EDR: 05/08/2023 Date Made Active in Reports: 07/31/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: 916-445-9379 Last EDR Contact: 08/08/2023

Next Scheduled EDR Contact: 11/20/2023 Data Release Frequency: Quarterly

PEST LIC: Pesticide Regulation Licenses Listing

A listing of licenses and certificates issued by the Department of Pesticide Regulation. The DPR issues licenses and/or certificates to: Persons and businesses that apply or sell pesticides; Pest control dealers and brokers; Persons who advise on agricultural pesticide applications.

Date of Government Version: 05/25/2023 Date Data Arrived at EDR: 05/25/2023 Date Made Active in Reports: 08/16/2023

Number of Days to Update: 83

Source: Department of Pesticide Regulation

Telephone: 916-445-4038 Last EDR Contact: 08/29/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: Quarterly

PROC: Certified Processors Database A listing of certified processors.

> Date of Government Version: 06/02/2023 Date Data Arrived at EDR: 06/02/2023 Date Made Active in Reports: 08/23/2023

Number of Days to Update: 82

Source: Department of Conservation

Telephone: 916-323-3836 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Quarterly

NOTIFY 65: Proposition 65 Records

Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

Date of Government Version: 06/06/2023 Date Data Arrived at EDR: 06/07/2023 Date Made Active in Reports: 08/25/2023

Number of Days to Update: 79

Source: State Water Resources Control Board

Telephone: 916-445-3846 Last EDR Contact: 09/07/2023

Next Scheduled EDR Contact: 12/25/2023

Data Release Frequency: No Update Planned

SAN JOSE HAZMAT: Hazardous Material Facilities

Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 11/03/2020 Date Data Arrived at EDR: 11/05/2020 Date Made Active in Reports: 01/26/2021

Number of Days to Update: 82

Source: City of San Jose Fire Department

Telephone: 408-535-7694 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Annually

SANTA CRUZ CO SITE MITI: Site Mitigation Listing

Sites may become contaminated with toxic chemicals through illegal dumping or disposal, from leaking underground storage tanks, or through industrial or commercial activities. The goal of the site mitigation program is to protect the public health and the environment while facilitating completion of contaminated site clean-up projects in a timely manner.

Date of Government Version: 12/03/2018 Date Data Arrived at EDR: 06/23/2023 Date Made Active in Reports: 07/13/2023

Number of Days to Update: 20

Source: Santa Cruz Environmental Health Services

Telephone: 831-454-2761 Last EDR Contact: 08/09/2023

Next Scheduled EDR Contact: 11/27/2023

Data Release Frequency: Varies

UIC: UIC Listing

A listing of wells identified as underground injection wells, in the California Oil and Gas Wells database.

Date of Government Version: 06/02/2023 Date Data Arrived at EDR: 06/02/2023 Date Made Active in Reports: 08/23/2023

Number of Days to Update: 82

Source: Deaprtment of Conservation Telephone: 916-445-2408

Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023

Data Release Frequency: Varies

UIC GEO: Underground Injection Control Sites (GEOTRACKER)

Underground control injection sites

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: State Water Resource Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023

Data Release Frequency: Varies

WASTEWATER PITS: Oil Wastewater Pits Listing

Water officials discovered that oil producers have been dumping chemical-laden wastewater into hundreds of unlined pits that are operating without proper permits. Inspections completed by the Central Valley Regional Water Quality Control Board revealed the existence of previously unidentified waste sites. The water boards review found that more than one-third of the region's active disposal pits are operating without permission.

Date of Government Version: 02/11/2021 Date Data Arrived at EDR: 07/01/2021 Date Made Active in Reports: 09/29/2021

Number of Days to Update: 90

Source: RWQCB, Central Valley Region

Telephone: 559-445-5577 Last EDR Contact: 07/07/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Varies

WDS: Waste Discharge System

Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007 Date Data Arrived at EDR: 06/20/2007 Date Made Active in Reports: 06/29/2007

Number of Days to Update: 9

Source: State Water Resources Control Board

Telephone: 916-341-5227 Last EDR Contact: 08/09/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: No Update Planned

WIP: Well Investigation Program Case List

Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009 Date Data Arrived at EDR: 07/21/2009 Date Made Active in Reports: 08/03/2009

Number of Days to Update: 13

Source: Los Angeles Water Quality Control Board

Telephone: 213-576-6726 Last EDR Contact: 09/12/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: No Update Planned

MILITARY PRIV SITES: Military Privatized Sites (GEOTRACKER)

Military privatized sites

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023

Data Release Frequency: Varies

PROJECT: Project Sites (GEOTRACKER)

Projects sites

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023

Data Release Frequency: Varies

WDR: Waste Discharge Requirements Listing

In general, the Waste Discharge Requirements (WDRs) Program (sometimes also referred to as the "Non Chapter 15 (Non 15) Program") regulates point discharges that are exempt pursuant to Subsection 20090 of Title 27 and not subject to the Federal Water Pollution Control Act. Exemptions from Title 27 may be granted for nine categories of discharges (e.g., sewage, wastewater, etc.) that meet, and continue to meet, the preconditions listed for each specific exemption. The scope of the WDRs Program also includes the discharge of wastes classified as inert, pursuant to section 20230 of Title 27.

Date of Government Version: 06/02/2023 Date Data Arrived at EDR: 06/02/2023 Date Made Active in Reports: 08/23/2023

Number of Days to Update: 82

Source: State Water Resources Control Board

Telephone: 916-341-5810 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Quarterly

CIWQS: California Integrated Water Quality System

The California Integrated Water Quality System (CIWQS) is a computer system used by the State and Regional Water Quality Control Boards to track information about places of environmental interest, manage permits and other orders, track inspections, and manage violations and enforcement activities.

Date of Government Version: 05/25/2023 Date Data Arrived at EDR: 05/25/2023 Date Made Active in Reports: 08/14/2023

Number of Days to Update: 81

Source: State Water Resources Control Board

Telephone: 866-794-4977 Last EDR Contact: 08/29/2023

Next Scheduled EDR Contact: 12/11/2023

Data Release Frequency: Varies

CERS: CalEPA Regulated Site Portal Data

The CalEPA Regulated Site Portal database combines data about environmentally regulated sites and facilities in California into a single database. It combines data from a variety of state and federal databases, and provides an overview of regulated activities across the spectrum of environmental programs for any given location in California. These activities include hazardous materials and waste, state and federal cleanups, impacted ground and surface waters, and toxic materials

Date of Government Version: 04/17/2023 Date Data Arrived at EDR: 04/18/2023 Date Made Active in Reports: 07/06/2023

Number of Days to Update: 79

Source: California Environmental Protection Agency

Telephone: 916-323-2514 Last EDR Contact: 07/18/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

NON-CASE INFO: Non-Case Information Sites (GEOTRACKER)

Non-Case Information sites

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Varies

OTHER OIL GAS: Other Oil & Gas Projects Sites (GEOTRACKER)

Other Oil & Gas Projects sites

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Varies

PROD WATER PONDS: Produced Water Ponds Sites (GEOTRACKER)

Produced water ponds sites

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023

Data Release Frequency: Varies

SAMPLING POINT: Sampling Point? Public Sites (GEOTRACKER)

Sampling point - public sites

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023

Data Release Frequency: Varies

WELL STIM PROJ: Well Stimulation Project (GEOTRACKER)

Includes areas of groundwater monitoring plans, a depiction of the monitoring network, and the facilities, boundaries, and subsurface characteristics of the oilfield and the features (oil and gas wells, produced water ponds, UIC wells, water supply wells, etc?) being monitored

Date of Government Version: 06/05/2023 Date Data Arrived at EDR: 06/05/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 84

Source: State Water Resources Control Board

Telephone: 866-480-1028 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023

Data Release Frequency: Varies

BIOSOLIDS: ICIS-NPDES Biosolids Facility Data

The data reflects compliance information about facilities in the biosolids program.

Date of Government Version: 07/16/2023 Date Data Arrived at EDR: 07/18/2023 Date Made Active in Reports: 08/28/2023

Number of Days to Update: 41

Source: Environmental Protection Agency

Telephone: 202-564-4700 Last EDR Contact: 07/18/2023

Next Scheduled EDR Contact: 10/30/2023

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

facilities.

Date of Government Version: 07/14/2011 Date Data Arrived at EDR: 08/05/2011 Date Made Active in Reports: 09/29/2011

Number of Days to Update: 55

Source: EPA, Office of Water Telephone: 202-564-2496 Last EDR Contact: 06/27/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: No Update Planned

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014 Date Data Arrived at EDR: 02/05/2015 Date Made Active in Reports: 03/06/2015

Number of Days to Update: 29

Source: EPA

Telephone: 202-564-2497 Last EDR Contact: 06/27/2023

Next Scheduled EDR Contact: 10/16/2023

Data Release Frequency: Varies

HWTS: Hazardous Waste Tracking System

DTSC maintains the Hazardous Waste Tracking System that stores ID number information since the early 1980s and manifest data since 1993. The system collects both manifest copies from the generator and destination facility.

Date of Government Version: 04/13/2023 Date Data Arrived at EDR: 04/18/2023 Date Made Active in Reports: 07/10/2023

Number of Days to Update: 83

Source: Department of Toxic Substances Control

Telephone: 916-324-2444 Last EDR Contact: 06/27/2023

Next Scheduled EDR Contact: 10/16/2023

Data Release Frequency: Varies

PFAS TRIS: List of PFAS Added to the TRI

Section 7321 of the National Defense Authorization Act for Fiscal Year 2020 (NDAA) immediately added certain per- and polyfluoroalkyl substances (PFAS) to the list of chemicals covered by the Toxics Release Inventory (TRI) under Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) and provided a framework for additional PFAS to be added to TRI on an annual basis.

Date of Government Version: 06/07/2023 Date Data Arrived at EDR: 06/08/2023 Date Made Active in Reports: 06/09/2023

Number of Days to Update: 1

Source: Environmental Protection Agency

Telephone: 202-566-0250 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/16/2023

Data Release Frequency: Varies

MINES MRDS: Mineral Resources Data System

Mineral Resources Data System

Date of Government Version: 08/23/2022 Date Data Arrived at EDR: 11/22/2022 Date Made Active in Reports: 02/28/2023

Number of Days to Update: 98

Source: USGS

Telephone: 703-648-6533 Last EDR Contact: 08/24/2023

Next Scheduled EDR Contact: 12/04/2023 Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Department of Resources Recycling and Recovery

Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: State Water Resources Control Board

Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

COUNTY RECORDS

ALAMEDA COUNTY:

CS ALAMEDA: Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination

from leaking petroleum USTs).

Date of Government Version: 01/09/2019 Date Data Arrived at EDR: 01/11/2019 Date Made Active in Reports: 03/05/2019

Number of Days to Update: 53

Source: Alameda County Environmental Health Services

Telephone: 510-567-6700 Last EDR Contact: 06/27/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Semi-Annually

UST ALAMEDA: Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 06/27/2023 Date Data Arrived at EDR: 06/28/2023 Date Made Active in Reports: 09/14/2023

Number of Days to Update: 78

Source: Alameda County Environmental Health Services

Telephone: 510-567-6700 Last EDR Contact: 06/27/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Semi-Annually

AMADOR COUNTY:

CUPA AMADOR: CUPA Facility List

Cupa Facility List

Date of Government Version: 04/27/2023 Date Data Arrived at EDR: 04/27/2023 Date Made Active in Reports: 07/13/2023

Number of Days to Update: 77

Source: Amador County Environmental Health

Telephone: 209-223-6439 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023

Data Release Frequency: Varies

BUTTE COUNTY:

CUPA BUTTE: CUPA Facility Listing

Cupa facility list.

Date of Government Version: 04/21/2017 Date Data Arrived at EDR: 04/25/2017 Date Made Active in Reports: 08/09/2017

Number of Days to Update: 106

Source: Public Health Department Telephone: 530-538-7149 Last EDR Contact: 06/27/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: No Update Planned

CALVERAS COUNTY:

CUPA CALVERAS: CUPA Facility Listing

Cupa Facility Listing

Date of Government Version: 06/27/2023 Date Data Arrived at EDR: 06/28/2023 Date Made Active in Reports: 09/14/2023

Number of Days to Update: 78

Source: Calveras County Environmental Health

Telephone: 209-754-6399 Last EDR Contact: 09/12/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

COLUSA COUNTY:

CUPA COLUSA: CUPA Facility List

Cupa facility list.

Date of Government Version: 04/06/2020 Date Data Arrived at EDR: 04/23/2020 Date Made Active in Reports: 07/10/2020

Number of Days to Update: 78

Source: Health & Human Services Telephone: 530-458-0396 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Semi-Annually

CONTRA COSTA COUNTY:

SL CONTRA COSTA: Site List

List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 04/03/2023 Date Data Arrived at EDR: 04/20/2023 Date Made Active in Reports: 07/10/2023

Number of Days to Update: 81

Source: Contra Costa Health Services Department

Telephone: 925-646-2286 Last EDR Contact: 07/19/2023

Next Scheduled EDR Contact: 11/06/2023 Data Release Frequency: Semi-Annually

DEL NORTE COUNTY:

CUPA DEL NORTE: CUPA Facility List

Cupa Facility list

Date of Government Version: 05/10/2023 Date Data Arrived at EDR: 05/10/2023 Date Made Active in Reports: 07/31/2023

Number of Days to Update: 82

Source: Del Norte County Environmental Health Division

Telephone: 707-465-0426 Last EDR Contact: 08/02/2023

Next Scheduled EDR Contact: 11/06/2023

Data Release Frequency: Varies

EL DORADO COUNTY:

CUPA EL DORADO: CUPA Facility List

CUPA facility list.

Date of Government Version: 08/08/2022 Date Data Arrived at EDR: 08/09/2022 Date Made Active in Reports: 09/01/2022

Number of Days to Update: 23

Source: El Dorado County Environmental Management Department

Telephone: 530-621-6623 Last EDR Contact: 07/19/2023

Next Scheduled EDR Contact: 11/06/2023

Data Release Frequency: Varies

FRESNO COUNTY:

CUPA FRESNO: CUPA Resources List

Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 06/28/2021 Date Data Arrived at EDR: 12/21/2021 Date Made Active in Reports: 03/03/2022

Number of Days to Update: 72

Source: Dept. of Community Health Telephone: 559-445-3271 Last EDR Contact: 06/29/2023

Next Scheduled EDR Contact: 10/09/2023 Data Release Frequency: Semi-Annually

GLENN COUNTY:

CUPA GLENN: CUPA Facility List

Cupa facility list

Date of Government Version: 01/22/2018 Date Data Arrived at EDR: 01/24/2018 Date Made Active in Reports: 03/14/2018

Number of Days to Update: 49

Source: Glenn County Air Pollution Control District

Telephone: 830-934-6500 Last EDR Contact: 07/11/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: No Update Planned

HUMBOLDT COUNTY:

CUPA HUMBOLDT: CUPA Facility List

CUPA facility list.

Date of Government Version: 08/12/2021 Date Data Arrived at EDR: 08/12/2021 Date Made Active in Reports: 11/08/2021

Number of Days to Update: 88

Source: Humboldt County Environmental Health

Telephone: N/A

Last EDR Contact: 08/09/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: Semi-Annually

IMPERIAL COUNTY:

CUPA IMPERIAL: CUPA Facility List

Cupa facility list.

Date of Government Version: 04/12/2023 Date Data Arrived at EDR: 04/14/2023 Date Made Active in Reports: 06/28/2023

Number of Days to Update: 75

Source: San Diego Border Field Office

Telephone: 760-339-2777 Last EDR Contact: 07/11/2023

Next Scheduled EDR Contact: 10/30/2023

Data Release Frequency: Varies

INYO COUNTY:

CUPA INYO: CUPA Facility List

Cupa facility list.

Date of Government Version: 04/02/2018 Date Data Arrived at EDR: 04/03/2018 Date Made Active in Reports: 06/14/2018

Number of Days to Update: 72

Source: Invo County Environmental Health Services

Telephone: 760-878-0238 Last EDR Contact: 08/09/2023

Next Scheduled EDR Contact: 11/27/2023

Data Release Frequency: Varies

KERN COUNTY:

CUPA KERN: CUPA Facility List

A listing of sites included in the Kern County Hazardous Material Business Plan.

Date of Government Version: 07/26/2023 Date Data Arrived at EDR: 07/27/2023 Date Made Active in Reports: 08/09/2023

Number of Days to Update: 13

Source: Kern County Public Health Telephone: 661-321-3000 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023

Data Release Frequency: Varies

UST KERN: Underground Storage Tank Sites & Tank Listing

Kern County Sites and Tanks Listing.

Date of Government Version: 07/26/2023 Date Data Arrived at EDR: 07/27/2023 Date Made Active in Reports: 08/03/2023

Number of Days to Update: 7

Source: Kern County Environment Health Services Department

Telephone: 661-862-8700 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Quarterly

KINGS COUNTY:

CUPA KINGS: CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 12/03/2020 Date Data Arrived at EDR: 01/26/2021 Date Made Active in Reports: 04/14/2021

Number of Days to Update: 78

Source: Kings County Department of Public Health

Telephone: 559-584-1411 Last EDR Contact: 08/09/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: Varies

LAKE COUNTY:

CUPA LAKE: CUPA Facility List

Cupa facility list

Date of Government Version: 04/26/2023 Date Data Arrived at EDR: 04/27/2023 Date Made Active in Reports: 05/31/2023

Number of Days to Update: 34

Source: Lake County Environmental Health

Telephone: 707-263-1164 Last EDR Contact: 07/06/2023

Next Scheduled EDR Contact: 10/23/2023 Data Release Frequency: Varies

LASSEN COUNTY:

CUPA LASSEN: CUPA Facility List

Cupa facility list

Date of Government Version: 07/31/2020 Date Data Arrived at EDR: 08/21/2020 Date Made Active in Reports: 11/09/2020

Number of Days to Update: 80

Source: Lassen County Environmental Health

Telephone: 530-251-8528 Last EDR Contact: 07/11/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

LOS ANGELES COUNTY:

AOCONCERN: Key Areas of Concerns in Los Angeles County

San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office. Date of Government Version: 3/30/2009 Exide Site area is a cleanup plan of lead-impacted soil surrounding the former Exide Facility as designated by the DTSC. Date of Government Version: 7/17/2017

Date of Government Version: 03/30/2009 Date Data Arrived at EDR: 03/31/2009 Date Made Active in Reports: 10/23/2009

Number of Days to Update: 206

Source: N/A Telephone: N/A

Last EDR Contact: 09/07/2023

Next Scheduled EDR Contact: 12/25/2023 Data Release Frequency: No Update Planned

HMS LOS ANGELES: HMS: Street Number List

Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 06/21/2023 Date Data Arrived at EDR: 06/28/2023 Date Made Active in Reports: 09/14/2023

Number of Days to Update: 78

Source: Department of Public Works

Telephone: 626-458-3517 Last EDR Contact: 06/27/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Semi-Annually

LF LOS ANGELES: List of Solid Waste Facilities Solid Waste Facilities in Los Angeles County.

> Date of Government Version: 04/10/2023 Date Data Arrived at EDR: 04/11/2023 Date Made Active in Reports: 06/26/2023

Number of Days to Update: 76

Source: La County Department of Public Works

Telephone: 818-458-5185 Last EDR Contact: 07/10/2023

Next Scheduled EDR Contact: 10/23/2023

Data Release Frequency: Varies

LF LOS ANGELES CITY: City of Los Angeles Landfills

Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 12/31/2022 Date Data Arrived at EDR: 01/12/2023 Date Made Active in Reports: 03/29/2023

Number of Days to Update: 76

Source: Engineering & Construction Division

Telephone: 213-473-7869 Last EDR Contact: 07/06/2023

Next Scheduled EDR Contact: 10/23/2023

Data Release Frequency: Varies

LOS ANGELES AST: Active & Inactive AST Inventory

A listing of active & inactive above ground petroleum storage tank site locations, located in the City of Los Angeles.

Date of Government Version: 06/01/2019 Date Data Arrived at EDR: 06/25/2019 Date Made Active in Reports: 08/22/2019

Number of Days to Update: 58

Source: Los Angeles Fire Department

Telephone: 213-978-3800 Last EDR Contact: 09/19/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Varies

LOS ANGELES CO LF METHANE: Methane Producing Landfills

This data was created on April 30, 2012 to represent known disposal sites in Los Angeles County that may produce and emanate methane gas. The shapefile contains disposal sites within Los Angeles County that once accepted degradable refuse material. Information used to create this data was extracted from a landfill survey performed by County Engineers (Major Waste System Map, 1973) as well as historical records from CalRecycle, Regional Water Quality Control Board, and Los Angeles County Department of Public Health

Date of Government Version: 01/10/2022 Date Data Arrived at EDR: 01/12/2022 Date Made Active in Reports: 04/04/2022

Number of Days to Update: 82

Source: Los Angeles County Department of Public Works

Telephone: 626-458-6973 Last EDR Contact: 07/13/2023

Next Scheduled EDR Contact: 10/23/2023 Data Release Frequency: No Update Planned

LOS ANGELES HM: Active & Inactive Hazardous Materials Inventory

A listing of active & inactive hazardous materials facility locations, located in the City of Los Angeles.

Date of Government Version: 06/20/2023 Date Data Arrived at EDR: 06/22/2023 Date Made Active in Reports: 08/09/2023

Number of Days to Update: 48

Source: Los Angeles Fire Department Telephone: 213-978-3800 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024

LOS ANGELES UST: Active & Inactive UST Inventory

A listing of active & inactive underground storage tank site locations and underground storage tank historical

sites, located in the City of Los Angeles.

Date of Government Version: 06/20/2023 Date Data Arrived at EDR: 06/22/2023 Date Made Active in Reports: 09/12/2023

Number of Days to Update: 82

Source: Los Angeles Fire Department

Telephone: 213-978-3800 Last EDR Contact: 09/20/2023

Next Scheduled EDR Contact: 01/01/2024

Data Release Frequency: Varies

SITE MIT LOS ANGELES: Site Mitigation List

Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 03/02/2023 Date Data Arrived at EDR: 04/18/2023 Date Made Active in Reports: 07/07/2023

Number of Days to Update: 80

Source: Community Health Services

Telephone: 323-890-7806 Last EDR Contact: 07/20/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Annually

UST EL SEGUNDO: City of El Segundo Underground Storage Tank

Underground storage tank sites located in El Segundo city.

Date of Government Version: 01/21/2017 Date Data Arrived at EDR: 04/19/2017 Date Made Active in Reports: 05/10/2017

Number of Days to Update: 21

Source: City of El Segundo Fire Department

Telephone: 310-524-2236 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/23/2023 Data Release Frequency: No Update Planned

UST LONG BEACH: City of Long Beach Underground Storage Tank

Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 04/22/2019 Date Data Arrived at EDR: 04/23/2019 Date Made Active in Reports: 06/27/2019

Number of Days to Update: 65

Source: City of Long Beach Fire Department

Telephone: 562-570-2563 Last EDR Contact: 07/11/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

UST TORRANCE: City of Torrance Underground Storage Tank
Underground storage tank sites located in the city of Torrance.

Date of Government Version: 04/12/2023 Date Data Arrived at EDR: 05/02/2023 Date Made Active in Reports: 06/13/2023

Number of Days to Update: 42

Source: City of Torrance Fire Department Telephone: 310-618-2973

Last EDR Contact: 07/11/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Semi-Annually

MADERA COUNTY:

CUPA MADERA: CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 08/10/2020 Date Data Arrived at EDR: 08/12/2020 Date Made Active in Reports: 10/23/2020

Number of Days to Update: 72

Source: Madera County Environmental Health

Telephone: 559-675-7823 Last EDR Contact: 08/09/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: Varies

MARIN COUNTY:

UST MARIN: Underground Storage Tank Sites Currently permitted USTs in Marin County.

> Date of Government Version: 09/26/2018 Date Data Arrived at EDR: 10/04/2018 Date Made Active in Reports: 11/02/2018

Number of Days to Update: 29

Source: Public Works Department Waste Management

Telephone: 415-473-6647 Last EDR Contact: 09/21/2023

Next Scheduled EDR Contact: 01/08/2024 Data Release Frequency: Semi-Annually

MENDOCINO COUNTY:

UST MENDOCINO: Mendocino County UST Database

A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 09/22/2021 Date Data Arrived at EDR: 11/18/2021 Date Made Active in Reports: 11/22/2021

Number of Days to Update: 4

Source: Department of Public Health

Telephone: 707-463-4466 Last EDR Contact: 08/15/2023

Next Scheduled EDR Contact: 12/04/2023 Data Release Frequency: Annually

MERCED COUNTY:

CUPA MERCED: CUPA Facility List

CUPA facility list.

Date of Government Version: 02/15/2022 Date Data Arrived at EDR: 02/17/2022 Date Made Active in Reports: 05/11/2022

Number of Days to Update: 83

Source: Merced County Environmental Health

Telephone: 209-381-1094 Last EDR Contact: 07/25/2023

Next Scheduled EDR Contact: 11/27/2023

Data Release Frequency: Varies

MONO COUNTY:

CUPA MONO: CUPA Facility List

CUPA Facility List

Date of Government Version: 02/22/2021 Date Data Arrived at EDR: 03/02/2021 Date Made Active in Reports: 05/19/2021

Number of Days to Update: 78

Source: Mono County Health Department

Telephone: 760-932-5580 Last EDR Contact: 08/15/2023

Next Scheduled EDR Contact: 12/04/2023

Data Release Frequency: Varies

MONTEREY COUNTY:

CUPA MONTEREY: CUPA Facility Listing

CUPA Program listing from the Environmental Health Division.

Date of Government Version: 10/04/2021 Date Data Arrived at EDR: 10/06/2021 Date Made Active in Reports: 12/29/2021

Number of Days to Update: 84

Source: Monterey County Health Department

Telephone: 831-796-1297 Last EDR Contact: 09/21/2023

Next Scheduled EDR Contact: 01/08/2024

Data Release Frequency: Varies

NAPA COUNTY:

LUST NAPA: Sites With Reported Contamination

A listing of leaking underground storage tank sites located in Napa county.

Date of Government Version: 01/09/2017 Date Data Arrived at EDR: 01/11/2017 Date Made Active in Reports: 03/02/2017

Number of Days to Update: 50

Source: Napa County Department of Environmental Management

Telephone: 707-253-4269 Last EDR Contact: 08/15/2023

Next Scheduled EDR Contact: 12/04/2023 Data Release Frequency: No Update Planned

UST NAPA: Closed and Operating Underground Storage Tank Sites Underground storage tank sites located in Napa county.

Date of Government Version: 09/05/2019 Date Data Arrived at EDR: 09/09/2019 Date Made Active in Reports: 10/31/2019

Number of Days to Update: 52

Source: Napa County Department of Environmental Management

Telephone: 707-253-4269 Last EDR Contact: 08/15/2023

Next Scheduled EDR Contact: 12/04/2023 Data Release Frequency: No Update Planned

NEVADA COUNTY:

CUPA NEVADA: CUPA Facility List

CUPA facility list.

Date of Government Version: 05/04/2023 Date Data Arrived at EDR: 05/05/2023 Date Made Active in Reports: 07/25/2023

Number of Days to Update: 81

Source: Community Development Agency

Telephone: 530-265-1467 Last EDR Contact: 07/19/2023

Next Scheduled EDR Contact: 11/06/2023 Data Release Frequency: Varies

ORANGE COUNTY:

IND_SITE ORANGE: List of Industrial Site Cleanups

Petroleum and non-petroleum spills.

Date of Government Version: 05/15/2023 Date Data Arrived at EDR: 07/31/2023 Date Made Active in Reports: 08/09/2023

Number of Days to Update: 9

Source: Health Care Agency Telephone: 714-834-3446 Last EDR Contact: 07/31/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Annually

LUST ORANGE: List of Underground Storage Tank Cleanups Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 05/15/2023 Date Data Arrived at EDR: 07/31/2023 Date Made Active in Reports: 08/09/2023

Number of Days to Update: 9

Source: Health Care Agency Telephone: 714-834-3446 Last EDR Contact: 07/31/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Quarterly

UST ORANGE: List of Underground Storage Tank Facilities
Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 04/01/2023 Date Data Arrived at EDR: 05/18/2023 Date Made Active in Reports: 06/14/2023

Number of Days to Update: 27

Source: Health Care Agency Telephone: 714-834-3446 Last EDR Contact: 08/03/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Quarterly

PLACER COUNTY:

MS PLACER: Master List of Facilities

List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 08/26/2022 Date Data Arrived at EDR: 08/29/2022 Date Made Active in Reports: 11/15/2022

Number of Days to Update: 78

Source: Placer County Health and Human Services

Telephone: 530-745-2363 Last EDR Contact: 07/31/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: Semi-Annually

PLUMAS COUNTY:

CUPA PLUMAS: CUPA Facility List

Plumas County CUPA Program facilities.

Date of Government Version: 03/31/2019 Date Data Arrived at EDR: 04/23/2019 Date Made Active in Reports: 06/26/2019

Number of Days to Update: 64

Source: Plumas County Environmental Health

Telephone: 530-283-6355 Last EDR Contact: 07/11/2023

Next Scheduled EDR Contact: 10/30/2023

Data Release Frequency: Varies

RIVERSIDE COUNTY:

LUST RIVERSIDE: Listing of Underground Tank Cleanup Sites

Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 04/10/2023 Date Data Arrived at EDR: 04/12/2023 Date Made Active in Reports: 06/28/2023

Number of Days to Update: 77

Source: Department of Environmental Health

Telephone: 951-358-5055 Last EDR Contact: 09/07/2023

Next Scheduled EDR Contact: 12/25/2023 Data Release Frequency: Quarterly

UST RIVERSIDE: Underground Storage Tank Tank List

Underground storage tank sites located in Riverside county.

Date of Government Version: 04/10/2023 Date Data Arrived at EDR: 04/12/2023 Date Made Active in Reports: 06/13/2023

Number of Days to Update: 62

Source: Department of Environmental Health

Telephone: 951-358-5055 Last EDR Contact: 09/07/2023

Next Scheduled EDR Contact: 12/25/2023 Data Release Frequency: Quarterly

SACRAMENTO COUNTY:

CS SACRAMENTO: Toxic Site Clean-Up List

List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 11/07/2022 Date Data Arrived at EDR: 12/21/2022 Date Made Active in Reports: 03/16/2023

Number of Days to Update: 85

Source: Sacramento County Environmental Management

Telephone: 916-875-8406 Last EDR Contact: 09/25/2023

Next Scheduled EDR Contact: 01/08/2024 Data Release Frequency: Quarterly

ML SACRAMENTO: Master Hazardous Materials Facility List

Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 11/07/2022 Date Data Arrived at EDR: 12/09/2022 Date Made Active in Reports: 03/01/2023

Number of Days to Update: 82

Source: Sacramento County Environmental Management

Telephone: 916-875-8406 Last EDR Contact: 09/25/2023

Next Scheduled EDR Contact: 01/08/2024 Data Release Frequency: Quarterly

SAN BENITO COUNTY:

CUPA SAN BENITO: CUPA Facility List

Cupa facility list

Date of Government Version: 05/02/2023 Date Data Arrived at EDR: 05/04/2023 Date Made Active in Reports: 07/25/2023

Number of Days to Update: 82

Source: San Benito County Environmental Health

Telephone: N/A

Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023

Data Release Frequency: Varies

SAN BERNARDINO COUNTY:

PERMITS SAN BERNARDINO: Hazardous Material Permits

This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 05/09/2023 Date Data Arrived at EDR: 05/10/2023 Date Made Active in Reports: 08/01/2023

Number of Days to Update: 83

Source: San Bernardino County Fire Department Hazardous Materials Division

Telephone: 909-387-3041 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Quarterly

SAN DIEGO COUNTY:

HMMD SAN DIEGO: Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

Date of Government Version: 05/25/2023 Date Data Arrived at EDR: 05/25/2023 Date Made Active in Reports: 08/16/2023

Number of Days to Update: 83

Source: Hazardous Materials Management Division

Telephone: 619-338-2268 Last EDR Contact: 08/29/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: Quarterly

LF SAN DIEGO: Solid Waste Facilities
San Diego County Solid Waste Facilities.

Date of Government Version: 04/04/2023 Date Data Arrived at EDR: 04/05/2023 Date Made Active in Reports: 06/27/2023

Number of Days to Update: 83

Source: Department of Health Services

Telephone: 619-338-2209 Last EDR Contact: 07/11/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

SAN DIEGO CO LOP: Local Oversight Program Listing

A listing of all LOP release sites that are or were under the County of San Diego's jurisdiction. Included are closed or transferred cases, open cases, and cases that did not have a case type indicated. The cases without a case type are mostly complaints; however, some of them could be LOP cases.

Date of Government Version: 07/22/2021 Date Data Arrived at EDR: 10/19/2021 Date Made Active in Reports: 01/13/2022

Number of Days to Update: 86

Source: Department of Environmental Health

Telephone: 858-505-6874 Last EDR Contact: 07/11/2023

Next Scheduled EDR Contact: 10/30/2023

SAN DIEGO CO SAM: Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 03/23/2010 Date Data Arrived at EDR: 06/15/2010 Date Made Active in Reports: 07/09/2010

Number of Days to Update: 24

Source: San Diego County Department of Environmental Health

Telephone: 619-338-2371 Last EDR Contact: 08/22/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: No Update Planned

SAN FRANCISCO COUNTY:

CUPA SAN FRANCISCO CO: CUPA Facility Listing

Cupa facilities

Date of Government Version: 04/28/2023 Date Data Arrived at EDR: 04/28/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 77

Source: San Francisco County Department of Environmental Health

Telephone: 415-252-3896 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Varies

LUST SAN FRANCISCO: Local Oversite Facilities

A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008 Date Data Arrived at EDR: 09/19/2008 Date Made Active in Reports: 09/29/2008

Number of Days to Update: 10

Source: Department Of Public Health San Francisco County

Telephone: 415-252-3920 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: No Update Planned

UST SAN FRANCISCO: Underground Storage Tank Information

Underground storage tank sites located in San Francisco county.

Date of Government Version: 04/28/2023 Date Data Arrived at EDR: 04/28/2023 Date Made Active in Reports: 05/03/2023

Number of Days to Update: 5

Source: Department of Public Health Telephone: 415-252-3920

Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Quarterly

SAN FRANCISO COUNTY:

SAN FRANCISCO MAHER: Maher Ordinance Property Listing

a listing of properties that fall within a Maher Ordinance, for all of San Francisco

Date of Government Version: 04/11/2023 Date Data Arrived at EDR: 04/13/2023 Date Made Active in Reports: 07/11/2023

Number of Days to Update: 89

Source: San Francisco Planning Telephone: 628-652-7483 Last EDR Contact: 07/18/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Varies

SAN JOAQUIN COUNTY:

UST SAN JOAQUIN: San Joaquin Co. UST

A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 06/22/2018 Date Data Arrived at EDR: 06/26/2018 Date Made Active in Reports: 07/11/2018

Number of Days to Update: 15

Source: Environmental Health Department

Telephone: N/A

Last EDR Contact: 09/07/2023

Next Scheduled EDR Contact: 12/25/2023 Data Release Frequency: Semi-Annually

SAN LUIS OBISPO COUNTY:

CUPA SAN LUIS OBISPO: CUPA Facility List

Cupa Facility List.

Date of Government Version: 05/10/2023 Date Data Arrived at EDR: 05/11/2023 Date Made Active in Reports: 07/31/2023

Number of Days to Update: 81

Source: San Luis Obispo County Public Health Department

Telephone: 805-781-5596 Last EDR Contact: 08/09/2023

Next Scheduled EDR Contact: 11/27/2023

Data Release Frequency: Varies

SAN MATEO COUNTY:

BI SAN MATEO: Business Inventory

List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 02/20/2020 Date Data Arrived at EDR: 02/20/2020 Date Made Active in Reports: 04/24/2020

Number of Days to Update: 64

t: 02/20/2020 Telephone: 650-363-1921 orts: 04/24/2020 Last EDR Contact: 09/08/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Annually

LUST SAN MATEO: Fuel Leak List

A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 03/29/2019 Date Data Arrived at EDR: 03/29/2019 Date Made Active in Reports: 05/29/2019

Number of Days to Update: 61

Source: San Mateo County Environmental Health Services Division

Source: San Mateo County Environmental Health Services Division

Telephone: 650-363-1921 Last EDR Contact: 08/29/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Semi-Annually

SANTA BARBARA COUNTY:

CUPA SANTA BARBARA: CUPA Facility Listing

CUPA Program Listing from the Environmental Health Services division.

Date of Government Version: 09/08/2011 Date Data Arrived at EDR: 09/09/2011 Date Made Active in Reports: 10/07/2011

Number of Days to Update: 28

Source: Santa Barbara County Public Health Department

Telephone: 805-686-8167 Last EDR Contact: 08/09/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: No Update Planned

SANTA CLARA COUNTY:

CUPA SANTA CLARA: Cupa Facility List

Cupa facility list

Date of Government Version: 05/10/2023 Date Data Arrived at EDR: 05/11/2023 Date Made Active in Reports: 07/31/2023

Number of Days to Update: 81

Source: Department of Environmental Health

Telephone: 408-918-1973 Last EDR Contact: 08/09/2023

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: Varies

HIST LUST SANTA CLARA: HIST LUST - Fuel Leak Site Activity Report

A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county.

Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005 Date Data Arrived at EDR: 03/30/2005 Date Made Active in Reports: 04/21/2005

Number of Days to Update: 22

Source: Santa Clara Valley Water District

Telephone: 408-265-2600 Last EDR Contact: 03/23/2009

Next Scheduled EDR Contact: 06/22/2009 Data Release Frequency: No Update Planned

LUST SANTA CLARA: LOP Listing

A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 03/03/2014 Date Data Arrived at EDR: 03/05/2014 Date Made Active in Reports: 03/18/2014

Number of Days to Update: 13

Source: Department of Environmental Health

Telephone: 408-918-3417 Last EDR Contact: 08/15/2023

Next Scheduled EDR Contact: 12/04/2023 Data Release Frequency: No Update Planned

SANTA CRUZ COUNTY:

CUPA SANTA CRUZ: CUPA Facility List

CUPA facility listing.

Date of Government Version: 01/21/2017 Date Data Arrived at EDR: 02/22/2017 Date Made Active in Reports: 05/23/2017

Number of Days to Update: 90

Source: Santa Cruz County Environmental Health

Telephone: 831-464-2761 Last EDR Contact: 08/09/2023

Next Scheduled EDR Contact: 11/27/2023

Data Release Frequency: Varies

SHASTA COUNTY:

CUPA SHASTA: CUPA Facility List

Cupa Facility List.

Date of Government Version: 06/15/2017 Date Data Arrived at EDR: 06/19/2017 Date Made Active in Reports: 08/09/2017

Number of Days to Update: 51

Source: Shasta County Department of Resource Management

Telephone: 530-225-5789 Last EDR Contact: 08/09/2023

Next Scheduled EDR Contact: 11/27/2023

Data Release Frequency: Varies

SOLANO COUNTY:

LUST SOLANO: Leaking Underground Storage Tanks

A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 06/04/2019 Date Data Arrived at EDR: 06/06/2019 Date Made Active in Reports: 08/13/2019

Number of Days to Update: 68

Source: Solano County Department of Environmental Management

Telephone: 707-784-6770 Last EDR Contact: 08/22/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: Quarterly

UST SOLANO: Underground Storage Tanks

Underground storage tank sites located in Solano county.

Date of Government Version: 09/15/2021 Date Data Arrived at EDR: 09/16/2021 Date Made Active in Reports: 12/09/2021

Number of Days to Update: 84

Source: Solano County Department of Environmental Management

Telephone: 707-784-6770 Last EDR Contact: 08/22/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: Quarterly

SONOMA COUNTY:

CUPA SONOMA: Cupa Facility List

Cupa Facility list

Date of Government Version: 07/02/2021 Date Data Arrived at EDR: 07/06/2021 Date Made Active in Reports: 07/14/2021

Number of Days to Update: 8

Source: County of Sonoma Fire & Emergency Services Department

Telephone: 707-565-1174 Last EDR Contact: 09/12/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Varies

LUST SONOMA: Leaking Underground Storage Tank Sites

A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 06/30/2021 Date Data Arrived at EDR: 06/30/2021 Date Made Active in Reports: 09/24/2021

Number of Days to Update: 86

Source: Department of Health Services

Telephone: 707-565-6565 Last EDR Contact: 09/12/2023

Next Scheduled EDR Contact: 01/01/2024 Data Release Frequency: Quarterly

STANISLAUS COUNTY:

CUPA STANISLAUS: CUPA Facility List

Cupa facility list

Date of Government Version: 02/08/2022 Date Data Arrived at EDR: 02/10/2022 Date Made Active in Reports: 05/04/2022

Number of Days to Update: 83

Source: Stanislaus County Department of Ennvironmental Protection

Telephone: 209-525-6751 Last EDR Contact: 07/05/2023

Next Scheduled EDR Contact: 10/23/2023

Data Release Frequency: Varies

SUTTER COUNTY:

UST SUTTER: Underground Storage Tanks

Underground storage tank sites located in Sutter county.

Date of Government Version: 08/03/2023 Date Data Arrived at EDR: 08/24/2023 Date Made Active in Reports: 09/12/2023

Number of Days to Update: 19

Source: Sutter County Environmental Health Services

Telephone: 530-822-7500 Last EDR Contact: 08/22/2023

Next Scheduled EDR Contact: 12/11/2023 Data Release Frequency: Semi-Annually

TEHAMA COUNTY:

CUPA TEHAMA: CUPA Facility List

Cupa facilities

Date of Government Version: 05/11/2023 Date Data Arrived at EDR: 05/11/2023 Date Made Active in Reports: 07/31/2023

Number of Days to Update: 81

Source: Tehama County Department of Environmental Health

Telephone: 530-527-8020 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023 Data Release Frequency: Varies

TRINITY COUNTY:

CUPA TRINITY: CUPA Facility List

Cupa facility list

Date of Government Version: 04/12/2023 Date Data Arrived at EDR: 04/13/2023 Date Made Active in Reports: 06/28/2023

Number of Days to Update: 76

Source: Department of Toxic Substances Control

Telephone: 760-352-0381 Last EDR Contact: 07/11/2023

Next Scheduled EDR Contact: 10/30/2023

Data Release Frequency: Varies

TULARE COUNTY:

CUPA TULARE: CUPA Facility List Cupa program facilities

Date of Government Version: 10/07/2022 Date Data Arrived at EDR: 10/07/2022 Date Made Active in Reports: 12/21/2022

Number of Days to Update: 75

Source: Tulare County Environmental Health Services Division

Telephone: 559-624-7400 Last EDR Contact: 07/26/2023

Next Scheduled EDR Contact: 11/13/2023

Data Release Frequency: Varies

TUOLUMNE COUNTY:

CUPA TUOLUMNE: CUPA Facility List

Cupa facility list

Date of Government Version: 04/23/2018 Date Data Arrived at EDR: 04/25/2018 Date Made Active in Reports: 06/25/2018

Number of Days to Update: 61

Source: Divison of Environmental Health

Telephone: 209-533-5633 Last EDR Contact: 07/11/2023

Next Scheduled EDR Contact: 10/30/2023

Data Release Frequency: Varies

VENTURA COUNTY:

BWT VENTURA: Business Plan, Hazardous Waste Producers, and Operating Underground Tanks

The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Producer (W), and/or Underground Tank (T) Information

Date of Government Version: 03/27/2023 Date Data Arrived at EDR: 04/25/2023 Date Made Active in Reports: 07/14/2023

Number of Days to Update: 80

Source: Ventura County Environmental Health Division

Telephone: 805-654-2813 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Quarterly

LF VENTURA: Inventory of Illegal Abandoned and Inactive Sites

Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 12/01/2011 Date Data Arrived at EDR: 12/01/2011 Date Made Active in Reports: 01/19/2012

Number of Days to Update: 49

Source: Environmental Health Division

Telephone: 805-654-2813 Last EDR Contact: 09/21/2023

Next Scheduled EDR Contact: 01/08/2024 Data Release Frequency: No Update Planned

LUST VENTURA: Listing of Underground Tank Cleanup Sites

Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008 Date Data Arrived at EDR: 06/24/2008 Date Made Active in Reports: 07/31/2008

Number of Days to Update: 37

Source: Environmental Health Division

Telephone: 805-654-2813 Last EDR Contact: 08/02/2023

Next Scheduled EDR Contact: 11/20/2023 Data Release Frequency: No Update Planned

MED WASTE VENTURA: Medical Waste Program List

To protect public health and safety and the environment from potential exposure to disease causing agents, the Environmental Health Division Medical Waste Program regulates the generation, handling, storage, treatment and disposal of medical waste throughout the County.

Date of Government Version: 03/27/2023 Date Data Arrived at EDR: 04/21/2023 Date Made Active in Reports: 07/07/2023

Number of Days to Update: 77

Source: Ventura County Resource Management Agency

Telephone: 805-654-2813 Last EDR Contact: 07/17/2023

Next Scheduled EDR Contact: 10/30/2023 Data Release Frequency: Quarterly

UST VENTURA: Underground Tank Closed Sites List

Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 05/26/2023 Date Data Arrived at EDR: 06/02/2023 Date Made Active in Reports: 06/14/2023

Number of Days to Update: 12

Source: Environmental Health Division

Telephone: 805-654-2813 Last EDR Contact: 09/06/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Quarterly

YOLO COUNTY:

UST YOLO: Underground Storage Tank Comprehensive Facility Report Underground storage tank sites located in Yolo county.

Date of Government Version: 04/03/2023 Date Data Arrived at EDR: 04/18/2023 Date Made Active in Reports: 06/13/2023

Number of Days to Update: 56

Source: Yolo County Department of Health

Telephone: 530-666-8646 Last EDR Contact: 09/21/2023

Next Scheduled EDR Contact: 01/08/2024 Data Release Frequency: Annually

YUBA COUNTY:

CUPA YUBA: CUPA Facility List

CUPA facility listing for Yuba County.

Date of Government Version: 05/04/2023 Date Data Arrived at EDR: 05/04/2023 Date Made Active in Reports: 07/25/2023

Number of Days to Update: 82

Source: Yuba County Environmental Health Department

Telephone: 530-749-7523 Last EDR Contact: 07/19/2023

Next Scheduled EDR Contact: 11/06/2023

Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 11/16/2022 Date Data Arrived at EDR: 11/16/2022 Date Made Active in Reports: 02/06/2023

Number of Days to Update: 82

Source: Department of Energy & Environmental Protection

Telephone: 860-424-3375 Last EDR Contact: 08/08/2023

Next Scheduled EDR Contact: 11/20/2023 Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2018 Date Data Arrived at EDR: 04/10/2019 Date Made Active in Reports: 05/16/2019

Number of Days to Update: 36

Source: Department of Environmental Protection

Telephone: N/A

Last EDR Contact: 06/27/2023

Next Scheduled EDR Contact: 10/16/2023 Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD

acility.

Date of Government Version: 01/01/2019 Date Data Arrived at EDR: 10/29/2021 Date Made Active in Reports: 01/19/2022

Number of Days to Update: 82

Source: Department of Environmental Conservation

Telephone: 518-402-8651 Last EDR Contact: 07/27/2023

Next Scheduled EDR Contact: 11/06/2023 Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 06/30/2018 Date Data Arrived at EDR: 07/19/2019 Date Made Active in Reports: 09/10/2019

Number of Days to Update: 53

Source: Department of Environmental Protection

Telephone: 717-783-8990 Last EDR Contact: 07/06/2023

Next Scheduled EDR Contact: 10/23/2023 Data Release Frequency: Annually

RI MANIFEST: Manifest information Hazardous waste manifest information

> Date of Government Version: 12/31/2020 Date Data Arrived at EDR: 11/30/2021 Date Made Active in Reports: 02/18/2022

Number of Days to Update: 80

Source: Department of Environmental Management

Telephone: 401-222-2797 Last EDR Contact: 08/10/2022

Next Scheduled EDR Contact: 11/27/2023 Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 05/31/2018 Date Data Arrived at EDR: 06/19/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 76

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 08/30/2023

Next Scheduled EDR Contact: 12/18/2023 Data Release Frequency: Annually

Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services,

a federal agency within the U.S. Department of Health and Human Services.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary

and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are

comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Facilities Source: Department of Social Services

Telephone: 916-657-4041

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife

Telephone: 916-445-0411

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK®-PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

SIMONIAN ESTATES 1099 S ARMSTRONG AVENUE FRESNO, CA 93727

TARGET PROPERTY COORDINATES

Latitude (North): 36.721225 - 36° 43' 16.41" Longitude (West): 119.675449 - 119° 40' 31.62"

Universal Tranverse Mercator: Zone 11 UTM X (Meters): 261052.1 UTM Y (Meters): 4067082.2

Elevation: 323 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map: 12012201 MALAGA, CA

Version Date: 2018

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

- 1. Groundwater flow direction, and
- 2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General West

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property FEMA Source Type

06019C2135H FEMA FIRM Flood data

Additional Panels in search area: FEMA Source Type

06019C2130H FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property Data Coverage

MALAGA YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius: 1.25 miles Status: Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

LOCATION GENERAL DIRECTION

MAP ID FROM TP GROUNDWATER FLOW

Not Reported

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

GEOLOGIC AGE IDENTIFICATION


Era: Cenozoic Category: Stratifed Sequence

System: Quaternary Series: Quaternary

Code: Q (decoded above as Era, System & Series)

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 7454414.2s



SITE NAME: Simonian Estates ADDRESS: 1099 S Armstrong 1099 S Armstrong Avenue Fresno CA 93727

LAT/LONG: 36.721225 / 119.675449 CLIENT: RMA Geoscience CONTACT: Jim Vue

INQUIRY#: 7454414.2s DATE: September 26, 2023 2:35 pm

Copyright © 2023 EDR, Inc. © 2015 TomTom Rel. 2015.

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: EXETER

Soil Surface Texture: sandy loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward

movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

| | Soil Layer Information | | | | | | |
|-------|------------------------|-----------|--------------------|--|----------------|--|-----------|
| | Bou | ındary | | Classi | Classification | | |
| Layer | Upper | Lower | Soil Texture Class | AASHTO Group | Unified Soil | hydraulic conductivity micro m/sec | |
| 1 | 0 inches | 14 inches | sandy loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | Not reported | Max: 0.1 Min: 0.01 | Max: Min: |
| 2 | 14 inches | 29 inches | sandy loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | Not reported | Max: 0.1 Min: 0.01 | Max: Min: |
| 3 | 29 inches | 33 inches | cemented | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | Not reported | Max: 0.1 Min: 0.01 | Max: Min: |

Soil Map ID: 2

Soil Component Name: GREENFIELD

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep,

moderately well and well drained soils with moderately coarse

textures.

> 0 inches

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Depth to Watertable Min:

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Soil Layer Information Saturated **Boundary** Classification hydraulic conductivity Layer Upper Lower Soil Texture Class **AASHTO Group Unified Soil Soil Reaction** (pH) micro m/sec 1 0 inches 16 inches sandy loam Granular **COARSE-GRAINED** Max: 42 Max: 7.8 SOILS, Sands, Min: 6.1 materials (35 Min: 14 pct. or less Sands with fines, passing No. Silty Sand. 200), Silty, or Clayey Gravel and Sand. COARSE-GRAINED 2 16 inches 38 inches Max: 42 Max: 7.8 sandy loam Granular SOILS, Sands, materials (35 Min: 14 Min: 6.1 Sands with fines, pct. or less passing No. Silty Sand. 200), Silty, or Clayey Gravel and Sand. 3 38 inches 59 inches sandy loam Granular COARSE-GRAINED Max: 42 Max: 7.8 materials (35 SOILS, Sands, Min: 14 Min: 6.1 Sands with fines, pct. or less passing No. Silty Sand. 200), Silty, or Clayey Gravel and Sand.

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE SEARCH DISTANCE (miles)

Federal USGS 1.000

Federal FRDS PWS Nearest PWS within 1 mile

State Database 1.000

FEDERAL USGS WELL INFORMATION

| MAP ID | WELL ID | LOCATION FROM TP |
|--------|-----------------|---------------------|
| 1 | USGS40000176876 | 0 - 1/8 Mile WNW |
| 2 | USGS40000176825 | 1/8 - 1/4 Mile SSE |
| A4 | USGS40000176884 | 1/4 - 1/2 Mile WNW |
| 15 | USGS40000176945 | 1/2 - 1 Mile NW |
| C16 | USGS40000176964 | 1/2 - 1 Mile NNW |

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID WELL ID FROM TP

No PWS System Found

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION


| MAP ID | WELL ID | LOCATION FROM TP |
|--------|-----------------|---------------------|
| 3 | CADDW0000011472 | 1/4 - 1/2 Mile NNE |
| 5 | CADPR000003185 | 1/4 - 1/2 Mile East |
| A6 | CADDW000004351 | 1/4 - 1/2 Mile West |
| 7 | CADDW0000013240 | 1/4 - 1/2 Mile NW |
| 8 | CADPR000003605 | 1/4 - 1/2 Mile NE |
| 9 | CADPR000003903 | 1/2 - 1 Mile SSE |
| B10 | 12227 | 1/2 - 1 Mile WSW |
| 11 | CADDW0000011834 | 1/2 - 1 Mile SW |
| B12 | CADWR000000173 | 1/2 - 1 Mile SW |
| B13 | CADWR0000016968 | 1/2 - 1 Mile SW |
| B14 | CADPR000004036 | 1/2 - 1 Mile WSW |
| C17 | CADWR0000018096 | 1/2 - 1 Mile NNW |
| C18 | CADDW0000016431 | 1/2 - 1 Mile North |
| D19 | CADDW0000018578 | 1/2 - 1 Mile NNE |
| D20 | CADDW0000020501 | 1/2 - 1 Mile NNE |
| D21 | CAUSGSN00002559 | 1/2 - 1 Mile NNE |
| | | |

GEOCHECK[®] - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

| MAP ID | WELL ID | LOCATION FROM TP |
|--------|-----------------|---------------------|
| D22 | 12231 | 1/2 - 1 Mile NNE |
| 23 | CADPR000001386 | 1/2 - 1 Mile East |
| E24 | 12228 | 1/2 - 1 Mile North |
| E25 | CADDW000000580 | 1/2 - 1 Mile North |
| F26 | 12232 | 1/2 - 1 Mile NE |
| 27 | 12236 | 1/2 - 1 Mile WSW |
| G28 | 12229 | 1/2 - 1 Mile NNW |
| G29 | 12223 | 1/2 - 1 Mile NNW |
| G30 | 23282 | 1/2 - 1 Mile NNW |
| G31 | 12230 | 1/2 - 1 Mile NNW |
| F32 | CADDW000006305 | 1/2 - 1 Mile NE |
| 33 | CADWR0000013410 | 1/2 - 1 Mile West |
| 34 | CADDW0000012368 | 1/2 - 1 Mile North |
| 35 | CADPR000005001 | 1/2 - 1 Mile WSW |

PHYSICAL SETTING SOURCE MAP - 7454414.2s



SITE NAME: Simonian Estates
ADDRESS: 1099 S Armstrong Avenue
Fresno CA 93727

CLIENT:
CONTAC

36.721225 / 119.675449

LAT/LONG:

CLIENT: RMA Geoscience CONTACT: Jim Vue INQUIRY#: 7454414.2s

DATE: September 26, 2023 2:35 pm

Copyright © 2023 EDR, Inc. © 2015 TomTom Rel. 2015.

Map ID Direction Distance

Elevation Database EDR ID Number

0 - 1/8 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 014S021E15C002M Well Type: 18030012 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: Central Valley aquifer system

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 1950 Well Depth: 130 Well Depth Units: ft Well Hole Depth: 160

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: 1 Level reading date: 1963-02-01 Feet below surface: 47.29 Feet to sea level: Not Reported

Note: Not Reported

2 SSE FED USGS USGS40000176825

1/8 - 1/4 Mile Higher

Organization ID: USGS-CA

Organization Name: USGS California Water Science Center

Monitor Location: 014S021E15C001M Well Type: Description: 18030012 Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: Central Valley aquifer system

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: Not Reported Well Depth: 75
Well Depth Units: ft Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

Ground water levels, Number of Measurements: 1 Level reading date: 1963-10-22 Feet below surface: 46.31 Feet to sea level: Not Reported

Note: Not Reported

NNE 1/4 - 1/2 Mile Higher

Well ID: 1010007-642 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: WELL 327 - RAW GAMA PFAS Testing: Not Reported

 $Groundwater\ Quality\ Data: \\ https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp_index.gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS\&samp_index.gamagroundwater.waterboards.ca.gov/gamagroundwater.waterboards.ca.gov/gamagroundwater.waterboards.ca.gov/gamagroundwater.waterboards.co.gov/gamagroundwater.waterboards.co.gov/gamagroundwater.waterboards.co.gov/gamagroundwater.waterboards.co.gov/gamagroundwater.waterboards.co.gov/gamagroundwater.waterboards.co.gov/gamagroundwater.waterboards.co.gov/gamagroundwaterboard$

date=&global_id=&assigned_name=1010007-642&store_num=

GeoTracker Data: Not Reported

CA WELLS

CADDW0000011472

Map ID Direction Distance

Elevation EDR ID Number Database

A4 WNW

FED USGS USGS40000176884

1/4 - 1/2 Mile Lower

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center

Monitor Location: 014S021E09R001M Well Type: 18030012 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported Central Valley aquifer system

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

19590806 Construction Date: Well Depth: 288 Well Depth Units: ft Well Hole Depth: 335

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: Level reading date: 1963-09-17 1 Feet below surface: 47.00 Feet to sea level: Not Reported

Note: Not Reported

CADPR000003185 **CA WELLS**

1/4 - 1/2 Mile Higher

> Well ID: 84161 Well Type: UNK

Source: Department of Pesticide Regulation

GAMA PFAS Testing: Other Name: 84161 Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DPR&samp_

date=&global_id=&assigned_name=84161&store_num=

GeoTracker Data: Not Reported

CA WELLS CADDW0000004351

West 1/4 - 1/2 Mile Lower

> Well ID: 1010007-092 Well Type: **MUNICIPAL**

Source: Department of Health Services

Other Name: WELL 276 INF - DESTROYED GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_

date=&global_id=&assigned_name=1010007-092&store_num=

GeoTracker Data: Not Reported

NW **CA WELLS** CADDW0000013240

1/4 - 1/2 Mile Lower

> Well ID: 1010007-679 Well Type: **MUNICIPAL**

Source: Department of Health Services

WELL 339 - RAW GAMA PFAS Testing: Other Name: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_

date=&global_id=&assigned_name=1010007-679&store_num=

GeoTracker Data: Not Reported

NE CA WELLS CADPR000003605

1/4 - 1/2 Mile Higher

Well ID: 84120 Well Type: UNK

Source: Department of Pesticide Regulation

Other Name: 84120 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DPR&samp_

date=&global_id=&assigned_name=84120&store_num=

GeoTracker Data: Not Reported

1/2 - 1 Mile Higher

Well ID: 84162 Well Type: UNK

Source: Department of Pesticide Regulation

Other Name: 84162 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DPR&samp_

date=&global_id=&assigned_name=84162&store_num=

GeoTracker Data: Not Reported

1/2 - 1 Mile Lower

Seq: 12227 Prim sta c: 14S/21E-09R01 M

 Frds no:
 1010007092
 County:
 10

 District:
 11
 User id:
 AGE

 System no:
 1010007
 Water type:
 G

Source nam: WELL 276 - INACTIVE Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

 Latitude:
 364300.0
 Longitude:
 1194100.0

 Precision:
 4
 Status:
 IU

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 1010007 System nam: Fresno, City Of

Hqname: Not Reported Address: 2326 FRESNO STREET

 City:
 FRESNO
 State:
 CA

 Zip:
 93721
 Zip ext:
 2988

 Pop serv:
 390350
 Connection:
 99005

Area serve: CITY OF FRESNO

Map ID Direction Distance

Database Elevation EDR ID Number

SW

CA WELLS CADDW0000011834

1/2 - 1 Mile Higher

> Well ID: 1010007-644 Well Type: MUNICIPAL

Department of Health Services Source:

WELL 188 - RAW GAMA PFAS Testing: Other Name: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_

date=&global_id=&assigned_name=1010007-644&store_num=

GeoTracker Data: Not Reported

B12 CA WELLS CADWR000000173 SW

1/2 - 1 Mile

Well ID: 14S21E15C002M Well Type: UNK

Source: Department of Water Resources

GAMA PFAS Testing: Other Name: 14S21E15C002M Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_

date=&global_id=&assigned_name=14S21E15C002M&store_num=

GeoTracker Data: Not Reported

B13 CA WELLS CADWR0000016968

1/2 - 1 Mile

Well ID: 14S21E15C001M Well Type: UNK

Source: Department of Water Resources

Other Name: 14S21E15C001M GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_

date=&global_id=&assigned_name=14S21E15C001M&store_num=

GeoTracker Data: Not Reported

B14 CA WELLS WSW

1/2 - 1 Mile Lower

> Well ID: 84170 Well Type: UNK

Department of Pesticide Regulation Source:

Other Name: 84170 **GAMA PFAS Testing:** Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DPR&samp_

date=&global_id=&assigned_name=84170&store_num=

GeoTracker Data: Not Reported CADPR0000004036

Map ID Direction Distance

Elevation Database EDR ID Number

NW 1/2 - 1 Mile

15

FED USGS USGS40000176945

Higher

Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center

Monitor Location: 014S021E09J001M Well Type: 18030012 Description: Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer:

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 1941 Well Depth: 100

Central Valley aquifer system

Well Depth Units: Well Hole Depth: Not Reported

Well Hole Depth Units: Not Reported

Ground water levels, Number of Measurements: Level reading date: 1963-10-21 1 Feet below surface: 41.75 Feet to sea level: Not Reported

Note: Not Reported

C16 **FED USGS** USGS40000176964 NNW

1/2 - 1 Mile Higher

> Organization ID: **USGS-CA**

Organization Name: USGS California Water Science Center

Monitor Location: 014S021E10E001M Well Type: Description: 18030012 Not Reported HUC: Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: Central Valley aquifer system

Formation Type: Not Reported Aquifer Type: Not Reported

Construction Date: 19550101 Well Depth: 120 Well Depth Units: ft Well Hole Depth: 160

Well Hole Depth Units: ft

1963-01-30 Ground water levels, Number of Measurements: 1 Level reading date: Feet below surface: Feet to sea level: Not Reported

Note: Not Reported

NNW **CA WELLS** CADWR0000018096

1/2 - 1 Mile Higher

> Well ID: 14S21E10E001M Well Type: UNK

Source: Department of Water Resources

Other Name: 14S21E10E001M GAMA PFAS Testing: Not Reported

https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_ Groundwater Quality Data:

date=&global_id=&assigned_name=14S21E10E001M&store_num=

GeoTracker Data: Not Reported

Map ID Direction Distance

Elevation Database EDR ID Number

C18 North

CA WELLS CADDW0000016431

1/2 - 1 Mile Higher

Well ID: 1010007-090 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: WELL 274 INF GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_

date=&global_id=&assigned_name=1010007-090&store_num=

GeoTracker Data: Not Reported

D19
NNE

CA WELLS

CADDW0000018578

1/2 - 1 Mile Higher

Well ID: 1010007-695 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: WELL 135B - INACTIVE GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_

date=&global_id=&assigned_name=1010007-695&store_num=

GeoTracker Data: Not Reported

D20
NNE

CA WELLS

CADDW0000020501

1/2 - 1 Mile Higher

Well ID: 1010007-339 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: WELL 135A INF GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_

date=&global_id=&assigned_name=1010007-339&store_num=

GeoTracker Data: Not Reported

D21
NNE
CA WELLS
CAUSGSN00002559

1/2 - 1 Mile Higher

Well ID: USGS-364300119400001 Well Type: UNK

Source: United States Geological Survey

Other Name: USGS-364300119400001 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&s

amp_date=&global_id=&assigned_name=USGS-364300119400001&store_num=

GeoTracker Data: Not Reported

| Мар | ID |
|-----------|-------|
| Direc | ction |
| Dista | nce |
| -1 | _ 4: |

| Distance Elevation | | | Database | EDR ID Number |
|---|--|--|---|--------------------------|
| D22 NNE 1/2 - 1 Mile Higher | | | CA WELLS | 12231 |
| Seq: Frds no: District: System no: Source nam: Latitude: Precision: Comment 1: Comment 3: Comment 5: Comment 7: | 12231 1010007339 11 1010007 WELL 135A 364352.0 3 Not Reported Not Reported Not Reported Not Reported | Prim sta c: County: User id: Water type: Station ty: Longitude: Status: Comment 2: Comment 4: Comment 6: | 14S/21E-10 10 AGE G WELL/AMB 1194000.0 AR Not Reporte Not Reporte | NT/MUN ed ed ed |
| Hqname: City: Zip: Pop serv: Area serve: | Not Reported FRESNO 93721 390350 CITY OF FRESNO | Address: State: Zip ext: Connection: | | NO STREET |
| Sample date: Chemical: Dlr: | 28-FEB-18 NITRATE (AS N) 0.4 | Finding: Report units: | 5. MG/L | |
| Sample date: Chemical: DIr: | 21-FEB-18 NITRATE (AS N) 0.4 | Finding: Report units: | 4.8 MG/L | |
| Sample date: Chemical: Dlr: | 13-FEB-18 NITRATE (AS N) 0.4 | Finding: Report units: | 5. MG/L | |
| Sample date: Chemical: Dlr: | 06-FEB-18 NITRATE (AS N) 0.4 | Finding: Report units: | 5. MG/L | |
| Sample date: Chemical: Dlr: | 29-JAN-18 NITRATE (AS N) 0.4 | Finding: Report units: | 4.9 MG/L | |
| Sample date: Chemical: Dlr: | 22-JAN-18 NITRATE (AS N) 0.4 | Finding: Report units: | 5. MG/L | |
| Sample date: Chemical: Dlr: | 17-JAN-18 NITRATE (AS N) 0.4 | Finding: Report units: | 4.8 MG/L | |
| Sample date: Chemical: Dlr: | 10-JAN-18 NITRATE (AS N) 0.4 | Finding: Report units: | 4.9 MG/L | |
| Sample date: Chemical: Dlr: | 03-JAN-18 NITRATE (AS N) 0.4 | Finding: Report units: | 4.9 MG/L | |

| Sample date: Chemical: Dlr: | 27-DEC-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5. MG/L |
|-----------------------------------|---------------------------------------|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 20-DEC-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5. MG/L |
| Sample date: Chemical: Dlr: | 12-DEC-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5. MG/L |
| Sample date: Chemical: Dlr: | 05-DEC-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5. MG/L |
| Sample date: Chemical: Dlr: | 28-NOV-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5. MG/L |
| Sample date: Chemical: Dlr: | 20-NOV-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5. MG/L |
| Sample date: Chemical: Dlr: | 13-NOV-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.2 MG/L |
| Sample date: Chemical: Dlr: | 06-NOV-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.2 MG/L |
| Sample date: Chemical: Dlr: | 30-OCT-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.3 MG/L |
| Sample date: Chemical: Dlr: | 25-OCT-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.4 MG/L |
| Sample date: Chemical: Dlr: | 17-OCT-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.4 MG/L |
| Sample date: Chemical: Dlr: | 09-OCT-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.5 MG/L |
| Sample date: Chemical: Dlr: | 03-OCT-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.4 MG/L |
| Sample date: Chemical: Dlr: | 26-SEP-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.1 MG/L |
| Sample date: Chemical: Dlr: | 20-SEP-17 SODIUM 0. | Finding: Report units: | 25. MG/L |
| Sample date: Chemical: | 20-SEP-17 NITRATE + NITRITE (AS N) | Finding: Report units: | 5. MG/L |

Dlr: 0.4

Sample date: 20-SEP-17 Finding:

AGGRSSIVE INDEX (CORROSIVITY) Not Reported Chemical: Report units:

DIr: 0.

Sample date: 20-SEP-17 Finding: 0.24

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

DIr:

20-SEP-17 280. Sample date: Finding:

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

DIr:

Sample date: 20-SEP-17 2.6 Finding:

CHROMIUM, HEXAVALENT Chemical: Report units: UG/L DIr:

20-SEP-17 Sample date: Finding: 0.11 Chemical: FLUORIDE (F) (NATURAL-SOURCE) Report units: MG/L

DIr: 0.1

20-SEP-17 Sample date: Finding: 24.

Chemical: **SULFATE** Report units: MG/L

DIr: 0.5

20-SEP-17 Sample date: Finding: 7.8

Chemical: **CHLORIDE** Report units: MG/L

DIr:

Sample date: 20-SEP-17 Finding: 2.2

POTASSIUM Chemical: Report units: MG/L

DIr: 0.

Sample date: 20-SEP-17 Finding: 20.

Chemical: **MAGNESIUM** Report units: MG/L

DIr: 0.

20-SEP-17 Finding: Sample date: 35. MG/L

Chemical: **CALCIUM** Report units:

DIr: 0.

Sample date: 20-SEP-17 170. Finding:

HARDNESS (TOTAL) AS CACO3 Report units: Chemical: MG/L DIr:

Sample date: 20-SEP-17 Finding: 5.

Chemical: MG/L

NITRATE (AS N) Report units:

DIr: 0.4

Sample date: 20-SEP-17 Finding: 210.

Chemical: **BICARBONATE ALKALINITY** Report units: MG/L

DIr:

Sample date: 20-SEP-17 Finding: 170.

ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr:

Sample date: 20-SEP-17 Finding:

PH, LABORATORY Chemical: Report units: Not Reported

0. DIr:

| Sample date: Chemical: Dlr: | 20-SEP-17 SPECIFIC CONDUCTANCE 0. | Finding: Report units: | 440. US |
|-----------------------------------|---|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 19-SEP-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.2 MG/L |
| Sample date: Chemical: Dlr: | 13-SEP-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.1 MG/L |
| Sample date: Chemical: Dlr: | 08-SEP-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.3 MG/L |
| Sample date: Chemical: Dlr: | 29-AUG-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.4 MG/L |
| Sample date: Chemical: Dlr: | 23-AUG-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.3 MG/L |
| Sample date: Chemical: Dlr: | 15-AUG-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.3 MG/L |
| Sample date: Chemical: Dlr: | 08-AUG-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.6 MG/L |
| Sample date: Chemical: Dlr: | 01-AUG-17 NITRATE (AS N) 0.4 | Finding: Report units: | 5.7 MG/L |
| Sample date: Chemical: Dlr: | 26-JUL-17 NITRATE (AS N) 0.4 | Finding: Report units: | 7.3 MG/L |
| Sample date: Chemical: Dlr: | 21-JUL-17 NITRATE (AS N) 0.4 | Finding: Report units: | 7.1 MG/L |
| Sample date: Chemical: Dlr: | 14-JUL-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.2 MG/L |
| Sample date: Chemical: Dlr: | 03-JUL-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.9 MG/L |
| Sample date: Chemical: Dlr: | 27-JUN-17 NITRATE (AS N) 0.4 | Finding: Report units: | 7.1 MG/L |
| Sample date: Chemical: Dlr: | 29-JUN-15 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: | 22-JUN-15 NITRATE (AS NO3) | Finding: Report units: | 21. MG/L |

Dlr: 2. Sample date: 15-JUN-15 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 09-JUN-15 Finding: 24. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 01-JUN-15 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 27-MAY-15 21. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 18-MAY-15 Sample date: Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 11-MAY-15 Sample date: Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 06-MAY-15 20. Sample date: Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 20-APR-15 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 30-MAR-15 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 24-MAR-15 Finding: Sample date: 20. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: Sample date: 16-MAR-15 Finding: 20. Report units: MG/L Chemical: NITRATE (AS NO3) DIr: Sample date: 09-MAR-15 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2. Sample date: 23-FEB-15 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 17-FEB-15 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 10-FEB-15 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

2.

| Sample date: Chemical: Dlr: | 02-FEB-15 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
|-----------------------------------|---|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 26-JAN-15 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 20-JAN-15 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 15-DEC-14 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 25-NOV-14 CHROMIUM, HEXAVALENT 1. | Finding: Report units: | 2. UG/L |
| Sample date: Chemical: Dlr: | 18-NOV-14 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 10-NOV-14 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 04-NOV-14 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 27-OCT-14 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 22-OCT-14 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 13-OCT-14 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 07-OCT-14 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 29-SEP-14 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 22-SEP-14 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 15-SEP-14 NITRATE (AS NO3) 2. | Finding: Report units: | 22. MG/L |
| Sample date: Chemical: | 08-SEP-14 NITRATE (AS NO3) | Finding: Report units: | 22. MG/L |

Dlr: 2. 03-SEP-14 Sample date: Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 25-AUG-14 Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 18-AUG-14 Sample date: Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 11-AUG-14 22. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 05-AUG-14 Sample date: Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 29-JUL-14 Sample date: Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 21-JUL-14 Sample date: Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 14-JUL-14 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 07-JUL-14 Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 01-JUL-14 Finding: Sample date: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 25-JUN-14 Sample date: Finding: 22. NITRATE (AS NO3) Report units: MG/L Chemical: DIr: 16-JUN-14 Sample date: Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 10-JUN-14 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 03-JUN-14 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 27-MAY-14 Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

19-MAY-14 Sample date: Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 12-MAY-14 Finding: 20. MG/L Chemical: NITRATE (AS NO3) Report units: DIr: Finding: Sample date: 06-MAY-14 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 30-APR-14 Finding: 410. Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: Sample date: 30-APR-14 Finding: 8.1 PH, LABORATORY Chemical: Report units: Not Reported DIr: 0. Sample date: 30-APR-14 170. Finding: Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L DIr: 30-APR-14 Sample date: 210. Finding: Chemical: **BICARBONATE ALKALINITY** Report units: MG/L DIr: Sample date: 30-APR-14 Finding: 160. Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 30-APR-14 33. Sample date: Finding: CALCIUM Report units: Chemical: MG/L DIr: 0. 30-APR-14 Sample date: Finding: 20. Chemical: MAGNESIUM Report units: MG/L DIr: 0. Sample date: 30-APR-14 Finding: 25. Chemical: SODIUM Report units: MG/L DIr: 0. Sample date: 30-APR-14 Finding: 2.3 Chemical: **POTASSIUM** Report units: MG/L DIr: 30-APR-14 Sample date: 9.1 Finding: Chemical: **CHLORIDE** Report units: MG/L DIr: 0. 30-APR-14 Sample date: Finding: 20. Chemical: **SULFATE** Report units: MG/L 0.5 30-APR-14 260. Sample date: Finding: TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L 0.

30-APR-14

LANGELIER INDEX @ 60 C

Sample date:

Chemical:

Not Reported

0.32

Finding:

Report units:

Dlr: 0.

Sample date: 30-APR-14 Finding: 21.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 30-APR-14 Finding: 12.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr: 0.

Sample date: 29-APR-14 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 21-APR-14 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 14-APR-14 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 07-APR-14 Finding: 21.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 31-MAR-14 Finding: 20.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 10-MAR-14 Finding: 23.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 03-MAR-14 Finding: 22.

Chemical: NITRATE (AS NO3) Report units: MG/L

 DIr:
 2.

 Sample date:
 24-FEB-14
 Finding:
 24.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 18-FEB-14 Finding: 27.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 12-FEB-14 Finding: 29.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 03-DEC-13 Finding: 20.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 25-NOV-13 Finding: 21.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 18-NOV-13 Finding: 20.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

| Sample date: Chemical: Dlr: | 13-NOV-13 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
|-----------------------------------|-------------------------------------|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 04-NOV-13 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 28-OCT-13 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 21-OCT-13 NITRATE (AS NO3) 2. | Finding: Report units: | 22. MG/L |
| Sample date: Chemical: Dlr: | 14-OCT-13 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 07-OCT-13 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 02-OCT-13 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 23-SEP-13 NITRATE (AS NO3) 2. | Finding: Report units: | 22. MG/L |
| Sample date: Chemical: Dlr: | 18-SEP-13 NITRATE (AS NO3) 2. | Finding: Report units: | 22. MG/L |
| Sample date: Chemical: Dlr: | 09-SEP-13 NITRATE (AS NO3) 2. | Finding: Report units: | 22. MG/L |
| Sample date: Chemical: Dlr: | 04-SEP-13 NITRATE (AS NO3) 2. | Finding: Report units: | 22. MG/L |
| Sample date: Chemical: Dlr: | 26-AUG-13 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 20-AUG-13 NITRATE (AS NO3) 2. | Finding: Report units: | 28. MG/L |
| Sample date: Chemical: Dlr: | 12-AUG-13 NITRATE (AS NO3) 2. | Finding: Report units: | 25. MG/L |
| Sample date: Chemical: Dlr: | 06-AUG-13 NITRATE (AS NO3) 2. | Finding: Report units: | 22. MG/L |
| Sample date: Chemical: | 29-JUL-13 NITRATE (AS NO3) | Finding: Report units: | 22. MG/L |

Dlr: 2. Sample date: 22-JUL-13 Finding: 22. MG/L Chemical: NITRATE (AS NO3) Report units: DIr: Sample date: 15-JUL-13 Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 11-JUL-13 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 02-JUL-13 23. Finding: NITRATE (AS NO3) Chemical: Report units: MG/L DIr: 24-JUN-13 Sample date: Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 17-JUN-13 Sample date: Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 11-JUN-13 Sample date: Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 03-JUN-13 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 28-MAY-13 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Finding: Sample date: 20-MAY-13 22. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: Sample date: 13-MAY-13 Finding: 21. Report units: MG/L Chemical: NITRATE (AS NO3) DIr: Sample date: 07-MAY-13 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2. Sample date: 29-APR-13 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 22-APR-13 Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 15-APR-13 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

| Sample date: Chemical: Dlr: | 08-APR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
|-----------------------------------|-------------------------------------|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 02-APR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 25-MAR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 18-MAR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 11-MAR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 05-MAR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 05-FEB-13 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 28-JAN-13 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 24-JAN-13 NITRATE (AS NO3) 2. | Finding: Report units: | 29. MG/L |
| Sample date: Chemical: Dlr: | 14-JAN-13 NITRATE (AS NO3) 2. | Finding: Report units: | 22. MG/L |
| Sample date: Chemical: Dlr: | 07-JAN-13 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 02-JAN-13 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 27-DEC-12 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 10-DEC-12 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 06-DEC-12 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: | 26-NOV-12 NITRATE (AS NO3) | Finding: Report units: | 20. MG/L |

Dlr: 2. 20-NOV-12 Sample date: Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 14-NOV-12 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 05-NOV-12 Sample date: Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 30-OCT-12 21. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 22-OCT-12 Sample date: Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 15-OCT-12 Sample date: Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 09-OCT-12 Sample date: Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 02-OCT-12 Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 24-SEP-12 Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 17-SEP-12 Finding: Sample date: 22. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: 10-SEP-12 Sample date: Finding: 22. Report units: MG/L Chemical: NITRATE (AS NO3) DIr: 05-SEP-12 Sample date: Finding: 29. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2. Sample date: 28-AUG-12 Finding: 22. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 20-AUG-12 Finding: 23. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 14-AUG-12 Finding: 23. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: 2.

| Sample date: Chemical: Dlr: | 06-AUG-12 NITRATE (AS NO3) 2. | Finding: Report units: | 23. MG/L |
|-----------------------------------|-------------------------------------|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 30-JUL-12 NITRATE (AS NO3) 2. | Finding: Report units: | 22. MG/L |
| Sample date: Chemical: Dlr: | 24-JUL-12 NITRATE (AS NO3) 2. | Finding: Report units: | 23. MG/L |
| Sample date: Chemical: Dlr: | 16-JUL-12 NITRATE (AS NO3) 2. | Finding: Report units: | 22. MG/L |
| Sample date: Chemical: Dlr: | 09-JUL-12 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 02-JUL-12 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 25-JUN-12 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 18-JUN-12 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: Dlr: | 12-JUN-12 NITRATE (AS NO3) 2. | Finding: Report units: | 23. MG/L |
| Sample date: Chemical: Dlr: | 08-JUN-12 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 29-MAY-12 NITRATE (AS NO3) 2. | Finding: Report units: | 27. MG/L |
| Sample date: Chemical: Dlr: | 23-MAY-12 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 14-MAY-12 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 09-MAY-12 NITRATE (AS NO3) 2. | Finding: Report units: | 21. MG/L |
| Sample date: Chemical: Dlr: | 03-MAY-12 NITRATE (AS NO3) 2. | Finding: Report units: | 20. MG/L |
| Sample date: Chemical: | 26-APR-12 NITRATE (AS NO3) | Finding: Report units: | 20. MG/L |

Dlr: 2.

09-APR-12 Sample date: Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 26-MAR-12 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 20-MAR-12 Finding: 21. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 12-MAR-12 20. Finding: NITRATE (AS NO3) Chemical: Report units: MG/L

06-MAR-12 Sample date: Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

29-FEB-12 Finding: Sample date: 20. Report units: MG/L

Chemical: NITRATE (AS NO3)

DIr:

14-FEB-12 Sample date: Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 02-FEB-12 Finding: 0.398

Chemical: **RADIUM 228 COUNTING ERROR** Report units: PCI/L

DIr:

Sample date: 23-JAN-12 Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

03-JAN-12 Sample date: Finding: 20. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

23 East **CA WELLS** CADPR0000001386

1/2 - 1 Mile Higher

> Well ID: UNK 84148 Well Type:

Source: Department of Pesticide Regulation

GAMA PFAS Testing: Not Reported Other Name:

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DPR&samp_

date=&global_id=&assigned_name=84148&store_num=

GeoTracker Data: Not Reported

Map ID Direction Distance Elevation

Elevation Database EDR ID Number

E24
North CA WELLS 12228

1/2 - 1 Mile Higher

Seq: 12228 Prim sta c: 14S/21E-10C01 M

 Frds no:
 1000293001
 County:
 10

 District:
 40
 User id:
 10C

 System no:
 1000293
 Water type:
 G

Source nam: 6350 E LANE Station ty: WELL/AMBNT/MUN/INTAKE

Latitude: 364403.0 Longitude: 1194028.0 Precision: 3 Status: AR Not Reported Comment 1: Not Reported Comment 2: Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 1000293 System nam: John Wash School Hqname: Not Reported Address: Not Reported City: Not Reported State: Not Reported Zip: Not Reported Zip ext: Not Reported

Pop serv: 0 Connection: 0

E25 North 1/2 - 1 Mile Higher

Higher

Area serve:

Well ID: 1000293-001 Well Type: MUNICIPAL

Source: Department of Health Services

Not Reported

Other Name: WELL 01 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_

date=&global_id=&assigned_name=1000293-001&store_num=

GeoTracker Data: Not Reported

F26
NE
CA WELLS
1/2 - 1 Mile

Seq: 12232 Prim sta c: 14S/21E-11E01 M

 Frds no:
 1010007265
 County:
 10

 District:
 11
 User id:
 AGE

 System no:
 1010007
 Water type:
 G

Source nam: WELL 135 - DESTROYED Station ty: WELL/AMBNT/MUN/INTAKE

 Latitude:
 364348.0
 Longitude:
 1193942.0

 Precision:
 3
 Status:
 DS

Comment 1: Not Reported Comment 2: Not Reported Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 1010007 System nam: Fresno, City Of

Hqname: Not Reported Address: 2326 FRESNO STREET

 City:
 FRESNO
 State:
 CA

 Zip:
 93721
 Zip ext:
 2988

CA WELLS

CADDW000000580

Pop serv: 390350 Connection: 99005 Area serve: CITY OF FRESNO

27
WSW
CA WELLS 12236

1/2 - 1 Mile Lower

Seq: 12236 Prim sta c: 14S/21E-16M02 M

 Frds no:
 1010007317
 County:
 10

 District:
 11
 User id:
 AGE

 System no:
 1010007
 Water type:
 G

Source nam: WELL 152 Station ty: WELL/AMBNT/MUN/INTAKE

Latitude:364252.0Longitude:1194122.0Precision:3Status:AR

Comment 1: Not Reported Comment 2: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported

Comment 7: Not Reported

System no: 1010007 System nam: Fresno, City Of

Hqname: Not Reported Address: 2326 FRESNO STREET

 City:
 FRESNO
 State:
 CA

 Zip:
 93721
 Zip ext:
 2988

 Pop serv:
 390350
 Connection:
 99005

Area serve: CITY OF FRESNO

G28

NNW 1/2 - 1 Mile Higher

Seg: 12229 Prim sta c: 14S/21E-10D01 M

 Frds no:
 1010007091
 County:
 10

 District:
 11
 User id:
 AGE

 System no:
 1010007
 Water type:
 G

Source nam: WELL 275 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

Latitude: 364400.0 Longitude: 1194100.0

Precision:4Status:ARComment 1:Not ReportedComment 2:Not ReportedComment 3:Not ReportedComment 4:Not Reported

Comment 5: Not Reported Comment 6: Not Reported Comment 7: Not Reported

System no: 1010007 System nam: Fresno, City Of

Hqname: Not Reported Address: 2326 FRESNO STREET

 City:
 FRESNO
 State:
 CA

 Zip:
 93721
 Zip ext:
 2988

 Pop serv:
 390350
 Connection:
 99005

Area serve: CITY OF FRESNO

Sample date: 01-JUN-15 Finding: 33.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2

Sample date: 01-JUN-15 Finding: 8.e-002

Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L DIr: 2.e-002

Sample date: 27-MAY-15 Finding: 35.

CA WELLS

12229

Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 18-MAY-15 Finding: 35. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 11-MAY-15 Finding: 35.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 06-MAY-15 Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 06-MAY-15 Finding: 7.2e-002

Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L
DIr: 2.e-002

Sample date: 27-APR-15 Finding: 34.

Chemical: NITRATE (AS NO3) Report units: MG/L

Dir: 2.

Sample date: 20-APR-15 Finding: 35.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 14-APR-15 Finding: 34.
Chemical: NITRATE (AS NO3) Report units: MG/L

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 14-APR-15 Finding: 6.9e-002

Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L DIr: 2.e-002

Sample date: 08-APR-15 Finding: 36.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 08-APR-15 Finding: 7.5e-002

Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L
DIr: 2.e-002

Sample date: 20-JAN-15 Finding: 34.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 12-JAN-15 Finding: 5.4e-002

Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L
DIr: 2.e-002

Sample date: 12-JAN-15 Finding: 34.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 05-JAN-15 Finding: 35.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 29-DEC-14 Finding: 35.

Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

| Sample date: Chemical: Dlr: | 22-DEC-14 NITRATE (AS NO3) 2. | Finding: Report units: | 35. MG/L |
|-----------------------------------|--|---------------------------|------------------|
| Sample date: Chemical: Dlr: | 15-DEC-14 NITRATE (AS NO3) 2. | Finding: Report units: | 36. MG/L |
| Sample date: Chemical: Dlr: | 10-DEC-14 CHROMIUM, HEXAVALENT 1. | Finding: Report units: | 2.1 UG/L |
| Sample date: Chemical: Dlr: | 10-DEC-14 NITRATE (AS NO3) 2. | Finding: Report units: | 36. MG/L |
| Sample date: Chemical: Dlr: | 04-DEC-14 NITRATE (AS NO3) 2. | Finding: Report units: | 35. MG/L |
| Sample date: Chemical: Dlr: | 04-DEC-14 ETHYLENE DIBROMIDE (EDB) 2.e-002 | Finding: Report units: | 7.4e-002 UG/L |
| Sample date: Chemical: Dlr: | 29-JUL-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 21-JUL-14 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 15-JUL-14 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 07-JUL-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 02-JUL-14 ETHYLENE DIBROMIDE (EDB) 2.e-002 | Finding: Report units: | 7.3e-002 UG/L |
| Sample date: Chemical: Dlr: | 02-JUL-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 25-JUN-14 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 16-JUN-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 11-JUN-14 ETHYLENE DIBROMIDE (EDB) 2.e-002 | Finding: Report units: | 6.2e-002 UG/L |
| Sample date: Chemical: | 11-JUN-14 NITRATE (AS NO3) | Finding: Report units: | 32. MG/L |

Dlr: 2.

Sample date: 03-JUN-14 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 27-MAY-14 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 20-MAY-14 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 12-MAY-14 Finding: 31.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 06-MAY-14 Finding: 30. Chemical: CALCIUM Report units: MG/L

DIr: 0.

Sample date: 06-MAY-14 Finding: 12.

Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported

DIr:

Sample date: 06-MAY-14 Finding: 6.5e-002

Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L

Dlr: 2.e-002

Sample date: 06-MAY-14 Finding: 32.

Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 06-MAY-14 Finding: 0.29

Chemical: LANGELIER INDEX @ 60 C Report units: Not Reported

Dlr: 0.

Sample date: 06-MAY-14 Finding: 240.

Chemical: TOTAL DISSOLVED SOLIDS Report units: MG/L

Dlr: 0.

Sample date: 06-MAY-14 Finding: 16. Chemical: SULFATE Report units: MG/L

Dlr: 0.5

Sample date: 06-MAY-14 Finding: 7.6 Chemical: CHLORIDE Report units: MG/L

Dlr: 0.

Sample date: 06-MAY-14 Finding: 2.1 Chemical: POTASSIUM Report units: MG/L

DIr: 0.

Sample date: 06-MAY-14 Finding: 22. Chemical: SODIUM Report units: MG/L

Dlr: 0.

Sample date: 06-MAY-14 Finding: 18. Chemical: MAGNESIUM Report units: MG/L

Dir: NAGNESION Report units:

150. Sample date: 06-MAY-14 Finding: Chemical: HARDNESS (TOTAL) AS CACO3 Report units: MG/L DIr: 170. Sample date: 06-MAY-14 Finding: **BICARBONATE ALKALINITY** Chemical: Report units: MG/L DIr: Sample date: 06-MAY-14 140. Finding: Chemical: ALKALINITY (TOTAL) AS CACO3 MG/L Report units: DIr: Sample date: 06-MAY-14 Finding: 8.2 Chemical: PH, LABORATORY Report units: Not Reported DIr: Sample date: 06-MAY-14 Finding: 340. SPECIFIC CONDUCTANCE US Chemical: Report units: DIr: Sample date: 06-MAY-14 33. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L Dlr: 29-APR-14 Sample date: 32. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 22-APR-14 Finding: 32. NITRATE (AS NO3) Report units: MG/L Chemical: DIr: 14-APR-14 32. Sample date: Finding: NITRATE (AS NO3) Report units: Chemical: MG/L DIr: 07-APR-14 7.8e-002 Sample date: Finding: ETHYLENE DIBROMIDE (EDB) Chemical: Report units: UG/L DIr: 2.e-002 Sample date: 07-APR-14 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2. Sample date: 31-MAR-14 Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 18-MAR-14 31. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 10-MAR-14 Finding: 5.2e-002 Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L 2.e-002

Sample date:

Sample date:

Chemical:

Chemical:

10-MAR-14

05-MAR-14

NITRATE (AS NO3)

NITRATE (AS NO3)

32.

31.

MG/L

MG/L

Finding:

Finding:

Report units:

Report units:

DIr: 2.

Sample date: 24-FEB-14 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 18-FEB-14 Finding: 33.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 10-FEB-14 Finding: 31.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 05-FEB-14 Finding: 31.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 05-FEB-14 Finding: 9.5e-002

Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L
DIr: 2.e-002

Sample date: 27-JAN-14 Finding: 31.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 21-JAN-14 Finding: 33.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 14-JAN-14 Finding: 33.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 06-JAN-14 Finding: 7.9e-002
Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L
DIr: 2.e-002

Sample date: 06-JAN-14 Finding: 32.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 30-DEC-13 Finding: 32.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 23-DEC-13 Finding: 32.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 16-DEC-13 Finding: 34.
Chemical: NITRATE (AS NO3) Report units: MG/L

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

 Sample date:
 10-DEC-13
 Finding:
 7.8e-002

Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L
DIr: 2.e-002

Sample date: 10-DEC-13 Finding: 32.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dir: 2. Report units: MG.

| Sample date: Chemical: Dlr: | 03-DEC-13 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
|-----------------------------------|--|---------------------------|------------------|
| Sample date: Chemical: Dlr: | 25-NOV-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 18-NOV-13 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 13-NOV-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 05-NOV-13 ETHYLENE DIBROMIDE (EDB) 2.e-002 | Finding: Report units: | 7.9e-002 UG/L |
| Sample date: Chemical: Dlr: | 05-NOV-13 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 28-OCT-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 21-OCT-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 14-OCT-13 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 07-OCT-13 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 07-OCT-13 ETHYLENE DIBROMIDE (EDB) 2.e-002 | Finding: Report units: | 8.7e-002 UG/L |
| Sample date: Chemical: Dlr: | 02-OCT-13 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 23-SEP-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 18-SEP-13 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 09-SEP-13 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: | 09-SEP-13 ETHYLENE DIBROMIDE (EDB) | Finding: Report units: | 8.5e-002 UG/L |

Dlr: 2.e-002

Sample date: 05-SEP-13 Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 26-AUG-13 Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

20-AUG-13 Sample date: Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 12-AUG-13 32. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

7.4e-002 06-AUG-13 Sample date: Finding: ETHYLENE DIBROMIDE (EDB) Chemical: Report units: UG/L

DIr: 2.e-002

06-AUG-13 Sample date: Finding: 31. Report units: MG/L

Chemical: NITRATE (AS NO3) DIr:

29-JUL-13 Sample date: Finding: 31. Report units: MG/L

Chemical: NITRATE (AS NO3)

DIr:

Sample date: 22-JUL-13 Finding: 31. NITRATE (AS NO3) Report units: MG/L

Chemical: DIr:

Sample date: 15-JUL-13 Finding: 32. NITRATE (AS NO3) Report units: MG/L

Chemical: DIr:

Finding: Sample date: 11-JUL-13 32.

NITRATE (AS NO3) Chemical: Report units: MG/L

DIr:

9.3e-002 Sample date: 11-JUL-13 Finding: ETHYLENE DIBROMIDE (EDB) Report units: Chemical: UG/L

DIr: 2.e-002

Sample date: 02-JUL-13 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr: 2.

Sample date: 24-JUN-13 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 17-JUN-13 Finding: 32.

Chemical: NITRATE (AS NO3) Report units:

MG/L DIr:

Sample date: 11-JUN-13 Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr: 2.

| Sample date: Chemical: Dlr: | 03-JUN-13 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
|-----------------------------------|--|---------------------------|------------------|
| Sample date: Chemical: Dlr: | 28-MAY-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 20-MAY-13 ETHYLENE DIBROMIDE (EDB) 2.e-002 | Finding: Report units: | 3.4e-002 UG/L |
| Sample date: Chemical: Dlr: | 20-MAY-13 NITRATE (AS NO3) 2. | Finding: Report units: | 35. MG/L |
| Sample date: Chemical: Dlr: | 17-MAY-13 ETHYLENE DIBROMIDE (EDB) 2.e-002 | Finding: Report units: | 8.8e-002 UG/L |
| Sample date: Chemical: Dlr: | 17-MAY-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 05-NOV-12 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 30-OCT-12 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 22-OCT-12 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 15-OCT-12 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 09-OCT-12 NITRATE (AS NO3) 2. | Finding: Report units: | 30. MG/L |
| Sample date: Chemical: Dlr: | 03-OCT-12 NITRATE (AS NO3) 2. | Finding: Report units: | 30. MG/L |
| Sample date: Chemical: Dlr: | 24-SEP-12 NITRATE (AS NO3) 2. | Finding: Report units: | 30. MG/L |
| Sample date: Chemical: Dlr: | 17-SEP-12 NITRATE (AS NO3) 2. | Finding: Report units: | 29. MG/L |
| Sample date: Chemical: Dlr: | 10-SEP-12 NITRATE (AS NO3) 2. | Finding: Report units: | 29. MG/L |
| Sample date: Chemical: | 05-SEP-12 NITRATE (AS NO3) | Finding: Report units: | 30. MG/L |

DIr: 2.

Sample date: 27-AUG-12 Finding: 30. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 22-AUG-12 Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2

Sample date: 14-AUG-12 Finding: 31.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 06-AUG-12 Finding: 8.9e-002

Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L DIr: 2.e-002

Sample date: 06-AUG-12 Finding: 30. Chemical: NITRATE (AS NO3) Report units: MG/L

Chemical: NTRATE (AS NO3) Report units:

Dir: 2.

5...

Sample date: 01-AUG-12 Finding: 29. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 24-JUL-12 Finding: 29.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 16-JUL-12 Finding: 29.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 09-JUL-12 Finding: 28. Chemical: NITRATE (AS NO3) Report units: MG/L

Dir: 2.

Sample date: 09-JUL-12 Finding: 8.4e-002 Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L

Dir: 2.e-002

Sample date: 02-JUL-12 Finding: 28.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dir: 2.

Sample date: 25-JUN-12 Finding: 28.
Chemical: NITRATE (AS NO3) Report units: MG/L

Chemical: NTRATE (AS NO3) Report units: MG/L
DIr: 2.

Sample date: 18-JUN-12 Finding: 28.

Chemical: NITRATE (AS NO3) Report units: MG/I

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 13-JUN-12 Finding: 28.

Chemical: NITRATE (AS NO3) Report units: MG/L

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

Sample date: 13-JUN-12 Finding: 9.8e-002

Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L
DIr: 2.e-002

08-JUN-12 Sample date: 28. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 29-MAY-12 Finding: 28. MG/L Chemical: NITRATE (AS NO3) Report units: DIr: Finding: Sample date: 21-MAY-12 28. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 14-MAY-12 Finding: 9.1e-002 Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L DIr: 2.e-002 Sample date: 14-MAY-12 Finding: 28. NITRATE (AS NO3) MG/L Chemical: Report units: DIr: Sample date: 11-MAY-12 29. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 09-MAY-12 28. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 03-MAY-12 Finding: 28. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 26-APR-12 28. Sample date: Finding: NITRATE (AS NO3) Report units: Chemical: MG/L DIr: 17-APR-12 Sample date: Finding: 29. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2. 09-APR-12 Sample date: Finding: 30. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2. Sample date: 04-APR-12 Finding: 28. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 04-APR-12 9.8e-002 Finding: ETHYLENE DIBROMIDE (EDB) Chemical: Report units: UG/L DIr: 2.e-002 Sample date: 26-MAR-12 Finding: 29. Chemical: NITRATE (AS NO3) Report units: MG/L 20-MAR-12 Sample date: Finding: 29. Chemical: NITRATE (AS NO3) Report units: MG/L Sample date: 12-MAR-12 Finding: 28. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 06-MAR-12 Finding: 9.3e-002 ETHYLENE DIBROMIDE (EDB) Chemical: Report units: UG/L

DIr: 2.e-002

Sample date: 06-MAR-12 Finding: 28. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

29-FEB-12 30. Sample date: Finding: Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 22-FEB-12 28. Finding: MG/L

Chemical: NITRATE (AS NO3) Report units: DIr:

14-FEB-12 Sample date: Finding: 29. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

07-FEB-12 Sample date: Finding: 28. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

02-FEB-12 Sample date: Finding: 0.19

Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L DIr:

Sample date: 02-FEB-12 Finding: 0.48

RADIUM 228 COUNTING ERROR Chemical: Report units: PCI/L DIr:

Sample date: 31-JAN-12 Finding: 28.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr:

23-JAN-12 Finding: Sample date: 27.

NITRATE (AS NO3) Chemical: Report units: MG/L DIr:

Sample date: 17-JAN-12 Finding: 28. Report units: MG/L Chemical:

NITRATE (AS NO3) DIr:

Sample date: 09-JAN-12 Finding: 9.e-002

Chemical: ETHYLENE DIBROMIDE (EDB) Report units: UG/L DIr: 2.e-002

Sample date: 09-JAN-12 Finding: 29. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 03-JAN-12 Finding: 29. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

| Мар | ID |
|-------|-------|
| Direc | ction |
| Dista | nce |
| | |

| Distance Elevation | | | Database | EDR ID Number |
|---|--|--|--|-------------------|
| G29 NNW 1/2 - 1 Mile Higher | | | CA WELLS | 12223 |
| Seq: Frds no: | 12223 1010007113 | Prim sta c: County: | 14S/21E-09 10 | 9C01 M |
| District: System no: Source nam: | 11 1010007 WELL 297-1 | User id: Water type: Station ty: | AGE G WELL/AMB | NT/MUN/INTAKE |
| Latitude: Precision: | 364400.0 4 | Longitude: Status: | 1194100.0 AR | |
| Comment 1: Comment 3: Comment 5: Comment 7: | Not Reported Not Reported Not Reported Not Reported | Comment 2: Comment 4: Comment 6: | Not Reporte Not Reporte Not Reporte | ed |
| System no: Hqname: City: Zip: Pop serv: Area serve: | 1010007 Not Reported FRESNO 93721 390350 CITY OF FRESNO | System nam: Address: State: Zip ext: Connection: | Fresno, City 2326 FRES CA 2988 99005 | y Of NO STREET |
| Sample date: Chemical: Dlr: | 03-JUN-14 NITRATE (AS NO3) 2. | Finding: Report units: | 38. MG/L | |
| Sample date: Chemical: Dlr: | 27-MAY-14 HARDNESS (TOTAL) AS CACO3 0. | Finding: Report units: | 260. MG/L | |
| Sample date: Chemical: Dlr: | 27-MAY-14 AGGRSSIVE INDEX (CORROSIVITY) 0. | Finding: Report units: | 13. Not Reporte | ed |
| Sample date: Chemical: Dlr: | 27-MAY-14 TURBIDITY, LABORATORY 0.1 | Finding: Report units: | 0.16 NTU | |
| Sample date: Chemical: Dlr: | 27-MAY-14 NITRATE (AS NO3) 2. | Finding: Report units: | 43. MG/L | |
| Sample date: Chemical: Dlr: | 27-MAY-14 LANGELIER INDEX @ 60 C 0. | Finding: Report units: | 0.87 Not Reporte | ed |
| Sample date: Chemical: Dlr: | 27-MAY-14 TOTAL DISSOLVED SOLIDS 0. | Finding: Report units: | 380. MG/L | |
| Sample date: Chemical: Dlr: | 27-MAY-14 SULFATE 0.5 | Finding: Report units: | 27. MG/L | |
| Sample date: Chemical: Dlr: | 27-MAY-14 CHLORIDE 0. | Finding: Report units: | 17. MG/L | |

630. Sample date: 27-MAY-14 Finding: Chemical: SPECIFIC CONDUCTANCE Report units: US DIr: Sample date: 27-MAY-14 Finding: 8.3 Chemical: PH, LABORATORY Report units: Not Reported DIr: 0. Finding: Sample date: 27-MAY-14 260. ALKALINITY (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr: Sample date: 27-MAY-14 Finding: 310. Chemical: **BICARBONATE ALKALINITY** Report units: MG/L DIr: Sample date: 27-MAY-14 Finding: 51. **CALCIUM** Chemical: Report units: MG/L DIr: 0. Sample date: 27-MAY-14 Finding: 31. Chemical: MAGNESIUM Report units: MG/L Dlr: Sample date: 27-MAY-14 Finding: 25. Chemical: **SODIUM** Report units: MG/L DIr: Sample date: 27-MAY-14 Finding: 2.7 Chemical: **POTASSIUM** Report units: MG/L DIr: 20-AUG-13 Sample date: Finding: 41. NITRATE (AS NO3) Report units: Chemical: MG/L DIr: Sample date: 12-AUG-13 Finding: 41. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 06-AUG-13 Finding: 39. Chemical: NITRATE (AS NO3) Report units: MG/L Dlr: 2. Sample date: 29-JUL-13 Finding: 39. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 22-JUL-13 39. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 18-JUL-13 Finding: 39. Chemical: NITRATE (AS NO3) Report units: MG/L 11-JUL-13 40. Sample date: Finding: Chemical: NITRATE (AS NO3) Report units: MG/L 24-JUN-13 Sample date: Finding: 40. Chemical: NITRATE (AS NO3) Report units: MG/L

| DIr: | 2. | | |
|-----------------------------------|---|---------------------------|----------------|
| Sample date: Chemical: Dlr: | 19-JUN-13 NITRATE (AS NO3) 2. | Finding: Report units: | 37. MG/L |
| Sample date: Chemical: Dlr: | 07-NOV-12 GROSS ALPHA MDA95 0. | Finding: Report units: | 1.16 PCI/L |
| Sample date: Chemical: Dlr: | 07-NOV-12 GROSS ALPHA 3. | Finding: Report units: | 3.32 PCI/L |
| Sample date: Chemical: Dlr: | 07-NOV-12 GROSS ALPHA COUNTING ERROR 0. | Finding: Report units: | 0.311 PCI/L |
| Sample date: Chemical: Dlr: | 30-OCT-12 NITRATE (AS NO3) 2. | Finding: Report units: | 41. MG/L |
| Sample date: Chemical: Dlr: | 22-OCT-12 NITRATE (AS NO3) 2. | Finding: Report units: | 41. MG/L |
| Sample date: Chemical: Dlr: | 15-OCT-12 NITRATE (AS NO3) 2. | Finding: Report units: | 41. MG/L |
| Sample date: Chemical: Dlr: | 10-OCT-12 NITRATE (AS NO3) 2. | Finding: Report units: | 40. MG/L |
| Sample date: Chemical: Dlr: | 02-OCT-12 NITRATE (AS NO3) 2. | Finding: Report units: | 41. MG/L |
| Sample date: Chemical: Dlr: | 24-SEP-12 NITRATE (AS NO3) 2. | Finding: Report units: | 41. MG/L |
| Sample date: Chemical: Dlr: | 17-SEP-12 NITRATE (AS NO3) 2. | Finding: Report units: | 39. MG/L |
| Sample date: Chemical: Dlr: | 10-SEP-12 NITRATE (AS NO3) 2. | Finding: Report units: | 40. MG/L |
| Sample date: Chemical: Dlr: | 05-SEP-12 NITRATE (AS NO3) 2. | Finding: Report units: | 40. MG/L |
| Sample date: Chemical: Dlr: | 27-AUG-12 NITRATE (AS NO3) 2. | Finding: Report units: | 39. MG/L |
| Sample date: Chemical: Dlr: | 20-AUG-12 NITRATE (AS NO3) 2. | Finding: Report units: | 40. MG/L |

14-AUG-12 Sample date: 41. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 08-AUG-12 Finding: 40. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 30-JUL-12 40. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 24-JUL-12 Finding: 39. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 16-JUL-12 Finding: 39.

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 11-JUL-12 37. Finding:

Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr:

Sample date: 02-JUL-12 37. Finding:

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 28-JUN-12 Finding: 35.

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Higher

G30 NNW **CA WELLS** 23282 1/2 - 1 Mile

K10/007-297TRTD Seq: 23282 Prim sta c:

1010007287 Frds no: County: 10 District: User id: AGE System no: 1010007 Water type: G

SITE 297 (GAC) Station ty: WELL/AMBNT Source nam: 364400.0 Latitude: Longitude: 1194100.0

Precision: Status: ΑT

Comment 1: Not Reported Comment 2: Not Reported Not Reported Comment 4: Not Reported Comment 3: Not Reported Not Reported Comment 5: Comment 6:

Comment 7: Not Reported

1010007 Fresno, City Of System no: System nam:

Not Reported Address: 2326 FRESNO STREET Hqname:

FRESNO City: State: CA 93721 Zip ext: 2988 Zip:

Pop serv: 390350 Connection: 99005 Area serve: CITY OF FRESNO

Sample date: 12-DEC-17 6.5 Finding:

Chemical: NITRATE (AS N) Report units: MG/L

DIr:

Sample date: 05-DEC-17 Finding: 6.6

| Chemical: Dlr: | NITRATE (AS N) 0.4 | Report units: | MG/L |
|-----------------------------------|------------------------------------|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 28-NOV-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.4 MG/L |
| Sample date: Chemical: Dlr: | 20-NOV-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.3 MG/L |
| Sample date: Chemical: Dlr: | 13-NOV-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.6 MG/L |
| Sample date: Chemical: Dlr: | 07-NOV-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.6 MG/L |
| Sample date: Chemical: Dlr: | 30-OCT-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.6 MG/L |
| Sample date: Chemical: Dlr: | 25-OCT-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: Dlr: | 17-OCT-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.6 MG/L |
| Sample date: Chemical: Dlr: | 09-OCT-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: Dlr: | 06-OCT-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: Dlr: | 26-SEP-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.3 MG/L |
| Sample date: Chemical: Dlr: | 19-SEP-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.3 MG/L |
| Sample date: Chemical: Dlr: | 12-SEP-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.3 MG/L |
| Sample date: Chemical: Dlr: | 08-SEP-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.2 MG/L |
| Sample date: Chemical: Dlr: | 29-AUG-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.9 MG/L |
| Sample date: Chemical: Dlr: | 22-AUG-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.6 MG/L |

| Sample date: Chemical: Dlr: | 16-AUG-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.1 MG/L |
|-----------------------------------|------------------------------------|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 08-AUG-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.5 MG/L |
| Sample date: Chemical: Dlr: | 31-JUL-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.5 MG/L |
| Sample date: Chemical: Dlr: | 24-JUL-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.6 MG/L |
| Sample date: Chemical: Dlr: | 20-JUL-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.8 MG/L |
| Sample date: Chemical: Dlr: | 12-JUL-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.4 MG/L |
| Sample date: Chemical: DIr: | 07-JUL-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.3 MG/L |
| Sample date: Chemical: Dlr: | 29-JUN-17 NITRATE (AS N) 0.4 | Finding: Report units: | 3.9 MG/L |
| Sample date: Chemical: Dlr: | 11-APR-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: Dlr: | 27-MAR-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: Dlr: | 21-MAR-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: Dlr: | 14-MAR-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: Dlr: | 08-MAR-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: Dlr: | 01-MAR-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: Dlr: | 22-FEB-17 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: | 14-FEB-17 NITRATE (AS N) | Finding: Report units: | 6.8 MG/L |

Dlr: 0.4 Sample date: 10-FEB-17 Finding: 6.7 Chemical: NITRATE (AS N) Report units: MG/L Dlr: 0.4 Sample date: 30-JAN-17 Finding: 6.9 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 24-JAN-17 Sample date: Finding: 6.8 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 19-JAN-17 6.8 Finding: Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 13-JAN-17 Sample date: Finding: 6.8 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 03-JAN-17 Sample date: Finding: 6.9 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 28-DEC-16 Sample date: Finding: 6.8 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 21-DEC-16 Finding: 6.9 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 12-DEC-16 Finding: 6.9 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 08-DEC-16 Sample date: Finding: 6.8 NITRATE (AS N) Chemical: Report units: MG/L DIr: 0.4 Sample date: 01-DEC-16 Finding: 6.8 Report units: MG/L Chemical: NITRATE (AS N) DIr: 0.4 21-NOV-16 Sample date: Finding: 6.7 NITRATE (AS N) Chemical: Report units: MG/L DIr: 0.4 Sample date: 15-NOV-16 Finding: 6.7 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 08-NOV-16 Finding: 7. MG/L Chemical: NITRATE (AS N) Report units: DIr: 0.4 Sample date: 17-OCT-16 Finding: 9.1 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4

| Sample date: Chemical: Dlr: | 14-OCT-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.9 MG/L |
|-----------------------------------|------------------------------------|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 03-OCT-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.9 MG/L |
| Sample date: Chemical: Dlr: | 27-SEP-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.9 MG/L |
| Sample date: Chemical: Dlr: | 21-SEP-16 NITRATE (AS N) 0.4 | Finding: Report units: | 7. MG/L |
| Sample date: Chemical: Dlr: | 15-SEP-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.9 MG/L |
| Sample date: Chemical: Dlr: | 08-SEP-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.9 MG/L |
| Sample date: Chemical: Dlr: | 30-AUG-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.9 MG/L |
| Sample date: Chemical: Dlr: | 23-AUG-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.8 MG/L |
| Sample date: Chemical: Dlr: | 09-AUG-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.8 MG/L |
| Sample date: Chemical: Dlr: | 05-AUG-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.8 MG/L |
| Sample date: Chemical: Dlr: | 25-JUL-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.8 MG/L |
| Sample date: Chemical: Dlr: | 18-JUL-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.8 MG/L |
| Sample date: Chemical: Dlr: | 11-JUL-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: Dlr: | 08-JUL-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.9 MG/L |
| Sample date: Chemical: Dlr: | 27-JUN-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
| Sample date: Chemical: | 21-JUN-16 NITRATE (AS N) | Finding: Report units: | 6.6 MG/L |

Dlr: 0.4 Sample date: 13-JUN-16 Finding: 6.5 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 09-JUN-16 Finding: 6.5 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 31-MAY-16 Sample date: Finding: 6.8 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 27-MAY-16 6.9 Finding: Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 29-MAR-16 Sample date: Finding: 6.8 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 21-MAR-16 Finding: 6.8 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 14-MAR-16 Sample date: Finding: 7.1 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 07-MAR-16 Finding: 7.2 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 02-MAR-16 Finding: 7.2 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 22-FEB-16 Finding: 7.2 NITRATE (AS N) Chemical: Report units: MG/L DIr: 0.4 Sample date: 16-FEB-16 Finding: 6.8 Report units: MG/L Chemical: NITRATE (AS N) DIr: 0.4 Sample date: 08-FEB-16 Finding: 6.9 NITRATE (AS N) Chemical: Report units: MG/L DIr: 0.4 Sample date: 02-FEB-16 Finding: 6.7 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 25-JAN-16 Finding: 6.8 Chemical: NITRATE (AS N) Report units: MG/L DIr: 0.4 Sample date: 20-JAN-16 Finding: 6.8 NITRATE (AS N) Chemical: Report units: MG/L

DIr:

0.4

| Sample date: Chemical: Dlr: | 12-JAN-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.7 MG/L |
|-----------------------------------|-------------------------------------|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 06-JAN-16 NITRATE (AS N) 0.4 | Finding: Report units: | 6.8 MG/L |
| Sample date: Chemical: Dlr: | 28-DEC-15 NITRATE (AS NO3) 2. | Finding: Report units: | 30. MG/L |
| Sample date: Chemical: Dlr: | 21-DEC-15 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 14-DEC-15 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 07-DEC-15 NITRATE (AS NO3) 2. | Finding: Report units: | 30. MG/L |
| Sample date: Chemical: Dlr: | 30-NOV-15 NITRATE (AS NO3) 2. | Finding: Report units: | 30. MG/L |
| Sample date: Chemical: Dlr: | 23-NOV-15 NITRATE (AS NO3) 2. | Finding: Report units: | 29. MG/L |
| Sample date: Chemical: Dlr: | 16-NOV-15 NITRATE (AS NO3) 2. | Finding: Report units: | 29. MG/L |
| Sample date: Chemical: Dlr: | 09-NOV-15 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 04-NOV-15 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 26-OCT-15 NITRATE (AS NO3) 2. | Finding: Report units: | 29. MG/L |
| Sample date: Chemical: Dlr: | 23-OCT-15 NITRATE (AS NO3) 2. | Finding: Report units: | 27. MG/L |
| Sample date: Chemical: Dlr: | 12-OCT-15 NITRATE (AS NO3) 2. | Finding: Report units: | 30. MG/L |
| Sample date: Chemical: Dlr: | 07-OCT-15 NITRATE (AS NO3) 2. | Finding: Report units: | 30. MG/L |
| Sample date: Chemical: | 24-AUG-15 NITRATE (AS NO3) | Finding: Report units: | 31. MG/L |

Dlr: 2.

Sample date: 19-AUG-15 Finding: 30. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 17-AUG-15 Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

10-AUG-15 Sample date: Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 04-AUG-15 30. Finding: Chemical: Report units: MG/L

NITRATE (AS NO3) DIr:

4.e-002 04-AUG-15 Sample date: Finding: ETHYLENE DIBROMIDE (EDB) Chemical: Report units: UG/L

DIr: 2.e-002

Sample date: 28-JUL-15 Finding: 35.

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

20-JUL-15 Sample date: Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 13-JUL-15 Finding: 31.

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 06-JUL-15 Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

29-JUN-15

Finding: Sample date: Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

22-JUN-15 Sample date: 32. Finding:

Report units: MG/L Chemical: NITRATE (AS NO3) DIr:

19-JUN-15 Sample date: Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 15-JUN-15 3.9e-002 Finding: ETHYLENE DIBROMIDE (EDB)

Chemical: Report units: UG/L DIr: 2.e-002

Sample date: 15-JUN-15 Finding: 31.

Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 09-JUN-15 Finding: 32.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

32.

| Sample date: Chemical: Dlr: | 01-JUN-15 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
|-----------------------------------|--|---------------------------|------------------|
| Sample date: Chemical: Dlr: | 01-JUN-15 ETHYLENE DIBROMIDE (EDB) 2.e-002 | Finding: Report units: | 3.8e-002 UG/L |
| Sample date: Chemical: Dlr: | 27-MAY-15 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 18-MAY-15 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 11-MAY-15 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 08-MAY-15 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 27-APR-15 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 20-APR-15 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 15-APR-15 NITRATE (AS NO3) 2. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 09-APR-15 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 30-MAR-15 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 24-MAR-15 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 16-MAR-15 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 09-MAR-15 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 04-MAR-15 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: | 23-FEB-15 NITRATE (AS NO3) | Finding: Report units: | 33. MG/L |

Dlr: 2. Sample date: 17-FEB-15 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 10-FEB-15 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 02-FEB-15 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 26-JAN-15 33. Finding: NITRATE (AS NO3) Chemical: Report units: MG/L DIr: 20-JAN-15 Sample date: Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 12-JAN-15 Sample date: Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 05-JAN-15 32. Sample date: Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 29-DEC-14 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 22-DEC-14 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 15-DEC-14 Finding: Sample date: 33. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: Sample date: 09-DEC-14 30. Finding: Report units: MG/L Chemical: NITRATE (AS NO3) DIr: Sample date: 02-DEC-14 Finding: 31. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 24-NOV-14 Finding: 32. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: Sample date: 18-NOV-14 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 10-NOV-14 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

| Sample date: Chemical: Dlr: | 04-NOV-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
|-----------------------------------|-------------------------------------|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 27-OCT-14 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 22-OCT-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 13-OCT-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 07-OCT-14 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 29-SEP-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 22-SEP-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 15-SEP-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 11-SEP-14 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 25-AUG-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 18-AUG-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 11-AUG-14 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 06-AUG-14 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 29-JUL-14 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 21-JUL-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: | 14-JUL-14 NITRATE (AS NO3) | Finding: Report units: | 35. MG/L |

Dlr: 2. Sample date: 07-JUL-14 Finding: 34. NITRATE (AS NO3) MG/L Chemical: Report units: DIr: Sample date: 02-JUL-14 Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 25-JUN-14 Sample date: Finding: 35. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 17-JUN-14 33. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 13-JUN-14 Sample date: Finding: 37. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 12-MAY-14 Sample date: Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 07-MAY-14 Sample date: Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 29-APR-14 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 22-APR-14 Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 14-APR-14 Finding: Sample date: 33. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: 07-APR-14 Sample date: Finding: 34. Report units: MG/L Chemical: NITRATE (AS NO3) DIr: Sample date: 31-MAR-14 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 10-MAR-14 Finding: 34. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: Sample date: 05-MAR-14 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 24-FEB-14 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

2.

| Sample date: Chemical: Dlr: | 18-FEB-14 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
|-----------------------------------|-------------------------------------|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 10-FEB-14 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 04-FEB-14 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 27-JAN-14 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 24-JAN-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 14-JAN-14 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 06-JAN-14 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 30-DEC-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 23-DEC-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: DIr: | 16-DEC-13 NITRATE (AS NO3) 2. | Finding: Report units: | 35. MG/L |
| Sample date: Chemical: Dlr: | 13-DEC-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 03-DEC-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 25-NOV-13 NITRATE (AS NO3) 2. | Finding: Report units: | 35. MG/L |
| Sample date: Chemical: Dlr: | 18-NOV-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 13-NOV-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: | 06-NOV-13 NITRATE (AS NO3) | Finding: Report units: | 33. MG/L |

Dlr: 2. Sample date: 28-OCT-13 Finding: 30. Chemical: NITRATE (AS NO3) Report units: MG/L Dlr: Sample date: 23-OCT-13 Finding: 24. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 16-SEP-13 Sample date: Finding: 35. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 09-SEP-13 35. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 03-SEP-13 Sample date: Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 26-AUG-13 Sample date: Finding: 36. Chemical: MG/L NITRATE (AS NO3) Report units: DIr: 17-JUN-13 Sample date: Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 12-JUN-13 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 03-JUN-13 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Finding: Sample date: 28-MAY-13 33. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: Sample date: 20-MAY-13 Finding: 34. Report units: MG/L Chemical: NITRATE (AS NO3) DIr: Sample date: 13-MAY-13 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 07-MAY-13 Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 29-APR-13 Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 22-APR-13 Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

| Sample date: Chemical: Dlr: | 15-APR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
|-----------------------------------|-------------------------------------|---------------------------|-------------|
| Sample date: Chemical: Dlr: | 10-APR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 04-APR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 25-MAR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 18-MAR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 11-MAR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 08-MAR-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 25-FEB-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 19-FEB-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 11-FEB-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 08-FEB-13 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 28-JAN-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 22-JAN-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 14-JAN-13 NITRATE (AS NO3) 2. | Finding: Report units: | 35. MG/L |
| Sample date: Chemical: Dlr: | 07-JAN-13 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: | 03-JAN-13 NITRATE (AS NO3) | Finding: Report units: | 33. MG/L |

Dlr: 2. Sample date: 27-DEC-12 Finding: 35. Chemical: NITRATE (AS NO3) Report units: MG/L Dlr: Sample date: 17-DEC-12 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 10-DEC-12 Sample date: Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 06-DEC-12 33. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 29-NOV-12 Sample date: Finding: 34. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 26-NOV-12 Sample date: Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 20-NOV-12 Sample date: Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 14-NOV-12 Finding: 35. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 05-NOV-12 Finding: 37. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 25-JUN-12 Finding: Sample date: 33. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: 18-JUN-12 Sample date: 32. Finding: Report units: MG/L Chemical: NITRATE (AS NO3) DIr: Sample date: 13-JUN-12 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 07-JUN-12 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 29-MAY-12 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 21-MAY-12 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

| Sample date: Chemical: Dlr: | 16-MAY-12 RADIUM 228 COUNTING ERROR 0. | Finding: Report units: | 0.324 PCI/L |
|-----------------------------------|--|---------------------------|----------------|
| Sample date: Chemical: Dlr: | 14-MAY-12 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 09-MAY-12 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 03-MAY-12 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 24-APR-12 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 17-APR-12 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 09-APR-12 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 05-APR-12 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 26-MAR-12 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 20-MAR-12 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 12-MAR-12 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 06-MAR-12 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: Dlr: | 29-FEB-12 NITRATE (AS NO3) 2. | Finding: Report units: | 34. MG/L |
| Sample date: Chemical: Dlr: | 22-FEB-12 NITRATE (AS NO3) 2. | Finding: Report units: | 32. MG/L |
| Sample date: Chemical: Dlr: | 14-FEB-12 NITRATE (AS NO3) 2. | Finding: Report units: | 33. MG/L |
| Sample date: Chemical: | 09-FEB-12 NITRATE (AS NO3) | Finding: Report units: | 32. MG/L |

DIr: 2.

Sample date: 31-JAN-12 Finding: 33.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 23-JAN-12 Finding: 33.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 17-JAN-12 Finding: 32. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 03-JAN-12 Finding: 33. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

G31
NNW
CA WELLS 12230
1/2 - 1 Mile
Higher

Seq: 12230 Prim sta c: 14S/21E-10E01 M

 Frds no:
 1010007090
 County:
 10

 District:
 11
 User id:
 AGE

 System no:
 1010007
 Water type:
 G

Source nam: WELL 274 Station ty: WELL/AMBNT/MUN/INTAKE/SUPPLY

 Latitude:
 364400.0
 Longitude:
 1194100.0

 Precision:
 4
 Status:
 AR

Comment 1: Not Reported Comment 2: Not Reported

Comment 3: Not Reported Comment 4: Not Reported Comment 5: Not Reported Comment 6: Not Reported Comment 7: Not Reported Comment 7: Not Reported Comment 6: Not Reported Comment 7: Not Reported Comment 8: Not Reported Commen

System no: 1010007 System nam: Fresno, City Of

Hqname: Not Reported Address: 2326 FRESNO STREET

 City:
 FRESNO
 State:
 CA

 Zip:
 93721
 Zip ext:
 2988

 Pop serv:
 390350
 Connection:
 99005

Area serve: CITY OF FRESNO

Sample date: 15-DEC-14 Finding: 46.
Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 10-DEC-14 Finding: 45. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2

Sample date: 10-DEC-14 Finding: 2.3

Chemical: CHROMIUM, HEXAVALENT Report units: UG/L

DIr: 1.

Sample date: 24-JUL-14 Finding: 44. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 15-JUL-14 Finding: 44. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

07-JUL-14 46. Sample date: Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 02-JUL-14 Sample date: Finding: 46. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Finding: Sample date: 25-JUN-14 47. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 16-JUN-14 Finding: 46. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 11-JUN-14 Sample date: Finding: 45. Report units: MG/L Chemical: NITRATE (AS NO3) DIr: Sample date: 28-MAY-14 Finding: 31. Chemical: SODIUM Report units: MG/L Dlr: 0. Sample date: 28-MAY-14 Finding: 13. Chemical: AGGRSSIVE INDEX (CORROSIVITY) Report units: Not Reported DIr: Sample date: 28-MAY-14 Finding: 43. NITRATE (AS NO3) Chemical: Report units: MG/L DIr: 28-MAY-14 0.71 Sample date: Finding: LANGELIER INDEX @ 60 C Report units: Chemical: Not Reported DIr: Sample date: 28-MAY-14 Finding: 410. TOTAL DISSOLVED SOLIDS MG/L Chemical: Report units: DIr: Sample date: 28-MAY-14 Finding: 130. Chemical: **BARIUM** Report units: UG/L 100. Dlr: Sample date: 28-MAY-14 Finding: 33. Chemical: SULFATE Report units: MG/L DIr: 0.5 28-MAY-14 Sample date: Finding: 18. Chemical: **CHLORIDE** Report units: MG/L DIr: 0. 28-MAY-14 Sample date: Finding: 2.8 Chemical: **POTASSIUM** Report units: MG/L 28-MAY-14 Sample date: Finding: 32. Chemical: **MAGNESIUM** Report units: MG/L Sample date: 28-MAY-14 Finding: 56. Chemical: **CALCIUM** Report units: MG/L

Dlr: 0.

Sample date: 28-MAY-14 Finding: 270. HARDNESS (TOTAL) AS CACO3 Chemical: Report units: MG/L

DIr: 0.

Sample date: 28-MAY-14 Finding: 320.

Chemical: **BICARBONATE ALKALINITY** Report units: MG/L DIr:

28-MAY-14

Sample date: Finding: Chemical: ALKALINITY (TOTAL) AS CACO3 Report units: MG/L

DIr:

Sample date: 28-MAY-14 650. Finding: SPECIFIC CONDUCTANCE US

Chemical: Report units:

28-MAY-14 Sample date: Finding: 8.1

PH, LABORATORY Chemical: Report units: Not Reported

DIr: 0.

03-DEC-13 Sample date: Finding: 47. Chemical: MG/L

NITRATE (AS NO3) Report units: DIr:

25-NOV-13 Sample date: Finding: 48.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr:

Sample date: 18-NOV-13 Finding: 47.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr:

Sample date: 13-NOV-13 Finding: 48.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr:

05-NOV-13 Finding: Sample date: 46.

NITRATE (AS NO3) Chemical: Report units: MG/L DIr:

Sample date: 28-OCT-13 48. Finding:

Report units: MG/L Chemical: NITRATE (AS NO3) DIr:

21-OCT-13 Sample date: Finding: 49. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 14-OCT-13 Finding: 47. Chemical: NITRATE (AS NO3) Report units: MG/L

DIr:

Sample date: 07-OCT-13 Finding: 47.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr:

Sample date: 02-OCT-13 Finding: 49.

Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 2.

260.

| Sample date: Chemical: Dlr: | 23-SEP-13 NITRATE (AS NO3) 2. | Finding: Report units: | 49. MG/L |
|-----------------------------------|--|---------------------------|----------------------|
| Sample date: Chemical: Dlr: | 18-SEP-13 NITRATE (AS NO3) 2. | Finding: Report units: | 47. MG/L |
| Sample date: Chemical: Dlr: | 09-SEP-13 NITRATE (AS NO3) 2. | Finding: Report units: | 47. MG/L |
| Sample date: Chemical: Dlr: | 05-SEP-13 NITRATE (AS NO3) 2. | Finding: Report units: | 45. MG/L |
| Sample date: Chemical: Dlr: | 26-AUG-13 NITRATE (AS NO3) 2. | Finding: Report units: | 46. MG/L |
| Sample date: Chemical: Dlr: | 20-AUG-13 NITRATE (AS NO3) 2. | Finding: Report units: | 46. MG/L |
| Sample date: Chemical: Dlr: | 12-AUG-13 NITRATE (AS NO3) 2. | Finding: Report units: | 45. MG/L |
| Sample date: Chemical: Dlr: | 06-AUG-13 NITRATE (AS NO3) 2. | Finding: Report units: | 44. MG/L |
| Sample date: Chemical: Dlr: | 29-JUL-13 NITRATE (AS NO3) 2. | Finding: Report units: | 44. MG/L |
| Sample date: Chemical: Dlr: | 25-JUL-13 NITRATE (AS NO3) 2. | Finding: Report units: | 44. MG/L |
| Sample date: Chemical: Dlr: | 07-NOV-12 MAGNESIUM 0. | Finding: Report units: | 31. MG/L |
| Sample date: Chemical: Dlr: | 07-NOV-12 GROSS ALPHA MDA95 0. | Finding: Report units: | 1.16 PCI/L |
| Sample date: Chemical: Dlr: | 07-NOV-12 AGGRSSIVE INDEX (CORROSIVITY) 0. | Finding: Report units: | 12. Not Reported |
| Sample date: Chemical: Dlr: | 07-NOV-12 TURBIDITY, LABORATORY 0.1 | Finding: Report units: | 0.28 NTU |
| Sample date: Chemical: Dlr: | 07-NOV-12 NITRATE (AS NO3) 2. | Finding: Report units: | 45. MG/L |
| Sample date: Chemical: | 07-NOV-12 LANGELIER INDEX @ 60 C | Finding: Report units: | 0.48 Not Reported |

Dlr: 0.

Sample date: 07-NOV-12 Finding: 410. TOTAL DISSOLVED SOLIDS Chemical: Report units: MG/L

DIr: 0.

Sample date: 07-NOV-12 Finding: 0.397 Chemical: GROSS ALPHA COUNTING ERROR Report units: PCI/L

DIr:

07-NOV-12 6.09 Sample date: Finding: Chemical: **GROSS ALPHA** Report units: PCI/L

DIr:

Sample date: 07-NOV-12 130. Finding: **BARIUM** Chemical: Report units: UG/L

DIr: 100.

07-NOV-12 Sample date: Finding: 34. Chemical: **SULFATE** Report units: MG/L

DIr: 0.5

07-NOV-12 Sample date: Finding: 20.

CHLORIDE Chemical: Report units: MG/L

DIr: 0.

07-NOV-12 3.2 Sample date: Finding: Report units: MG/L

Chemical: **POTASSIUM** DIr:

Sample date: 07-NOV-12 Finding: 0.26 Chemical: **RADIUM 228 COUNTING ERROR** Report units: PCI/L

DIr:

Sample date: 07-NOV-12 Finding: 640.

SPECIFIC CONDUCTANCE Chemical: Report units: US DIr: 0.

07-NOV-12 Finding: Sample date: 7.9

Not Reported Chemical: PH, LABORATORY Report units:

DIr: 0.

Sample date: 07-NOV-12 240. Finding:

ALKALINITY (TOTAL) AS CACO3 Report units: MG/L Chemical: DIr:

07-NOV-12 Sample date: Finding: 300.

BICARBONATE ALKALINITY Chemical: Report units: MG/L

DIr:

Sample date: 07-NOV-12 270. Finding:

HARDNESS (TOTAL) AS CACO3 Chemical: Report units: MG/L DIr:

Sample date: 07-NOV-12 Finding: 56.

Chemical: **CALCIUM** Report units: MG/L DIr: 0.

Sample date: 07-NOV-12 Finding: 33.

SODIUM Chemical: Report units: MG/L DIr: 0.

Finding:

Report units:

Report units:

Sample date: 03-OCT-12 Finding: 47. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 24-SEP-12 Finding: 48. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 17-SEP-12 Finding: 45. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: 10-SEP-12 Sample date: Finding: 45. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 05-SEP-12 46. Finding: Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Finding: Sample date: 27-AUG-12 46. Chemical: NITRATE (AS NO3) Report units: MG/L DIr: Sample date: 22-AUG-12 Finding: 44.

09-OCT-12

NITRATE (AS NO3)

NITRATE (AS NO3)

Sample date:

Chemical:

DIr:

Sample date: 14-AUG-12 Finding: 45. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Chemical:

DIr:

Sample date: 06-AUG-12 Finding: 43. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 01-AUG-12 Finding: 44. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

Sample date: 26-JUL-12 Finding: 43. Chemical: NITRATE (AS NO3) Report units: MG/L

Dlr: 2.

F32
NE
CA WELLS
CADDW0000006305
1/2 - 1 Mile

Higher

Well ID: 1010007-265 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: WELL 135 - DESTROYED GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_

date=&global_id=&assigned_name=1010007-265&store_num=

GeoTracker Data: Not Reported

47.

MG/L

MG/L

Map ID Direction Distance

Elevation Database EDR ID Number

33 West

CA WELLS CADWR0000013410

1/2 - 1 Mile Lower

Well ID: 14S21E09R001M Well Type: UNK

Source: Department of Water Resources

Other Name: 14S21E09R001M GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_

date=&global_id=&assigned_name=14S21E09R001M&store_num=

GeoTracker Data: Not Reported

34
North CA WELLS CADDW0000012368

1/2 - 1 Mile Higher

Well ID: 1010007-091 Well Type: MUNICIPAL

Source: Department of Health Services

Other Name: WELL 275 INF GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_

date=&global_id=&assigned_name=1010007-091&store_num=

GeoTracker Data: Not Reported

35 WSW CA WELLS CADPR000005001 1/2 - 1 Mile

Lower

Well ID: 84177 Well Type: UNK

Source: Department of Pesticide Regulation

Other Name: 84177 GAMA PFAS Testing: Not Reported

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DPR&samp_

date=&global_id=&assigned_name=84177&store_num=

GeoTracker Data: Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: CA Radon

Radon Test Results

| Zipcode | Num Tests | > 4 pCi/L | |
|---------|-----------|-----------|--|
| | | | |
| 93727 | 20 | 0 | |

Federal EPA Radon Zone for FRESNO County: 2

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 93727

Number of sites tested: 6

Area Average Activity % <4 pCi/L % 4-20 pCi/L % >20 pCi/L Living Area - 1st Floor 1.433 pCi/L 100% 0% 0% Living Area - 2nd Floor Not Reported Not Reported Not Reported Not Reported Not Reported Basement Not Reported Not Reported Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife

Telephone: 916-445-0411

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

OTHER STATE DATABASE INFORMATION

Groundwater Ambient Monitoring & Assessment Program

State Water Resources Control Board

Telephone: 916-341-5577

The GAMA Program is Californias comprehensive groundwater quality monitoring program. GAMA collects data by testing the untreated, raw water in different types of wells for naturally-occurring and man-made chemicals. The GAMA data includes Domestic, Monitoring and Municipal well types from the following sources, Department of Water Resources, Department of Heath Services, EDF, Agricultural Lands, Lawrence Livermore National Laboratory, Department of Pesticide Regulation, United States Geological Survey, Groundwater Ambient Monitoring and Assessment Program and Local Groundwater Projects.

Water Well Database

Source: Department of Water Resources

Telephone: 916-651-9648

California Drinking Water Quality Database Source: Department of Public Health

Telephone: 916-324-2319

The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

California Oil and Gas Well Locations

Source: Dept of Conservation, Geologic Energy Management Division

Telephone: 916-323-1779

Oil and Gas well locations in the state.

California Earthquake Fault Lines

Source: California Division of Mines and Geology

The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

RADON

State Database: CA Radon

Source: Department of Public Health

Telephone: 916-210-8558 Radon Database for California

PHYSICAL SETTING SOURCE RECORDS SEARCHED

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency

(USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at

private sources such as universities and research institutions.

EPA Radon Zones Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor

radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.



AERIAL PHOTOGRAPHS

Simonian Estates

1099 S Armstrong Avenue Fresno, CA 93727

Inquiry Number: 7454414.8

September 26, 2023

The EDR Aerial Photo Decade Package



EDR Aerial Photo Decade Package

09/26/23

Site Name: Client Name:

Simonian Estates RMA Geoscience
1099 S Armstrong Avenue 9854 Glenoaks Blvd
Fresno, CA 93727 Sun Valley, CA 91352
EDR Inquiry # 7454414.8 Contact: Jim Vue



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

| Year | Scale | Details | Source |
|------|---------|------------------------------------|-----------|
| 2020 | 1"=500' | Flight Year: 2020 | USDA/NAIP |
| 2016 | 1"=500' | Flight Year: 2016 | USDA/NAIP |
| 2012 | 1"=500' | Flight Year: 2012 | USDA/NAIP |
| 2009 | 1"=500' | Flight Year: 2009 | USDA/NAIP |
| 2006 | 1"=500' | Flight Year: 2006 | USDA/NAIP |
| 1999 | 1"=500' | Acquisition Date: January 01, 1999 | USGS/DOQQ |
| 1987 | 1"=500' | Flight Date: June 17, 1987 | USDA |
| 1984 | 1"=500' | Flight Date: June 09, 1984 | USDA |
| 1979 | 1"=500' | Flight Date: September 04, 1979 | USDA |
| 1973 | 1"=500' | Flight Date: May 08, 1973 | USDA |
| 1967 | 1"=500' | Flight Date: May 02, 1967 | USDA |
| 1962 | 1"=500' | Flight Date: August 09, 1962 | USGS |
| 1957 | 1"=500' | Flight Date: August 14, 1957 | USDA |
| 1950 | 1"=500' | Flight Date: January 31, 1950 | USDA |
| 1946 | 1"=500' | Flight Date: April 22, 1946 | USGS |
| 1937 | 1"=500' | Flight Date: September 14, 1937 | USDA |


When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.


Disclaimer - Copyright and Trademark Notice


This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk or conditions in, on or at any property.


Copyright 2023 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.







































TOPOGRAPHIC MAPS

Simonian Estates 1099 S Armstrong Avenue Fresno, CA 93727

Inquiry Number: 7454414.4

September 26, 2023

EDR Historical Topo Map Report

with QuadMatch™



EDR Historical Topo Map Report

09/26/23

Site Name: Client Name:

Simonian Estates 1099 S Armstrong Avenue Fresno, CA 93727

EDR Inquiry # 7454414.4

1948 1947 RMA Geoscience 9854 Glenoaks Blvd Sun Valley, CA 91352 Contact: Jim Vue



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by RMA Geoscience were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

| Search Res | ults: | Coordinates: | |
|------------|------------------|---------------|--------------------------------|
| P.O.# | 07-230797-1/01 | Latitude: | 36.721225 36° 43' 16" North |
| Project: | Simonian Estates | Longitude: | -119.675449 -119° 40' 32" West |
| • | | UTM Zone: | Zone 11 North |
| | | UTM X Meters: | 261057.87 |
| | | UTM Y Meters: | 4067284.74 |
| | | Elevation: | 323.00' above sea level |
| Maps Provi | ded: | | |
| 2018 | 1946 | | |
| 2015 | 1923 | | |
| 2012 | | | |
| 1981 | | | |
| 1972 | | | |
| 1964 | | | |

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT.

ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2018 Source Sheets



Malaga 2018 7.5-minute, 24000

2015 Source Sheets



Malaga 2015 7.5-minute, 24000

2012 Source Sheets



Malaga 2012 7.5-minute, 24000

1981 Source Sheets



Malaga 1981 7.5-minute, 24000 Aerial Photo Revised 1978

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1972 Source Sheets



Malaga 1972 7.5-minute, 24000 Aerial Photo Revised 1972

1964 Source Sheets



Malaga 1964 7.5-minute, 24000 Aerial Photo Revised 1962

1948 Source Sheets



MALAGA 1948 7.5-minute, 25000

1947 Source Sheets



Malaga 1947 7.5-minute, 24000

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1946 Source Sheets



Malaga 1946 7.5-minute, 24000


1923 Source Sheets




Malaga 1923 7.5-minute, 31680

SW

S





S


NW N NE
TP, Malaga, 1972, 7.5-minute

SITE NAME: Simonian Estates
ADDRESS: 1099 S Armstrong Avenue
Fresno, CA 93727
CLIENT: RMA Geoscience


7454414 - 4 page 10

SW

S





S



S

SE







SANBORN REPORT

Simonian Estates 1099 S Armstrong Avenue Fresno, CA 93727

Inquiry Number: 7454414.3

September 26, 2023

Certified Sanborn® Map Report



Certified Sanborn® Map Report

09/26/23

Site Name: Client Name:

Simonian Estates RMA Geoscience
1099 S Armstrong Avenue 9854 Glenoaks Blvd
Fresno, CA 93727 Sun Valley, CA 91352
EDR Inquiry # 7454414.3 Contact: Jim Vue



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by RMA Geoscience were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

 Certification #
 44A9-4070-8D55

 PO #
 07-230797-1/01

 Project
 Simonian Estates

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.



Sanborn® Library search results

Certification #: 44A9-4070-8D55

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

✓ Library of Congress

University Publications of America

EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

RMA Geoscience (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.



CITY DIRECTORY

Simonian Estates 1099 S Armstrong Avenue Fresno, CA 93727

Inquiry Number: 7454414.5 September 29, 2023

The EDR-City Directory Abstract



TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.

Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES. LLC OR ITS SUBSIDIARIES. AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT. INCIDENTAL. INDIRECT. SPECIAL. CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at approximately five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1922 through current. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 660 feet of the target property.

Summary information obtained is provided in the text of this report.

RECORD SOURCES

The EDR City Directory Report accesses a variety of business directory sources, including Haines, InfoUSA, Polk, Cole, Bresser, and Stewart. Listings marked as EDR Digital Archive access Cole and InfoUSA records. The various directory sources enhance and complement each other to provide a more thorough and accurate report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

| <u>Year</u> | <u>Source</u> | <u>TP</u> | <u>Adjoining</u> | Text Abstract | Source Image |
|-------------|---------------------------|-----------|------------------|---------------|--------------|
| 2020 | EDR Digital Archive | - | Χ | X | - |
| 2017 | Cole Information | - | Χ | X | - |
| 2014 | Cole Information | X | Χ | X | - |
| 2010 | Cole Information | X | Χ | X | - |
| 2005 | Cole Information | - | Χ | X | - |
| 2002 | R.L. Polk & Co Publishers | Χ | Χ | X | - |
| 2000 | Cole Information | - | Χ | X | - |
| 1996 | R.L. Polk & Co Publishers | - | Χ | X | - |
| 1995 | Cole Information | - | Χ | X | - |
| 1992 | Cole Information | - | Χ | X | - |
| 1990 | R.L. Polk & Co Publishers | - | - | - | - |
| 1986 | R.L. Polk & Co Publishers | - | - | - | - |
| 1980 | R.L. Polk & Co Publishers | - | - | - | - |
| 1975 | R.L. Polk & Co Publishers | - | - | - | - |
| 1970 | R.L. Polk & Co Publisher | - | - | - | - |
| 1965 | R.L. Polk & Co Publisher | - | - | _ | - |

EXECUTIVE SUMMARY

| <u>Year</u> | <u>Source</u> | <u>TP</u> | <u>Adjoining</u> | Text Abstract | Source Image |
|-------------|---------------------------|-----------|------------------|---------------|--------------|
| 1962 | R. L. Polk & Co. | - | - | - | - |
| 1958 | R. L. Polk & Co. | - | - | - | - |
| 1952 | R.L. Polk & Co Publishers | - | - | - | - |
| 1947 | R.L. Polk & Co Publishers | - | - | - | - |
| 1942 | R.L. Polk & Co Publishers | - | - | - | - |
| 1937 | R.L. Polk & Co Publishers | - | - | - | - |
| 1932 | R.L. Polk & Co Publishers | - | - | - | - |
| 1927 | Cole Information | - | - | - | - |
| 1922 | Polk-Husted Directory Co. | - | - | - | - |

EXECUTIVE SUMMARY

SELECTED ADDRESSES

The following addresses were selected by the client, for EDR to research. An "X" indicates where information was identified.

| <u>Address</u> | <u>Type</u> | <u>Findings</u> |
|-----------------------|----------------|-----------------|
| South Fowler Avenue | Client Entered | |
| East Dwight Way | Client Entered | |
| South Filbert Avenue | Client Entered | |
| East Christine Avenue | Client Entered | |

TARGET PROPERTY INFORMATION

ADDRESS

1099 S Armstrong Avenue Fresno, CA 93727

FINDINGS DETAIL

Target Property research detail.

ARMSTRONG AVE

1099 ARMSTRONG AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------|---------------------------|
| 2002 | Henry Margaret A | R.L. Polk & Co Publishers |
| | Henry Roger E E + A | R.L. Polk & Co Publishers |

S ARMSTRONG AVE

1099 S ARMSTRONG AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------|------------------|
| 2014 | ANGELICA GONZALEZ | Cole Information |
| 2010 | ANGELICA GONZALEZ | Cole Information |

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

ARMSTRONG AVE

1032 ARMSTRONG AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------------|---------------------------|
| 2002 | Halemeier Walter R & Doris 81+ A | R.L. Polk & Co Publishers |
| 1996 | Halemeier Doris | R.L. Polk & Co Publishers |
| | Halemeier Waller | R.L. Polk & Co Publishers |

1139 ARMSTRONG AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------|---------------------------|
| 2002 | Simonian Alice 81+ A | R.L. Polk & Co Publishers |

1183 ARMSTRONG AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------|---------------------------|
| 2002 | Simonian Baine J | R.L. Polk & Co Publishers |
| | Simonian Gary C 81+ A | R.L. Polk & Co Publishers |
| 1996 | Simonian Gary C 6506 CODS | R.L. Polk & Co Publishers |

S ARMSTRONG AVE

1032 S ARMSTRONG AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------|---------------------|
| 2020 | ROSA VALDEZ | EDR Digital Archive |
| | VIOLA VALDEZ | EDR Digital Archive |
| | MATTHEW VALDEZ | EDR Digital Archive |
| | DANIEL SOTO | EDR Digital Archive |
| | RUBEN SOTO | EDR Digital Archive |
| | JOSE VALDEZ | EDR Digital Archive |
| 2017 | AUGUST HALEMEIER | ColeInformation |
| 2014 | AUGUST HALEMEIER | Cole Information |
| 2010 | AUGUST HALEMEIER | Cole Information |
| 2005 | WALTER HALEMEIER | Cole Information |

7454414-5 Page 3

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------|------------------|
| 2000 | WALTER HALEMEIER | Cole Information |
| 1995 | HALEMEIER, WALTER | Cole Information |
| 1992 | HALEMEIER, WALTER | Cole Information |

1139 S ARMSTRONG AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------|------------------|
| 2017 | ELISABETH MONTGOMERY | Cole Information |
| 2014 | ELISABETH MONTGOMERY | Cole Information |
| 2010 | ELISABETH MONTGOMERY | Cole Information |
| 2005 | OCCUPANT UNKNOWN | Cole Information |
| 1995 | SIMONIAN, ALICE | Cole Information |

1183 S ARMSTRONG AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------|------------------|
| 2014 | GARY SIMONIAN | Cole Information |
| 2010 | GARY SIMONIAN | Cole Information |
| 2005 | GARY SIMONIAN | Cole Information |
| 2000 | GARY SIMONIAN | Cole Information |
| 1995 | SIMONIAN, GARY C | Cole Information |
| 1992 | SIMONIAN, GARY C | Cole Information |

7454414-5 Page 4

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

| Address Researched | Address Not Identified in Research Source |
|-----------------------|--|
| East Christine Avenue | 2020, 2017, 2014, 2010, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| East Dwight Way | 2020, 2017, 2014, 2010, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| South Filbert Avenue | 2020, 2017, 2014, 2010, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| South Fowler Avenue | 2020, 2017, 2014, 2010, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1032 ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2002, 2000, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1032 ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1032 S ARMSTRONG AVE | 2020, 2017, 2014, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1032 S ARMSTRONG AVE | 2014, 2010, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1032 S ARMSTRONG AVE | 2020, 2017, 2010, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1032 S ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2002, 2000, 1996, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1032 S ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1032 S ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2002, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1032 S ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2002, 2000, 1996, 1995, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1139 ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1139 S ARMSTRONG AVE | 2020, 2017, 2014, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1139 S ARMSTRONG AVE | 2020, 2017, 2010, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1139 S ARMSTRONG AVE | 2020, 2014, 2010, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1139 S ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1139 S ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2002, 2000, 1996, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |

| Address Researched | Address Not Identified in Research Source |
|----------------------|--|
| 1183 ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2002, 2000, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1183 ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1183 S ARMSTRONG AVE | 2020, 2017, 2014, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1183 S ARMSTRONG AVE | 2020, 2017, 2010, 2005, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1183 S ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2002, 2000, 1996, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1183 S ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2002, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1183 S ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2002, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |
| 1183 S ARMSTRONG AVE | 2020, 2017, 2014, 2010, 2005, 2002, 2000, 1996, 1995, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922 |

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched

Address Not Identified in Research Source

1099 S Armstrong Avenue

2020, 2017, 2005, 2000, 1996, 1995, 1992, 1990, 1986, 1980, 1975, 1970, 1965, 1962, 1958, 1952, 1947, 1942, 1937, 1932, 1927, 1922



USER QUESTIONNAIRE



INTERVIEW QUESTIONNAIRE



INTERVIEW QUESTIONNAIRE ASTM E 1527-21

In accordance with Section 10 of the Standard Practice for Phase I Environmental Site Assessments (ESA); Designation E1527-21 the environmental professional shall address questions to be asked of past and present owners, operators, and occupants of the subject property.

We ask that you complete the following questions to the best of your knowledge and return it to us at your earliest convenience for inclusion in the Phase I ESA.

| 1. | Is there litigation or administrative proceedings relevant to hazardous substances or petroleum products? No |
|-----------------|--|
| 2. | Are you aware of the existence of structures on site in the past? 48 10995. Armstry if so, was there asbestos containing building materials in the structure? 485. Abord Frenoved upon deno of house per perm. |
| 3. | Are there or has there ever been chemicals, pesticides or herbicides used, mixed or formulated on the subject property? Not known If so, what types? |
| | Storage areas: |
| 4. | Are there or has there ever been above ground or underground storage tanks at the subject property? Yes - but they have been wemeved Location 1099 + 143 S. Armstrong Contents Gas Permits Not known |
| | Permis_ 144 Ditay |
| 5. | Have any solid or liquid waste been disposed of, treated or neutralized on the subject property? If so, what types Scotic towles cubandoned upon demo of Permits UCS - Inde Permitted. |
| | Have there been any spills, leaks or other releases of chemicals on the subject property? |
| 0. | KANWY |
| | What chemicals? |
| | Cleanup measures? |
| | Are there any enforcement actions pending against the subject property? |
| 7. | Are you aware of any past uses of the subject property such a agricultural of commercial usage? |
| | ted by: Greg 5: monion Signature: 105. N: These of Simons |
| Compan Date: | the state of the s |
| _ | 3897 North Ann Avenue, Fresno, CA 93727 T: 559-708.8865 F: 559-228.9488 www.rmacompanies.com |

From: Walter Smith
To: Jim Vue

Subject: Fwd: Simonian Property Phase I ESA

Date: Wednesday, October 25, 2023 7:53:18 AM

Jim: See below. Hope this is helpful.

Walter C. Smith

Senior Vice President – Retail

DRE #00914097

NEWMARK PEARSON

COMMERCIAL

7480 N Palm Ave, Suite 101

Fresno, CA 93711

T 559.447.6222

F 559.432.2938

wsmith@pearsonrealty.com

newmarkpearson.com View My Listings

Begin forwarded message:

From: Greg Simonian < GSimonian @legalteam.com>

Date: October 24, 2023 at 9:07:40 PM PDT

To: Walter Smith <WSmith@pearsonrealty.com>
Cc: Walter Smith <WSmith@pearsonrealty.com>
Subject: RE: Simonian Property Phase I ESA

Walter, This was a long time ago and I do not have this information. All I can say is that there were 2 of them and they held gas. They were removed 35-40 years ago if memory serves, but I just don't recall. See my responses in red, below.

From: Walter Smith < WSmith@pearsonrealty.com>

Sent: Tuesday, October 24, 2023 8:51 PM

To: Greg Simonian < GSimonian@legalteam.com>

Cc: wsmith@pearsonrealty.com

Subject: Fwd: Simonian Property Phase I ESA

 $\label{thm:consultant} \textit{Greg: a few more questions from the consultant. Please see below. Thank you,}$

Walter C. Smith

Senior Vice President – Retail

DRE #00914097

NEWMARK PEARSON

COMMERCIAL

7480 N Palm Ave, Suite 101

Fresno, CA 93711

T 559.447.6222

F 559.432.2938

wsmith@pearsonrealty.com

newmarkpearson.com View My Listings

Begin forwarded message:

From: Jim Vue < <u>jvue@rmageoscience.com</u>>

Date: October 24, 2023 at 4:47:32 PM PDT

To Mile Community and Communi

To: Walter Smith < <u>WSmith@pearsonrealty.com</u>>

Cc: Josue Montes < <u>imontes@rmageoscience.com</u>>, Megan Stewart

<mstewart@rmageoscience.com>, Michael Cooper

<<u>MCooper@khov.com</u>>, Amy Williams <<u>awilliams@khov.com</u>>

Subject: RE: Simonian Property Phase I ESA

Walter,

Per our conversation, could you please get more information about the

former USTs on the subject property. From my findings, I only know the size of one of the two USTs. Which is a 350-gallon UST.

Here is my request for more information.

- 1. Size of each of the USTs? I do not know
- 2. Gasoline? Or Diesel? Gas
- 3. When were the USTs removed? I'm not sure, but I would estimate over 35-40 years ago
- 4. Where are the location of the former USTs? One was located at 1183 and another at 1099
- 5. Any reports or records of the removal of the USTs? I do not know.
- 6. Any reports or records of soil samples collected after the removal of the USTs? I do now know.

Thank you,
Jim Vue, GIT
Staff Geologist
RMA GeoScience, Inc.
3897 North Ann Avenue
Fresno, CA 93727
559.708.8865 | 559.228.9488 fax
www.rmageoscience.com

ENGINEERING GEOLOGY
GEOTECHNICAL ENGINEERING
ENVIRONMENTAL ENGINEERING
CONSTRUCTION SERVICES

From: Walter Smith < <u>WSmith@pearsonrealty.com</u>>

Sent: Monday, October 23, 2023 5:26 PM **To:** Jim Vue <<u>ivue@rmageoscience.com</u>>

Cc: Josue Montes < <u>imontes@rmageoscience.com</u>>; Megan Stewart

<mstewart@rmageoscience.com>; Michael Cooper

<<u>MCooper@KHOV.COM</u>>; Amy Williams <<u>awilliams@KHOV.COM</u>>

Subject: Re: Simonian Property Phase I ESA

Thank you Jim. I have copied the KHOV Team - Michael Cooper & Amy Williams.

Best,

Walter C. Smith

Senior Vice President – Retail

NEWMARK PEARSON

COMMERCIAL

7480 N Palm Ave, Suite 101

Fresno, CA 93711

T 559.447.6222

F <u>559.432.2938</u>

wsmith@pearsonrealty.com

newmarkpearson.com View My Listings

On Oct 23, 2023, at 4:32 PM, Jim Vue < <u>jvue@rmageoscience.com</u>> wrote:

Walter,

Following up on our phone conversation, the Phase I ESA Report will be completed by the end of this week or early next week.

Thank you,
Jim Vue, GIT
Staff Geologist
RMA GeoScience, Inc.

3897 North Ann Avenue Fresno, CA 93727 559.708.8865 | 559.228.9488 fax www.rmageoscience.com

ENGINEERING GEOLOGY
GEOTECHNICAL ENGINEERING
ENVIRONMENTAL ENGINEERING
CONSTRUCTION SERVICES

Caution: This email originated from outside of the organization. DO NOT click on links or open attachments unless you were expecting the email, recognize the sender, and know the content is safe.

Caution: This email originated from outside of the organization. DO NOT click on links or open attachments unless you were expecting the email, recognize the sender, and know the content is safe.



RECORD REQUESTS AND RESPONSES

R042056-092023 - City Public Records Request

Message History (2)

| On 9/20/2023 5:12:58 PM, Fresno Public Records Center wrote: |
|--|
| City of FRESN |
| |

Dear Jim Vue:

Thank you for your interest in public records of City of Fresno. Your request has been received and is being processed in accordance with the California Public Records Act (CPRA). Your request was received on 9/20/2023 and given the reference number R042056-092023 for tracking purposes. Your request mentioned:

Request for building records, permits, site plans, and applications for the following parcels/addresses.

316-160-17s

316-160-16s

316-160-61s

316-160-59s

316-160-43s

1099, 1139, and 1183 S Armstrong Ave, Fresno, CA 93727

If reassigned to the City Attorney's Office for processing, the City Attorney's Office will coordinate with other City Departments regarding the collection and review process of responsive records. Within 10 days of receipt of your request, you will be contacted about the availability of the records in question, unless the response time is extended by written notification to you. PLEASE NOTE: The CPRA does not require a governmental body to create new records to respond to a request, do legal research, or answer questions that seek information only and do not seek production of an existing public record.

You can monitor the progress of your request at the link below. You will receive an email if an extension of time is required and once your request has been completed.



If you have any questions or need additional information, please feel free to contact the City Attorney's Office at 559-621-7500. For Police Department requests, you may contact the Police Department's Record's Division at 559-621-2534.

Again, thank you for using the Public Records Center.

City of Fresno

To monitor the progress or update this request please log into the **Public Records Center**



On 9/20/2023 5:12:57 PM, Jim Vue wrote:

Request Created on Public Portal



From: Fresno Public Records Center

To: <u>Jim Vue</u>

Cc: aimee.rios@fresno.gov; Casey.Carrillo@fresno.gov; cheng.her@fresno.gov; Kathleen.Abdulla@fresno.gov;

Romi.Morgan@fresno.gov; Valerie.Lehn-Belerique@fresno.gov; Yvette.Aguilar@fresno.gov

Subject: [Records Center] City Public Records Request :: R042056-092023

Date: Thursday, September 28, 2023 3:00:38 PM

--- Please respond above this line ---



RE: PUBLIC RECORDS REQUEST of September 20, 2023, Reference # R042056-092023.

Dear Jim Vue,

The City of Fresno (City) received your public information request for records under the California Public Records Act (Gov. Code, § 7920.000 et seq.) on September 20, 2023. Your request seeks:

Request for building records, permits, site plans, and applications for the following parcels/addresses.

316-160-17s

316-160-16s

316-160-61s

316-160-59s

316-160-43s

1099, 1139, and 1183 S Armstrong Ave, Fresno, CA 93727

The City responds as follows:

The City has reviewed its files and has determined there are no records responsive to your request.

Please feel free to contact the Fresno City Attorney's Office at 559-621-7500 if you have any questions.

Very truly yours,

Aimee Rios Paralegal

tor

TRAVIS R. STOKES

Assistant City Attorney

City of Fresno

To monitor the progress or update this request please log into the <u>Public Records Center</u>





DOCUMENTS AND REPORTS

PLEASE USE BLACK INK 1 12/4/3

| | - | | | THIS FUNI | MTO BE MICHO | DEILMED | | | | |
|--|--|--|---|--|--|-----------------------|---|--|--|---|
| ı | L'CE VEED CONTRACTOR'S DECL | ARAT.CN | | APPLICATION | FOR PERMIT | | | ACTIVE PERM | MITS YES (NO) | 1 2 |
| | "bler 9 (commences) with Section 2000 | myrsions of | | COUNTY OF FRESA | MENT SERVICES DIVISIO | N. | | PHONE NOS | TION REQUEST LINE | ADDRESS |
| | the Business and Professions Coc ense is in full force and effect | le, and my | | MAILING ADDRESS | 2220 TULARE ST. 6TH FRESNO CA 93721 SOUTHWEST CORNER | FLOOR | | 262-4131 LOCAL 20 | 62-4029 | ESS |
| LK | c. Number 373 495 License Class | 0-21 | | OFFICE LOCATION | SOUTHWEST CORNER "M" STREETS, SUITE " | OF TULARE & | | 262-4131 LOCAL 2 YOLL FREE 1 FAX 262-4 | (800) 742-1011 4893 | |
| Co | ontractor VALLEY FUMP | 4 DAIRY | P | ROJECT | The second second second | | A | - | | PEN |
| , | OWNERS BUILDER DECLAR. hereby affirm that I am exempt from the Common than th | | | DDRESS. | 118 | 5 5 | | ST ROWS | | w |
| | | | | ROPERTY | 2111 | ROSS ST. | URCH | P.C. N | b | - |
| alte | or improve demokst, or repay any studes a | permit to construct. | B 0 | WNER | LIGARY - | | NIAN | | | - |
| tha | If he is licensed gursuant to the provisions | a signed stille ent | - | AIL ADDRESS | 1183 5 | | TRONG | TEI | | - |
| | of the Business and Professions Code; or | that he is assent | State of the last | ITY FRESHS | CD | CONTRACTOR OF STREET | 3727 | TEL NO | | |
| Sec | ction 7031.5 by any applicant for a permit suppli | on Any violation of | C | | the same of the sa | trooksaltuskinakaan . | 212 | L NU | 7-1000 | |
| | 1. as owner of the property or my employees | dollars (\$500.00) | A | DDRESS (- | D BOX G | 68 / A | RMONA | CA | 93202 | |
| 01.0 | origination will be the work, and the struct | ture is not intended | | ESIGNER ERV | NIE V | ST LIC | | TEL NO | | |
| wh | 0 builds or improves thereon, and who does so | united at Property | 1 4 | UDRESS | | | | | | |
| not | intended or offered for sale if however | improvements are | | GAL DESC | | PROJECT | 2. | 104 4 | 3.816 | 7 |
| wil | have the burden of proving that he did not built | | | | JAC IP | Con | VERTIO | | | |
| Dur | pose of sale) | | | 5 TIYR | 21 | 0 | V2 10 | 10 070 | 10 HP | |
| con | I, as owner of the property, am exclusively contribractors to construct the project (Sec. 70) | acting with licensed 44. Business and | | | | 1 | Just | | | |
| | dessions Code the Contractor's License Law d her of property who builds or improves thereon. | | AP | N316-1 | 10- | | | | | |
| Cor | ntractor's License Law) | pursuant to the | | | ZONING | | TYPE CONST | OCC. GRP | STORES BLOG HT | ric |
| | | C for this leason | SE | EQUIRED FE | | DE REAR | | | , , | 2 |
| Owi | | | | Mills | MAX IN ERIOR | STREET MIN | BLDG. | • | | - |
| 8/5 | | | 20 | ONE DISTRICT | REMARKS | | GAR PATIO | e | | - |
| I ne | WORKER'S COMPENSATION DECL preby aftern under penalty of penury one of the to | ARATION | | 1-20 | 1.5 | | DECK | | - | + |
| | I have and will maintain a certificate of consent to se | M-naure by woners | | | APPROVALS. | | DECK | · · | | + |
| | the performance of the work for which this permit is | SUAC . | 20 | | | , | | e | | + |
| | I have and will meintain workers compensation in by Section 3700 of the Labor Code, for the perform which this permit is issued. My workers' compensati | ance of the work for | | NING PAT | | DATE 12/8/03 | TOTAL VALUA | TION S | Mary and Commercial | + |
| | and policy number are | | _ | BY | | DATE | All vice of | . FEE | s) | |
| | Carrier Policy Number of This section need not be completed if the permit | is for one hundred | _ | ESBY | | DATE 12-/8/03 | BUILDING PL | | | |
| | could that in the performance of the work have | | _ | MPLETED BY PA | | Col 8/ CL STAN | PLUMBING PL | AN CHECK | | +- |
| - | subject to the workers' companies on tews of Califo | mia, and agree that | - | COUNT C | | T CONSOLIDATED | ELECTRICAL | PLAN CHECK | | _ |
| | | | | | | | MECHANICAL | | | _ |
| 1 | staud. I shall not employ any person in any manu- subject to the worken' compensation taws of Califo f I should become subject to the worken's compen- sacion 3700 of the Labor Code. I shall forthweb provisions. | comply with those | | NO 05 | SLUC (S | ()YES ()NO | MECHANICAL | PLAN CHECK | | |
| | CALL-IN | | 7 | NO 55 | PLUMBING | ()YES ()NO | OVERTIME | PLAN CHECK | | +- |
| , | ACCICANT CALL-IN | COMPENSATION | NO | NO 0 3 | | FEE FEE | OVERTIME | PLAN CHECK | | \pm |
| , | ACCICANT CALLETO SECURE WORKERS | COMPENSATION | 7 | NO 0 3 | PLUMBING A | ()YES()NO | OVERTIME | CK SUB TOTAL | | = |
| , | CALL-IN | COMPENSATION | 7 | PERMIT ISSUANC | PLUMBING ITEM | ()YES()NO | PLAN CHEC BUILDING PER PLUMBING PE | SUB TOTAL | | |
| 7 | AGRICAN ARRING FAILURE TO SECURE MORRERS COVETAGE IS URLAWING AND SHALL SHIELD TO CHRAMAL PENALTIES AND CIVIL FRESLIP IT POUSAND DUALER (11) 0000 IN ADDITION COMPENSATION DAMAGES AS PROVIDED FOR STALE LABOR CLOP INTEREST AND ATTLE CONSTRUCTION LENDING AGE | COMPENSATION T AN EMPLOYER O ONE HUNDRED TO THE COST OF IN SECTION 3706 EYS FEES | 7 | PERMIT ISSUANC | PLUMBING ITEM | ()YES()NO | PLAN CHEC BUILDING PER PLUMBING PE FLECTRICAL | SUB TOTAL RIVET FRMIT PERMIT | 46 | 000 |
| I ter | AGRICAN ARRIVAN FAILURE TO SECURE WORKERS COVETAGE IS INAMENIA AND SHALL SHALE TO CHRAINAL PENALTIES AND CIVIL FINES LIPT PROUSAND DUALER (19 1000 IN ADDITION COMPENSATION DAMAGES AS PROVIDED FOR STATE I ABOR CCOP INTEREST AND ATTU- CONSTRUCTION LENDING AGE REDV affirm that there is a construction len performance of the work is one-both that of | COMPENSATION IT AN EMPLOYER O ONE HUNDRED TO THE COST OF IN SECTION 3706 EYS FEES | 7 | PERMIT ISSUANC On-site biping (sew SEPTIC TEST HOLE | PLUMBING ITEM E FEE er / water / gas) | ()YES()NO | OVERTIME PLAN CHEC BUILDING PER PLUMBING PE ELECTRICAL I MECHANICAL | EK SUBTOTAL RIVIT FIRMIT PERMIT PERMIT | 46 | 000 |
| the i | ARRIGAM ARRIGAM ARRIGAM ARRIVAN FAILURE TO SECURE WORKERS COVERAGE SURLAWFUL AND SHALL SUBJECT O CHRAMAL PENALTIES AND CIVIL FINES UP THOUSAND DOLLARS 1910000 IN ADDITION COMPOSATION DIMAGES AS PROVIDED PAR THE ADDIT COCT INTEREST AND ATTU- CONSTRUCTION LENDING AGE REDU Affirm that there is a construction and The ADDITION CONSTRUCTS IN THE ADDITION OF T | COMPENSATION IT AN EMPLOYER O ONE HUNDRED TO THE COST OF IN SECTION 3706 EYS FEES | | PERMIT ISSUANCE On-site piping (sew SEPTIC TEST HOLE WATER PIPING | PLUMBING ITEM E FEE er / water / gas) FLOOR DRAIN | ()YES()NO | DVERTIME PLAN CHEC BUILDING PER PLUMBING PE ELECTRICAL F MECHANICAL ENERGYS R | EK SUBTOTAL RIVIT FIRMIT PERMIT PERMIT | 46 | 000 |
| the i | AGRICAN AGRICAN AMBRING FAILURE TO SECURE WORKERS COVETAGE IS URLAWFUL AND SHALL SURFEY COMMAND, PENALTIES AND COVE, PRIES UP TO COMMAND, PENALTIES AND COVE, PRIES UP TO COMPENSATION, DAMAGES AS PROMOTED FOR SET THE LASOR CLOPE INTEREST AND ATT CONSTRUCTION LENDING AGE TENDED THE LASOR CLOPE INTEREST AND ATT CONSTRUCTION LENDING AGE TO STORY THE LASOR CLOPE INTEREST AND ATT CONSTRUCTION LENDING AGE TO SOPP. DIV. C. SOP | COMPENSATION IT AN EMPLOYER O ONE HUNDRED TO THE COST OF IN SECTION 3706 EYS FEES | | PERMIT ISSUANC On-site biping (sew SEPTIC TEST HOLE | PLUMBING ITEM E FEE er / water / gas) | ()YES()NO | OVERTIME PLAN ONES BUILDING PER PLUMBING PER FLECTRICAL R MECHANICAL ENERGY S JRI S.M.I | EK SUBTOTAL RIVIT FIRMIT PERMIT PERMIT | 46 | 200 |
| I her the I (Sec | ARRIVANT FAILURE TO SECURE WORKERS COVERINGE SUPLANDELLAR TO SECURE WORKERS OF COVERINGE SUPLANDELLAR THOUGH SHALL SHIPLE OF COMMAND PRIVATE SHAD COVER FINES UP THOUGH SHOUGH SH | COMPENSATION OF AN EMPLOYER O ONE MANORED TO THE COST OF AN SECTION 3706 EYS FEES NCY ding agency for nermit is issued | | PERMIT ISSUANCE On-site piping (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK | PLUMBING ITEM E FEE eer / water / gas) FLOOR DRAIN WASH MACH | ()YES()NO | DVERTIME PLAN CHEC BUILDING PER PLUMBING PE ELECTRICAL F MECHANICAL ENERGYS JRI | EK SUBTOTAL RIVIT FRMIT PERMIT PERMIT CHARGE | 46 | ee ee |
| I her the I (Sec Lenc Addr City | ADDRESS CONSTRUCTION LENDING AGE CONSTRUCTION LENDING AGE CONSTRUCTION LENDING AGE ADDRESS CONSTRUCTION LENDING AGE ADDRESS ADDRESS | COMPENSATION OT AN EMPLOYER O ONE HUNDRED TO THE COST OF ASSECTION 3705 EYS FEES NCY ding agency for permit is issued | | PERMIT ISSUANC On-sile piping (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER | PLUMBING ITEM E FEE BY (water / gas) FLOOR DRAIN WASH MACH BATH TUS | ()YES()NO | OVERTIME PLAN CHEC BUILDING PER PLUMBING PE FLECTRICAL R MECHANICAL ENERGY S. AR S.M.I MICROFILM | RAFT FRANT PERMIT PERMIT CHARGE | 46 | 00 |
| I her the I see Addr | AGRICAN AGRICAN AARDONI AAR | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCIENCY 3706 AN SCIE | | PERMIT ISSUANC On-site boing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET DRINKING BACK FLOW DEVIC | PLUMBING FEEE er / water / ças) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL | ()YES()NO | OVERTIME PLAN DHEG BUILDING PER PLUMBING PE FLECTRICAL MECHANICAL ENERGYS, RI S.M.I MICROFILM SWIMMING PO | RAFT FRANT PERMIT PERMIT CHARGE | 46 | 00 |
| I her the parties of | AGRICAN AGRICAN AARDENIN CONSTRUCTION LENDING AGE reby affirm that there is a construction her performance of the work for which this is 3097. Div. C. 3097. Div. C. Bers Name ABDENIN ARDENIN ARDE | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCIENCY 3706 AN SCIE | | PERMIT ISSUANC On-site boing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET PRINKING BACK FLOW DEVIL GAS APPLIANCE O | PLUMBING FEE FLOOR DRAIN WASH MACH BATH TUS LAVATORY URINAL CE OR VENT | ()YES()NO | OVERTIME PLAN CHEC BUILDING PER PLUMBING PE FLECTRICAL S MECHANICAL ENERGY S ,RI S M I MICROFILM SWIMMING PC REINSPECTIO | EN SUBTOTAL RAWT FERMIT PERMIT CHARGE OOL PERMIT N FEE | 46 | 00 |
| I her the process of | Aggram Aggram AARDAM CONSTRUCTION LENDING AGE reby affirm that there is a construction en- performance of the work for which this g construction AARDAM | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCIENCY 3706 AN SCIE | | PERMIT ISSUANC On-site boing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET DRINKING BACK FLOW DEVIC | PLUMBING FEE FLOOR DRAIN WASH MACH BATH TUS LAVATORY URINAL CE OR VENT | ()YES()NO | OVERTIME PLAN CHEC BUILDING PER PLUMBING PE FLECTRICAL I MECHANICAL ENERGY S. RI SMI MICROFILM SWIMMING PC REINSPECTIO S R A FEE | EX SUBTOTAL TAMIT FERMIT PERMIT CHARGE COL PERMIT N FEE | 14 | |
| I her if is sen into into into into into into into int | AGREAM AGREAM AARDEAM CONSTRUCTION CONSTRUCT | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCIENCY 3706 AN SCIE | | PERMIT ISSUANC On-site boing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET PRINKING BACK FLOW DEVIL GAS APPLIANCE O | PLUMBING FEE FLOOR DRAIN WASH MACH BATH TUS LAVATORY URINAL CE OR VENT | ()YES()NO | OVERTIME PLAN CHEC BUILDING PER PLUMBING PE FLECTRICAL MECHANICAL ENERGY S. RI SMI MICROFILM SWIMMING PC SRA FEE AD IM | SUBTOTAL RAWIT FRANT PERMIT PERMIT CHARGE XXII PERMIT N FEE | 14. | 000 |
| I her issued the issued to the | AGREAM AGREAM AARDEAM CONSTRUCTION CONSTRUCT | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCIENCY 3706 AN SCIE | | PERMIT ISSUANC On-sie piping (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET ONNERSEN BACK FLOW DEVIL GAS PIPING SYST | PLUMBING ITEM E FEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE DE VENT EM | ()YES()NO | OVERTIME PLANICHEC BUILDING PER PLUMBING PE FLECTRICAL R MECHANICAL ENERGY S. RI SMI MICROFILM SWIMMING PC REINSPECTIO S RA FEE THO WI MOBILEHOME | SUBTOTAL RAVIT FRANT FERMIT PERMIT CHARGE COL PERMIT N FEE ISSUANCE | 14. | 000 |
| I her if is sen into into into into into into into int | AGREAM AGREAM AARDEAM CONSTRUCTION CONSTRUCT | COMPENSATION TIT AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF A SECTION 3706 EVEN SEES NOY damp agency for aermit is issued e that the above city and county onshiruction and enter upon the | | PERMIT ISSUANC On-sie piping (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET ONNERSEN BACK FLOW DEVIL GAS PIPING SYST | PLUMBING FEE FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE OR VENT EM | ()YES()NO | OVERTIME PLANICHEC BUILDING PER PLUMBING PE FLECTRICAL F MECHANICAL ENERTY S. RI SMIT MICROFILM SWIMMING PO REINSPECTIO S R.A. FEE A.L. A.D. M. MOBILEHOME MOBILEHOME | SUBTOTAL RAWT FEMIT PERMIT CHARGE DOL PERMIT N FEE 15SUÂNCE LOT PREP | 76 | 000 |
| I her if is sen into into into into into into into int | AGREAM ARRIVADOR FAILURE TO SECURE WORKERS COVERNAGE IS UNLAWFUL AND SHALL SUBJECT OF CHAMPION AND SHALL SHAPE OF CONTROL OF STAND SHALL SHAPE OF CONTROL OF STAND SHAPE CONSTRUCTION LENDING AGE FIELD AND SHAPE CONSTRUCTION LENDING AGE FIELD AND SHAPE FIELD AND SHAPE FIELD AND SHAPE TO SHAPE T | COMPENSATION OT AN EMPLOYER O ONE HUNDRED O ONE HUNDRED OF A SECTION 3706 VYS FEES NCY damp agency for parmit is issued of the control of the | | PERMIT ISSUANC On-site poing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET DEMANNICE GAS APPLIANCE GAS APPLIANCE GAS PIPING SYST | PLUMBING ITEM E FEE BY / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CEE DR VENT EM MMILY DWELLING DOOMS | ()YES()NO | OVERTIME PLANICHEC BUILDING PER PLUMBING PER FLECTRICAL I MECHANICAL ENERGY S. RI SWIMMING PC REINSPECTIO S.R.A. FEE TATL MOBILEHOME MOBILEHOME MOBILEHOME | EX SUBTOTAL RAWIT FERMIT PERMIT CHARGE DOL PERMIT N FEE ISSUÂNCE LOT PREP INSTALLATIONS | 76 | 000 |
| I her the I (Sec Lenc Addr Crty I sent I sen | AGREAM ARRIVADOR FAILURE TO SECURE WORKERS COVERNAGE IS UNLAWFUL AND SHALL SUBJECT OF CHAMPION AND SHALL SHAPE OF CONTROL OF STAND SHALL SHAPE OF CONTROL OF STAND SHAPE CONSTRUCTION LENDING AGE FIELD AND SHAPE CONSTRUCTION LENDING AGE FIELD AND SHAPE FIELD AND SHAPE FIELD AND SHAPE TO SHAPE T | COMPENSATION TIT AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF A SECTION 3706 EVEN SEES NOY damp agency for aermit is issued e that the above city and county onshiruction and enter upon the | | PERMIT ISSUANC On-site boing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET PRINCENTAL BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST NEW SINGLE FA By Number of Batin | PLUMBING TITEM E FEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE DR VENT EM MILLY DWELLING TOOMS DEVONG 3 baths | FEE | OVERTIME PLANICHEC BUILDING PER PLUMBING PER FLECTRICAL F MECHANICAL ENERCY S. RI SMIT MICROFILM SWIMMING PC REINSPECTIO S R.A. FEE TATL MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME | RAPET FERMIT PERMIT CHARGE COL PERMIT N FEE ISSUANCE LOT PREP INSTALLATIONS FOUNDATION | 14. | 000 |
| I her the I (Sec Lenc Addr Crty I sent I sen | AGRICAN AGRICAN AGRICAN AMARINA FAILURE TO SECURE WORKERS COVERAGE IS URLAWFUL AND SHALL SURFEY OF COMPAND FOR A THE SHALL SURFEY OF COMPAND FOR A THE SHALL SURFEY OF THE LABOR CLOPE INTEREST AND ATT CONSTRUCTION LENDING AGE reby affirm that there is a construction her performance of the work for which this (3 0907. Div. C) Sers Name Why that I have relief this application and star anation is correct I agree to comply with an ances and state laws relating to building to y authorize representatives of this county e-mentioned property for inspection purposes cant gent CELL IP ELECTRICAL ITEM | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCETCON 9706 AN SCET | | PERMIT ISSUANC On-site poing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET DINNANCE: GAS APPLIANCE: GAS PIPING SYST NEW SINGLE FA By Number of Battin Adobonal fixture (s) | PLUMBING ITEM E FEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE DR VENT EM AMILY DWELLING DOOMS TOTAL FEE | ()YES()NO | OVERTIME PLANICHEC BUILDING PER PLUMBING PER FLECTRICAL F MECHANICAL ENERCY S. RI SMIT MICROFILM SWIMMING PC REINSPECTIO S R.A. FEE TATL MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME | EX SUBTOTAL RAWIT FERMIT PERMIT CHARGE DOL PERMIT N FEE ISSUÂNCE LOT PREP INSTALLATIONS | 14. | 000 |
| I her the I (Sec Lenc Addr Crty I sent I sen | Agricany Agricany Andrewn Converses Con | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCETCON 9706 AN SCET | | PERMIT ISSUANC On-site poing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET DINNANCE: GAS APPLIANCE: GAS PIPING SYST NEW SINGLE FA By Number of Battin Adobonal fixture (s) | PLUMBING TITEM E FEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE DR VENT EM MILLY DWELLING TOOMS DEVONG 3 baths | FEE | OVERTIME PLANCHEC BUILDING PER PLUMBING PE FLECTRICAL R MECHANICAL R MECHANICAL R MICROFILM SWIMMING PO REINSPECTIO S RA FEE AD M MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME | RAPET FERMIT PERMIT CHARGE COL PERMIT N FEE ISSUANCE LOT PREP INSTALLATIONS FOUNDATION | THE RESERVE OF THE PARTY OF | 000 |
| I her the I (Sec Lenc Addr Crty I sent I sen | Agricant CALL-IN Agricant Failure TO SECURE WORKERS COVERAGE SURLAWFUL AND SHALL SHEET O CHAMAL PENALTIES AND COVERNES UP TO CHAMAL PENALTIES AND COVERNES UP TO CHAMAL PENALTIES AND COVERNES UP TO COMPANY OF THE LABOR CODE INTEREST AND ATTOM OF THE LABOR CODE INTERES IN A TOM OF THE LABOR CODE INTEREST AND ATTOM OF THE LABOR CODE INTERES IN A TOM OF THE LABOR CODE I | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCETCON 9706 AN SCET | | PERMIT ISSUANC On-site poing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET DEMANUS TOKANAN BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST NEW SINGLE FA By Number of Batter Additional frature (s) | PLUMBING ITEM E FEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE DR VENT EM MMILY DWELLING cooms TOTAL FEE HANICAL | FEE | OVERTIME PLANICHEC BUILDING PER PLUMBING PER FLECTRICAL F MECHANICAL ENERCY'S ARI SWIMMING PC REINSPECTIO S RA FEE TATUT MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME | EX SUBTOTAL PARTY FRANT PERMIT PERMIT CHARGE COLUMN PERMIT NAME CHARGE | 8.38 | 000 |
| I her the I (Sec Lenc Addr Crty I sent I sen | Agricant CALL-IN Agricant CALL-IN MARNING FAILURE TO SECURE WORKERS COVERAGE SURLAWFUL AND SHALL SURFING COVERAGE SURLAWFUL AND SHALL SURFING CONSTRUCTION LENDING AGE THE LABOR CLOSE INTEREST AND LITTLE CONSTRUCTION LENDING AGE THE LABOR CLOSE INTEREST AND LITTLE TO STRUCTION LENDING AGE TO STRUCTION LENDING AGE TO STRUCTION LENDING AGE TO STRUCTION LENDING AGE TO STRUCT TO STRUCT TO STRUCT TO STRUCT THE LABOR CLOSE INTEREST AND LITTLE THE LABOR CLOSE INTEREST AND LITTLE TO STRUCT AND | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCETCON 9706 AN SCET | NO . | PERMIT ISSUANCE JERMIT ISSUANCE On-site poing (sew SEPTIC TEST HOLE WATER PIPING RITCHEN SINK SHOWER WATER CLOSET OMNERING TOURTAN BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST NEW SINGLE FA By Number of Bath Additional future (s) Min MEC TEM PERMIT ISSUANCE | PLUMBING ITEM E FEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE DR VENT EM MMILY DWELLING cooms TOTAL FEE HANICAL | FEE | OVERTIME PLANICHEC BUILDING PER PLUMBING PER FLECTRICAL F MECHANICAL ENERCY'S ARI SWIMMING PC REINSPECTIO S RA FEE TATUT MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME | EX SUBTOTAL RAYST FEMILE PERMIT PERMIT CHARGE COLUMN TO THE SUBJUNCE LOT PREP INSTALLATIONS FOUNDATION TOTAL FEE | 8.38 | 000 |
| I her the I (Sec Lenc Addr Crty I sent I sen | Agricant CALL-IN Agricant CALL-IN MARNING FAILURE TO SECURE WORKERS COVERAGE SURLAWFUL AND SHALL SURFING COVERAGE SURLAWFUL AND SHALL SURFING CONSTRUCTION LENDING AGE THE LABOR CLOSE INTEREST AND LITTLE CONSTRUCTION LENDING AGE THE LABOR CLOSE INTEREST AND LITTLE TO STRUCTION LENDING AGE TO STRUCTION LENDING AGE TO STRUCTION LENDING AGE TO STRUCTION LENDING AGE TO STRUCT TO STRUCT TO STRUCT TO STRUCT THE LABOR CLOSE INTEREST AND LITTLE THE LABOR CLOSE INTEREST AND LITTLE TO STRUCT AND | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCETCON 9706 AN SCET | NO . | PERMIT ISSUANCE On-side poing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET DRINKING BACK FLOW DEVIN GAS APPLIANCE C GAS PIPING SYST NEW SINGLE FA By Number of Bath Additional future (s) Min MEC ITEM PERMIT ISSUANCE DUCT SYSTEM | PLUMBING ITEM E FEE BY / water / gas) FLOOR DRAIN WASH MACH BATH TUS LAVATORY URINAL CEE DR VENT EM MILY DWELLING DOOMS TOTAL FEE HANICAL | FEE | OVERTIME PLANICHEC BUILDING PER PLUMBING PER FLECTRICAL F MECHANICAL ENERCY'S ARI SWIMMING PC REINSPECTIO S RA FEE TATUT MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME | EX SUBTOTAL RAYST FEMILE PERMIT PERMIT CHARGE COLUMN TO THE SUBJUNCE LOT PREP INSTALLATIONS FOUNDATION TOTAL FEE | 8.38 | 000 |
| I her the I (Sec Lenc Addr Crty I sent I sen | Agricant CALL-IN Agricant CALL-IN MARNING FAILURE TO SECURE WORKERS COVERAGE SURLAWFUL AND SHALL SURFING COVERAGE SURLAWFUL AND SHALL SURFING CONSTRUCTION LENDING AGE THE LABOR CLOSE INTEREST AND LITTLE CONSTRUCTION LENDING AGE THE LABOR CLOSE INTEREST AND LITTLE TO STRUCTION LENDING AGE TO STRUCTION LENDING AGE TO STRUCTION LENDING AGE TO STRUCTION LENDING AGE TO STRUCT TO STRUCT TO STRUCT TO STRUCT THE LABOR CLOSE INTEREST AND LITTLE THE LABOR CLOSE INTEREST AND LITTLE TO STRUCT AND | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCETCON 9706 AN SCET | NO NO | PERMIT ISSUANC On-site piping (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET FORWARA BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST ME ME ME ME ME ME TERM TISSUANCE DUCT SYSTEM WOODBURNING D | PLUMBING ITEM E FEE BY / water / gas) FLOOR DRAIN WASH MACH BATH TUS LAVATORY URINAL CEE DR VENT EM MILY DWELLING DOOMS TOTAL FEE HANICAL | FEE | OVERTIME PLANICHEC BUILDING PER PLUMBING PER FLECTRICAL F MECHANICAL ENERCY'S ARI SWIMMING PC REINSPECTIO S RA FEE TATUT MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME | EX SUBTOTAL RAYST FEMILE PERMIT PERMIT CHARGE COLUMN TO THE SUBJUNCE LOT PREP INSTALLATIONS FOUNDATION TOTAL FEE | 8.38 | 000 |
| I her the I (Sec Lenc Addr Crty I sent I sen | AGRICAN AGRICAN AARDENIN AARDE | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCETCON 9706 AN SCET | NO NO | PERMIT ISSUANC On-site poing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET PARAMENT BACK FLOW DEVIL GAS APPLIANCE ON MAN MEG MEG MEG DUCT SYSTEM WOODBURNING D GAS APPLIANCE | PLUMBING ITEM E FEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE DR VENT EM TOTAL FEE HANICAL | FEE | OVERTIME PLANICHEC BUILDING PER PLUMBING PER FLECTRICAL F MECHANICAL ENERGYS ARI SWIMMING PC REINSPECTIO S R A FEE TATL MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME MOBILEHOME | EX SUBTOTAL RAYST FEMILE PERMIT PERMIT CHARGE COLUMN TO THE SUANCE LOT PREP INSTALLATIONS FOUNDATION TOTAL FEE | 8.38 | 000000000000000000000000000000000000000 |
| I her the I (Sec Lenc Addr Crty I sent I sen | ADDRAGN FAILURE TO SECURE WORKERS COVERAGE SUPPLANDED FAILURE TO SECURE WORKERS COVERAGE SUPPLANDED FAILURE TO SECURE WORKERS COVERAGE SUPPLANDED FAILURE TO SECURE WORKERS UP TO COMMON TO THE THE PART OF THE LABOR CCOPE INTEREST AND ATTOCKNESS THE LABOR CCOPE INTEREST AND ATTOCKNESS THE LABOR CCOPE INTEREST AND ATTOCKNESS AND ATTOCKNE | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCETCON 9706 AN SCET | NO NO | PERMIT ISSUANC On-site piping (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET FORWARA BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST ME ME ME ME ME ME TERM TISSUANCE DUCT SYSTEM WOODBURNING D | PLUMBING ITEM E FEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE DR VENT EM AMILY DWELLING TOTAL FEE HANICAL EVICE EM | FEE S | OVERTIME PLANICHEC BUILDING PER PLUMBING PE FLECTRICAL: MECHANICAL ENERGYS.RI SMI MICROFILM SWIMMING PC REINSPECTIO S RA FEE AD WI MOBILEHOME | SUBTOTAL TANAT FEMIT PERMIT PERMIT CHARGE COL PERMIT N FEE ISSUANCE LOT PREP INSTALLATIONS FOUNDATION JOTACFEE JULY JOTACFEE JULY LAI JOTACFEE DRDERH 1 | 9.38 2.88 0026 * | 500 |
| I her the I (Sec Lenc Addr Crty I sent I sen | ADDRAGN SALURE TO SECURE WORKERS COVERING SURVANIENDS FAILURE TO SECURE WORKERS COVERING SURVANIENDS SHALL SURVEY OF CONTROL OF THE SALURE TO SECURE WORKERS UP THE SALURE STAND COVER FRES UP THE SALURE SAND COVER FRES UP THE SALURE SAND COVER SALURE SAND COVER THE SALURE SAND COVER SALURE SALUR | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCETCON 9706 AN SCET | NO NO | PERMIT ISSUANC On-side poing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET ONN-SIGN BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST NEW SINGLE FA BY Number of Batter Additional Institute (s) MIN MEC PERMIT ISSUANCE DUCT SYSTEM WOOOBURNING D GAS APPLIANCE GAS PIPING SYST | PLUMBING ITEM E FEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE DR VENT EM AMILY DWELLING TOTAL FEE HANICAL EVICE EM | FEE S | OVERTIME PLANICHEC BUILDING PER PLUMBING PE FLECTRICAL: MECHANICAL ENERGYS.RI SMI MICROFILM SWIMMING PC REINSPECTIO S RA FEE AD WI MOBILEHOME | SUBTOTAL TANAT FEMIT PERMIT PERMIT CHARGE COL PERMIT N FEE ISSUANCE LOT PREP INSTALLATIONS FOUNDATION JOTACFEE JULY JOTACFEE JULY LAI JOTACFEE DRDERH 1 | 8. 38 1. 88 | 500 |
| I her the I (Sec Lenc Addr Crty I sent I sen | ADDRAGN SALURE TO SECURE WORKERS COVERING SURVANIENDS SHALL SHIPE SOVERAGE SURVANIEN AND SHALL SHIPE S | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCETCON 9706 AN SCET | NO NO | PERMIT ISSUANC On-side poing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET ONN-SIGN BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST NEW SINGLE FA BY Number of Batter Additional Institute (s) MIN MEC PERMIT ISSUANCE DUCT SYSTEM WOOOBURNING D GAS APPLIANCE GAS PIPING SYST | PLUMBING ITEM E FEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE DR VENT EM AMILY DWELLING TOTAL FEE HANICAL EVICE EM | FEE S | OVERTIME PLANICHEC BUILDING PER PLUMBING PE FLECTRICAL A MECHANICAL A ENERGY'S - RI SMI MICROFILM SWIMMING PC REINSPECTIO S RA FEE AD IM MOBILEHOME | SUBTOTAL RAFT FERMIT PERMIT CHARGE DOL PERMIT N FEE ISSUANCE LOT PREP INSTALLATIONS FOUNDATION JOIALFEE JULY DRDER# 1 ELECTR CALL II | 9.38 2.88 0026 * I 46.00 N 14.00 | 000000000000000000000000000000000000000 |
| I her the I (Sec Lenc Addr Crty I sent I sen | ARRIVATE TO SECURE WORKERS COVERAGE SURLAWFUL AND SHALL SHEETS CONSTRUCTION LENDING AGE reby affirm that there is a construction her performance of the work for which this is constructed that there is a construction her performance of the work for which this is constructed that there is a construction has cress Zig Sers Name AD I S Sers Name AD I S Sers | COMPENSATION OF A EMPLOYER OF THE COST OS OS OF THE COST OS | NO NO | PERMIT ISSUANC On-side poing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET ONN-SIGN BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST NEW SINGLE FA BY Number of Batter Additional Institute (s) MIN MEC PERMIT ISSUANCE DUCT SYSTEM WOOOBURNING D GAS APPLIANCE GAS PIPING SYST | PLUMBING ITEM E FEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE DR VENT EM AMILY DWELLING TOTAL FEE HANICAL EVICE EM | FEE S | OVERTIME PLANICHEC BUILDING PER PLUMBING PE FLECTRICAL A MECHANICAL A SMIT MICROFILM SWIMMING PO REINSPECTIO S RA FEE A A A MOBILEHOME | SUBTOTAL RACT FEMIT PERMIT PERMIT CHARGE DOL PERMIT N FEE N ISSUANCE LOT PREP INSTALLATIONS FOUNDATION JOTAFFEE LAL JA DRDER# 1 ELECTR CALL II WORKER | 9.38 2.88 0026 * I 46.00 N 14.00 E 5.00 | 000000000000000000000000000000000000000 |
| I her the I (Sec Lenc Addr Crty I sent I sen | AGRICAN AGRICAN AGRICAN ALLINE TO SECURE WORKERS COVERAGE IS UNLAWFUL AND SHALL SURFACE OCCUMENTATION FOR ALLINE TO SECURE WORKERS COVERAGE IS UNLAWFUL AND SHALL SURFACE OCCUMENTATION DAMAGES AND COVER PRISE UP TO DETECT THE LABOR COOK INTEREST AND ATTU- DETECT AND ADMAGES AS PROMOTED THE PERMIT IS AND ATTU- DETECT AND ATTU- DE | COMPENSATION TO AN EMPLOYER O ONE HUNDRED O ONE HUNDRED TO THE COST OF AN SCETCON 9706 AN SCET | NO | PERMIT ISSUANC On-side poing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET ONN-SIGN BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST NEW SINGLE FA BY Number of Batter Additional Institute (s) MIN MEC PERMIT ISSUANCE DUCT SYSTEM WOOOBURNING D GAS APPLIANCE GAS PIPING SYST | PLUMBING ITEM EFEE er / water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CEE DR VENT EM MILLY DWELLING ROOMS TOTAL FEE HANICAL EVICE EM OLEP | FEE S | OVERTIME PLANICHEC BUILDING PER PLUMBING PE FLECTRICAL A MECHANICAL A SMIT MICROFILM SWIMMING PO REINSPECTIO S RA FEE A A A A FEE A A A A A B A A B A A B A A B A B A B A | SUBTOTAL RACT FEMIT PERMIT CHARGE DOL PERMIT N FEE N J SUBNICE LOT PREP INSTALLATIONS FOUNDATION JOTAL FEE LAL J URL WORKER ACCOUN | 9.38 2.88 0026 * I 46.00 N 14.00 C 5.00 T 5.50 | 000 000 500 |
| I her the I (Sec Lenc Addr Crty I sent I sen | ADDRESS: CONSTRUCTION LENDING AGE FOR ADDRESS: CONSTRUCTION LENDING AGE FOR ADDRESS: ADDRES | COMPENSATION OF A EMPLOYER OF THE COST OS OS OF THE COST OS | NO N | PERMIT ISSUANCE On-side poing (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET DIRECTORY WATER CLOSET CONTACT BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST NEW SINGLE FA BY Number of Batter Adolonal Institute (s) Min MEC ITEN PERMIT ISSUANCE DUCT SYSTEM WOOOBURNING D GAS APPLIANCE GAS PIPING SYST EVAPORATIVE COL EFRIGERATION C LESS THAN 7 TONS FRIGERATION C LESS THAN 7 TONS | PLUMBING PLUMBING FEE FFE FF (water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE OR VENT EM AMILY DWELLING TOTAL FEE HANICAL EVICE EM COOLING UNITS SOOOLING UNITS | FEE S | OVERTIME PLANICHEC BUILDING PER PLUMBING PE FLECTRICAL A MECHANICAL A SMIT MICROFILM SWIMMING PO REINSPECTIO S RA FEE A A A A FEE A A A A A B A A B A A B A A B A B A B A | SUBTOTAL RACT FEMIT PERMIT CHARGE DOL PERMIT N FEE N J SUBNICE LOT PREP INSTALLATIONS FOUNDATION JOTAL FEE LAL J URL WORKER ACCOUN | 9.38 2.88 0026 * I 46.00 N 14.00 E 5.00 | 000 000 500 |
| I her the I (Sec Lenc Addr Crty I sent I sen | ADDRESS: ADDRES | COMPENSATION OF A EMPLOYER OF THE COST OS OS OF THE COST OS | NO REE | PERMIT ISSUANCE On-side poping (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET OMNARIAS WATER CLOSET OMNARIAS BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST MAN MINIMAL STATE MAN MEC TEM PERMIT ISSUANCE GAS PIPING SYSTEM WOODSURNING D GAS APPLIANCE GAS PIPING SYSTEM WOODSURNING SYSTEM COORDINATIVE COO CAS PIPING SYSTEM COORDINATIVE COO CLESS THAN 7 TONS CVER 7 TONS 10 14 CLESS THAN 7 TONS CVER 7 TONS 10 14 CLESS THAN 7 TONS CVER 7 TONS 10 14 COORDINATIVE COO CLESS THAN 7 TONS CVER 7 TONS 10 14 CLESS THAN 7 TONS 11 CL | PLUMBING PLUMBING FEE FFE FF (water / gas) FLOOR DRAIN WASH MACH BATH TUB LAVATORY URINAL CE OR VENT EM AMILY DWELLING TOTAL FEE HANICAL EVICE EM COOLING UNITS SOOOLING UNITS | FEE S | OVERTIME PLAN CHEC BUILDING PER PLUMBING PE FLECTRICAL: MECHANICAL ENERGY S. RI SMI MICROFILM SWIMMING PC REINSPECTIO SRA FEE TAN II MOBILEHOME | SUBTOTAL RANT FERMIT PERMIT CHARGE COL PERMIT N FEE N ISSUANCE LOT PREP INSTALLATIONS FOUNDATION JOTAL FEE LAL JULY DR DER#1 ELECTR CALL II UORKER ACCOUN 12/10/2903 16:00 19/2003 16:00 | 9.38 2.88 0026 * I 46.00 N 14.00 C 5.00 T 5.50 3 16:06 01 05 6 050615 TM | *** |
| I her the I (Sec Lenc Addr Crty I sent I sen | ADDRESS ADDRES | COMPENSATION OF A EMPLOYER OF THE COST OS OS OF THE COST OS | NO REE | PERMIT ISSUANCE On-side poping (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET OMNARIAS WATER CLOSET OMNARIAS BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST MAN MINIMAL STATE MAN MEC TEM PERMIT ISSUANCE GAS PIPING SYSTEM WOODSURNING D GAS APPLIANCE GAS PIPING SYSTEM WOODSURNING C GAS PIPING SYSTEM CONTROL SYSTEM WOODSURNING C C GAS PIPING SYSTEM CONTROL SYST | PLUMBING ITEM E FEE BY / water / gas) FLOOR DRAIN WASH MACH BATH TUS LAVATORY URINAL CEE DR VENT EM TOTAL FEE HANICAL EVICE EVI | FEE S | OVERTIME PLAN CHEC BUILDING PER PLUMBING PE FLECTRICAL I MECHANICAL I MECHANICAL I MICROFILM SWIMMING PC REINSPECTIO S.M.I MICROFILM SWIMMING PC REINSPECTIO S.M.I MOBILEHOME | SUBTOTAL RANT FERMIT PERMIT CHARGE COL PERMIT N FEE N ISSUANCE LOT PREP INSTALLATIONS FOUNDATION JOTAL FEE LAL JULY DR DER#1 ELECTR CALL II UORKER ACCOUN 12/10/2903 16:00 19/2003 16:00 | 9.38 0026 * 1.46.00 N.14.00 C.5.00 T. 5.50 3.16:06.01 TM 170.50 | ************************************** |
| I her the I (Sec Lenc Addr Crty I sent I sen | AGREAM ARRIVAND CONSTRUCTION LENDING ARRIVAND CONSTRUCTION LENDING ARRIVAND ARRIVAND CONSTRUCTION LENDING ARRIVAND ARRIVAND CONSTRUCTION LENDING ARRIVAND CONSTRUCTION LENDING ARRIVAND CONSTRUCTION LENDING ARRIVAND ARRIVAND ARRIVAND ARRIVAND ARRIVAND CONSTRUCTION LENDING ARRIVAND ARRIVAND ARRIVAND ARRIVAND ARRIVAND ARRIVAND CONSTRUCTION LENDING ARRIVAND AR | COMPENSATION OF A EMPLOYER OF THE COST OS OS OF THE COST OS | NO REEL NE | PERMIT ISSUANCE On-side poping (sew SEPTIC TEST HOLE WATER PIPING KITCHEN SINK SHOWER WATER CLOSET OMNARIAS WATER CLOSET OMNARIAS BACK FLOW DEVIL GAS APPLIANCE C GAS PIPING SYST MAN MINIMAL STATE MAN MEC TEM PERMIT ISSUANCE GAS PIPING SYSTEM WOODSURNING D GAS APPLIANCE GAS PIPING SYSTEM WOODSURNING SYSTEM COORDINATIVE COO CAS PIPING SYSTEM COORDINATIVE COO CLESS THAN 7 TONS CVER 7 TONS 10 14 CLESS THAN 7 TONS CVER 7 TONS 10 14 CLESS THAN 7 TONS CVER 7 TONS 10 14 COORDINATIVE COO CLESS THAN 7 TONS CVER 7 TONS 10 14 CLESS THAN 7 TONS 11 CL | PLUMBING ITEM E FEE BY / water / gas) FLOOR DRAIN WASH MACH BATH TUS LAVATORY URINAL CEE DR VENT EM MILY DWELLING COOLING UNITS STONS LY DWELLING | FEE S | OVERTIME PLAN CHEC BUILDING PER PLUMBING PE FLECTRICAL: MECHANICAL ENERGY S. RI SMI MICROFILM SWIMMING PC REINSPECTIO SRA FEE TAN II MOBILEHOME | SUBTOTAL RANT FERMIT PERMIT CHARGE COL PERMIT N FEE N ISSUANCE LOT PREP INSTALLATIONS FOUNDATION JOTAL FEE LAL JULY DR DER#1 ELECTR CALL II UORKER ACCOUN 12/10/2903 16:00 19/2003 16:00 | 9.38 2.88 0026 * I 46.00 N 14.00 C 5.00 T 5.50 3 16:06 01 05 6 050615 TM | ************************************** |

TOTAL FEE SY 600

INSPECTION RECORD

| JOB ACDRESS | | | | | PERMIT NO. |
|--|-------------------------|-----------|--|---|---|
| (CO | PRECTION NOTICE DOE | | | | ACENT INSPECTION) |
| | BUILDING - | | CORRECTIO | N | OCCUPANCY REQUIREMENTS |
| TYPE OF INSPECTION | APPROVED BY | DATE | INSPECTOR | DATE | 1) Flood Prone: Yes I |
| Flood Prone-Elev. | | | | - | Map No Zone |
| Foundation: Forms & highark | | | | _ | 2) Proposed Bidg, Height By Zoning: |
| Foundation / Patio Piers | | + | | | Stones: Height F |
| Floor Girders & Joists | | | | - | 3) School Fees Due? |
| Shear Panel Naling | | + | | | District(s) |
| | | - | | | Satisfied By |
| Pre-root | | - | | | Receipt No Date |
| Roof Sheathing | | | | 3 44 7 | 4) Grading Permit Req.? Yes . |
| Roof BattervFeit | | | | | Permit # Date |
| Roof Covering | | 1 | | 100000000000000000000000000000000000000 | Permit = Date Finaled By Date |
| Extenor LattvSiding | | | | | 5) Land Use Permit(s) |
| Fireplace Damper | | | | | Permit No |
| Fireplace: Roof | | | | _ | Permit No |
| Frame | | + | | _ | Pemit No |
| Insulation | | + | | - | Site Conditions Satisfied |
| Shower Wall Over Tub | - | | | | By Date |
| The state of the s | | | | | J |
| Shower Pan & Walls | | | | 2011 | 6) Soil Capacity (Surface)PS |
| Bond Beam & Steel | to Wind Source | | | SEL S | |
| | | | | | Fire Protection: SRA DYES DNG |
| Pool Steel, Bonding & setback | | | | | |
| Pre Deck | | 0.00 | | | REQ. ITEM INSP. DATE |
| Pool Fencing and Gates | | 100000 | | | ON-SITE WATER |
| Final Inspection | | - | | | ROOF COVERING |
| Certificate of Occupancy | | - | | | J |
| Certificate of Occupancy | | | | | 30' SETBACKS |
| | | 22 | | | DRIVEWAY |
| | ELECTRICAL | | CORRECTIO | N . | TURNOUTS |
| TYPE OF INSPECTION | APPROVED BY | DATE | INSPECTOR | DATE | |
| Conduit: Pvc Galv. Intenor | | Estemble. | | | ADDRESS |
| Conduit: Pvc Galv. Exterior | | | | | |
| Pough Wiring | | | | | |
| Elec. Main Panel 60 amps | nc4 | DI.L. | | | |
| | D. Snets | 1411/03 | | | , MOBILE HOME |
| Temporary Meter | | 2000 | | | MOBILE HOME |
| Temporary Power Pole | 7 | | | | TYPE OF INSPECTION APPROVED BY DAT |
| HERLocation/Driven Ground at P | Le Dismer | 12/4/03 | and a state of the contract of | | |
| | Par 19.111 | 1-14 107 | | | PERM FOUND/TIE-DOWNS |
| | - 19111-0 | 12/4/0) | | | PERM FOUND/TIE-DOWNS FLCOD PRONE - ELEV |
| Water Pipe Bond Location | - 12111-0 | 12/4/07 | | | |
| | | 12/4/6) | | | FLCOD PRONE - ELEV |
| Water Pipe Bond Location Wiring to Well | | 12/4/07 | | | FLCOD PRONE - ELEV FOI 'MS & SETBACKS |
| Wiring to Weil | | 12/4/60 | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS |
| Wiring to Well Pool Equipment Bonding | | | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS |
| Wiring to Weil | | 12/4/67 | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION | 1). smile 1 | | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION | | | СОПЯЕСТЮ | | FLCOD PRONE - ELEV FOI MS A SETBACKS PIERS - ANCHORS STEPS - LANDINGS ELECT SERV AMPS GROUNCING ELECTRODE WIRRING TO WELL CONTINUITY TEST |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION | 1). smile 1 | | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION | D. Smile I | 11 63 | CORRECTIO | DATE | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT FEEDERS |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil | D. Smile I | 11 63 | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor | D. Smile I | 11 63 | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipa - above floor | D. Smile I | 11 63 | | | FLCOD PRONE - ELEV FOI MS A SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT / FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out | D. Smile I | 11 63 | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipa - above floor Vents & Top Out Gas Pipe - Interior | D. Smile I | 11 63 | | | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior | D. Smile I | 11 63 | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Exterior | D. Smile I | 11 63 | | | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior | D. Smile I | 11 63 | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE VELL SEAL PAD |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Exterior | D. Smile I | 11 63 | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents à Top Out Gas Pipe - Intenor Gas Test - Intenor Gas Test - Extenor Second Floor Tub test | D. Smile I | 11 63 | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Extenior Second Floor Tub test Septic System | D. Smile I | 11 63 | | | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT / FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD Final Inspection Certificate of Occupancy |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Exterior Second Floor Tub test Second System House Sewer Water Service PVC.gai | D. Smile I | 11 63 | | | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipa - above floor Vents & Top Out Gas Pipe - Intenor Gas Test - Intenor Gas Test - Extenor Second Floor Tub lest Septic System House Sewer | D. Smile I | 11 63 | | | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT / FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD Final Inspection Certificate of Occupancy |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Pipe - Interior Gas Test - Exterior Second Floor Tub test Septic System House Sewer Water Service PVC.gai Well Seal Pad | D. Smile I | 11 63 | | | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT / FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD Final Inspection Certificate of Occupancy |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Exterior Second Floor Tub test Second System House Sewer Water Service PVC.gai | D. Smile I | 11 63 | | | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT / FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD Final Inspection Certificate of Occupancy |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Wents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Interior Second Floor Tub test Septic System House Sewer Water Service PVC.gai Well Seal Pad FINAL INSPECTION | PLUMBING APPROVED BY | DATE | INSPECTOR | DATE | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE VELL SEAL PAD FINAL INSPECTION Certificate of Occupancy |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Wents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Interior Second Floor Tub test Septic System House Sewer Water Service PVC.gai Well Seal Pad FINAL INSPECTION | PLUMBING APPROVED BY | DATE | INSPECTOR | DATE | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE VELL SEAL PAD FINAL INSPECTION Certificate of Occupancy |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents à Top Out Gas Pipe - Interior Gas Pipe - Interior Gas Test - Exterior Second Floor Tub test Septie System House Sewer Water Service PVC.gai Well Seal Pad FINAL INSPECTION | PLUMBING APPROVED BY | DATE | INSPECTOR - COHRECTION | DATE | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE VELL SEAL PAD FINAL INSPECTION Certificate of Occupancy |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Interior Second Floor Tub test Septic System House Sewer Water Service PVC.gai Well Seal Pad FINAL INSPECTION | PLUMBING APPROVED BY | DATE | INSPECTOR | DATE | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD FINAL INSPECTION Certificate of Occupancy REMARKS/COMMENTS |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents à Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Interior Second Floor Tub test Septic System House Sewer Water Service PVC.gai Well Seal Pad FINAL INSPECTION Ducts Underloor | PLUMBING APPROVED BY | DATE | INSPECTOR - COHRECTION | DATE | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LUNE SEPTIC SYSTEM WATER SERVICE VELL SEAL PAD FINAL INSPECTION Certificate of Occupancy REMARKS/COMMENTS CASH DEPOSIT: Temporary Power |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Wents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Exterior Second Floor Tub test Septic System House Sewer Water Service PVC:gai Well Seal Pad FINAL INSPECTION Ducts Underfloor Ducts Underfloor Ducts Underfloor Ducts Overhead | PLUMBING APPROVED BY | DATE | INSPECTOR - COHRECTION | DATE | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD FINAL INSPECTION Certificate of Occupancy REMARKS/COMMENTS |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents à Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Interior Second Floor Tub test Septic System House Sewer Water Service PVC.gai Well Seal Pad FINAL INSPECTION Ducts Underloor | PLUMBING APPROVED BY | DATE | INSPECTOR - COHRECTION | DATE | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD Final Inspection Certificate of Occupancy REMARKS/COMMENTS CASH DEPOSIT: Temporary Power Occupancy APPROVED TO POST DATE |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Wents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Exterior Second Floor Tub test Septic System House Sewer Water Service PVC:gai Well Seal Pad FINAL INSPECTION Ducts Underfloor Ducts Underfloor Ducts Underfloor Ducts Overhead | PLUMBING APPROVED BY | DATE | INSPECTOR - COHRECTION | DATE | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE VELL SEAL PAD FINAL INSPECTION Certificate of Occupancy REMARKS/COMMENTS CASH DEPOSIT: Temporary Power Occupancy |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Wents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Exterior Second Floor Tub test Septic System House Sewer Water Service PVC:gai Well Seal Pad FINAL INSPECTION Ducts Underfloor Ducts Underfloor Ducts Underfloor Ducts Overhead | PLUMBING APPROVED BY | DATE | INSPECTOR - COHRECTION | DATE | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD Final Inspection Certificate of Occupancy REMARKS/COMMENTS CASH DEPOSIT: Temporary Power Occupancy APPROVED TO POST DATE |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Pipe - Interior Gas Test - Exterior Second Floor Tub test Septic System House Sewer Water Service PVC.gai Well Seal Pad FINAL INSPECTION TYPE OF INSPECTION Ducts Underfloor Ducts Underfloor Ducts Overnead Wood Burning Appliance | PLUMBING APPROVED BY | DATE | INSPECTOR - COHRECTION | DATE | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD Final Inspection Certificate of Occupancy REMARKS/COMMENTS CASH DEPOSIT: Temporary Power Occupancy APPROVED TO POST DATE |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents à Top Out Gas Pipe - Interior Gas Pipe - Interior Gas Test - Exterior Second Floor Tub test Segne System House Sewer Water Service PVC.gai Well Seal Pad FINAL INSPECTION Ducts Underfloor Ducts Underfloor Ducts Underfloor Ducts Underfloor Ducts Overnead Wood Burning Appliance | PLUMBING APPROVED BY | DATE | INSPECTOR - COHRECTION | DATE | FLCOD PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT FEEDERS GAS TEST - EXTERIOR GAS TEST - EXTERIOR GAS TEST - EXTERIOR WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD Final Inspection Certificate of Occupancy REMARKS/COMMENTS CASH DEPOSIT: Temporary Power Occupancy APPROVED TO POST BY DATE |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Exterior Second Floor Tub test Septic System House Sewer Water Service PVC:gai Well Seal Pad FINAL INSPECTION Ducts Underfloor Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe | PLUMBING APPROVED BY | DATE | INSPECTOR - COHRECTION | DATE | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD FINAL INSPECTION Certificate of Occupancy REMARKS/COMMENTS CASH DEPOSIT: Temporary Power Occupancy APPROVED TO POST DATE APPROVED FOR REFUND DATE |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Interior Second Floor Tub test Septic System House Sewer Water Service PVCigal Well Seal Pad FINAL INSPECTION Ducts Underfloor Ducts Underfloor Ducts Underfloor Ducts Overnead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler | PLUMBING APPROVED BY | DATE | INSPECTOR - COHRECTION | DATE | FLCOD PRONE - ELEV FOLMS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV - AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUTY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE VELL SEAL PAD FINAL INSPECTION Certificate of Occupancy REMARKS/COMMENTS CASH DEPOSIT: Temporary Power Occupancy APPROVED TO POST BY APPROVED FOR REFUND DATE REFUNDED DATE |
| Wiring to Well Pool Equipment Bonding FINAL INSPECTION TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - under floor Water Pipe - above floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Exterior Second Floor Tub test Septic System House Sewer Water Service PVC:gai Well Seal Pad FINAL INSPECTION Ducts Underfloor Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe | PLUMBING APPROVED BY | DATE | INSPECTOR - COHRECTION | DATE | FLCOO PRONE - ELEV FOI MS & SETBACKS PIERS / ANCHORS STEPS / LANDINGS ELECT SERV AMPS GROUNDING ELECTRODE WIRING TO WELL CONTINUITY TEST CONDUIT - FEEDERS GAS TEST - EXTERIOR GAS TEST MONOMETER WASTE LINE SEPTIC SYSTEM WATER SERVICE WELL SEAL PAD FINAL INSPECTION Certificate of Occupancy REMARKS/COMMENTS CASH DEPOSIT: Temporary Power Occupancy APPROVED TO POST DATE APPROVED FOR REFUND BY APPROVED FOR REFUND DATE |

HAZARDOUS MATERIAL STORAGE FOR NON-RESIDENTIAL CONSTRUCTION

retrify that the occupants of this building (will: will not) need to comply with the applicable requirements of Section 25505, 25533 & 25534 of the Health and Safety Code and the minimum of the sur Pollution Control District.

| .035 | | | | | - | 1 | | | | person. | DITY | OF EBERNO | | | |
|-------------|---|----------------------|---------------|----------|--------------|-----------------|---------|----------------------|----------------|----------|-------|---|------------------------------|------------------|---------------------|
| | FOR APPLICANT TO TYPE OR PRI | NT | Ν | | | DEP | ART | MENTOFF | PUBLIC | | | OF FRESNO DIVISION (| OF BUILDING A | ND SA | FETY |
| · | BUILDIN | - | | | | | CL! | COND BILLY | OBES | | 9 | | CHILL BUIL | I WEAV |) ic Set i, true |
| | ALTERATION FEE | and the same | 7.5 | 14 | 13 | 7 | | INSPECTI | | APPLIC | ATION | N FOR 4499 | E. KINGS CAN | IYON I | ROAD |
| STORIES | BUILDING | | | | _ | _ | 4 | RING SERV 88-3895 | | PE | RM | IL | 488 388 | 6 | - 1 |
| | SO FT | CP | wine well and | A | | - | FOR | APPLICANT | TO FIL | L IN Typ | e or | Print ZONE 1 | (2)3.4 | - 5 - | - 6 |
| PROJE | | | | | | PULC | DING A | ADDRESS | 18: | 3 S | | MRM | STROA | 16 | |
| - | DRAINNAGE | 5/ | E | | | OWN | ER AODR | = 5 | 4. | 5/ | 27 | ON IOL | DATE | 76 2 | 2/2 |
| | 2500 | | | | | CITY | 4004 | | | | Z | TP . | TEL NO | | |
| LEGAL | DESC. | | | | | - | TRAC | TOR | | | | ADDRESS | | PHO | NE |
| | | | | | | PLU | MBING | G | | | | | | | |
| | | | | | | ELEC | | | .6 | | | | | | |
| | | | | | | SEPT | | | | | | | | | |
| | | | _ | - | | N | /HE | N VALIDA | ATED | THIS A | APP! | ICATION IS | YOUR PER | MIT | |
| A.P.N | 16-160 | 4 | 3_ | | | | | | | | | | | | |
| SIZE OF | IRST PRINT LINE | BLDGS | | | | | | | | | | 9 | 97.44 FC | ; | |
| | | N LOT | | | | | | | | | | | 97.44 CKT | | |
| BLDG. | | | | | | | | | | | | | .00 cac | | |
| DESIG | NER LICEP | | | | | | | | | | | 1551 10 | 2/24/7 | / | |
| ADDRE | | NO. | | | | | | | | | | | | | |
| SEWER | CONNECTION , | Di wai | - 4.0 | -4 | 100 | | | | | | Ly. | | | | |
| | ZONING | DE | ATTA PER | REAR | | | | | | | | | | | |
| REQUI | RED MIN. I MAX. INTERIOR | STREE | T | | 1 | | | | | | | | | | |
| APPRO | VED ON DA | TE | | | | | | | | | | | | | |
| Protection. | IS ACCEPTANCE EM APPL | ROVED [| PEN | DING | | | | | | | | | | | |
| ZONE | SPECIAL T PERMITS | | | | | | | | | and the | | | | | |
| | PLUMBING | · | FEE | 100 | CUP E | EE \$1.50 | | CTRICAL | EACH | FEE | NO. | ME | CHANICAL | EACH | FEE |
| ИО | (SUP. FEE 1.50) | 3.60 | 3.00 | + | ERMIT F | | | | 3 00 | 3 00 | | PERMIT FEE | | 3 00 | 3 00 |
| | WATER CLOSET | 3.00 | | | | CLES Swit | ches l | ght Outlets | | | | GAS APPLIANCE | YSTEM 1 to 5 autlets | 3.50 | |
| | BASIN LAVATORY | 3.00 | | | OTAL Inf | two lines | obove | , | | | | EA. ADD. OUTL | ET | .75 | |
| | SHOWER | 3.00 | | 1:851 10 | OR POR | | 7 | | 4 00 | | | VENTILATION DU | | 3 00 | |
| | KITCHEN SINK | 3.00 | | REMAINE | | RANGES | 4- | DISHWASHER | 1.50 | | | SERVING COMM Mechanical Inc. | Hood | 300 | |
| - | LAUNDRY TRAYS | 3.00 | | - | DRYERS | - | EATER | DISPOSAL | + | | | Under 4,000 CFM Over 4,000 CFM SERVING COMM | 5 00 | | |
| | FLOOR DRAIN | 3.00 | | 2 | 20 DUTLET | 1 50 W | ELDER | 1 50 | | | | UNDER 4 MC F M | \$400 | | |
| - | WASTE DISPOSAL | 3.00 | | | - 15 HP | | | OVER 5 - 15 HP | 3.00 | | | DUCT SYSTEM N | ON RESIDENT | | |
| | BACKFLOW DEVICE | 3.50 | | 2 | HP | 1.50 | | OVER 15 SOHP | + | | | SINGLE STORY, O | 4M SQ FT | 5 00 | |
| - | WATER PIPING and/or SERVICE HOUSE SEWER | 9.00 | | ++ | OVER 2 | 2.50 | | OVER 50 HP | 17.00 | | | MULTI STORY PE | | 5.00 | |
| - | CONVERSION LPG to NAT. GAS | 18.00 | | | | | | | | | | EVAP COOLER | | 2 00 | |
| | EA GAS PIPING SYSTEM 1 to 5 outlets | 3.50 | | Sp | FCIALI | NSPECTI | ON F | EE - \$10.00 F | PER HOU | IR . | - | SPECIAL INSPECT | ON FEE \$10 PER | HOUR | L |
| - | GAS PIPING SYSTEM 6 or more, each | 4.50 | | | | | | SUB-PANE | | | | | ION COOLIN | | IITS |
| | ROOF DRAIN EACH | 1.00 | | - | 0 99 | AMPS 125 AME | 0.5 | | 2.50 4.00 | | | OVER 7 TONS N | | 7 00 | |
| - | ROOF DRAIN MIN. | 3.50 | | | | 200 AM | - | | 6 00 | | | OVER 14 TONS | | 12.00 | |
| | SPECIAL INSPECTION FEE \$10 PE | 77 1 1 1 1 1 1 1 1 1 | | - | | 399 AM | | | 8.00 | | | | ystem to 130,000 BTU | 4.00 U 7.00 | |
| | SINGLE FAMILY DWELL | ING | | \perp | | 50,000 C | - | LY DWEL | 1 | | | WINDOW UNIT | 30,00 | 2 00 | |
| fam | plumbing work, including water heater, in one bathroom newly constructed, single only dwelling, excluding all other gas ap- | 27.50 | | | | | | 750 Sq. Ft | 18.50 | | | | | | |
| 2 411 | ance logs: plumbing work, including water heater, in two bathroom newly constructed, single tily dwelling, excluding all other gas ap- | 35.00 | | | | | 751 to | | 25.00 | | | T | AMILY DWELL | | |
| plic | ance togs | + | | + | - | | 001 to | | 44.00 | | - | 751 1500 | | 7 00 | - |
| thr | plumbing work, including water healer in duly constructed, single family dwelling of ee bathrooms, excluding all other gas appared togs! | 40.00 | | | | | 001 to | | 54.00 | | | 1501 2500 | | 10 00 | |
| 4 For | each additional buthroom over three | | | | | | 501 10 | | 64.00 2.50 | | - | 2501 3000 EA. ADD. 500 S | O FI | 11.00 | |
| \$3 | .00 per bathroom fixture. | | L | + | tA. Al | DD. 500 | | AL FEE | \$ | I | | ZA, ADD. 300 3 | TOTAL FEE | \$ | 1 |
| TOHE | WEAVER CHIEF AND DING INSPECTOR | \$ | | 1 | | | _ | | EYPE | T. | 1 | OCCU GROU | | CODE | |
| | SIGN BELOW | ATED BY | OMP | ACCI | 371- | | CASH | -CHECKE | | U | NIT | TOTAL | PLAN CHECK BUILDING | | - |
| ; HER | FRY ACKNOWLEDGE THAT I HAVE READ | THIS APP | LICATION | AND STA | | | ORMA | TION GIVEN IS | GARAC | SE . | - | | PERMIT PLUMBING PERMIT | | + |
| CORRE | ECT. THE LICENSE, WHERE INDICATED, IS IN F | ULL FORC | E AND VA | ALID. | | | | | PATIO | | | | ELEC. PERMIT MECH. | | |
| X | | | | | D | ate | | | BATH AIR CC | ND. | + | | PERMIT SEPTIC | | -+- |
| | Owner | | | | | | | | FIREP | | | | SMI | | |
| _ | Contractor Lic. No | | | | Cla | ss | | | | | | | TOTAL | Marketon Toronto | - |
| L- | Agent for Owner | | | | | | | | TOTAL | 5.65 | | want - | TOTAL | | |

| | COU | NTY OF FF | RESNO | APPLIC | ATION FOR | PERMIT | 24 HR. 1 | NSPECTION | 1 | | | | ICANT TO FILL | IN | |
|----------|--------------------|-------------------------|---------------------------------|--------------|------------------------|------------------|---|--------------------------------------|----------------|-------------------|-----------------|--|---------------------------------|--------------|---------------|
| | | | BLIC WORKS AND SAFETY | | (| | | ING SERVICE 3-3895 | | | | Maria Ma | E OR PRINT | | • 1 |
| | | | NIA 93702 | | N D. BEE | | | I. WEAVEF | | NEW | AL | TERATION | PATIO | PORCH | |
| | | 453-3886 | DIRE | TOR O | F PUBLIC | | | ING INSPECT | - | STORIES | BUILDII | | GARAGE/C | P | |
| FOR | APPLICA | ANT TO FI | LL IN (Type or | Print) | Z | ONE 1 - 2 | . 3 - 4 | · · · · 6 | | 5.011120 | SIZE SQ. FT. | | | | |
| BUII | LDING AD | DRESS | 183. | 5. | DE | 775 | 3000 | = Alex | = 1 | PROJEC | T | | | | |
| | NER TO | WAN | | 22 - | NEAREST | - | | ATE | - | |) 00 | | SE 1 | | _ |
| | L ADDRE | SS |)// | 10 | 010 | | | PATE | - | 1 | K. St. | CH. | GE / | ~ _ | - |
| CITY | | | | | Z:P | | PHONE | | | | | | | | |
| LEN | DER | | | | ADDRESS | | BRANCH | | | EGAL D | ESC. | - | | | |
| - | | CONTRA | СТОР | | | ADDRESS | | PHONE | | | | | | | |
| BLD | G. MBINC | | | | | | | | + | | | | | | |
| ELEC | | | | | | | | | + | | | | | | |
| MEC | | | | | | | | | - | | | | | | |
| SEP | | | | | PLUM | BING | THE SAME | | | | A.P.I | 376 | -160 - | 43 | |
| NO. | | | | EACH | - | | LDG. SEWER | | 15.0 | 0 | SIZE | OF LOT | USE OF BLD | | |
| - | PERMI | CLOSET | URINAL | 5.00 | 6.00 | PHIVA | DISPO | SAL SYSTEM | 25.00 | 0 | SEW | ER | | INAGE _ | 10 |
| | - | N SINK | DISPOSA | - | | NEW | SINGLE F | AMILY DWI | ELLIN | NG | | | FEE | 971 | ACCUPATION OF |
| _ | DISHW | | BATH TU | - | | | ing work in a on | bathroom newly welling (excluding | 40.00 | J | | FF | ZONING | SIDE | REA |
| - | | RYTRAYS NG FONT. | LAV | 5.00 | | sewer & : | septic system). | weiling (excluding | 40.00 | 1 | SETB. | ACK MIN. | MAX. INTER | IOR STREE | Т |
| | - | - | nd/or SERVICE | - | | constructe | ing work in a two ed single family d | bathroom newly welling (excluding | 45.00 | | APPR | OVED | | DATE | |
| | FLOOR EA. LAW | | ING SYST. FOR FLOW DEVICES. | 5.00 | | | septic system) | e bathroom newly | | + | BY | | | 0.116 | |
| | | | LOW DEVICES. | 5.00 | | constructe | | welling (excluding | 50.00 | | ZONIN | IG ACCEPTA | NCE APPRO | VED PE | NDING[|
| <u> </u> | - | | G to NAT, GAS | | | | additional bati in | over three | | T | ZON | E RICT | 1 SPEC | CIAL | |
| | 1 | itional Ou | | 1.00 | | | | TAL FEE | \$ | - | + | 2 | 7 | | |
| | GASAF | PLIANCE | | 6.00 | E LEO | Min. s | \$10.00 | MALFEE | ٠ ا | 1000 | 1 | WH | EN VALIDA | TED / | 1 |
| NO. | | | Barbara A. | EACH | FEE | -0.1 See | VICE & O | R SUB-PAN | IFI S | - | TH | SAPPLI | CATION IS Y | OURPE | RMIT |
| | PERMIT | | | 6.00 | 122 | T DEN | 1102 4 0 | 11002 1 71 | | 1 | | | | | |
| | EA. CIP | CUIT WOF | MODEL RK ONLY) | 2.00 | | | 200 AMPS | | 5.00 | | 7 | | | | |
| | FOR FIX | NG OUTLE | VHICH | .30 | | | 0 400 AMPS | | 16.00 25.00 | - | \dashv | | | | |
| | CONTRO | T IS USED (| R | | | | 600 AMPS | | 50.00 | | 1 | | | | |
| | DRYERS | - | DISHWASHER DISF | - | | | Construction 0 to 7 | AMILY DWE | 25.00 | - | ā | 97.6 | 14 97.44 | · | |
| | 220 | 3.00 | WELDER | 3.00 | | | onstruction 751 to | | 30.00 | | ۱ " | 77. | 97.44 | inti | |
| | 0-1 HP | 2.00 | OVER 30-50 HF | | | | Construction 1001 | | 40.00 | | | | 97.44 | KTO | |
| | OVER 1 TO 5 HP | 5.00 | OVER 50-100 | 18.00 | | | Construction 1501 (| | 50.00 €0.00 | | Ri | 189 | .00 c | acg Acg | |
| | OVER 5 TO 30 HP | | OVER 100 HP | 28.00 | | Area of C | Construction 2501 to | | 70.00 | | 2 | 189 | 2/22 | 180 | |
| | | C. VALVE | | 1.00 | -+ | EA. ADD | 500 Sq. Ft. | | 5.00 | | - | | | | |
| | | MP MACH. OVE | R 5 HP | 20.00 | | Min. \$ | 10.00 | TAL FEE . | \$ | | | | | | |
| | | | | - | MECHA | | | | | | | | | | |
| NO. | PERMIT | FEE | | 6.00 | FEE 6.00 | | HAN 7 TONS | COOLING | 6.00 | 5 | 1 | | | | |
| | | | TEM 1-5 outlets | 5.00 | | | 7 TONS to 14 | TONS | 9.00 | | | | | | |
| | GAS APP | tional Ou | tlet 6 or more | 1.00 6.00 | | | INCLE EA | MILY DWE | 14.00 | | - | | | | |
| | MECH. | | | 6.00 | + | | SQ. FT. | WILL DAY | 10.00 | | 1 | | | | |
| | DUCT SY | STEM | | | | 751 to | 1500 SQ. FT. | | 15.00 | | | | | | |
| | | | 4M SQ. FT. R 4M SQ. FT. | 5.00 | | | 2500 SQ. FT | | 20.00 | | - | | | | |
| | | tory-PER F | | 10.00 | -+ | EA. AD | D. 500 SQ. F | <u>'</u> | 1.00 | | 1 | | | | |
| | EVAP. C | | | 10.00 | | Min. \$10 | 000 TO | TAL FEE | l | | 1 | | | | |
| | WINDOW | UNIT | | 2.00 | FEIDA | | | | | | | | | | 1 |
| CAL | IFORNIA | WORKME | N'S COMPENS | | | A.A.A.Berrierine | | | | | TYPE | OCC | CUPANCY | CODE | Saw Marine |
| | PERSON IN | THAT IN TH | E PERFORMANC VER SO AS TO BE | E OF TH | E WORK FO UBJECT TO | R WHICH THIS I | PERMIT IS ISS | UED I SHALL NO ATION LAW OF C | T EMPL | LOY ANY | UNIT | TOTAL | PLAN CHECK | | |
| | | | | | TS OF WOR | KMEN'S COMPE | ENSATION LAV | OF CALIFORNI | A | | | | ENERGY SURCHARGE | | |
| | HEREBY (| CERTIFY TH | TOR LICENSE | TFROM | THE CONTR | ACTOR'S LICEN | ISE LAWS OF | THE STATE OF | CALIFO | ANIA AS | | | S.M.I. | ļ | |
| | THE UNDER | SIGNED IS | LICENSED BY T | HE DIREC | TOR OF PR | OFESSIONAL A | ND VOCATION | AL STANDARDS | TO EN | GAGE IN | - | | SUB TOTAL BUILDING PERMIT | | - |
| , | FULL FORC | E AND EFF | ECT DURING THE | EPERFO | RMANCE OF | WORK AUTHOR | RIZED BY THIS | AND WILL BE N | | | | | PLUMBING PERMIT | | |
| | | ORS LICEN | SE # | | CLASSIFICA | | L THE FORE | GOING IS TRUE | BLD | | | | PERMIT PERMIT | | |
| | SIGNED _ | ECT. | - Shoon | - crett | nersi | PHONE | | _ za ig inot | GAR | | | | MECH. PERMIT SUB TOTAL | | - |
| | TITLE | | | | 9 | DATE | | CASH [] | BAT | | | * /> | | | |
| | APPROVED | BY | VALIDA | ED BY | | CCOUNT # | | CHECK 2 | | COND. | | | | | |
| REMA | ARKS: | | | | - | | | | FIRE | PLACE | | | FC | - | |
| | | | | | | | | | TOTA | AL COST MPROVE | MENTS | | TOTAL | 90 | 44 |
| OM · B | AY: 11-79 | THE OWNER OF THE OWNER. | THIS DE | DAUT CL | IALL EVO | DE DVI MITA | TION AND D | ECOME NULL | | | | | CONTRACTOR OF THE PARTY OF | - | |

APPLICATION FOR PERMIT COUNTY OF FRESNO DEPARTMENT OF PUBLIC WORKS

488. 3886

DIVISION OF BUILDING AND SAFETY FRESNO, CALIFORNIA 93702 CLINTON D. BEERY DIRECTOR OF PUBLIC WORKS

24 HR INSPECTION ANSWERING SERVICE 488-3895

JOHN I. WEAVER CHIEF BUILDING INSPECTOR

FOR APPLICANT TO FILL IN

| | | PATIO |
|---------|-----------------------------|-----------|
| NEW | ALTERATION | |
| STORIES | BUILDING SIZE SQ. FT. | GARAGE/CP |
| PROJEC | T | |

| FOR APPLICANT TO FILL IN (1 | Type or Print) ZONE 1 | - 2 - 3 - 4 - 5 - 6 | |
|-----------------------------|-----------------------|---------------------|-----|
| BUILDING ADDRESS 1/83 | 5. ARMS | TRANG | PRO |
| NEAREST TOWN | NEAREST CROS | SS ST. | |
| OWNER JAPUSIN | nonian | DATE | 1 |
| MAIL ADDRESS | , | | |
| CITY | ZIP | TEL. NO. | |

ADDRESS CONTRACTOR PHONE PLUMBING ELEC MECH

LEGAL DESC

USE OF BLDGS.

LICENSE#

HEAR

SIZE OF LOT

DESIGNER

DRAINAGE

PLUMBING GAS PIPING OUTLET (6 or more, each) NO. (SUP. FEE 1.50) EACH FEE .75 PERMIT FEE 3.00 GAS APPLIANCE 4.50 3.00 WATER CLOSET ROOF DRAIN EACH 1.00 3.00 BASIN (LAVATORY) 3.00 BOOF DRAIN MIN 3.50 BATH TUB 3.00 SPECIAL INSPECTION FEE-\$10 PER HOUR SHOWER 3.00 SINGLE FAMILY DWELLING KITCHEN SINK 3.00 DISHWASHER 3.00 27.50 LAUNDRY TRAYS 3.00 All plumbing work, including water heater, in FLOOR DRAIN 3.00 a two-bathroom newly constructed, single family dwelling; (excluding all other gas ap 35.00 URINAL 3.00 ance tags) e tags) imbing work, including water heater in constructed, single family dwelling of bathrooms; (excluding all other gss ap WASTE DISPOSAL 3.00 40.00 BACKELOW DEVICE 3.50 ice tags) WATER PIPING and/or SERVICE 2.50 For each additional bathroom over three \$3,00 per bathroom fixture.

SEWER CONNECTION APPROVAL ZONING INTERIOR STREET APPROVED DATE ZONING ACCEPTANCE PENDING L APPROVED []

HOUSE SEWER 9.00 COVERSION LPG to NAT. GAS 18.00 EA. GAS PIPING SYSTEM (1.5 out) 3.50

TOTAL FEE \$

WHEN VALIDATED THIS APPLICATION IS YOUR PERMIT

(SUP. FEE \$1.50) EACH FEE SPECIAL INSPECTION FEE-\$10.00 PER HOUR PERMIT FEE 3.00 3.00 **SERVICE & OR SUB-PANELS** RECEPTACLES Switches lights Outi 0-99 AMPS 2.50 FIXTURES 100-125 AMPS 4.00 TOTAL (of two lines above) 126-200 AMPS 6.00 FIRST 10 OR PORTION 4.00 201-399 AMPS 8.00 REMAINDEP @ 15 ea OVER 350,000 CM WIRE 12.00 ELEC RANGES DISHWASHER 1.50 SINGLE FAMILY DWELLING DRYERS HEATER DISP 1.50 18.50 Area of Construction 0 to 750 Sq. Ft. 220 1.50 WELDER 1.50 Area of Construction 751 to 1000 Sq. F 25.00 OUTLET a of Construction 1001 to 1500 Sq. Ft. 34.00 .75 0-16 HP OVER 5-15 HP 3.00 OVER 1/2 Area of Construction 1501 to 2000 Sq. Ft. 44.00 1.50 OVER 5-50 HP 6.50 Area of Construction 2001 to 2500 Sq. Ft. 54.00 OVER 2 2.50 OVER 50 HE 17.00 5 HP Area of Construction 2501 to 3000 Sq. Ft. 64.00 EA ADD 500 So Et 2.50 TOTAL FEE Min. \$5.00 \$

Min. \$9.00

97.44 FC 97.44 TOTL 97.44 CKTO .00 CACG 101 2/17/78

MECHANICAL REFRIGERATION COOLING UNITS NO. EAC FEE PERMIT FEE 3.00 3.00 LESS THAN 7 TONS EA. GAS PIPING SYSTEM (1-5 outle 3.50 OVER 7 TONS to 14 TONS 7.00 GAS APPLIANCE 4.50 **OVER 14 TONS** 12.00 EA. ADD. OUTLET .75 4.00 Gas Absorption System to 130,000 BTU VENTILATION DUCT GRAVITY 2 00 " 130,001 to 370,000 BTU 7.00 SERVING COMM. KITCHEN 3.00 WINDOW UNIT 2.00 Mechanical Inc. Hood Under 4.000 CFM-3.00 SPECIAL INSPECTION FEE-\$10 PER HOUR SERVING COMM. KITCHEN SINGLE FAMILY DWELLING UNDER 4 MC.F.M. \$4.00 OVER 4 MC.F.M. \$6.00 0 to 750 SQ. FT 6.00 DUCT SYSTEM-NON RESIDENT 751 to 1500 SQ. FT 7.00 SINGLE STORY 0-4M SO FT 5.00 1501 to 2500 SQ. FT 10.00 SINGLE STORY OVER 4M SQ. FT. 10.00 2501 to 3000 SQ. FT 11.00 MULTI story-PER FLOOR 5.00 EA. ADD. 500 SQ. FT 1.00 EVAP. COOELR TOTAL FEE \$

JOHN I WEAVER CHIEF BUILDING INSPECTOR

TYPE CONST. CODE APPROVED BY VALIDATED BY CASH CHECK UNIT PLAN CHECK SIGN BELOW AND COMPLETE REVERSE BLDG BUILDING I HEREBY ACKNOWLEDGE THAT I HAVE READ THIS APPLICATION AND STATE THAT THE INFORMATION GIVEN IS CORRECT. THE LICENSE WHERE INDICATED IS IN FULL FORCE PLUMBING GARAGE PERMIT ELECTRICAL PERMIT PATIO AND VALID BATH MECH. PERMIT AIR COND. SEPTIC Date FIREPLACE SMI Contractor Lic. No. _ _Agent for Owner

24 HR. INSPECTION ANSWERING SERVICE COUNTY OF FRESNO DEPARTMENT OF PUBLIC WORKS BUILDING 488-3895 DIVISION OF BUILDING AND SAFETY 4499 E KINGS CANYON RD. FRESNO, CALIFORNIA 93702 CLINTON D. BEERY JOHN I WEAVER ALTERATION DIRECTOR OF PUBLIC WORKS CHIEF BUILDING INSPECTOR 488-3886 BUILDING SIZE SQ. FT. GARAGE/CP STORIES ZONE 1 - 2 - 3 - 4 - 5 - 6 BUILDING ADDRESS 11835. HEMSKOUKS PROJECT NEAREST TOWN DEAINAGE FEE NEAREST CROSS ST OWNER GARS PHONE LEGAL DESC ADDRESS PHONE DESIGNER ADDRESS BRANCH LENDER ADDRESS PHONE CONTRACTOR BLDG PLUMBING MECH SEPTIE A.P.N. 3/6 PLUMBING SIZE OF LOT EACH FEE ROOF DRAIN EA 1.00 MIN 3.50 NO (SUP. FEE 1.50) 3.00 PERMIT FEE SEWER DRAINAG WATER CLOSET URINAL 3.00 FEE KITCHEN SINK 3.00 SINGLE FAMILY DWELLING DISPOSAL ZONING All plumbing work, including water heater, in a one bathroom newly constructed, single family dwelling; (excluding all other gas appliance tags) DISHWASHER BATH TUB 3.00 REAR 27.50 SHOWER 3.00 REQUIRED LAUNDRYTRAYS INTERIORISTREE LAV DRINKING FONT. 3.00 All piumbing work, including water heate in a two bathroom newly constructed, sir family dweiling, (excluding all other gas WATER PIPING and/or SERVICE 2.50 APPROVED 35.00 may dwelling, (exclusions, planner lags). I plumbing work, including water heater, a newly constructed, single family dwelling three bathrooms, (excluding all other gas. 3.0 FLOOR DRAIN BACKFLOW DEVICE 3.50 APPROVED PENDING ZONING ACCEPTANCE 40.00 HOUSE SEWER 9.00 appliance tags) SPECIAL CONVERSION LPG to NAT, GAS 18 00 ZONE For each additional bathroom over three \$3.00 per bathroom fixture EA. GAS PIPING SYSTEM 1 - 5 outlets 3.50 .75 ea Ea. Additional Outlet 6 or more TOTAL FEE Min. \$9.00 4.50 GAS APPLIANCE WHEN VALIDATED ELECTRICAL THIS APPLICATION IS YOUR PERMIT SERVICE & OR SUB-PANELS EACH FEE NO. (SUP. FEE \$1.50) 3.00 0-99 AMPS 2.50 PERMIT FEE 3.00 100-125 AMPS 4.00 RECEPTACLES 6.00 126-200 AMPS thes lights Outlets 8.00 4.00 201-399 AMPS FIRST 10 OR PORTION OVER 350,000 CM WIHE 12.00 REMAINDER @ 15 ea DISHWASHER SINGLE FAMILY DWELLING ELEC RANGES DRYERS Area of Construction 0 to 750 Sq. Ft. 13.50 HEATER DISP 1.50 97.44 FC Area of Construction 751 to 1000 Sq. Ft 25.00 1.50 WELDER OUTLET 97.44 Area of Construction 1001 to 1500 Sq. Ft 34.00 0-1/2 HP .75 OVER 5-15 HP 3.00 97.44 44.00 Area of Construction 1501 to 2000 Sq. Fr OVER 1/2 1.50 OVER 15-50 HP 54.00 Area of Construction 2001 to 2500 Sq. F. OVER 2 35397 2.50 OVER 50 HP 17.00 Area of Construction 2501 to 3000 So Fr 64.00 5 HP EA ADD 500 Sq. Ft 2.50 TOTAL FEE \$ Min. \$5.00 MECHANICAL REFRIGERATION COOLING UNITS NO. PERMIT FEE 3.00 3.00 LESS THAN 7 TONS 4.00 OVER 7 TONS to 14 TONS 7.00 EA.GAS PIPING SYSTEM 1-5 outlets 3.50 OVER 14 TONS 12.00 Ea. Additional Outlet 6 or more .75ea SINGLE FAMILY DWELLING 2.50 GAS APPLIANCE 0 to 750 SQ. FT. 6.00 MECH, HOOD DUCT SYSTEM-NON RESIDENT 751 to 1500 SQ. FT 7.00 SINGLE STORY, 0.4M SQ. FT 1501 to 2500 SQ. FT 10.00 5.00 SNGL STORY OVER 4M SQ. FT. 2501 to 3000 SQ. FT 11.00 10.00 FA ADD, 500 SQ, FT 5.00 MULTI story-PER FLOOR 1.00 EVAP. COOLER 2.00 TOTAL FEE \$ 2.00 WINDOW UNIT AFFIDAVIT CALIFORNIA WORKMEN'S COMPENSATION LAW I CERTIFY THAT IN THE PERFORMANCE OF THE WORK FOR WHICH THIS PERMIT IS ISSUED I SHALL NOT EMPLOY ANY PERSON IN ANY MANNER SO AS TO SECOME SUBJECT TO THE WORKMAN'S COMPENSATION LAW OF CALIFORNIA I HAVE COMPLIED WITH ALL THE REQUIREMENTS OF WORKMEN'S COMPENSATION LAW OF CALIFORNIA CALIFORNIA CONTRACTOR LICENSE LAW I HEREBY CERTIFY THAT I AM EXEMPT FROM THE CONTRACTOR'S LICENSE LAWS OF THE STATE OF CALIFORNIA AS PROVIDED IN CALIFORNIA BUSINESS AND PROFESSION CODE SECTION NUMBERS THE UNDERSIGNED IS LICENSED BY THE DIRECTOR OF PROFESSIONAL AND VOCATIONAL STANDARDS TO ENGAGE IN THE CONTRACTING BUSINESS IN THE STATE OF CALIFORNIA AND SAID LICENSE IS, AND WILL BE MAINTAINED IN FULL FORCE AND EFFECT DURING THE PERFORMANCE OF WORK AUTHORIZED BY THIS PERMIT. OCCUPANCY CODE CONST PLAN CHECK UNIT TOTAL BUILDING CONTRACTORS LICENSE # CLASSIFICATION BLDG I DECLARE UNDER PENALTY OF PERJURY THAT THIS APPLICATION AND ALL THE FOREGOING IS TRUE AND CORRECT GARAGE PLUMBING SIGNED PHONE # PATIO BATH MECH. PERMIT TITLE DATE CASH AIR COND SEPTIC VALIDATED BY APPROVED BY ACCOUNT # CHECK P FIREPLACE TOTAL COST OF IMPROVEMENTS TOTAL 10M: BAY: 8665: 5-78

APPLICATION FOR PERMIT

Lic. Number 227289 License Class 8-1

Contractor Floyd Walker Date 1-15-86

OWNER BUILDER DECLARATION
Intereby affirm that I am exempt from the Contractor's License
Law for the following reason Sec. 7031.5. Business and Professions
Code of the following reason Sec. 7031.5. Business and Professions
Code of the following reason Sec. 7031.5. Business and Professions
Code of the Contractor of the Contractor's License
Code of the Contractor of the Contractor's License
Law (Chapter 9 (commencing with Section 7000) of Division 3 of the
Business and Professions Code of that he is exempt thereform and
the basis for the alleged exemption. Any violation of Section 7031.5
by any applicant for a permit subjects the applicant to a civil
penalty of not more than five hundred dollars (\$500):

Las owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Corte. The Contractor's License law does not apply to an owner of orporty who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. It, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale).

I as owner of the property, am exclusively contracting with idensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractor's License Law does not who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law).

I am exempt under Sec. Date __ Owner

WORKERS' COMPENSATION DECLARATION ereby affirm that I have a certificate of consent to self-insure, ertificate of Workers' Compensation Insurance, or a certified thereof (Soc. 3800, Lab. C.).

__ Company Certified copy is hereby furnished.

Certified copy is filled with the County of Fresno Department of Building & Safety.

Date 1-15-86 Applicant Mcm Cucled

CERTIFICATE OF EXEMPTION FROM WORKERS'
COMPENSATION INSURANCE
(This section need not be completed if work is for one hundred dollars (st00) or less).
Leartify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers Compensation Laws of California.

Date Applicant
NOTICE TO APPLICANT: It, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.

CONSTRUCTION LENDING AGENCY

i hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Div. C.).

NONE Lender's Name _

Lender's Address_

Lertify that I have read this application and state that the above information is correct. Lagree to comply with all city and county ordinances and state laws relating to building construction, and hereby authorize representalives of this county to enter upon the above-mentioned property for inspection purposes. 1-15-84 mtm Denald
Date Signature of Applicant or Agent

ELECTRICAL

Area of Construction 1001 to 1500 Sq. Ft.

Area of Construction 1501 to 2000 Sq. Ft

Area of Construction 2001 to 2500 Sq. Ft.

Area of Construction 25/01 to 3000 Sq. Ft

TOTAL FEE

EA. ADD 500 Sq. Ft

MIN. \$20.00 FOR WATER WELL PUMP

PERMIT FEE

NO.

| | EA. CIRC | UIT (REM | HODEL WO | RK ONLY) | 2.00 | | | NEW SINGLE | FAMILY D | WEL! | LING |
|---|--------------------------------|--------------|---------------|----------|------------|----|----------|--|--|---------|---------------------------------------|
| / | EA. WIRI FIXTURE IS USED | S AT W | HICH CU | RRENT | .30 EA. | 30 | cons | iumbing work in a newly tructed single family ing excluding sewer & c system. | one bathroon two bathroon three bathro | , [| 40.00 45.00 50.00 |
| | ELEC RAN | GES | DISHW | ASHER | 3.00 | | | For each additional | bathroom fixtu | re | 5.00 |
| | DRYERS | HE | ATER | DISP | 3.00 | | | Nin. \$10.00 | TOTAL | PEE | s |
| | 220 OUT | LET | W | ELDER | 3.00 | | 1 | | , , , | | |
| | 0-1 HP | 2.00 | OVER : | 30-50 HP | 11.00 | | NO. | SEPTI | C" . | EACH | FEE |
| | OVER 1 TO 5 HP | 5.00 | OVER | 50-100 | 18.00 | | | PERMIT FEE | The second second | 6.00 | 6.00 |
| | OVER 5 TO 30 HP | 7.00 | OVER | 100 HP | 28.00 | | | NEW SYSTEM | | 25.00 | |
| | EA. TIME | CLOCK | (| | 2.00 | | | REPAIR SYSTEM | 2000 | 15.00 | |
| | EA. ELEC | . VALV | E | | 1.00 | | | то | TAL FEE | \$ | |
| | TRANSF | ORMER | | | | | COLUMN 1 | | | | S S S S S S S S S S S S S S S S S S S |
| | | | | | | | NO. | MECHAN | ICAL . | EACH | FEE |
| | 1 | | | | | | | PERMIT FEE | 34 32 0 3 1 1 1 | 6.00 | 6.00 |
| | SERVI | CE & | OR SU | B-PAN | IELS | | | EA. GAS PIPING SYSTEM | 1-5 outlets | 5.00 | |
| | 0 TO 2 | 00 AMP | S | | 5.00 | | | EA. Additional Outle | t 6 or more | 1.00 ea | |
| | 201 TO 4 | 00 AMP | S | | 16.00 | | | GAS APPLIANCE | | 6.00 | |
| | 401 TO 6 | 00 AMP | S | | 25.00 | | | MECH. HOOD | | | |
| | OVER 60 | 0 AMPS | | | 50.00 | | | DUCT SYSTEM | | - | - |
| N | IEW SIN | GLE | FAMIL | Y DWE | LLIN | IG | RE | FRIGERATION | COOLIN | G UN | VITS |
| | | | to 750 Sq. F | | 25.00 | | | LESS THAN 7 TONS | | 6.00 | 0.0 |
| - | Area of Con: | struction 75 | 51 to 1000 So | Ft. | 30.00 | | | OVER 7 TONS to 14 | TONS | 9.00 | |

40.00

50.00

60.00

70.00

5.00

6

\$6.30

EACH

6.00 6.00

COUNTY OF FRESNO RESOURCES & DEVELOPMENT DEPT. DEVELOPMENT SERVICES DIVISION 4499 E. KINGS CANYON RD. FRESNO, CALIFORNIA 93702 APPLICATION FOR PERMIT

LOCAL: 453-5029

NO

PERMIT FEE

WATER CLOSET

KITCHEN SINK

WASH MACH.

EA. LAWN SPRINKLER SYST. FOR S.F.D. WITH BACK FLOW DEVICES

EA. GAS PIPING SYSTEM

EA. Additional Outlet

GAS APPLIANCE

OVER 14 TONS

0 to 750 SQ. FT.

751 to 1500 SQ. FT.

1501 to 2500 SQ. FT.

EA. ADD. 500 SQ. FT

NEW SINGLE FAMILY DWELLING

TOTAL FEE

EA. BLDG. SEWER

ALL OTHER BK. FLOW DEV.

LAVATORY

FOR APPLICANT TO FILL IN (Type or Print in Black Ink)

24 HR. INSPECTION ANSWERING SERVICE 453-5031

| IOLL | 11166 | 1 (000) | 142 | - 3 | ζ. |
|------|-------|---------|-----|-----|----|
| | | ZONE | 1. | /2- | 3 |

| ADDRESS //83 S. AVI | ns trong |
|---------------------|-------------------------------|
| NEAREST TOWN Fresno | NEAREST CROSS ST. HURCH NEW ! |
| OWNER GATY SIMONIAN | |

Armstrang 255-0096 MAIL ADDRESS 1183 BLOG CONTRACTOR Fleyd WAlker Ince TEL 257-0326 LIC 067289

ADDRESS 1534 11. Maple PLUMB. CONTRACTOR_

ADDRESS ELECT. CONTRACTOR MECH. CONTRACTOR.

ADDRESS ST. LIC DESIGNER

LEGAL DES REPAIRS TO A SFR REPER TO FILE AS PER FIRE DAMAGE REPORT # 1285

FLOOD MAP PAGE ZONE 3/6-A.P.N. -160 ZONING

STD. LAND USE CODE FRONT INTERIORISTREET MIN. TYPE CONST. OCCUP. GRP. STORIES BLDG. HT MAX SETBACKS MIN

APPROVED SQ. FT. UF DATE BLDG. GAR/CP

ZONING ACCEPTANCE: APPROVED - PENDING -PATIO REMARKS: ZONE DECK **PLUMBING**

REPLACE 130000 EST. LA EACH FEE 30000 TOTAL VAL. IMP \$ 6.00 | 6.00 FEES BY 5.00 ENERGY SURCHARGE DISPOSAL 5.00 CONSOLIDATED C 50 S.M.I. BATH TUB 5.00 SHOWER 5.00 36 30 12 WATER PIPING and/or SERVICE 5.00 SLECTRICAL PERMIT 99 5 10.00 PLUMBING PERMIT 5.00 SEPTIC 5.00 1-5 outlets APPROVED 6 or more 1.00 ea 6.00 VALIDATED P ecount O SEWER

DRAINAGE MICROFILM CASH [CHECK 84 TOTAL 18 WHEN VALIDATED
THIS APPLICATION IS YOUR PERMIT

382110:45JAN.15'861 CHARGE 18.84 LINE D6

H.3821

14.00

10.00

15.00

20.00

1.00

MIN. \$10.00

INSPECTION RECORD

| BUILDING INSPECTION | INSPECTOR'S APPROVAL | DATE | REMARKS | INSPECTOR'S TRIPS | | | NF |
|---------------------------------------|-------------------------|---------|----------|-------------------|-------|----------|----|
| Foundation: location forms setback | | | | Kinec 1/6/8 | 36 | 4 | - |
| Foundation: Garage | | | | 1,000 | | | |
| Floor Girders & Joists | | | | | | | |
| Flood Prone Elev. | ., | / / | | | | | |
| Frame | Thomps 1 | 117/86 | NEW C | 27616 JUISTS. | 44 | - | |
| Roof Sheath- | | | | | | | |
| Roof Covering | ELLE | 6986 | | 1 | - | - | - |
| Lath: (exterior) | FKIRK | 6280 | | | - | - | - |
| Fireplace: damper | , | | | | | - | - |
| Fireplace: roof | | | | | | - | |
| Shower Wall Over Tub | | | | | | | - |
| Shower Pan & Walls | | | | | - | - | |
| Patio and Porch Piers | | | | | | | - |
| Pre Deck | | | | | - | 1 | - |
| Pool Fencing and Gates | | | | | | + | - |
| Pool Steel: location forms setback | | | | + | + | + | - |
| Bond Beam & Steel | | | | | - | + | |
| Grading Permit Issued / Finaled | | | | | | - | - |
| Shear Panel Nailing | | + | | | + | + | - |
| Insulation | | | | | + | | - |
| | / / , , , | | | | + | + | |
| Fire Protection | 1 111.1 | - | | | - | + | - |
| FINAL INSPECTION - | Jane Val | 6-9-86 | | | | | |
| ELECTRICAL INSPECTION | INSPECTOR'S APPROVAL | DATE | REMARKS | INSPECTOR'S TRIPS | DATE | CN | NR |
| Conduit: Pvc Galv. Interior | | | | 12106 1/161 | 180 | - | _ |
| Conduit Pvc Galv Extenor | | + | | 10000 1101 | G/C | + | |
| Rough Wiring Ca7UNG C164 | 1620422 | Malu | 1/1 | | - | <u> </u> | |
| Elec. Main Panel | of pouro | 11/1 36 | 44 | - | + | - | |
| | | + | | - | | | - |
| Temporary Meter | | | | - | - | | |
| Temporary Power Pole | | | | - | | - | - |
| Ground Electrode | | | | | + | - | |
| Ground Clamp | | | | | + | - | - |
| Supplemental Ground: Driven Rod | | | | | + | | |
| Ufer Location | | | | | + | - | - |
| Wiring to Well | | + | | | | | - |
| Pool Steel Bonding | | | | | - | - | - |
| | / / | + | | | - | 1 | - |
| Pool Equipment Bonding | 1 11/1 | + | | | | - | - |
| FINAL INSPECTION | Jank Wil | 69-86 | | | | | |
| PLUMBING INSPECTION | INSPECTOR'S APPROVAL | DATE | REMARKS | INSPECTOR'S TRIPS | DATE | CN | NR |
| Ground Plumbing: soil | | | | | | | |
| Water Pipe | | | | | | | |
| Vents | | | | | | | |
| Gas Pipe - Interior | | | | | | | |
| Gas Service L.P.G. Test | | | | | | | |
| Dryout Gas | | | | | | | |
| Tub Access | | | | | | | |
| Septic Tank | | | | | | | |
| House Sewer | | | | | | | |
| Septic T. & Pits Backfilled | | | | | | | |
| Temporary Meter | | | | | | | |
| Water Service | | | | | - | | - |
| Punip Saal | | - | | | - | | |
| FINAL INSPECTION | | | | | | | |
| MECHANICAL INSPECTION | INSPECTOR'S | DATE | REMARKS | INSPECTOR'S TRIPS | DATE | ČN | NR |
| | APPROVAL | | | | - | | |
| Ducts Underfloor | | 1 | | | | | |
| Duct Overhead | | - | | | - | | |
| Fresh Air | | - | | | | - | |
| Furnace: gas vents comb air | | + | | | - | | |
| Refrigeration Unit Evaporative Cooler | | | | | | | |
| | | | | | | | |
| FINAL INSPECTION | | | ! | | L | | |
| OCCUPANCY AMOUNT BOND | INSPECTOR'S SIGN | DATE | APPROVED | BY DATE REFUN | ID BY | DATE | |

REMARKS:

COUNTY OF FRESNO

REDURCES & DEVELOPMENT DEPARTMENT DIVISION OF BUILDING & SAFETY

TF 1285

REPORT OF FIRE DAMAGE INVESTIGATION

| Address 1183 S. Armstrons |
|---|
| City Fresno Nearest Cross Street Jensen |
| Located on the west side of street, between Jessen & Butler |
| Owner Klary Simonian Address of Owner 5Ame |
| Name of Occupant (other than owner) |
| Size of Building x sq. ft. No. of Baths Garage x sq. ft. Carport x sq. ft. Patio x sq. ft. |
| EXTENT OF DAMAGE TO STRUCTURE |
| Check applicable items damaged which will require replacement |
| STRUCTURAL ELECTRICAL |
| 7. Floor Joists 8. Other(Explain) PLUMBING |
| 1. Furnace # 1. Water Piping 2. Ducts 2. Drainage Piping 3. Vent Piping 4. Water Heater # 5. Fixtures # 6. Gas Piping |
| Plan Required No |
| Sining room - Replace cerling foists + 1 light fixture + wing to fixture - No other damage done |
| Inspector's Signature Date Reported by Date Received Received By |
| Reported by Date Received Received by |

Form #42 Rev. 8/81

| 435 | | | Cross St. (Church) | |
|-------------------|---|---|--|---|
| Ó | DATE | PERMIT NO. | NAME | |
| 316-160.43 | 3/4/76 3/4/76 3/4/76 HC 3/4/76 F 3/8/76 | S.F.D./Gar 4, C*146944 C B-146945 C C-146946 C C-146948 C\$121. P-147224 C E-148310 C | /Bath A/C 4156 Gary Simonian/Jakk L. Kibler **SO) tax C & E Plbg. | |
| | 3/29/76 B N 10/22/76 | xgend Patio Cor p-149036 C Si ew Septic Sep-166 3 76 C Sw | ver imonian/Kibler | |
| | 2/24/77 | FC-1551 Ga | ary Simonian | |
| 1 | 2/17/78 | FC-19130 (| Gary Simonian | |
| one. | 2/23/79 | FC-35397 FC-B-2189 | Gary Simonian \$97.44 Simonian \$97.44 | |
| 1183 S. Armstrong | . 1/15/86 | | e #1285 6-9-86 par 3821 Gary Simonia 5821 Floyd Walker | n |
| 1183 \$ | | | | |

6 50

12/10/03 3 TO 4 WIRE CONVERTION ON 10 HP PUMP E-050615 2-11-03 5C

10/26/15 RE-ROOF EXIST SFD & ATTACHED PATIO B-74839 Scarred 2-18-16 15-107462



CONSTRUCTION PERMIT

COUNTY OF FRESNO
DEVELOPMENT SERVICES DIVISION
MAILING ADDRESS: 2220 TULARE STREET, 6th FLOOR FRESNO, CA 93721
OFFICE LOCATION: SOUTHWEST CORNER OF TULARE

& 'M' STREETS, SUITE A

ACTIVE PERMITS YES PHONE NUMBERS
24-HR REQUEST LINE
600-4131
LOCAL: 600-4560
TOLL FREE: 800-742-1011
FAX: 600-4201

Ref#:

| <u>Project Address</u> | Cross S | | Project Description | | | | | |
|---|--|---|--|--|--|--|--|--|
| 1183 S ARMSTRON | G CHUR | СН | REROOF EXISTING SFD AND ATTACHED PATIO | | | | | |
| FRESNO CA 93727 | | | | | | | | |
| Permit #: 15-107462-F0 | C Issued on: | | APN: 31616043S | | | | | |
| Owner: SIMONIAN | GARY CHARLES & ELAINE JUNE TRS | Applicant: CM R | OOFINTG SERVICES *MIGUEL COLIM* | Contractor: CM ROOFINTG SERVICES *MIGUEL COLIM* | | | | |
| Address: 1183 S ARM | STRONG FRESNO CA 93727 | Address: 438 E | SHAW AVE #216 FRESNO CA 93710 | Address: 438 E SHAW AVE #216 FRESNO CA 93710 | | | | |
| Phone: | | Phone: Work: (! | 559)-579-3776 559) | Phone: Work: (559)-579-3776 Home: (559) | | | | |
| | | | | | | | | |
| Analysis and the control of the control of | and the state of | 'License #: 999179 | | License #: 999179 | | | | |
| Approvals Application Requirements Zoning Review | Approved By Permit Application Mtunga, Tawanda | n Reviewer | <u>Date</u> October 26, 2015 | | | | | |
| Zoning District | Required Setbacks: | 1 | October 26, 2015 Front | Side Rear | | | | |
| AL20 | | Min | Max | Interior Street Min | | | | |
| PROJECT INFOR | MATION | | | | | | | |
| Occupancy Pendir | | | Reroof Valuation: 18 | 8000 | | | | |
| Roof Classificatior Submittal Method: | n: Class C or better Walk-in | | Soil Bearing Capaci WMP Occupancy P | | | | | |
| | | | | | | | | |
| | | MEC | HANICAL | | | | | |
| | | ELE | CTRICAL | | | | | |
| | | | | | | | | |
| | , | | | | | | | |
| | | PLU | JMBING | | | | | |
| hereby affirm that I am licensed u | nder provisions of Chapter 9 (commencing | LICENSED CONTRA | ACTOR'S DECLARATION | de, and my license is in full force and effect.Lic. | | | | |
| Number999179 | | -39 Contractor CM RC | | , and my need to be in the force and effect, Lic. | | | | |
| | | • | NSATION DECLARATION | FOR OWNER BUILDER SEE FORM F174 ATTACHE | | | | |
| I have and will maintain a ce I have and will maintain wor Wy workers' compensation insuran Carrier I certify that in the per habit I should become subject to the Applicant CM ROOFINTO WARNING: FAILURE TO SECURE | ce carrier and policy number: (This: formance of the work for which this permine workers compensation provisions of Se SERVICES WORKERS COMPENSATION COVERS | ters' compensation as provided by Section 3700 of the Lab section does not need to be a tit is issued, I shall not employection 3700 of the Labor Cod | ed for by Section 3700 of the Labor code, or Code for the performance of the work for completed if the permit is for one hundred any person in any manner so as to become. I shall forthwith comply with those proving the state of the state o | d dollars (\$100) or less.) | | | | |
| hereby affirm that there is a construct | ONSTRUCTION LENDING AGENCY tion lending agency for the performance of the | work for which this permit is iss | all city and county ordinances and sta | on and state that the above information is correct. I agree to comply with ate laws relating to building construction, and hereby authorize | | | | |
| (Sec. 3097, Div. C), Lenders Name | Address | | representatives of this county to enter | r upon the above-mentioned property for inspection purposes. | | | | |
| | W 15 | , . : | Applicant Or Agent | MIN | | | | |
| City | State | | Date 10-76-45 | | | | | |
| THIS PERMIT SHALL EXPIRE BY | LIMITATION AND BECOME NULL AND | VOID IF THE WORK IS NO | T COMMENCED OR IF NO INSPECTIO | NS ARE COMPLETED WITHIN 180 DAYS.* | | | | |

POST THIS CARD IN A CONSPICUOUS PLACE

DEPARTMENT OF PUBLIC WORKS AND PLANNING DEVELOPMENT SERVICES DIVISION 2220 Tulare Street, Suite A, Fresno, CA 93721 Office: (559) 600-4560 or 1 (800) 742-1011 FAX: (559) 600-4201



24 HOUR INSPECTION REQUEST

(559) 600-4131

Before 2:30 p.m. for next-day inspection This is your record of field inspection

AMANDA NUMBER: 15-107462

PERMIT NUMBER: _

JOB ADDRESS: 1183 Armstrong

REMARKS CORRECTIONS DATE APPROVED BY DATE INSPECTOR TYPE OF INSPECTION Flood Prone-Elevation Foundation: Forms & Setback Foundation / Patio Piers Floor Girders & Joists Shear Panel Nailing Pre-Roof Roof Sheathing Roof Batten/Felt Roof Covering Exterior Lath/Siding Fireplace Damper Fireplace: Roof Frame CASH DEPOSIT Insulation **AMOUNT** Temporary Power Shower Wall Over Tub Occupancy Shower Pan & Walls APPROVED TO POST DATE Bond Beam & Steel m 11/2/1 BY: APPROVED FOR REFUND DATE Steel, Bonding & Setback BY: Pre-Deck DATE REFUNDED Pool Fencing & Gates BY: **FINAL INSPECTION** CERTIFICATE OF OCCUPANCY **CORRECTIONS ELECTRICAL** TYPE OF INSPECTION APPROVED BY DATE INSPECTOR | DATE Conduit: PVC/Galv. Interior MOBILE HOME Conduit: PVC/Galv. Exterior APPROVED BY DATE Rough Wiring TYPE OF INSPECTION Perm Foundation/Tie-down Elec. Main Panel Amps Temporary Meter Flood Prone-Elevation Forms & Setbacks Temporary Power Pole Piers/Anchors Ufer Location/Driven Ground Steps/Landings Water Pipe Bond Location Elec. Service ____ Wiring To Well Grounding Electrode Wiring To Well Pool Equipment Bonding Continuity Test FINAL INSPECTION Conduit/Feeders **PLUMBING** CORRECTIONS Gas Test - Exterior Gas Test Monometer APPROVED BY DATE INSPECTOR DATE TYPE OF INSPECTION Ground Plumbing: Soil Sewer Waste Piping Water Pipe - Under Floor Water Pipe - Above Floor Septic System Interior Water Pipe Vents & Top Out Gas Pipe – Interior Water Service Gas Test - Interior Well Seal Pad Gas Test - Exterior **FINAL INSPECTION** Second Floor Tub Test Certificate of Occupancy Septic System OTHER DEPARTMENT CONDITIONS House Sewer FINAL Water Service PVC/Galv. **GRADING** G.V. # Well Seal Pad G.P.# FINAL INSPECTION **CORRECTIONS** FIRE DEPARTMENT **MECHANICAL** TYPE OF INSPECTION APPROVED BY DATE INSPECTOR | DATE **ENVIRONMENTAL HEALTH Ducts Underfloor Ducts Overhead** ROADS Wood Burning Appliance Refrigeration Unit/Furnace C.U.P. # SPR# **Evaporative Cooler** Gas Pipe Gas Test ALL CONDITIONS MET FOR PROJECT (BUILDING INSPECTOR INITIAL) FINAL INSPECTION

County of Fresno

REG-RECEIPT: 6209-74839

CASHIER ID: CIB1113

Oct 26, 2015

Date Printed: Oct 26, 2015 2:50 PM

| 15107462 FC | \$189.30 |
|-----------------------------|---|
| | |
| SubTotal | \$189.30 |
| GST | \$0.00 |
| PST | \$0.00 |
| TOTAL DUE | \$189.30 |
| | |
| RECEIVED FROM: | |
| CM ROOFINTG SERVICES COLIM) | S (MIGUEL ANGLE |
| CCARD | \$189.30 |
| | *************************************** |
| TOTAL TENDERED | \$189.30 |
| | ***** |
| CHANGE DUE | \$0.00 |
| | |

Invoice

County of Fresno Department of Public Works & Planning

Mailing Address: 2220 Tulare Street, 6th Floor Fresno, CA 93271 24-HR REQUEST LINE: 600-4131 LOCAL: 600-4560 TOLL FREE: 800742-1011 FAX: 600-4201



INVOICE TO: CM ROOFINTG SERVICES

INVOICE NO: 80324

INVOICE DATE: October 26, 2015

PERMIT #: Folder 15 107462 000 00 FC

REFERENCE #:

PROJECT LOCATION:1183 ARMSTRONG FRESNO CA

PROJECT DESCRIPTION: REROOF EXISTING SFD AND ATTACHED PATIO

| FEE DESCRIPTION Re-Roof Permit | 1 | AMOUNT \$179.00 | COMMENT |
|--------------------------------|--------------------|------------------------|---------|
| CA Bldg Standards C | omm. Fee (SB-1473) | \$1.00 | |
| SMI | | \$1.80 | |
| Workers Comp. | | \$7.50 | |
| SUMMARY | TOTAL | \$189.30 | |
| BUILDING PERMIT | | \$179.00 | |
| OTHER | | \$10.30 | |
| | TOTAL | \$189.30 | |
| | Total Billed: | \$189.30 | |
| | Payment Recieved: | \$0.00 | |
| | Balance Due: | \$189.30 | |

STATE OF CALIFORNIA

RESIDENTIAL ALTERATIONS

| | | ,(W) |
|--------------------------|------------|--------|
| CALIFORNIA ENERGY | COMMISSION | التعدي |

| /LOID LIMITAL | " " | ٠ |
|---------------------|---------------|---|
| EC-CF1R-ALT-01-E (R | evised 03/15) | |

CERTIFICATE OF COMPLIANCE

CF1R-ALT-01-E (Page 1 of 6)

Prescriptive Residential Alterations

Project Name: Re 200 F

Date Prepared: 10-26-15

| A. G | eneral Information | | | | 10 20 10 |
|------|--------------------|---------------------|----|---|----------|
| 01 | Project Name: | Re FOOT | 02 | Date Prepared: | 10-66-1) |
| 03 | Project Location: | 1183 5 AMSTRONG PUR | 04 | Building Front Orientation (deg or cardinal): | |
| | | ELCINO CH | 06 | Number of Altered Dwelling Units: | j |
| 05 | CA City: | FRUITO TIP | 08 | Fuel Type: | 605 |
| 07 | Zip Code: | | 10 | Total Conditioned Floor Area (ft2): | 65 A |
| 09 | Climate Zone: | 10000 | 12 | Slab Area (ft2) | 13 17 |
| 11 | Building Type | recidentia/ | | Exceptions to Minimum Aged Solar | |
| 13 | Project Scope: | , | 14 | Reflectance and Minimum Thermal or SRI | , |
| 13 | Troject scope. | | | 150.2(b)1Hi | |

| 01 | 02 | 03 | 04 | 05 | 06 | | 07 | 08 | 09 | 10 | 11 |
|--------|---------------|---------------|-------------------|---------------------|-------------------|-----------------------|----------|-----------------|------|----------|----------|
| | | | | | | Propose | ed | | | Required | |
| | | | Frame | Frame | | Continuous | | Append Refer | | | |
| Tag/ID | Assembly Type | Frame Type | Depth (inches) | Spacing (inches) | Cavity R-value | Insulation R-value | U-factor | Table | Cell | U-Factor | Comments |

| 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 2 | 13 | 14 |
|------------|-------------------------|---------------|-----------|------------------------|-----------------|-------------------------------|------------------------------|---------------------------|----------------------|-------------------|------------------------------------|------------------------------------|----------------------|-----------------------|
| | | | | CDDC | | | | Propo | sed | | | Minimum R | equired | r |
| Tag/ ID | Method of Compliance | Roof Pitch | Exception | CRRC Product ID Number | Product Type | R-value Deck Insulation | Initial Solar Reflectance | Aged Solar Reflectance | Thermal Emittance | SRI (Optional) | Aged Solar Reflectance (Max) | Aged Solar Reflectance (Min) | Thermal Emittance | SRI (Optiona I) |
| | Cool Roch | | | ļ | Shinales | | 0.92 | 0:22 | 0.92 | 24 | 0.22 | C, | 0.92 | 24 |

NOTES

- Roof area covered by building integrated photovoltaic panels and solar thermal panels are exempt from the above Cool Roof requirements.
- Liquid field applied coatings must comply with installation criteria from section 110.8(i)4.

Registration Number:

Registration Date/Time:

HERS Provider:

CA Building Energy Efficiency Standards - 2013 Residential Compliance

March 2015

STATE OF CALIFORNIA

RESIDENTIAL ALTERATIONS

CALIFORNIA ENERGY COMMISSION

| CEC-CF1R-ALT-01-E (Revised 03/15) | CALIFORNIA ENERGY COMMISSION |
|--|--|
| CERTIFICATE OF COMPLIANCE | CF1R-ALT-01-E |
| Prescriptive Residential Alterations | (Page 6 of 6) |
| | Date Prepared: 16-26-15 |
| DOCUMENTATION AUTHOR'S DECLARATION STATEMENT | |
| | Documentation Author Signature: |
| | hemy Ce |
| Company: | Signature Date: |
| | 10-26-1) |
| Address: | CEA/ HERS Certification Identification (if applicable): |
| 438 E shaw ave # 216 | |
| City/State/2ip: | |
| Fresno CA 93+10 | 339 3 79-37 76 |
| RESPONSIBLE PERSON'S DECLARATION STATEMENT | |
| I certify the following under penalty of perjury, under the laws of the State of California: | |
| 1 The information provided on this Certificate of Compliance is true and correct. | |
| 2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility | for the building design or system design identified on this Certificate of Compliance (responsible |
| designer). | Control of the Contro |
| 3. That the energy features and performance specifications, materials, components, and man | uractured devices for the building design or system design identified on this certificate of |
| Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Coo | plicage are consistent with the information provided on other applicable compliance documents. |
| 4. The building design features or system design features identified on this Certificate of Com | r approval with this huilding normit application. |
| worksneets, calculations, plans and specifications submitted to the emotement agency to | with the building permit(s) issued for the building, and made available to the enforcement agency |
| for all applicable increasions. Lunderstand that a registered copy of this Certificate of Com | pliance is required to be included with the documentation the builder provides to the building |
| | |
| Responsible Designer Name: | Responsible Designer Signature: |
| 1 Asquel Calina | hand a |
| COLUMENTATION AUTHOR'S DECLARATION STATEMENT Lertify that this Certificate of Compliance documentation is accurate and complete. Topicat Name: Lertify that this Certificate of Compliance documentation is accurate and complete. Signature Date: Signature Date: Signature Date: Wifate(Signature) CEA/HERS Certification Identification [if applicable): Wifate(Signature) FOCS NO CH 937 CEA/HERS Certification Identification [if applicable): ESPONSIBLE PERSON'S DECLARATION STATEMENT Lertify the following under penalty of perjury, under the laws of the State of California: The information provided on this Certificate of Compliance is true and correct. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations. The building design features or system design features of Compliance are consistent with the information provided on ot worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application. I will ensure that a registered copy of this Certificate of Compliance is required to be included with the documentation owner at occupancy. Date Signature: Responsible Designer Name: Responsible Designer Name: Responsible Designer Name: Da | Date Signed: |
| | 10-25-15 |
| Address: 3 | License: |
| 438 E Shaw ave # 2/6 | 999179 |
| City/State/Zip: | Phone: |
| Fresna CA 91710 | 559 579 37 70 |
| the state of the s | |
| | |
| | |
| | |

For assistance or questions regarding the Energy Standards, contact the Energy Hotline at: 1-800-772-3300.

Registration Number:

Registration Date/Time:

HERS Provider:

March 2015

FENESTRATION INSTALLATION CEC-CF2R-ENV-01-E (Revised 09/15) CERTIFICATE OF INSTALLATION CERTIFICATE OF INSTALLATION Fenestration Installation Project Name: RP ROOP Enforcement Agency: Permit Number: 748-756

| PC POO! | 1 | 1 アリロンフ |
|--|--|---|
| Dwelling Address: 1183 N Ams Frons | City Po-cSN/ | Zip Code |
| ••• | | |
| DOCUMENTATION AUTHOR'S DECLARATION STATEMENT | | |
| 1. I certify that this Certificate of Installation documentation is accurate and complete. | | / |
| Documentation Author Name: Miquel Colimb | Documentation Author Signature: | e C |
| Documentation Author Company Name: CM Rooking SesuiceS | Date Signed: 11-12- | -15 |
| Address: 438 & Show out #216 | CEA/HERS Certification Identification (If applicable): | |
| City/State/Zip: Focso CiA 937 (6 | Phone: 559 579-3770 | |
| RESPONSIBLE PERSON'S DECLARATION STATEMENT | | |
| I certify the following under penalty of perjury, under the laws of the State of California: | | |
| The information provided on this Certificate of Installation is true and correct. | | |
| I am eligible under Division 3 of the Business and Professions Code in the applicable class materials, components, or manufactured devices for the scope of work identified on this builder/installer), otherwise I am an authorized representative of the responsible builde | s Certificate of Installation, and attest to the declarations in this st | on, or installation of features, atement (responsible |
| The constructed or installed features, materials, components or manufactured devices (regulations, and the installation conforms to the requirements given on the plans and sp. I reviewed a copy of the Certificate of Compliance approved by the enforcement agency. Certificate of Installation, and I have ensured that the requirements that apply to the conformation. | pecifications approved by the enforcement agency. that identifies the specific requirements for the scope of construc | |
| I will ensure that a registered copy of this Certificate of Installation shall be posted, or m enforcement agency for all applicable inspections. I understand that a registered copy of to the building owner at occupancy. | nade available with the building permit(s) issued for the building, a | nd made available to the documentation the builder provides |
| Responsible Builder/Installer Name: | Responsible Builder/Installer Signature: | |
| Company Name: (Installing Subcontractor or General Contractor or Builder/Owner) | Position With Company (Title): | |
| Address: 438 E Shaw Que H-216 | CSLB License: 99917 S | |
| City/State/Zip: PSCSNO (NA 9370 | Phone 559 34 7 8 2 75 Date Signed: | 11-12-15 |

FENESTRATION INSTALLATION

| CEC-CF2R-ENV-01-E (Revised 09/15) | | CALIFORNIA ENERGY COMMISSION |
|------------------------------------|---------------------|------------------------------|
| CERTIFICATE OF INSTALLATION | | CF2R-ENV-01-E |
| Fenestration Installation | | (Page 1 of 2) |
| Project Name: REROOF | Enforcement Agency: | Permit Number 74 839 |
| Dwelling Address: 1/83 N Ams toons | City Encina | Zip Code |

If more than one person has responsibility for installation of the items on this certificate, each person shall prepare and sign a certificate applicable to the portion of construction for which they are responsible. Alternatively, the person with chief responsibility for construction shall prepare and sign this certificate for the entire construction. The signer agrees that all applicable Mandatory Measures were met. Temporary labels are not to be removed before verification by the building inspector.

A. Fenestration/Glazing

Includes all Windows, Skylights, Greenhouse/Bay Windows, and Glazed Doors.

Note: If meeting Exception 1 to 150.1(c)3A, Installing $\leq 3 \text{ft}^2$ glass in door, it is assumed to meet the minimum required U-factor (0.32) & SHGC (0.25). If meeting Exception 1 to 150.1(c)3A, Installing $\leq 3 \text{ft}^2$ tubular skylight, it is assumed to meet the minimum required U-factor (0.55) & SHGC (0.30).

| 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 |
|---------|------------------------|---|-------------|-------------|----------|--------|------|--------|----------------------|--|---------------------------|
| Tag/ID | Manufacturer/ Brand | Fenestration Area (ft ²) | Orientation | Chromogenic | U-factor | Source | SHGC | Source | Fenestration Type | Exterior Shading Devices (Describe) | Comments/Special Features |
| 0890-00 | owers 4 Corning | | | | | | | | | | cool ROOF Ambe |
| | | | | | | | i. | | | | |

| B. Fe | enestration Installation |
|-------|--|
| 01 | For new construction, installed window U-factor and SHGC values should be equal to or less than listed on the CF1R. |
| 02 | For existing buildings the U-factor and SHGC values should be the same or better than the required Energy Commission prescriptive requirements. |
| 03 | Temporary labels should not be removed until verified by the building inspector. |
| 04 | The fenestration product manufacturer's installation specifications shall be followed when installing these products. The space between the fenestration product and |
| | rough opening shall be completely filled with insulation. If batt insulation is used, it is cut to size and placed properly around the fenestration product. |
| The I | responsible person's signature on this compliance document affirms that all applicable requirements in this table have been met. |

Registration Number:

Registration Date/Time:

HERS Provider:

COUNTY AND IS SECOND

Department of

Public Works

Roof Certification

(For Compliance with Assembly Bill 3819)

and Planning

Development Services Division

| I, Migal Colms (name of installer) | , certify that the roof covering I will) install at |
|--|---|
| 1183 5 Amstrong | |
| TID 3 A POSTORY | (project address) |
| will have a classification as defi | ned in the California Building Code of: |
| () Class "A" (minimum requirement for SRA | (Class "C" or better (minimum requirement for LRA**) |
| aleas. | in 12. The following materials to be installed on these |
| (X Composition Shingles | () Metal () Built-Up Roofing |
| | Manufactured by: <u>AwenS (orning</u>) Style / Model: |
| () Fire retardant wood shake | es / shingles (Manufactured by:) |
| () Other: | |
| The slope on any low-slope roothese areas: | of is/_ in 12. The following materials will be installed on |
| () No low-sloped roofs | () Same as main roof (Built-up roofing |
| () Torch-down | () Metal () Other: ROUTING |
| All materials will be installed in Code and the manufacturer listing | accordance with the latest edition of the California Building |
| I rayly an | 10-76-15 |
| ∰ignature of Installer) | (Date) |
| | |

FIRE RESPONSIBILITY AREAS

- * LRA (Local Responsibility Areas) include most areas of the County that are on the valley floor.
- ** SRA (State Responsibility Areas) includes most areas of the County East of the Friant-Kern Canal or West of Interstate Highway 5.

Boundary maps are available for public review at this office or at the State of California Forestry Department Offices

F336 Rev: 2/06 G:\4360Devs&Pln\FORMS\F336 roof certification_Revised.doc

DEPARTMENT OF PUBLIC WORKS AND PLANNING

PRE-ROOFING INSPECTION CHECKLIST

| Job Address: | 83 & Thoms | trong | Date: 10.77 | 15 |
|--|--|--|------------------------------|------------------|
| EXISTING ROOF | COVERING | | | |
| Wood Shake | ☐ Wood Shingle | Comp Shingle | BUR | |
| Metal | Clay/Cement | Other | Removed | |
| No. of Roofing Layers: _ | | | | |
| PROPOSED ROOF | COVERING | and the second s | | |
| Wood Shake | ☐ Wood Shingle | Comp Shingle | BUR | |
| Metal | Clay/Cement | Other | Removed | |
| EXISTING ROOF | - confidence | | | |
| AREA 3 | Patio Sto | ppe:12 | Satisfactory Satisfactory | YES NO |
| EXISTING FLASH | ING/FLUES | | | 40. |
| A/C Plenum Flashing Roof Jacks Fireplace Flashing Flue: Pipe Comments: | OK Replace OK Replace OK Replace OK Replace OK Replace OK Replace | Cricket Required | Fire plane | YES NO |
| Praside C | FIR. DIT- 65 | Furth at | Flinal | |
| ROOF VENTILAT | ION | | | Square " UPPER |
| □ок | Additional | Square Inches Required | | Square " LOWER |
| Comments: | 1/300 07 | fadic ven | At la hion | |
| ROOF STRUCTUR | and the state of t | | | |
| | Repair Needed Sheathin | | Framing: | OK Repair Needed |
| PWP-F-322 | | | | |

FOR APPLICANT TO FILL IN DEPARTMENT OF PUBLIC WORKS DIVISION OF BUILDING AND SAF BUILDING CLINTON D. BEERY DIRECTOR OF PUBLIC WORKS 24 HR. INSPECTION 4499 F KINGS CANYON BOAD ALTERATION APPLICATION FOR CALIF. 93702 FRESNO ANSWERING SERVICE SUILDING SIZE 4156 PERMIT 488-3895 488-3886 1 GAR. LEF FOR APPLICANT TO FILL IN (Type or Print) ZONE 1 2 -3 - 4 - 5 BUILDING ADDRESS 1183 DWELLING ARMSTRONG ACU D SOUTH NEAREST CROSS ST. ENURCH NEAREST TOWN new dertie OWNER NIN + ATKS SIMPONIAN DATE2-2-76 MAIL ADDRESS 1099 OUTH ARMS TEL NO.25 FRESNO LEGAL DESC. BLOCK LICENSE NO. TRACT BLOG JACK L. KIBLEY 147193 2297574 THE pre worth PLUMBING OF THE SOUTH ELECT. MECH OF THE NW 14 OF SECTION 15 WHEN VALIDATED THIS APPLICATION IS YOUR PERMIT AMOUNT /80 FIRST PRINT LINE 145444 NO. OF BLDGS 140945 USE OF EXISTING BLDG NO. OF ARCHITECT OR 14 SEWER CONNECTION ENCROACHMENT PLANNING DEPARTMENT STATE AND IN 20 OVED X PENDING [29.00 45,50 3333 PLUMBING MECHANICAL ELECTRICAL EACH FEE EACH EACH NO. 3.00 3.00 3.00 3.00 3.00 3.00 PERMIT FEE PERMIT FEE PERMIT SEE RECEPTACLES Switches Light Outlets 2.00 1.75 EA. GAS PIPING SYSTEM (1 to 5 outlets) WATER CLOSET 17 GAS APPLIANCE 2.50 BASIN LAVATORY FIXTURES BATH TUB 1.75 TOTAL (of two lines above) FIRST 10 OR PORTION VENTHATION DUCT GRAVITY SHOWER 1.75 2.00 2.50 REMAINDER KITCHEN SINK 1.76 SERVING COMM. KITCHEN 3.00 Mechanical Inc. Hood Under 4,000 CFM-3.00, Over 4,000 CFM-5.00 ELECTRIC RANGES DISHWASHER DISHWASHER 1/75 1.00 DISPOSAL 1.00 1.75 DRYERS HEATER LAUNDRY TRAYS SERVING COMM. KITCHEN 1.75 FLOOR DRAIN UNDER 4 MC.F.M. \$4.00 OVER 4 MC.F.M. \$6.00 URINAL 1.75 0-15 HP .30 OVER 5-15 HP WASTE DISPOSA 1.75 DUCT SYSTEM- NON RESIDENT OVER 1/2 2 HP. OVER 2 5 HP. 1.00 ONER 15 - 50HP 4.00 SINGLE STORY, 0-4M SQ. FT. 5.00 1.50 OVER 4M SQ. FT 10.00 1.00 CONVERSION IPG HONAT GAS 10.00 HOUSE SEWER 5.00 MOTORS MULTI STORY-PER FLOOR 4.00 EVAP. COOLER 1.50 2.00 WATER PIPING and or SERVICE EA. GAS PIPING SYSTEM / to 5 outlets 2.00 SPECIAL INSPECTION FRE - 8.00 PER HOUR SPECIAL INSPECTION FEE 8.00 PER HOUR GAS PIPING SYSTEM (6 or more, each 40 SERVICE CONDUCTORS & or SUB-PANELS REFRIGERATION COOLING UNITS GAS APPLIANCE 2.50 SPECIAL (SEE ORDINANCE) NO. 8 OR NO. 6 WIRE 1.50 LESS THAN 7 TONS 4.00 ROOF DRAIN 1 TO A NO. 4, NO. 2 OR NO. 1 WIRE OVER 7 TONS to 14 TONS 7.00 2.00 2.50 EACH ADDITIONAL DRAIN .50 NO. 1/0, 2/9, 3/0, OR 4/0 WIRE 3.50 SPECIAL INSPECTION FEE-8.00 PER HOUR 250,000 CM to 350,000 CM WIRE 5.00 Gas Absorption System to 130,000 BIU 4.00 OVER 350,000 CM WIRE 7.50 130,001 to 370,000 BTU 7.00 SINGLE FAMILY DWELLING All plunting work including water heater, in a one-bushroom newly constructed, single family dwelling; excluding all other gas appliance tags!

All plumbing whit, including water hearer, in a two bathroom newly constructed, single family dwelling, textuding all other gas appliance togs! 2.00 WINDOW UNIT SINGLE FAMILY DWELLING Area of Construction ,0 to 750 Sq. Ft. 1.00 15,00 SINGLE FAMILY DWELLING 751 to 1000 19.00 20.00 1001 to 1500" 0 to 750 SQ. FT. 6.00 All plumbing work, including water heater in a newly constructed, single family dwelling a three batfrooms, lexiduding all other gas ap-pliance 1991 1501 to 2000" 26.00 751 1500 7.00 2001 to 2500 32.00 1501 2500 10.00 38.00 11.00 For each additional buthroom over three 2501 3000 TOTAL FEE TOTAL FEE 45,50 TOTAL FEE 5 \$ CN ABUILDING INSPECTO CONST CHECKED BY CHECK Y S APPLICATION AND STATE . HAT THE INFORMATION TED, IS IN FULL FORCE AND VALID. HEREBY ACKNOWLEDGE THAT I HAVE READ TH BLDG BUILDING 129 SIGN BELOW AND COMPLETE REVERSE PERMIT DELEC. Date FEB 2 1976 AIR COND. Owner 46 Firm Name_ CoasT. Contractor 147193 Lic. No .. ___ Class __ 131__ TOTAL TOTAL THIS PERMIT SHALL EXPIRE BY LIMITATION AND BECOME NULL AND VOID IF THE WORK IS NOT COMMENCED WITHIN 120 DAYS.

COUNTY OF FRESNO


INSPECTION RECORD

| BUILDING INSPECTION | INSPECTOR'S SIGN | DATE. | REMARKS | INSPECTOR'S SIGN | DATE | ÇN | N |
|--|---|--|--|--|---------|-----------|---------|
| Foundation location forms setback | Solwart | 3/16/20 | | Selwert- | dily | | |
| Foundation Garage | Schwick | dictre | | 2/2 14-1 | F-111-3 | | - |
| Floor Girders & Joists | - Annual P | 11 59 1 6 | | 18 Curchet | 7/201 | | 1 |
| Pool Steel: location forms setback | | | | Young 9. | 8.76 | 0.1 | 1 |
| Frame bracing bolts | Schwarf | 5117.76 | | 1 1 | 16- | | |
| Lath (exterior) | Houng | 7-94-7 | 9 | | | | |
| Fireplace damper | MENUND | 4-15-76 | | | | | |
| Fireplace roof | 1 276 | | | | - | | |
| Shower Walls over Tub | 11 | 11 | North Artist | | 1000 | | |
| Shower Pan & Walls | Schwart | 2/21/26 | | | | | - |
| Under Floor Area-Clean Bond Beam & Steel | | | | A | - | | - |
| (1) | | | | | - | - | - |
| (2) | | and the second second | | | | - | - |
| (3) | | | | | 1 | 35,62 | - |
| | | | | | | - | - |
| The second secon | + $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ | 17.34 | Walter State | | - | - | - |
| FINAL INSPECTION Lem de | the trade on | 10/22/7 | Leni | | 17.00 | | - |
| | | | | | | 10 m | SEE TO |
| ELECTRICAL INSPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NI |
| Conduit: Pvc Galv. | | | | Jehurety 6 | 11/26 | - | + |
| Rough Wiring | Schwert | 5/1/16 | mail town to the | Journ 7 | 1 | | |
| Elec. Main Panel | | | | | | | |
| Temporary Meter | Schwart | 9/4/76 | Part No. | | | | |
| Temporary Power Pole | | 1, 4 | | | | | |
| Ground Electrode 20-12 4.5. | Selwert | E/478 | | | | | |
| Ground Clamp S.W. Water Serve | is shout | 5/7/76 | | | | | |
| | 1/7 | 1 7 | | | | | - |
| | atel | 1.60 | | | | | |
| FINAL INSPECTION | Misson | 1422/70 | | | | (managed) | d-corre |
| PLUMBING INSPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
| Ground Plumbing soil | The balling | 3-12-7 | 1 12 1 | 0 | - | - | |
| Water Pipe | 18/10000 | - characteristics | 6 North | 14/11 | | , , | / |
| Vents | WED ISTON | 3/15/76 | | Milled Source | 8-12 | 2 | |
| Gas Pipe | Sharet . | 4-1576 | | 8 Mornos | 26 | 1 | |
| Tub Access | secur y | 3/1/02 | | The state of the s | 1/1/16 | - | |
| | o + 36 marteron | aleta | | | | | - |
| Septic Tank | Samuelt | state | | | | | |
| House Sewer | | 11400 | | | | | |
| Septic T & Pits Backfilled | | Pitting and the | | Constitution (1987) | 1 | - 24 | 175 |
| Temporary Meter | | | | | | | |
| Pa line & tet | D. Hation 1 | 4-76 | | | | | |
| | 0/1 | | | | | + | 1,59 |
| FINAL INSPECTION | Copietos | 10/22/7(| The research court same water as a series was not | | | | |
| | | CONTRACTOR BRANCH PROPERTY OF THE PERSON NAMED IN COLUMN TO PERSON NAM | | | | | |
| MECHANICAL INSPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
| Ducts Underfloor | | | | | | | |
| Duct Overhead | Selward | 17/16 | | | - | | - |
| Fresh Air In atti | 11 | 5/17/2 | | | | | |
| Furnace: gas vents comb. air | neway | 1/16 | | | | | |
| Refrigeration Unit | | | A STATE OF THE STA | | | - | |
| Evaporative Cooler | | | | | - | | |
| | \wedge | | | | | | |
| A Commence of the Commence of | 000 | 1 1 | Marks 1 to the constraint and the | | | | |
| FINAL INSPECTION | Wister | 10/22/14 | Mary San Carlot | TO SHELL OF BELLEVIEW DESIGNATION | | | |
| AM DUNT | INSPECTOR'S SIGN | DATE | APPROVED | BY DATE RE | UND BY | DA | TE |
| DCCUPANCY | | | | DAIL | Jan Bi | DA | - |
| BOND | men de la companya del companya de la companya del companya de la | | | | | | |
| | | | | | | | |

TEL PHONE . 488-3886


COUNTY OF FRESNO

DEPARTMENT OF PUBLIC WORKS DIVISION OF BUILDING AND SAFETY



CHIEF BUILDING INSPECTOR 4499 E. KINGS CANYON'ROAD FRESNO, CALIFORNIA 93702

ROBERT E. HUBER



TOM BAY : 368:11-72 BUILDING DIVISION COPY

DATE FEB 2 1976

I HEREBY STATE THAT THE INFORMATION ABOVE IS CORRECT. I UNDERSTAND THE PERMIT MUST BE OBTAINED BEFORE ANY CONSTRUCTION IS STARTED 1. ON SITE SYSTEM_

SEWER NOTIFICATION _ 2. APPLICATION APPROVED PRE-POUR INSPECTION

FINAL INSPECTION ACLIVER

S.F.D.

| TYPE OR PRI | THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSONS AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSONS AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO PERSON NAMED | | 39 | TMENTOF | | C WORK | <u> </u> | DIVISION | 4 | HN I. WEAVE | |
|--|--|--|---------------------------------|--|---|--|--------------|----------------------------------|---|-------------------|---------------|
| BUILDIN | | | | OR OF PUBLIC W | | | | / | CHIEF BL | JILDING INS | PECTOR |
| TORIES ALTERATION PATE | And the second s | | | R. INSPECT | | | NOITA | FJR | E. KINGS CA FRESNO, CA | LIF. 937 | 02 |
| SIZE SQ. FT. GAR. | 10 | 00 | | 488-3895 | VICE | PE | RMI | T | 488-38 | | |
| ERMIT FOR: | | | FOR | APPLICANT | TO FI | LL IN ITY | pe or P | rint ZONE 1 | 2/- 3 - | 4 - 5 | |
| EXTEND F. | OTIC |) | BUILDING | ADDRESS | 18 | 3 | 2. | MRK | 15THO | UG | |
| and the second s | , , | | NEAREST | | | 4 | | NEAREST CROS | S ST. | TE GGS | 15.37 |
| COVER | | | MAIL ADD | | 6 | A | 211 | ETRIAN | | - | |
| EN1 | 169 | 45 | CITY | 1450 | 7 | | | | TEL. NO. | | // |
| | T NO. | C. TRACT | CONTRAC | TOR | | | | LIC | ENSE NO. | PHO | NE |
| TACT ARREST DEC | Fire FI | rut. | BLDG. | meke | | Kit | 4-1 | 1 1.4 | / 100 3 | 11-1 | 179 |
| | V E T.172 | See 24 | PLUMBING | | | | | | | | |
| THE RESIDENCE | 748 0 | 6 24 - F | MECH. | | | | | | | | |
| THE N W YY CK SEL | 7110A- 16 | | THE RESERVE THE PERSON NAMED IN | SALES OF THE PARTY | PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS | Committee of the last of the l | SAP | PLICATION | IS YOU | AMOUN | |
| FIRST POINT LINE | 1 1 1/21 | DA | " | PERMIT N | HMBEN | | | CLASS | | имори | |
| FIRST PRINT LINE | F BLOGS. | | | | | | | | | | |
| 135 × 210 | | | | | | | | | | | |
| SE OF XISTING BLDG. | NO. OF FAMILIES | | | | | | | | | | |
| ARCHITECT OR ENGINEER | | | a Caroli Array | | | | | | A 701.00 | | 30. |
| ADDRESS | TEL. | far.s | 29-10 | 1490 | 20 | C | 8 | # L3 | il-Ulf | | J. Usla |
| SEWER CONNECTION | EN CROACHMEN APPROVAL | T KA | 29-15 | 1490 | 37 | 0 | -6 | e L | Lill manner | | 0. |
| PLANNING DEPA | | 1 | | | | | | , Inc. | | | 10 |
| REQUIRED MIN, MAX, INTERIOR | STREET | REAR | 1 T. 10 | 1490 | 21 | • | ¥ | # BLU | of annual | | dist. |
| SETBACK 35 72 15 | -, L | 70 W | -29-76 | 1490 | 37 | | 0 | * A | Martin Avenue Six | | 10. |
| APPROVED DAT | 11 1 | 176 | | n . | | | | | | | |
| - Child Ioni Co. Co. | ROVED PE | NDING 🗆 | | | | | | | | | |
| ZONE SPECIAL S | 7 33 | 30 | | | | τ, | | | | | |
| PLUMBING | | | ELE | CTRICAL | 1 | | 1 | ME | CHANICAL | | • |
| NO. | EACH FEE | NO. | | 153.7 | EACH | 7EE 3.00 | NO. | PERMIT FEE | | 3.00 | FEE 3.00 |
| PERMIT FEE | 3.00 3.00 | PERMIT FE | LES Switches L | inhi Outab | 3.00 | 3.00 | - | EA. GAS PIPING S | YSTEM I to 5 outlet | + | 3.00 |
| BASIN (LAVATORY) | 1.75 | FIXTURES | itts switches t | igin outen | | | - | GAS APPLIANCE | | 2.50 | |
| BATH TUB | 1.75 | - CONTRACTOR OF THE PARTY OF THE SALES AND THE PARTY OF T | two lines abov | e) | | | | | | | |
| SHOWER | 1.75 | FIRST 10 OR POR | - | 1G ea | 2.50 | W. Carlotte | + | VENTILATION DU | | 3.00 | |
| DISHWASHER | 1.75 | REMAINDER | | DISHWASHER | 1.00 | - | | Mechanical Inc. | Hood | 3.00 | |
| LAUNDRY THAYS | 1.75 | DRYERS | HEATER | DISPOSAL | - | | | Over 4,000 CFM: | 5.00 | | |
| FLOOR DRAIN | 1.75 | | | | T | F = 20 | 1 1 | SERVING COMM. UNDER 4 MC.F.M. | \$4.00 | | |
| URINAL | 1.75 | 0 - 1/2 HP | 50 | OVER 5 - 15 HP | 2 00 | | 3 | DUCT SYSTEM NO | | + | |
| WASTE DISPOSAL | 1.75 | OVER 1/2 | 1.00 | OVER 15 - 50HF | - | | - | SINGLE STORY, 0 | | 5.00 | |
| CONVERSION LPG to NAT. GAS | 10.00 | OVER 2 5 HP. | 1.50 | WELDERS | 1.00 | | | | 4M SQ. FT. | 10.00 | |
| HOUSE SEWER | 5.00 | MOTORS | | | - | | \vdash | MULTI STORY PER | FLOOR | 2.00 | |
| WATER PIPING and/or SERVICE EA. GAS PIPING SYSTEM(1 to 5 outlets) | 2.00 | | | | + | - | + | EVAP. COOLER | | 2.00 | |
| GAS PIPING SYSTEM (6 or more, each) | .40 | | | FEE - 8.00 PER | | | 1 1 | | TION FEE - 8.00 P | - | |
| GAS APPLIANCE | 2.50 | SERVICE C | ONDUC | TORS & or | | PANELS | R | EFRIGERAT | | | ITS |
| SPECIAL (SEE ORDINANCE) | | | R NO. 6 WIRE | | 2.50 | | - | OVER 7 TONS to | | 7.00 | |
| ROOF DRAIN 1 TO 4 | 2.00 | | 2/0, 3/0, OR | | 3.50 | - | | 016171010 | | | |
| SPECIAL INSPECTION FEE-8,00 PER | HOUR | 250,000 | См ю 350,000 | O CM WIRE | 5.00 | | | Gas Absorption Sy | stem to 130,000 81 | U 4.00 | |
| SINGLE FAMILY DWELL | ING | OVER 3 | 50,000 CM WI | RE | 7.50 | | | | 30,001 to 370,000 | 2 00 | |
| 1 All alumbing work including water heater, in | TTT | SING | LE FAM | LY DWELL | LING | 100 | | WINDOW UNIT | | 1 200 | |
| a one-bothroom newly constructed, single family dwelling, excluding all other gas appliance logs. | 15.00 | Area of C | onstruction 0 | AND DESCRIPTION OF THE PERSON | 11 00 | THE STANFORM PRINT | | CINCLE | AMILY DWE | LING | |
| pliance tags: 2. All plumbing work, including water heater, in a two-trafficorn newly constructed, single family dwelling; (excluding all other gas applications too). | 19.00 | | - | to 1500° | 20.00 | - | 550,650,68 | 0 to 750 SQ. | | 6.00 | ON THE PERSON |
| | | +++ | | to 2000° | 26.00 | + | | 751 1500 | | 7.00 | |
| All plumbing work, including water heater in a newly constructed, single family dwelling of three bathrooms; lexcluding all other gas on- pliance logs! | 22.00 | | | to 2500` | 32.00 | - | | 1501 2500 | | 10.00 | |
| 4 For each additional buthroom over three | | | 2501 | o 3000° | 38.00 | 0 | +- | 2501 3000 . | * | 11.00 | |
| \$1.75 per bathroom fixture. | | + | | TAL EFF | | | +- | | TOTAL FEE | s | |
| TOTAL FEE | 5 | | 10 | TAL FEE | \$ | YPE | | loccur | | | () |
| JOHN I. WEAVER CHIEF BOLLING INSPECTOR | DBY_ | ACCT. # | CASH- | Снеск | | ONST | UNIT | TOTAL | PLAN 16 | | |
| CHECKED BY YALIDATE I HEREBY ACKNOWLEDGE CHAPT HAVE READ CORRECT. THE LICENSE, WHERE INDICATED, I | THIS APPLICATION | AND STATE THAT | тне імебяма | TION GIVENIS. | BLOG | - | | | CHECK % | | |
| SIGN BELOW | | | | | GARA F. PL | | | | 91'ILDING LEXMIT PLUMBING PERMIT | 11 | 0 8 |
| 1. 1.47.24 | / | | . 1140 | 29 1936 | F. PL. | | Projection (| 74990 | PERMIT ELEC. PERMIT | | |
| X MA X Sult | · Con | Da | ite ATRIK | . 4 / / / / / | AIR C | - | | | MECH | | |
| | | | | | | | | CHARLES AND THE REAL PROPERTY. | 21 6 2 62 6 | Marin Marin Marin | 150 |
| Owner | | Time | | | Pa | 400 | 3 | 1800 | SMI | | 120 |
| - | rm Name | Class B | , | | Pa | rtis | 3 | 188 | TOTAL | | 2 |

INSPECTION RECORD

| BUILE | DING INSPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
|--|--|--|---|---------|------------------|----------|--|--|
| | Liocation forms setback | | | | | | | |
| Foundation | | And the second s | | | | | | |
| Floor Girde | | | | | | | | |
| | location forms setback | | | | | | | |
| Frame brac | | | | | | | | |
| Lath (exteri | production of the state of the Section of the state of th | 1 | | | | | | |
| Fireplace d | Jamper | Att former | 7-1-12 | | | | | |
| | oof | | | | | | | |
| Shower Wa | ills over Tub | | | | | | | |
| Shower Par | n & Walls | A STATE OF THE PARTY OF THE PAR | | | | | | |
| | r Area-Clean | | | | | | | |
| Bond Beam | 1.8 Steet | | | | | | | |
| (1) | 4 | | | | | | | |
| | | | | | | | | |
| | | | | | | - | | |
| | | / | | | - | - | - | |
| CINCAL 1619 | SPECTION | 1.1.1 | 10/22/2 | | | | | |
| | SPECTION | My Marie | | | | STEED TO | | See |
| ELECT | RICAL INSPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | N |
| Conduit: Pv | vc Galv. | | | | | | | |
| Rough W | Viring | | | | | | | |
| Elec. M | lain Panel | | | 4 | | | | |
| Temp irary | Meter | | | | | | | |
| Temporary | Power Pole | | | | | | | |
| | ectrode | | | | | | | |
| Ground Ele | and the state of t | | | | | | | |
| Ground Ora | SPECT'' | | | | | | 10.0 S. 10.0 S | 986 |
| Ground Ora | SPECT'' | | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | 7 |
| FINAL INS | SPECT** | 1 | COMMUNICATION STREET, | REMARKS | INSPECTOR'S SIGN | DATE | - | Name of the last o |
| FINAL INS | SPECT*** IBING INSPECTION Inthing soil | 1 | COMMUNICATION STREET, | REMARKS | INSPECTOR'S SIGN | - | - | 7 |
| FINAL INS PLUM Ground Plu Water Pipe | SPECT*** IBING INSPECTION Inthing soil | 1 | COMMUNICATION STREET, | REMARKS | INSPECTOR'S SIGN | - | - | 7 |
| FINAL IN: PLUM Ground Plu Water Piper | SPECT*** IBING INSPECTION Inthing soil | 1 | COMMUNICATION STREET, | REMARKS | INSPECTOR'S SIGN | - | - | 1 |
| FINAL INS PLUM Ground Plue Water Pipe Vents Gas Pipe Tub Access | SPECT SPECTION SIMBING INSPECTION SIMBING Soil | 1 | COMMUNICATION STREET, | REMARKS | INSPECTOR'S SIGN | - | - | |
| FINAL INS PLUM Ground Plue Water Pipe Vents Gas Pipe Tub Access Dryout Gas | SPECT SPECTION SIMBING INSPECTION SIMBING SOIL | 1 | COMMUNICATION STREET, | REMARKS | INSPECTOR'S SIGN | - | - | |
| FINAL INS PLUM Ground Plu Water Pipe Vents Gas Pipe Tub Access Dryout Gas Seplic Tank | SPECT: IBING INSPECTION Imbing sell s | 1 | COMMUNICATION STREET, | REMARKS | INSPECTOR'S SIGN | - | - | 7 |
| FINAL INS PLUM Ground Plu Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sevi | SPECT: IBING INSPECTION Imbing sell s k ier | 1 | COMMUNICATION STREET, | REMARKS | INSPECTOR'S SIGN | - | - | |
| FINAL INS PLUM Ground Plu Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tan House Sewith House Sewith Saptic T, & | SPECT () IBING INSPECTION Imbing sed s k rer Pits Backfilled | 1 | COMMUNICATION STREET, | REMARKS | INSPECTOR'S SIGN | - | - | |
| FINAL INS PLUM Ground Plu Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tan House Sewith House Sewith Saptic T, & | SPECT () IBING INSPECTION Imbing sed s k rer Pits Backfilled | 1 | COMMUNICATION STREET, | REMARKS | INSPECTOR'S SIGN | - | - | |
| FINAL INS PLUM Ground Plu Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sew Septic Tank Temporary | SPECT SPECTION SPECTI | 1 | COMMUNICATION STREET, | REMARKS | INSPECTOR'S SIGN | - | - | |
| FINAL INS PLUM Ground Plu Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sew Saptic T. & Temporary | SPECTION SPECTION SPECTION SPECTION | 1 | DATE | REMARKS | /Harbour | 4 | - | |
| FINAL INS PLUM Ground Plu Water Pipel Vents Ons Pipe Tub Access Dryout Gas Supilic Tank House Sew Soptic T. & Temporary FINAL INS | SPECTION SPECTION SPECTION SPECTION | INSPECTOR'S SIGN | DATE | | /Harbour | 4 | X | |
| FINAL INS PLUM Ground Plu Ground Plu Waiter Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sew Septic Tank Femporary FINAL INS MECHA | SPECT: SPECTION White SPECTION ANICAL INSPECTION | INSPECTOR'S SIGN | DATE | | / Albana | 4 | X | |
| FINAL INS PLUM Ground Plu Water Pipes Vents Gas Pipe Tub Access Dryout Gas Sepile Tank House Sew Sepile Tank House Sew FINAL INS MECHA Control Contr | SPECTION SPECTION SPECTION SPECTION ANICAL INSPECTION artifoor () | INSPECTOR'S SIGN | DATE | | / Albana | 4 | X | |
| FINAL INS PLUM Ground Plu Water Pyper Yents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewin FINAL INS MECHA Cost Under Duct Overh | SPECTION SPECTION SPECTION MICAL INSPECTION artification (Line) | INSPECTOR'S SIGN | DATE | | INSPECTOR'S SIGN | 4 | X | |
| FINAL IN: PLUM Ground Plu Water Pipel Water Pipel Gas Pipe Tub Access Dryout Gas Septic Tank House Sewis Septic T. & Temporary FINAL IN: | SPECT: IBING INSPECTION Imbing sell I I I S K Wer Pits Backfilled (Meter SPECTION ANICAL INSPECTION artifoor I III III III III III III I | INSPECTOR'S SIGN | DATE | | INSPECTOR'S SIGN | 4 | X | |
| FINAL INS PLUM Ground Plu Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sew Septic T, & Temporary FINAL INS MECHA Color Color Color Color MECHA Color | SPECT: IBING INSPECTION Imbing sell Is k Iver Pits Backfilled Meter SPECTION ANICAL INSPECTION erfloor lead as vents comb air | INSPECTOR'S SIGN | DATE | | INSPECTOR'S SIGN | 4 | X | |
| FINAL INS PLUM Ground Plu Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sew Septic T, 8 Temporary FINAL INS MECHA '2.cts Unde Duct Overh Fresh Air Furnarie, ga Refrigeratio | SPECTION White Backfiled MICAL INSPECTION artiloor Jead as vents comb air on Unit | INSPECTOR'S SIGN | DATE | | INSPECTOR'S SIGN | 4 | X | |
| FINAL INS PLUM Ground Plu Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sew Septic Tank House Sew FINAL INS MECHA Cots Unde Duct Overh Fresh Air Furnance ga Refrigeratio | SPECTION White Backfiled MICAL INSPECTION artiloor Jead as vents comb air on Unit | INSPECTOR'S SIGN | DATE | | INSPECTOR'S SIGN | 4 | X | |
| FINAL INS PLUM Ground Plu Water Pipel Vents Gas Pipe Tub Access Dryout Gas Sepire Tank House Sew Sepire Tank House Sew FINAL INS MECHA P. cts Unde Duct Overh Fresh Air Furner is ga Refrigeratio E-vaporative | SPECTION SPECTION SPECTION ANICAL INSPECTION artiloor as vents comb air on Unit e Cooler SPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | 4 | X | |
| FINAL INS PLUM Ground Plu Water Pipel Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sew Septic Tank MECHA Temporaty Septic Tank MECHA Temporaty Septic Tank MECHA Temporaty | SPECTION SPECTION SPECTION ANICAL INSPECTION arithor arithor as vents comb air by Cooler SPECTION AMOUNT | INSPECTOR'S SIGN | DATE | | INSPECTOR'S SIGN | 4 | X | |

137 3


LINTON D. BEERY TELEPHONE .

COUNTY OF FRESHO

DEPARTMENT OF PUBLIC WORKS DIVISION OF BUILDING AND SAFETY



4499 E. KINGS CANYON ROAD FRESNO, CALIFORNIA 93702



DEPTH_

LIQUID DEPTH_ LINING_ TOTAL LIQUID TOTAL LIQUID LOT LINE CAPACITY_ FOUNDATION___ WATER WELL FI. COMMUNITY_ I HEREBY STATE THAT THE INFORMATION ABOVE IS CORRECT. I UNDERSTAND T THE PERMIT MUST BE OBTAINED BEFORE ANY CONSTRUCTION IS STARTED SIGNATURE SACK Z Will DATEMAR 29 1976 BAN-1558 11 12

3RD COMP.

WID TH_

LIQUID DEPTH___

1. ON SITE SYSTEM_ SEWER NOTIFICATION _ 2. APPLICATION APPROVED

PRE-POUR INSPECTION

FINAL INSPECTION____

NO. OF LINES.

SQUARE FEET.

ROCK ABOVE TILE.

BUILDING DIVISION COPY

DATE

| of Ch sion : | ereby affirm apter 9 (com | that I ar imencin ness an | ACTORS DECLARA In licensed under pro- ig with Section 7000 d Professions Code d effect. | ovisions) of Divi | - 60003 | DIV | COUNTY OF EPARTMENT OF F VISION OF BUILDII 4499 E. KINGS C FRESNO, CALIFO | PUBLIC WORKS NG AND SAFET ANYON RD DRNIA 93702 | APPLI | CATION F | OR PERMI | T 24 HR. INSPE ANSWERING S 453-3899 JOHN I. WEA CHIEF BUILDING II | SERVICE 5 AVER | DOONES |
|-----------------|--|---------------------------------|--|------------------------|---------------------------|---------------|---|---|----------------------|---------------------|-----------------|---|----------------------|--------|
| | lumber | orde an | Lice | ense Cla | ise | | 453-388 | | | | | | i | (|
| Cont | ractor | | | ate | | 1 | APPLICA TT TO |) FILL IN (TYP | | | ZONE | 1 - 2 - 3 - 4 | - 5 - 6 | |
| for the | reby affirm the following rea | at I am e | UILDER DECLARATIO xempt from the Co : 7031.5, Business ar | · Profess | ions Code: | BUIL | BING ADDRESS | XITH 1 | 4 | 2015 | TROUN | = Due | = | |
| demo | lish or repair | any stru | uires a permit to const cture, prior to its issu cit to ble a signed at | ance, al | so requires | | REST TOWN | | _ | NEARES | T CROSS ST. | | | |
| licens (Chap | pplicant for s led pursuant t ter 9 (comme | o the pro encing w | nit to file a signed st ovisions of the Contra with Section 7000) of | ctor's Li | cense Law | OWN | ER GA | P4 2 | 10 | an | 17/ | | | |
| | | | ode; or that he is exemption. Any violation outpiects the applicant | | | | ADDRESS | / | | | | | | |
| not m | ore than live t | nundred | dollars (\$500.): | with war | as as their | CITY | | | | TEL. NO ST. LIC. | | TEL. | | |
| SOIE C | ompensation, | Sac 70 | M. Business and P. of | essions | Code The | CON | | | | \$1. £10. | | NO. | | |
| builds | actor's Licens or improves | thereon | es not apply to an ow s, and who does suc provided that such im | th work | himself or nts are not | ADDI PLUM | | | | ST. L!C. | | TEL. | | |
| intend | ted or offered twithin one v | for sale. | If, however, the build mpletion, the owner-b | ing or im | il have the | CON | Γ | | | # | | NO. | | |
| | | | d not build or improve | | | ADD | | | | . LIC. | | TEL. | | |
| Protes | ssions! Code: | The Cont | perty, am exclusively truct the project (Sec. ractor's License Law o | does not | apply to an | CON | Γ., | | | | | | | |
| for si | of property w uch projects actor's Licens | with a | s or improves thereon, contractor(s) license | d pursua | ant to the | MEC | H. | | | ST. LIC. | | TEL. NO. | | |
| | | | , B &P.C. for th | is reaso | n | ADD | RESS | | | ST. LIC. | | TEI | | |
| | a exempt one | 0, 000 | | | | ARCH ENGI | I. OR NEER | | | # | | NO. | | |
| Owner | | | | ate | | ADDR | RESS | | | | | | | _ |
| Ther | eby affirm tha | tihaves | PENSATION DECLAR certificate of consen | t to self-i | nsure, or a | LEG | AL DESC. | | | | PROJECT | | _ | |
| | sate of Worke f (Sec. 3800, L | | perisation Insurance, | or a cer | ified copy | | | - | | | Dex | UNAGO EE | | |
| Policy Cer | tified copy is | hereby ! | mpany urnished. | | | | | V 1-12-00 | | | 1 | FE | | |
| Cer Buildir | rtified copy is ng & Safety. | filed wi | th the County of Free | sno dep | artment of | - | | | | | 1 | | | |
| Date | | Applica | | | | 1 | | | | | 1 | | | |
| (Thi | C | OMPEN | EXEMPTION FROM W SATION INSURANCE completed if work p | | | | | | | | | | | |
| hundre | ed dollars (\$1 | 00) or les | is.) nance of the work for v | which thi | s permit is | A.P. | 316- | 160-9 | 13 | | | | | 20 |
| subjec | t to the Work | nploy an ers' Com | y person in any mann pensation Laws of Ca | er so as alifornia. | o become | | FRONT | ZONING | | REAR | | HEN VALIDATE | | |
| Date_ NOTIC | E TO APPLIC | Appli ANT: If, | cant after making this Ce ject to the Workers' Co must forthwith comp deemed revoked. | rtificate | of Exemp- | REQU SETB. | IRED T | MAX. INTERIOR | | | THIS APPL | ICATION IS TO | OUSEUMIII | |
| tion, ye | ou should becoff the Labor C | ome sub ode, you | ject to the Workers' Co must forthwith comp | ompensa oly with s | tion provi- uch provi- | | | | L | | | | | |
| sions | | | ON LENDING AGE | | | APPR BY | OVED | DAT | E | | | | | |
| l h | ereby affire | n that | there is a const | ruction | lending | ZONI | G ACCEPTANCE | APPROVED [| PEND | NG | | | | |
| | sued (Sec. 3 | | | William | tills per- | ZONE | 2// | EMARKS: | | | | | | |
| | er's Name | | | | | DIST | ~ / / | | | | | | | |
| | er's Address | | ttiis application a | nd state | that the | NO. | PLUM | BING | EACH | FEE | | | | |
| above | information | n is con | rect. I agree to com and state laws rela | nply wit | h all city | <u> </u> | PERMIT FEE | URINAL | 6.00 5.00 | 6.00 | | | | |
| const | ruction, and | hereby | authorize represe | entative | s of this | | KITCHEN SINK | DISPOSAL | 5.00 | | | | | |
| | y to enter ction purpo: | | he above-mention | ea proj | berty 101 | - | WASH MACH. | BATH TUB | 5.00 | | D_ | 97.44 FC | FC | |
| | | | | | | | LAVATORY | SHOWER | 5.00 | | ' | 97.44 TO | TL | |
| | Si | gnature | of Applicant or Agent | D | ate | _ | | - 4/ 050/105 | 5.00 | | | .DO CAL | | |
| NO. | Ė | LECT | RICAL | EACH | FEE | }— | EA. LAWN SPRINKI S.F.D. WITH BACK | LING SYST. FOR | 5.00 | | 2,5125 | 101 5/53/8 | Ві | |
| | PERMIT | | THORE: | 6.00 | | | ALL OTHER BK. | FLOW. DEV. | 5.00 | | 15124 | 5 2/2 | 3/21 | |
| | EA. CIRC | UIT W | ORK ONLY) | 2.00 | | | EA. GAS PIPING SY | - | 5.00 | | Colo | 0/0 | 70. | |
| | EA. WIRIN | RES AT | WHICH CURRENT | .30 | | | Ea. Additional Ou | | 1.00 _{ea} . | | | | | |
| | IS USED | OR CON | TROLLED | EA. | | | EA. BLDG. SEWE | | 15.00 | | | | | |
| | ELEC RAI | NGES | DISHWASHER | 3.00 | | | PRIVATE SEWERAG | OSAL SYSTEM | 25.00 | | | | | |
| | DRYERS | | ATER DISP | 3.00 | | | | | | | | | | |
| | 0-1 HP | | OVER 30-50 HP | 3.00 | | <u> </u> | NEW CINCLE | EAMILY DUT | 1 1 151 | G | | | | |
| | OVER 1 TO 5 HP | 5.00 | OVER 50-100 | 18.00 | | 1- | NEW SINGLE | one bathroom | 40.00 | <u> </u> | | | | |
| | OVER 5 TO 30 HP | | OVER 100 HP | 28.00 | | construc | bing work in a newly red single family dwelling | | 45.00 | | | | | |
| | | | WIND MACH. Min. | 20.00 | | excludin | For each additional bathr | 1 | 50.00 | | TYPE CONST. | OCCUPANCY GROUP | STORIES | |
| | EA. TIME | | | 2.00 | | | | | \$ | | 00101. | SQ.FT. | | - |
| | EA. ELEC | | | 1.00 | | L | Min. \$10.00 | OTÁL FEE | \$ | | BUILDING | @ | | _ |
| | TRANSF | OHME | | - | | NO. | MECHA | NICAL | EACH | FEE | GARAGE/CP | (0) | | _ |
| | | | | - | | | PERMIT FEE | areule - | 6.00 | 6.00 | PATIO | Œ | | _ |
| | SERVIC | E & (| OR SUB-PANE | LS | | | EA.GAS PIPING SYS | - | 5.00 1.00 ea | | | TOTAL COST IMP. \$ | | - |
| | 0 TO 20 | | | 5.00 | | | GAS APPLIANCE | | 6.00 | | APPROVED | PLAN CHECK | | - |
| | 201 TO 40 | | | 16.00 | | | MECH. HOOD | | | | BY | ENERGY SURCHARGE | | |
| | 401 TO 600 | | THE RESERVE OF THE PERSON NAMED IN COLUMN 2 ASSESSMENT OF THE PERSON | 25.00 | | | DUCT SYSTEM | | | | | S.M.I. | | _ |
| | OVER 600 | AMPS | | 50.00 | | - | EEDIGEDATIO | N COOLING | LIAUT | re | VALIDATED | SUB TOTAL BUILDING | | _ |
| | | 16: - | FARM W 5 | | | R | LESS THAN 7 TO | | 6.00 | 10 | VALIDATED BY | PERMIT | | - |
| | | | FAMILY DWEI | | | - | OVER 7 TONS to | | 9.00 | | 0. | PERMIT ELECTRICAL PERMIT | | - |
| | Area of Cons | | to 750 Sq. Ft. 1 to 1000 Sq. Ft. | 25.00 30.00 | | - | OVER 14 TONS | | 14.00 | | 1 | MECH. PERMIT | | |
| | Area or consi | - Je 1981 / 3 | | 10.00 | | - | NEW CINCIE | EAMILY DWG | | 0 9 | ACCOUNT # | SUB TOTAL | | |

NEW SINGLE FAMILY DWELLING

TOTAL FEE

10.00

15.00

20.00

1.00

0 to 750 SQ. FT.

Min. \$10.00

751 to 1500 SQ. FT.

1501 to 2500 SQ. FT

EA. ADD. 500 SQ. FT.

SEWER

DRAINAGE

TOTAL

CASH

CHECK 3

Area of Construction 1001 to 1500 Sq. Ft.

Area of Construction 1501 to 2000 Sq. Ft.

Area of Construction 2001 to 2500 Sq. Ft.

Area of Construction 2501 to 3000 Sq. Ft.

TOTAL FEE

EA. ADU 500 Sq. Ft.

Mln. \$10.00

40.00

50.00

60.00

70.00

5.00

ANSWERING SERVICE 488-3895 BUILDING DEPARTMENT OF PUBLIC WORKS DIVISION OF BUILDING AND SAFETY CAL PORNIA 93702 CLINTON D. BEERY
DIRECTOR OF PUBLIC WORKS JOHN I. WEAVER FRESM 488-3886 CHIEF BUILDING INSPECTOR GARAGE/CP BUILDING SIZE STORIES 2 B 4 - 5 - 6 FOR APPLICANT TO FILL IN (Type or Print) ZONE PROJECT BUILDING ADDRESS NEAREST TOWN DATE OWNER MAIL ADDRESS no TEL NO CITY esizo CONTRACTOR PHONE ADDRESS LEGAL DESC BLDG PLUMBING ELEC MECH SEPTIC A.P.N. 316. PLUMBING 60-GAS PIPING OUTLET (6 or more, each 75 EACH FEE (SUP. FEE 1.50) SIZE OF LOT NOW ON LOT GAS APPLIANCE 4.50 PERMIT FEE 3.00 3.00 1.00 ROOF DRAIN EACH 3.00 WATER CLOSET DESIGNER LICENSE # DRAINAGE BASIN (LAVATORY) ROOF DRAIN MIN. 3.00 TEL NO. BATH TUB 3.00 SPECIAL INSPECTION FEE-\$10 PER HOUS SEWER CONNECTION SINGLE FAMILY DWELLING 3.00 SHOWER 3.00 KITCHEN SINK All plumbing work, including water heater, in a one-bathroom newly constructed, single family dwelling, (excluding all other gas ap-ZONING 27.50 3.00 DISHWASHER REAR LAUNDRY TRAYS 3.00 liance tags) INTERIOR STREE All plumbing work, including water heater, in a two-bathroom newly constructed, single family dwelling; (excluding all other gas ap-3.00 FLOOR DRAIN 35.00 DATE 11-23. 3.00 URINAL iance tags) ance tags)

plumbing work, including water heater in a
wiy constructed, single family dwelling of
ree bathrooms; (excluding all other gas ap-ZONING ACCEPTANCE 3.00 PENDING T WASTE DISPOSAL 40.00 BACKFLOW DEVICE 3.50 pliance tags) WATER PIPING and/or SERVICE 2.50 9.00 HOUSE SEWER WHEN VALIDATED COVERSION LPG to NAT. GAS 18.00 TOTAL FEB \$ Min. \$9.00 THIS APPLICATION IS YOUR PERMIT 3.50 FA. GAS PIPING SYSTEM (1 - 5 outle ELECTRICAL (SUP. FEE \$1.50) EACH FEE SPECIAL INSPECTION FEE-\$10.00 PER HOUR SERVICE & OR SUB-PANELS PERMIT FEE 3.00 3.00 RECEPTACLES Switcher fight. Outle 2.50 7.50 0-99 AMPS 4.00 **FIXTURES** 100-125 AMPS TOTAL (of two lines above) 126-200 AMPS 6.00 IPS FIRST 10 OR PORTION 4.00 3 8.00 53,000 CM WIRE 12.00 REMAINDEP DISHWASHER 1.50 SINGLE FAMILY DWELLING FLEC RANGES DRYFRS HEATER DISP 1.50 Area of Construction 0 to 750 Sq. Ft. 18.50 220 Area of Construction 751 to 1000 Sq. F 25.00 1.50 WELDER 1.50 OUTLET Area of Construction 1001 to 1500 Sq. Ft. 34.00 7.00 ELP 0-1/2 HP .75 **OVER 5-15 HP** 3.00 Area of Construction 1501 to 2000 Sq. Ft. 44.00 OVER 1/2 7.00 TOTL 50 1.50 OVER 5-50 HP 6.50 Area cf Construction 2001 to 2500 Sq. Ft. 54.00 2 HP 7.00 CATO OVER 2-5 HP 2.50 OVER 50 HP 17.00 64.00 Area of Construction 2501 to 3000 Sq. Ft. 101 11/23/77 EA. ADD. 500 Sq. Ft. 2.50 **TOTAL FEE** Min. \$5.00 MECHANICAL **REFRIGERATION COOLING UNITS** EACH FEE NO 3.00 3.00 LESS THAN 7 TONS 4.00 PERMIT FEE 7.00 3.50 OVER 7 TONS to 14 TONS EA, GAS PIPING SYSTEM (1-5 outlets 12.00 GAS APPLIANCE 4.50 OVER 14 TONS Gas Absorption System to 130,000 BTU 4.00 EA. ADD. OUTLET .75 7.00 VENTILATION DUCT GRAVITY 2.00 " 130,001 to 370,000 BTU SERVING COMM. KITCHEN ÇO TINU WOC'NIW 2.00 Mechanical Inc. Hood SPECIAL INSPECTION FEE-\$10 PER HOUR Over 4,000 CFM-5.00 SERVING COMM. KITCHEN SINGLE FAMILY DWELLING UNDER 4 MC.F.M. \$4.00 OVER 4 MC.F.M. \$6.00 0 to 750 SQ. FT. 6.00 751 to 1500 SQ FT. 7.00 DUCT SYSTEM-NON RESIDENT SINGLE STORY, 0-4M SQ. FT. ô.00 1501 to 2500 SQ. FT 10.00 SINGLE STORY OVER 4M SQ. FT. 10.00 2501 to 3000 SQ. FT 11.00 1.00 MULTI story-PER FLOOR 5.00 EA. ADD. 500 SQ. FT EVAP. COOELR 2.00 TOTAL FEE \$ JOHN I. WEAVER CHIEF BUILDING INSPECTOR OCCUPANCY CODE VALIDATED BY ACCT. # CASH CHECK APPROVED BY PLAN CHECK UNIT BUILDING N BELOW AND COMPLETE REVERSE SI BLDG PLUMBING I HEREBY ACKNOWLEDGE THAT I HAVE READ THIS APPLICATION AND STATE THAT THE INFORMATION GIVEN IS CORRECT. THE LICENSE WHERE INDICATED IS IN FULL FORCE GARAGE PERMIT PATIO BATH MECH. PERMIT mondan SEPTIC AIR COND SMI FIREPLACE Owner Contractor Lic. No. TOTAL TOTAL Agent for Owner THIS PERMIT SHALL EXPIRE BY LIMITATION AND BECOME NULL AND YOLD IF THE WORK IS NOT COMMENCED WITHIN 120 DAYS. 10 M: BAY: 8768: 4-77 INSPECTION COPY

APPLICATION FOR PERMIT

COUNTY OF FRESNO

TYPE OR PRINT

INSPECTION RECORD

| | their fraging safe administration of section and an experience of the section of | | | | | | |
|--|--|--|---|------------------|-------|--------|-------------|
| BUILDING INSPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NR |
| Foundation: location forms setback | | | | | | | |
| Foundation: Garage | | | | | | | |
| Floor Girders & Joists | | | | | | | |
| Pool Steel: location forms setback | | | | | | | |
| Frame: bracing bolts | | THE RESERVE OF THE PARTY OF THE | | | | | |
| Lath: (exterior) | | | | | | | |
| Fireplace: damper | | | | | | | |
| Fireplace: roof | | | | | | | |
| Shower Walls over Tub | | | | | | | |
| Shower Pan & Walls | | | | | - | | |
| Under Floor Area-Clean | | | | | | | - |
| Bond Beam & Steel | | | | | | | |
| (1) | | | | | | | |
| (2) | | | | | | | - |
| (9) | | | | | | | |
| | | | | | | | |
| FINAL INSFECTION | | | | | | | |
| FINAL INSPECTION | | | And the second second | | | E BANG | |
| ELECTRICAL INSPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
| Conduit: Pvc Galv. | | | | Panh 1 | 2/-27 | 1 | |
| Rough Wiring | AND THE RESIDENCE AND A STREET CONTROL OF THE PARTY OF TH | | | 1000 | | | 200-100-1-1 |
| Elec. Main Panel | Allsons 1 | 12.71.7 |) '* | C | - | | |
| Temporary Meter | 3003700 | | | | | | |
| Temporary Power Pole | | | * | | | İ | |
| Ground Electrode | | and the same of the same of the same of | 5/ 1/2/ | | | | |
| STOCKED LICON COO | AND THE RESIDENCE OF THE PARTY | | | M | | | |
| Ground Clamp | | | | | | | |
| (11 - from not to po | men Pank | 12-1-7 | 7 | | | | |
| Ground Clamp UF from politops | mp Paule | (2-1-7) | 7 | | | | |
| Ground Clamp UF from politops FINAL INSPECTION | A Forth 1 | (2-1-7) 2-21-7) | ? e~ | | | 1 | GSMC3 |
| UF from politops FINAL INSPECTION | | | | INSPECTOR'S SIGN | | | |
| FINAL INSPECTION PLUMBING INSPECTION | AF South 1 INSPECTOR'S SIGN | (2-/-7, 2-2/-7) DATE | REMARKS | INSPECTOR'S SIGN | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil | | | | 903 | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe | | | | 903 | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents | | | | 903 | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe | | | | 903 | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access | | | REMARKS | 903 | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas | | | | 903 | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank | | | REMARKS | 903 | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer | | | REMARKS | 903 | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled | | | REMARKS | 903 | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer | | | REMARKS | 903 | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled | | | REMARKS | 903 | | | |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled | | | REMARKS | 903 | DATE | CN | NF |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION | INSPECTOR'S SIGN | | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Sefrigeration Unit | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | N |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Sefrigeration Unit | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NE |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Sefrigeration Unit Evaporative Cooler | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NF |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Sefrigeration Unit Evaporative Cooler | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NF |
| FINAL INSPECTION PLUMBING INSPECTION Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Sefrigeration Unit Evaporative Cooler | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NF |

5

COUNTY OF FRESHO

DEPARTMENT OF PUBLIC WORKS
DIVISION OF BUILDING AND SAFETY

STATEMENT OF FACTS SUPPORTING AGRICULTURAL EXEMPTION

| | 0001 |
|-----------|--------|
| Number | 6-16,1 |
| | 0/1/11 |
| Date | 8/6/11 |
| | 800000 |
| Valuation | 1300. |

| Name SAM SIMONIANI | Location of Property 1139 So. ARMSTRONG |
|---|---|
| nereby declare(s): | |
| That he plan(s) to construct a build | ding or structure, to wit, a $\frac{CHICKEH}{(10X100'APPRIX)}$ |
| For Relocations: | (In VIND' APPRIX) |
| to be moved from: | _ to: |
| Mover to be: | |
| on the property situated in Fresno County. St | tate of California (Legal Description): |
| * S'/2 of NE + NW 4 SEC | 15-14/21 |
| Indicate Location on: | |
| PL(| OT PLAN |
| | W/ |
| | |
| | |
| | ++++++++++++++++++++++++++++++++++++++ |
| | |
| 1,25 | |
| | + + + + + Q + + + + + + + + + + + + + |
| | 700 |
| | |
| PRO, O CHRUCAS APPROT | |
| PRO, a CARRAGO AT | |
| C 5 11 A2 1 300 | RIR |
| | |
| III Ma | 4.0. |
| | |
| 1 ARMS | STRONG AUE |
| | |
| | |
| That the above-described property is prima (describe farming operation): YINEYARD | arily used for agricultural purposes, to-wit: |
| to the best of his knowledge, declarant request from all requirements of Division IV of Fresno of Section 755 of said Code. | n declarant under penalty of perjury states are true ts that the construction herein proposed be exempted o County Ordinance Code, pursuant to the provisions |
| PLANNING DEPARTMENT | Signature: Sam Summan |
| REQUIRED FRONT SIDE REAR SETBACK MIN MAX. INTERIOR STREET APPROVED APPROVED | Mailing Address: 1139 So amstrong |
| 120NE RA 1-6-71 | Validation by: ## Hubber 8-6-71 |

The installation of all electrical and gas equipment requires permits and inspection.

| LICENSE CONTINUES SEA HATION I hereby affirm that I am licen ed under provisions of | APPLICATION FOR PERMIT | ACTIVE PERMITS YES NO PHONE NUMBERS: PEPT. 24 HOURS ANSWERING SERVICE FOR INS/PECTIONS: 453-5031 LOCAL: (209) 453-5029 66 |
|---|--|--|
| Chapter 9 (commencing with Section 7000) of Division | COUNTY OF TRESNO PUBLIC WORKS & DEVELOPMENT SERVICES D MAILING ADDRESS: 2220 TULARE ST., 6TH FLO | EPT. 24 HOURS ANSWERING SERVICE |
| 3 of the Business and Professions Code, and my license is in full force and effect. | EDECNIO CA 03721 | DOR FOR INSPECTIONS: 453-5031 LOCAL: (209) 453-5039 TOLL FREE: 1 (800) 742-1011 |
| Lic Number 38 6228 License Class C-39 | OFFICE LOCATION: SOUTH-WEST CORNER TO "M" STREETS, SUITE "A" | FAX (209) 453-3993 |
| license is in full force and effect. Lic Number 386278 License Class 2-39 Amaca Rowins | PROJECT 1120 C I | Danc-David |
| ERS BUILDER DECLARATION | | PMSTRONG () NEW W |
| I hereby affirm \ at I am exempt from the Contractor's License Law for the following reason (Section 7031.5, Business and Profes- | the same of the sa | 555 di. C40 ECH |
| sions Code. Any city or county which requires a permit to construct. | OWNER ALICE SIMO | ONIAN |
| alter, improve, demolish, or repair any structure prior to its issuance, also requires the applicant for such permit to file a signed statement | MAIL ADDRESS 1139 5 - H | PM STRUNG |
| that he is licensed pursuant to the provisions of the Contractor's | CITY FRESNO | ZIP TEL 255-3225 |
| License Law (Chapter 9 (commencing with Section 700) of Division 3 of the Business and Professions Code) or that he is exempt | THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW | |
| therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to | CONTRACTOR CAMACK RO | OF NC ST. LIC 396238 TEL 348- 9565 |
| a civil penalty of not more than five hundred dollars (\$500.00): | ADDRESS 3089 MCKELV | |
| !, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended | DESIGNER | ST.LIC. TEL NO |
| or offered for sale (Sec. 7044, Business and Professions Code: The Contractors's License law does not apply to an owner of Property | ADDRESS | , |
| through his own employees provided that such improvements are | LEGAL DESC. | PRC ECT 2 |
| not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder | | ST. LIC. TEL NO ST. LIC. ST. L |
| will have the burden of proving that he did not build or improve for the purpose of sale). | | KEMOVE Y MAKE FOR COMP |
| | | 4112 Scare |
| as own to of the property, am exclusively contracting with licensed contractors. Journal of the project (Sec. 7044, Business and Professions Code: the Contractor's License Law does not apply to an analysis of the project (Sec. 7044). | | 2700 At |
| owner of property who builds or improves thereon, and who contracts | A.P.N. 316-160-596 | LIVO F |
| for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.) | ZONING | TYPE CONST. OCCUP. GRP. STORES BLDG. HT. |
| ☐ I am exempt under Sec, 8.&P.C. for this reason | REQUIRED FRONT SIE | |
| Owner | SETBACKS MIN. MAX. INTERIOR | STREET MIN. BLDG. EST 5400 - |
| Date | | GAR. |
| WORKER'S COMPENSATION DECLARATION | ZONE REMARKS: | PATIO |
| I hereby affirm that I have a certificate of consent to | DIST. | DECK |
| self-insure, or a certificate of Worker's Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab C.). | APPROVALS | |
| Policy No Company | ZONING | |
| ☐ Certified copy is hereby furnished | BY | TOTAL VALUATION \$ |
| Certified copy is files with the Sounty of Fresno Department of Building and Satety (Expration Date) | BY | DATE FEES |
| Applicant Applicant Date (1977) | FEES BY | DATE 7 / 14 / ALL |
| CERTIFICATE OF EXEMPTION FROM WORKERS' | COMPLETED BY 45 | ATE. 7/14 // BUILDING PLAN CHECK |
| COMPENSATION INSURANCE (This section need not be completed if work is for one hundred | VALIDATED BY DE | PLUMBING PLAN CHECK |
| dollars (\$100) or less.) | ACCOUNT SLUC | L CONSO: IDATED |
| I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to | NO. SEDE | () YES () NO MECHANICAL PLAN CHECK |
| become subject to the Workers' Compensation Laws of California. | PLUMBING | PLAN CHECK SUB TOTAL |
| DateApplicant NOTICE TO APPLICANT: If, after making this Certificate of | NO. PERMIT ISSUANCE FEE | EACH OVERTIME |
| Exemption, you should become subject to the Worker's Compensation provisions of the Labor Code, you must forthwith comply with such | On-site piping (sewer / water / gas) | BUILDING PERMIT 102 SD |
| provisions or this permit shall be deemed revoked. | SEPTIC | PLUMBING PERMIT |
| CONSTRUCTION LENDING AGENCY | TEST HOLE | ELECTRICAL PERMIT |
| I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued | WATER PIPING FLOOR DRAIN | MECHANICAL PERMIT |
| | KITCHEN SINK LAVATORY | ENERGY SURCHARGE |
| Lender's Name NGNE | WASH MACH. BATH TUB | S.M.I. 59 |
| Address | WATER CLOSET SHOWER | MICROFILM |
| City Zip | DRINKING FOUNTAIN URINAL | SWIMMING POOL PERMIT |
| | BACK FLOW DEVICE | |
| certify that I have read this application and state that the above | GAS APPLIANCE OR VENT | |
| ordinances and state laws relating to building construction, and | GAS PIPING SYSTEM | |
| ordinances and state laws relating to building construction, and hereby authorize representatives of this county to enter upon the above-mentioned property or inspection purposes. | | |
| Applicant or Agent Child Lis | | |
| Date 3-17-94 | | MOBILEHOME ISSUANCE |
| Date | NEW SINGLE FAMILY DWE | |
| ELECTRICAL | | poms(s) MOBILEHOME LOT PHEP |
| NO. PERMIT ISSUANCE FEE EACH | additional bathroom fixtures @ | MOBILEHOME INSTALLATIONS MOBILEHOME ACCESSORY |
| 120V OUTLET(S) / FIXTURE(S) | Min. TOTAL FEE | |
| | TOTAL FIE | TOTAL FEE 103. 04 |
| SPECIAL USE OUTLETS | MECHANICAL | |
| 0-1 HP MOTOR OVER 30-50 HP | | |
| | NO. PERMIT ISSUANCE FEE EACH DUCT SYSTEM | |
| OVER 5 TO 30 HP OVER 100 HP | WOODBURNING DEVICE | BLDG 102.50 |
| TIME CLOCK | | SMI J54 |
| TRANSFORMER | GAS APPLIANCE | PATTE TOTL 103.04 |
| | GAS PIPING SYSTEM | 178109:05MAR.17'942 CHECK 103.04 |
| | EVAPORATI E COOLER | LINE 04 |
| | | |
| | | |
| SERVICE & OR SUB-PANELS | | |
| OTO 200 AMPS | DEEDIGEDATION COOL INC. | ure |
| 201 TO 400 AMPS | REFRIGERATION COOLING UN | 810 |
| 401 TO 600 AMPS | LESS THAN 7 TONS | |
| OVER 500 AMPS | OVER 7 TONS to 14 TONS OVER 14 TONS | |
| THE RESIDENCE OF THE PROPERTY | THE RESIDENCE OF THE PARTY OF T | |
| NEW SINGLE FAMILY DIVELLING By Area of Construction | NEW SINGLE FAMILY DWELL | NG_ |
| By Area of ConstructionSq. Ft. | By Area of ConstructionSq. Ft. | |

THIS PERMIT SHALL EXPIRE BY LIMITATION AND BECOME NULL AND VOID IF THE WORK IS NOT COMMENCED OR IF NO INSPECTIONS ARE COMPLETED WITHIN 180 DAYS.

TOTAL FEE S

EA ADD 500 Sq. Ft.

THIS APPLICATION IS YOUR PERMIT

EA ADD 500 Sq. Ft.

Min. FOR WATER WELL PUMP

INSPECTION RECORD JOB ADDRESS BUILDING Flood Prone: APPROVED BY DATE TYPE OF INSPECTION Map No. ___ Flood Prone-Elev Proposed Bldg, Height By Zoning: Foundation: Forms & setback Stories : _____ □ No Yes 3) School Fees Due? District(s) Floor Girders & Joists Receipt No. ___ Satisfied By ____ Pre-roof 4) Grading Permit Req.? ☐ Yes KPinise. Roof Sheathing JEPLY _ Date Permit #__ Roof Covering Finaled By 5) Land Use Permit(s) Permit No.__ Frame Permit No. Insulation Pemit No. _ Shower Wall Over Tub Yes Is Occupancy Pending? Shower Pan & Walls Site Conditions Satisfied Bond Beam & Steel Date _ 6) Soil Capasity____ PSF Pool Steel, Bonding & setback Pre Deck DNO SRA ☐YES Fire Protection: Pool Fencing and Gates INSP. DATE REQ. M/H Steps & Landings 30' SETBACK ON-SITE WATER Smoke alarm ROOF COVERING DRIVEWAY ELECTRICAL TURNOUTS DATE DATE APPROVED EY ADDRESS TYPE OF INSPECTION Conduit: Pvc Galv. Interior Conduit: Pvc Galv. Exterior Rough Wiring Elec. Main Panel_ REMARKS/COMMENTS M/H Continuity Test Temporary Power Pole / Meter Ufer Location/Driven Ground Wiring to Wall Water Pipe Bond Location Fool Equipment Bonding FINAL INSPECTION PLUMBING DATE DATE APPROVED BY TYPE OF INSPECTION Ground Plumbing: soil Water Pipe - under floor Water Pipe - above floor Vents & lop Out Gas Pipe - Interior / Monometer Gas Service L.P.G. Test Dryout Gas - Interior Second Floor Tub test Septic System House Sewer Water Service PVC/gal Well Seal Pad OCCUPANCY BOND FINAL INSPECTION APPROVED TO POST BY: MECHANICAL APPROVED FOR REFUND BY:

NOTICE BY DATE DATE TYPE OF INSPECTION APPROVED BY Ducts Underfloor **Ducts Overhead** Fireplace Damper Fireplace: Roof Retrigeration Unit/Furnace **Evaporative Cooler** Gas Pipe . Gas test

HAZARDOUS MATERIAL STORAGE FOR NON-RESIDENTIAL CONSTRUCTION

DATE

REFUNDED BY:

I certify that the occupants of this building [will | will | pot) need to comply with the applicable requirements of Section 25505, 25533 & 25534 of the Health and Safety Code and the requirements for a permit for construction or modification the air Pollution Control District. Applicant _

PRE-ROOFING INSPECTION CHECKLIST

| | 750 armsl | riong ". | Date: | 3-21-94 | Ву: Д | King_ |
|---|--|--|--------|--------------|-------|--------------|
| EXISTING ROOF COVE | RING | | | | | |
| ☐ Wood Shake | ☐ Wood Shingle | Comp Shingle | BUR | | | |
| Metal | Clay/Cement | Other | Remo | ved | | |
| No. of Roofing Layers _ | | ОК | Must I | Remove | | |
| PROPOSED ROOF COV | /ERING | | | | | |
| | ☐ Wood Shingle | Comp. Shingle | BUR | | | |
| Metal | | | | | | |
| EXISTING ROOF COVERING Wood Shake | | | | | | |
| AREA 1 | 4 | Siope: | 12 | Satisfactory | ☑ Yes | □No |
| AREA 2 | | Slope: | 12 | Satisfactory | ☐ Yes | □No |
| Comments: | | | | | | |
| A/C Plenum Flashing Roof jacks Fireplace flashings Flue: Pipe | OK Replace OK Replace OK Replace OK Replace OK Replace | Location Location Cricket Required Location: | | Clearance: | Yes | No Repair |
| OK Comments: Rept | Additional Square | Inches Required | | | | |
| EXISTING ROOF COVERING Wood Shake Wood Shingle Comp Shingle BUR Metal Clay/Cement Other Rerioved No. of Roofing Layers OK Must Remove PROPOSED ROOF COVERING Wood Shake Wood Shingle Comp. Shingle BUR Metal Clay/Cement Fire Retardant Roof Required EXISTING ROOF SLOPE AREA 1 | | | | | | |
| | d A Yes Exist | ing OK tray supple enunces on 1 | et | Main | lain | |



CONSTRUCTION PERMIT

County of Fresno **DEVELOPMENT SERVICES DIVISION**

MAILING ADDRESS: 2220 TULARE STREET, 6th FLOOR FRESNO, CA 93721 OFFICE LOCATION: SOUTHWEST CORNER OF TULARE & 'M' STREETS, SUITE A

ACTIVE PERMITS YES

PHONE NUMBERS
24-HR REQUEST LINE
262-4131
LOCAL: 262-4469
TOLL FREE: 800-742-1011
FAX: 262-4893

| Project Address 1139 S ARMSTRONG FRESNO CA 93727 | | Cross Street California | UPGR/ | ADE ELEC SER | RVICE FOR EXIST | ING SFR |
|--|---|--|--|---|---|--|
| ### California | | | | | | |
| = | ES & Ar | oplicant: INDUSTRIAL E | APN: 31618059S It INDUSTRIAL ELECTRIC SERUP BROWN FRESNO CA 373727 Address: 5809 E BROWN FRESNO CA 373727 Phone: (559) 291-7862 It is is is in the service of the service | | | |
| | California | | | | | |
| Phone: | | | | | • | |
| 1139 S ARBISTRONG FRESNO CA 93727 Pormit #: 09-03283-FC Issued on APN: 319160598 Owner: SIMONIAN GARY CHARLES & ELANE JUNE TRS Address: 1803 S ARMSTRONG FRESNO CA 93727 Address: 5809 E BROWN FRESNO CA 93727 Phone: (580) 931-7862 St. Lic: 733446 APPROVALS A | | | | | | |
| • | | • • | | - | | |
| T | | Fre | | s | , | |
| · | Required Setbac | mat Min | Max | Interior | Streat | Min |
| PROJECT INFORMATION | | | | | | |
| | | F | Facility Fee 1 | Exem | pt | |
| | | | | | | , |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | Same of the state | | | | | |
| | | and the second second | | | | |
| | | STATE Phone: (559) 291-7862 Phone: (559) 291-7862 L.L.C.: 733446 St. L.G.: 73446 St. L.G.: | | | | |
| 1 | · · · · · · · · · · · · · · · · · · · | MECHA | NICAL | | | |
| | | | | ree | | ļ |
| Section 2015 | | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | | | |
| 1 Service/sub-panel 0 - 200 amr | | ELECTI | RICAL | 1 1 | and the second second | |
| | | | | | | |
| | | PLUMI | BING | | | |
| | | | | 1 | | |
| | | | | | | |
| | | mmencing with Section 7000) o | | ss and Professions C | ode, and my license is in | full force and effect.Lic. |
| O1#35 | | | FOI 4 5 4 | | | |
| | | for the following reason (Section | on 7031.5 Business and P | | | |
| of the Contractor's License Law (Chapter 9 (con exemption, Any violation of Section 7031,5 by a | mmencing with Secti any applicant for a po | ion 7000) of Division 3 of the Bo ermit subjects the applicant to | usiness and Professions (a civil penalty of not more | Code) or that he is exe than five hundred do | empt therefrom and the ballars (\$500,00). | asis for the alleged |
| I, as owner of the property, or my employ Professions Code: The Contractor's License law | yees with wages as ti w does not apply to a | their sole compensation, will do an owner of property who build | o the work, and the struct: ds or improves thereon, ar | ure is not intended or nd who does such wo | offered for sale (Sec. 704 rk himself or through his | own employees, |
| proving that he did not build or improve for the | purpose of sale). | · · · · · · · · · · · · · · · · · · · | | | • | RIC ESNO CA 93727 Rear Rear Min Rear Rear Rear Rear Min Rear Rear Rear Min Rear Rear Rear Min Rear Rear Rear Rear Min Rear
| not apply to an owner of property who builds o | r Improves thereon, a | | | | | |
| U lam exempt under Sec B&F | | · | | _ | | |
| | | : " | | · | | |
| | | tions: | | *** | | |
| I have and will maintain a certificate on opermit is issued, | consent to self-insur | re for workers' compensation a | , | | • | |
| compensation insurance carrier and policy nur | mber: | | • | | • | |
| | ork for which this pe | ermit is Issued, I shall not empl | loy any person in any man | iner so as to become : | subject to the worker's co | |
| Applicant_ | <u> </u> | , | | | | |
| WARNING: FAILURE TO SECURE WORKERS' (HUNDRED THOUSAND DOLLARS (\$100,000), IF ATTORNEY'S FEES. | COMPENSATION CO N ADDITION TO THE | VERAGE IS UNLAWFUL AND S COST OF COMPENSATION, DA | MALL SUBJECT AN EMPL AMAGES AS PROVIDED F | LOYER TO CRIMINAL OR IN SECTION 3706 | HENALTIES AND CIVIL FI OF THE LABOR CODE, IN | INES UP TO ONE (TEREST, AND |
| CONSTRUCTION LENDING | | f the work for which this narroll to | I certify that I have read this a | pplication and state that t | ia above Information is correc | it. I agree to comply with all |
| (Hereby annot that there is a constituction tenthing agent Issued (Sec. 3097, DIv. C). Lenders Nome | Addres | 1 | city and county ordinances ar | nd state laws relating to bu | allding construction, and herei | |
| CityState | | | Or Agent | | | |

| Poor Foundation / Patio Piers Floor Girders & Joists Floor Girders & Joists Floor Girders & Joists Floor Girders & Joists Fre-Roof Roof Sheathing Roof Sheat | | - · · · · · · · · · · · · · · · · · · · | |
|--|-------------------------------------|--|--------------|
| TYPE OF INSPECTION Flood Prone-Elevation Flood Flood F | MIT NI IMPED (| 143z | - |
| TYPE OF INSPECTION IPPROVED BY DATE INSPECTOR DATE IN PROPERTY DATE IN SPECTOR DATE IN PROPERTY DATE IN SPECTOR DATE IN SPECTO | DJACENT INSPEC | CTION) | |
| Flood Prons-Elevation Poundation: Porma & Setback Poundation: Proma & Setback Prom | OCCUPANC OCCUPANC | Y REQUIREM | |
| Poor Foundation / Patio Piers Floor Girders & Joists Floor Girders & Joists Floor Girders & Joists Floor Girders & Joists Fre-Roof Roof Sheathing Roof Sheat | od Prone: ip No | ☐ Yes Zone | |
| Floor clinders & Joisles Shear Panel Nailling Pre-Roof Roof Sheathing Perman Roof Sheathing Perman Roof Sheathing Perman Roof Sheathing Perman Roof Sheathing Roof Sheathin | posed Building Heigh | | |
| Shear Panel Nailing | ories | | |
| Sale Statewing Roof Roof Roof Roof Roof Roof Roof Roo | nool Fees Due: | ☐ Yes | □ No |
| Roof Overing Risplace Damper Fireplace: Roof Firame Risplace Roof Firame Risplace Roof Firame Risplace Roof Fireplace: Roof Fireplace: Roof Firame Risplace Roof Firame Risplace Roof Fireplace: Roof Risplace Roof Risplace Roof Risplace Roof Roof Roof Roof Roof Roof Roof Roof | trict(s) isfied By | | |
| Roof Covering Exterior Lath/Siding Fireplace Damper Per Buildition Shower Wall Over Tub Shower Wall Over Tub Shower Wall Seal Damper Per Dampe | ceipt No | | |
| Exterior Lativisiding Fireplace Damper Fireplace Roof Fireplace Roof Firence Fireplace Roof Firence Firence Fireplace Roof Firence Fir | ding Permit Required? | | □ No |
| Fireplace Roof Firame Insulation Shower Wall Over Tub Shower Pan & Walls Bond Beam & Steel Pool Steel, Bonding & Salback Pre-Deck Pool Fencing and Gates FINAL INSPECTION CERTIFICATE OF OCCUPANCY Conduit: PVC/Galv. Interior Conduit: PVC/Galv. Exterior Rough Writing Uffer Location (Fiven Group) d. Supt Water Pipe Bond Location L.Deck Writing to Well FINAL INSPECTION PUMBING TYPE OF INSPECTION APPROVED BY DATE INSPECTOR APPROVED BY DATE INSPECTOR Conduit: PVC/Galv. Exterior Rough Writing Final Inspection Pumbing: Soil Water Pipe Dend Location L.Deck Writing to Well Final Inspection APPROVED BY DATE INSPECTOR DATE Septilize Water Pipe - Dringer Floor Water Pipe - Above Floor Second Floor Tub Test Septilize Service PVC/Galv. Water Pipe Of INSPECTION APPROVED BY DATE INSPECTOR APPROVED BY DATE APPR | mit # | Date | |
| First Bissellation Frame Frame Shower Wall Over Tub Shower Wall Over Tub Shower Pan & Walls Bond Beam & Stele Pro-Deck Pre-Deck Pro-Deck FinAL inspection Certificate of occupancy ELECTRICAL TYPE OF Inspection Conduit: PVC/Galv. Interior Conduit: PVC/Galv. Exterior Rough Wiring Filec. Mal Panel Co Amps Wiring to Well Water Pipe Bond Location Deck Wiring to Well Pool Equipment Bonding FinAL inspection APPROVED BY APPROVE | aled By | Date | |
| Permissualization | d Use Permit(s) mit No | | |
| Shower Pan & Walls Bond Beam & Steel Bond Beam & Bond | nit No | | |
| Shower Pan & Walls Bond Beam & Steel Bond Beam & Steel Bond Beam & Steel Pool Steel, Bonding & Setback Pre-Deck Pre-Deck Prolog Fencing and Gates FINAL INSPECTION CERTIFICATE OF OCCUPANCY ELECTRICAL TYPE OF INSPECTION Conduit: PVC/Galv. Interior Conduit: PVC/Galv. Exterior Rough Rec. Rough Rec. Type of Inspection Conduit: PVC/Galv. Exterior Rough Rec. Rough Wiring Rough Rough Rec. Rough Wiring Rough Rec. Rough Wiring Rough Rec. Rough Wiring Rough Rec. Rough Rec. Rough Rec. Rough Wiring Rough Rou | nit No | | |
| Bond Beam & Steel Bond Beam & Steel Pool Steel, Bonding & Setback Pre-Dack Pre-Dac | ccupancy Pending? | ☐ Yes | □ No |
| Pool Steel, Bonding & Selback Pre-Deck Pre-Deck Pool Fencing and Gates FINAL INSPECTION CERTIFICATE OF OCCUPANCY ELECTRICAL TYPE OF INSPECTION Conduit: PVC/Galv. Interior Remporary Power_Pale Ufer Location (Piven Grou) d. Sudt Turbuck 7.3 pcg Flood Premporary Power_Pale Ufer Location (Piven Grou) d. Sudt Turbuck 7.3 pcg Flood Premporary Power_Pale Ufer Location (Piven Grou) d. Sudt Turbuck 7.3 pcg Flood Premporary Power_Pale Ufer Location (Piven Grou) d. Sudt Turbuck 7.3 pcg Flood Premporary Power_Pale Flood Premporary Power_Pa | Conditions Satisfied | _ | |
| Pre-Deck Prool Fencing and Gates FINAL INSPECTION CERTIFICATE OF OCCUPANCY ELECTRICAL TYPE OF INSPECTION Conduit: PVC/Galv. Interior Temporary Power Pale Ufer Location/Driven Ground South Water Pipe Bond Location Locat Wiring to Weil Final Inspection PLUMBING TYPE OF INSPECTION APPROVED BY APPROVED | | Date | |
| Pre-Deck Pool Fencing and Gates FINAL INSPECTION CERTIFICATE OF OCCUPANCY ELECTRICAL TYPE OF INSPECTION Conduit: PVC/Galv. Interior Conduit: PVC/Galv. Interior Rough Wiring Elec. Main Panel Occupancy Temporary Meter Temporary Power Pole Ufer Location Driven Ground South Wiring to Well Water Pipe Bond Location Location Location Pool Equipment Bonding FINAL INSPECTION APPROVED BY DATE TYPE OF INSPECTION APPROVED BY APPROVED | Capacity (Surface) | | PSF |
| FINAL INSPECTION ELECTRICAL TYPE OF INSPECTION Conduit: PVC/Galv. Interior Conduit: PVC/Galv. Exterior Rough Wiring Elec. Main Pane: Company Wiring Temporary Power Pole Ufer Location Location Location Wiring to Well Wiring to Well Pool Equipment Bonding TYPE OF INSPECTION APPROVED BY APPROVED BY DATE CORRECTIONS TYPE Type OF INSPECTION APPROVED BY DATE CORRECTIONS Type OF INSPECTION APPROVED BY Waster Pipe Bond Location Location Type OF INSPECTION APPROVED BY Waster Pipe - Under Floor Waster Pipe - Under Floor Waster Pipe - Under Floor Waster Pipe - Nabove Floor Venis & Top Out Gas Pipe - Interior Gas Test - Exterior Second Floor Tub Test Second | PROTECTION: | | □ No |
| ELECTRICAL TYPE OF INSPECTION APPROVED BY DATE Conduit: PVC/Galv. Interior Conduit: PVC/Galv. Exterior Rough Wiring Elec. Main Pane; CAmps Temporary Meter Temporary Meter Temporary Meter Temporary Power Pole Ufer Location Ground South Wiring to Well Water Pipe Bond Location Location Pool Equipment Bonding TYPE OF INSPECTION APPROVED BY DATE TYPE OF INSPECTION APPROVED BY DATE Type Of Inspection Type Of Inspection Gas Test Sever Water Pipe - Above Floor Water Ser Water Ser Sever Water Pipe - Above Floor Water Ser Water Pipe - Above Floor Water Ser Water Pipe - Above Floor Water Ser Water Ser Sever Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION APPROVED BY DATE INSPECTOR DATE Ducts Underfloor Ducts Underfloor Ducts Underfloor Ducts Underfloor Wood Burning Appliance TYPE OF INSPECTION APPROVED BY DATE INSPECTOR APPROVED BY DATE APPROVED APPROVE | On-Site Water | INSPECTOR | DATE |
| ELECTRICAL TYPE OF INSPECTION APPROVED BY DATE Conduit: PVC/Galv. Interior Conduit: PVC/Galv. Exterior Rough Wiring Elec. Main Pane; CAmps Temporary Meter Temporary Meter Temporary Meter Temporary Power Pole Ufer Location Ground South Wiring to Well Water Pipe Bond Location Location Pool Equipment Bonding TYPE OF INSPECTION APPROVED BY DATE TYPE OF INSPECTION APPROVED BY DATE Type Of Inspection Type Of Inspection Gas Test Sever Water Pipe - Above Floor Water Ser Water Ser Sever Water Pipe - Above Floor Water Ser Water Pipe - Above Floor Water Ser Water Pipe - Above Floor Water Ser Water Ser Sever Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION APPROVED BY DATE INSPECTOR DATE Ducts Underfloor Ducts Underfloor Ducts Underfloor Ducts Underfloor Wood Burning Appliance TYPE OF INSPECTION APPROVED BY DATE INSPECTOR APPROVED BY DATE APPROVED APPROVE | Roof Covering | | |
| TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Conduit: PVC/Galv. Interior Conduit: PVC/Galv. Exterior Rough Wiring Elec. Main Pane; OCAmps Temporary Meter Temporary Power Pale Ufer Location Priven Ground South Wiring to Well Pool Equipment Bonding FINAL INSPECTION PLUMBING TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Gas Test Temporary Pipe - Under Floor Water Pipe - Under Floor Water Pipe - Under Floor Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION APPROVED BY DATE INSPECTOR DATE FINAL PROVED BY DATE FINAL P | 30' Setbacks | | - |
| TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Conduit: PVC/Galv. Interior Conduit: PVC/Galv. Exterior Rough Wiring Elec. Main Pane Conduit: PVC/Galv. Exterior Rough Wiring Felloc. Main Pane Conduit: PVC/Galv. Interior Rough Wiring Felloc. Main Pane Conduit: PVC/Galv. PVC/Galv. Rough PVC/Galv. PVC/Galv. Rough PVC/Galv. PVC/Galv. Refrigeration Unit/Furnace Refrige | Driveway | | - |
| Conduit: PVC/Galv. Interior Conduit: PVC/Galv. Exterior Rough Wiring Elec. Main Pane COAmps Temporary Meter Temporary Meter Temporary Meter Temporary Meter Temporary Meter Temporary Power Pole Ufer Location/Oriven Ground South Turbus 12,400 Water Pipe Bond Location 13ect Wiring to Well FINAL INSPECTION PLUMBING TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Gas Test. Water Pipe – Under Floor Water Pipe – Under Floor Water Pipe – Interior Gas Test. Gas Test. Gas Test. Cast Test. Septic System House Sewer Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION APPROVED BY DATE INSPECTOR DATE FINAL INSPECTION Gas Test. Cartificate Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION APPROVED BY DATE INSPECTOR Cartificate Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION APPROVED BY DATE INSPECTOR Cartificate Wood Burning Appliance TYPE OF INSPECTION APPROVED BY DATE INSPECTOR APPROVED BY DATE INSPECTOR CAST Test. CORRECTIONS TYPE OF INSPECTION APPROVED BY DATE INSPECTOR APPROVED BY DATE INSPECTOR APPROVED BY DATE APPROV | Turnouts | | |
| Conduit: PVC/Galv. Exterior Rough Wiring Wiring Wiring Perm Fol | Address | | 1 |
| Rough Wiring Elec. Main Paner COAmps / Land Jack Perm For Form Formporary Meter Forms & Land Jack Perm Form Formporary Power Pale Flood Pro Forms & Perm Form Formporary Power Pale Flood Pro Forms & Perm Form Form Forms & Perm Forms & P | 1400 | | |
| Elec. Main Panel Coamps Temporary Meter Temporary Power Pole Ufer Location Oriven Ground South Turbus 7:24cs Water Pipe Bond Location Leest Turbus 7:24cs Wiring to Well Wiring to Well POOI Equipment Bonding FINAL INSPECTION FIN | | ILE HOME | |
| Temporary Meter Temporary Power Pale Ufer Location Oriven Ground South Value Pipe Bond Location Light Water Pipe Bond Location Light Wiring to Well Pool Equipment Bonding FINAL INSPECTION FINAL INSPECTION FINAL INSPECTION FINAL Pipe — Under Floor Water Pipe — Above Floor Venis & Top Out Gas Pipe — Interior Gas Test — Exterior Gas Test — Exterior Gas Test — Interior Gas Test — Exterior Water Sevice PVC/Galv. Well Seal Pad FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE FINAL INSPECTOR APPROVED BY DATE APPROVI Service PVC/Galv. APPROVI Ser | OF INSPECTION | APPROVED BY | DATE |
| Forms & Poles Po | oundation/Tie-down one-Elevation | | |
| Water Pipe Bond Location L264 Wiring to Well Pool Equipment Bonding FINAL INSPECTION Pounding Water Pipe - Under Floor Water Pipe - Above Floor Water Pipe - Above Floor Water Pipe - Horior Gas Test - Interior Gas Test - Exterior Second Floor Tub Test Septic System House Sewer Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE CORRECTIONS Gas Test INSPECTOR DATE FINAL INSPECTOR Mater Ser Well Seal FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE INSPECTOR FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE APPROVI APPROVI APPROVI BY: Sas Pipe APPROVI APPROVI APPROVI APPROVI BY: Sas Pipe APPROVI APPROVI BY: Sas Pipe | one-Elevation Setbacks | | |
| Water Pipe Bond Location LOCAT Wiring to Well Pool Equipment Bonding PLUMBING TYPE OF INSPECTION APPROVED BY DATE Ground Plumbing: Soil Water Pipe — Above Floor Water Pipe — Interior Gas Test — Interior Gas Test — Exterior Second Floor Tub Test Septic System House Sewer Water Service PVC/Galv. Well Seal Pad Wechanical TYPE OF INSPECTION APPROVED BY DATE INSPECTOR Septic System House Sewer Water Service PVC/Galv. Well Seal Pad Wechanical TYPE OF INSPECTION APPROVED BY DATE INSPECTOR CORRECTIONS INSPECTOR APPROVED BY DATE INSPECTOR APPROVED BY DATE Stepsic System Corrificate CORRECTIONS TYPE OF INSPECTION APPROVED BY DATE INSPECTOR APPROVED BY DATE APPROVED APPROVED BY DATE APPROVED APPR | | - | |
| Wiring to Well Pool Equipment Bonding PLUMBING TYPE OF INSPECTION APPROVED BY DATE Ground Plumbing: Soil Water Pipe – Above Floor Water Pipe – Above Floor Water Septic System House Sewer Water Service PVC/Galv. Well Seal Pad TYPE OF INSPECTION APPROVED BY DATE CORRECTIONS Gas Test. INSPECTOR Mechanical TYPE OF INSPECTION APPROVED BY Mechanical TYPE OF INSPECTION APPROVED BY DATE CORRECTIONS TINSPECTOR APPROVED BY DATE INSPECTOR APPROVED BY DATE CORRECTIONS TYPE OF INSPECTION APPROVED BY APPROVED BY APPROVE APPROVE BY: Gas Fige APPROVE BY: Gas Test. APPROVE APPROVE BY: Gas Pipe APPROVE APP | | | |
| Pool Equipment Bonding Pool Equipment Bonding FINAL INSPECTION PLUMBING TYPE OF INSPECTION APPROVED BY Ground Plumbing: Soil Water Pipe — Under Floor Water Pipe — Under Floor Water Pipe — Above Floor Vents & Top Out Gas Test — Interior Gas Test — Interior Gas Test — Exterior Second Floor Tub Test Septic System House Sewer Water Service PVC/Galv. Well Seal Pad TYPE OF INSPECTION APPROVED BY APPROVED BY DATE INSPECTOR CORRECTIONS FINAL INSPECTION FINAL INSPECTION APPROVED BY DATE INSPECTOR DATE APPROVE APPROVE BY: Gas Pipe APPROVI APPROVI APPROVI APPROVI APPROVI APPROVI APPROVI APPROVI APPROVI BY: Gas Pipe APPROVI AP | | | - |
| FINAL INSPECTION PLUMBING TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Gas Test: Sewer Water Pipe – Under Floor Water Pipe – Above Floor Vents & Top Out Gas Pipe – Interior Gas Test – Interior Gas Test – Exterior Second Floor Tub Test Septic System House Sewer Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE INSPECTOR APPROVED BY DATE INSPECTOR CORRECTIONS TYPE OF INSPECTION APPROVED BY DATE INSPECTOR APPROVED BY DATE INSPECTOR CAS Ter Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe APPROVI | | |
| FINAL INSPECTION PLUMBING TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Gas Test Ground Plumbing: Soil Water Pipe — Under Floor Water Pipe — Above Floor Vents & Top Out Gas Pipe — Interior Gas Test — Interior Gas Test — Exterior Second Floor Tub Test Septic System House Sewer Water Service PVC/Gaiv. Well Seal Pad FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Ducts Underfloor APPROVED BY DATE INSPECTOR APPROVED BY: APPROVI BY: APPROVI BY: APPROVI | ng Electrode | | + _ |
| PLUMBING PLUMBING TYPE OF INSPECTION Ground Plumbing: Soil Water Pipe — Under Floor Water Pipe — Above Floor Water Pipe — Interior Gas Test — Interior Gas Test — Exterior Second Floor Tub Test Septic System House Sewer Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE INSPECTOR CORRECTIONS INSPECTOR Ducts Underfloor Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unlit/Furnace Evaporative Cooler Gas Pipe — APPROVE Evaporative Cooler Gas Test — Exterior Septic System Conductor Inspection CORRECTIONS TYPE OF INSPECTION APPROVED BY DATE APPROVE Evaporative Cooler APPROVE A | | | |
| PLUMBING TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Gas Test: Ground Plumbing: Soil Water Pipe – Under Floor Water Pipe – Above Floor Water Pipe – Interior Gas Pipe – Interior Gas Test – Interior Gas Test – Exterior Second Floor Tub Test Septic System House Sewer Water Service PVC/Galv. Well Seal Pad TYPE OF INSPECTION APPROVED BY DATE INSPECTOR Ducts Underfloor Ducts Underfloor Ducts Overhead Wood Burning Appliance Terminate of APPROVED Evaporative Cooler Sas Pipe APPROVE TABLE INSPECTION APPROVE Terminate of Terminate of APPROVE Terminate of Terminate of APPROVE Terminate of | | | <u> </u> |
| TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Gas Test: Ground Plumbing: Soil Sewer Water Pipe — Under Floor Waste Pip Water Pipe — Above Floor Septic System Gas Pipe — Interior Water Ser Gas Test — Interior Water Ser Gas Test — Exterior Second Floor Tub Test Final Ins Septic System Certificate Well Seal Pad Final Inspection Mechanical CORRECTIONS TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Ducts Underfloor Ducts Overhead Wood Burning Appliance APPROVE Evaporative Cooler Evaporative Cooler Sas Test — Inspection Inspection Inspection Inspector Inspection Inspect | | | |
| Sewer Water Pipe - Under Floor Water Pipe - Above Floor Septic System Sewer Water Pipe - Above Floor Septic System Septic System Second Floor Tub Test FINAL INSPECTION Septic System | Manometer | | |
| Water Pipe - Under Floor Water Pipe - Above Floor Vents & Top Out Gas Pipe - Interior Gas Test - Interior Gas Test - Exterior Second Floor Tub Test Septic System House Sewer Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Test - Exterior Water Service Water Service Certificate CORRECTIONS TYPE OF INSPECTION APPROVED BY DATE CAST Ter APPROVI BY: Gas Pipe APPROVI APPROVI APPROVI BY: Gas Pipe APPROVI APPROVI APPROVI BY: Gas Pipe APPROVI APPR | Maining | | - |
| Vents & Top Out Gas Pipe – Interior Gas Pipe – Interior Gas Test – Interior Gas Test – Exterior Second Floor Tub Test Septic System House Sewer Water Service PVC/Galv. Well Seal FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE Refrigeration Unit/Furnace Evaporative Cooler Gas Test – Above Floor Water Service FINAL INSPECTOR Certificate CORRECTIONS INSPECTOR DATE APPROVE APPROVE BY: Gas Pipe APPROVE | ping | | + |
| Gas Pipe – Interior Gas Test – Interior Gas Test – Interior Gas Test – Exterior Second Floor Tub Test Septic System House Sewer Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY Ducts Underfloor Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Test – Interior Water Service Water Service FINAL INSPECTION APPROVED BY DATE INSPECTOR TYPE OF INSPECTION APPROVED BY APPROVED BY: Gas Pipe APPROVED BY: APPROVED | stem | | |
| Gas Test - Interior Water Ser Gas Test - Exterior Second Floor Tub Test Septic System Certificate House Sewer Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION Mechanical CORRECTIONS TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe APPROVE APPROVE APPROVE APPROVE APPROVE APPROVE BY: Gas Pipe APPROVE APPROVE APPROVE APPROVE BY: Gas Pipe APPROVE APPROVE APPROVE APPROVE APPROVE BY: Gas Pipe APPROVE APPROVE APPROVE APPROVE BY: Gas Pipe APPROVE APPROVE APPROVE APPROVE APPROVE BY: Gas Pipe APPROVE APPROVE APPROVE APPROVE BY: Gas Pipe APPROVE APPROVE APPROVE APPROVE APPROVE APPROVE BY: Gas Pipe APPROVE BY: | | | |
| Gas Test – Exterior Second Floor Tub Test Septic System House Sewer Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION Mechanical TYPE OF INSPECTION Ducts Underfloor Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe Well Seal FINAL INSPECTOR CORRECTIONS INSPECTOR DATE CAS Ter APPROVE | | | |
| Septic System House Sewer Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe FINAL INS CORRECTIONS INSPECTOR DATE APPROVED APP | Pad | | |
| Septic System House Sewer Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY Ducts Underfloor Ducts Underfloor Ducts Overhead Wood Burning Appllance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe Certificate CORRECTIONS INSPECTOR DATE CAS Ter APPROVI BY: APPROVI BY: | 27F2FION | | |
| Water Service PVC/Galv. Well Seal Pad FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe APPROVI | SPECTION te of Occupancy | | |
| FINAL INSPECTION Mechanical TYPE OF INSPECTION Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe FINAL INSPECTION APPROVED BY DATE INSPECTOR DATE CAS Ter APPROVI | | MARKS | |
| FINAL INSPECTION Mechanical TYPE OF INSPECTION APPROVED BY Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe CORRECTIONS INSPECTOR DATE CAS Ter APPROVI BY: APPROVI | J >==- | IARNO | |
| Mechanical CORRECTIONS TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe CORRECTIONS INSPECTOR DATE CAS Ter APPROVI | | | |
| Mechanical CORRECTIONS TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe CORRECTIONS INSPECTOR DATE CAS Ter APPROVI | | | |
| TYPE OF INSPECTION APPROVED BY DATE INSPECTOR DATE Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe APPROVI | | | |
| Ducts Underfloor Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe APPROVI | | | |
| Ducts Overhead Wood Burning Appliance Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe APPROVI | | | |
| Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe APPROVI APPROVI APPROVI APPROVI APPROVI APPROVI | | | |
| Refrigeration Unit/Furnace Evaporative Cooler Gas Pipe APPROVI | SH DEPOSIT | АМО | UNT |
| APPROVI Evaporative Cooler | mporary Power Occupancy | | |
| Evaporative Cooler BY: Gas Pipe APPROVI | /ED TO POST | DA | |
| APPROVI | LD (C. C.) | ٠, رح | ίΕ |
| | ED FOR REFUND | DA ⁻ | TE |
| | | | , C , |
| REFUNDS | ED | DA | īΕ |
| | =· | | , |
| HAZARDOUS MATERIAL STORAGE FOR NON-RESIDENTIAL COI | NSTRUCTION | | |
| certify that the occupants of this building (will/will not) need to comply with the applicable requirements of Seafety Code and the requirements for a permit for construction or modification by the Air Pollution District. | ection 25505, 2553 | 33, & 25534 of the | Health ar |



INVOICE

County of Fresno Department of Public Works & Planning

Mailing Address: 2220 Tulare Street, 6th Floor Fresno, CA 93721 24-HR REQUEST LINE: 262 4131 LOCAL: 262-4469 TOLL FREE: 800-742-1011 FAX: 262-4893

INVOICE TO: INDUSTRIAL ELECTRIC

INVOICE NO.: 31166

INVOICE DATE: Jul 20, 2009

PERMIT #: 09 103293 FC

REFERENCE #:

PROJECT LOCATION: 1139 S ARMSTRONG

PROJECT DESCRIPTION: UPGRADE ELEC SERVICE FOR EXISTING SFR 0-200AMPS

| FEE DESCRIPTION | AMOUNT | COMMENT | | |
|---------------------------------------|---------------|----------|---|---|
| Workers Comp. | \$7.50 | | | |
| CA Bldg Standards Comm. Fee (SB-1473) | \$1.00 | | | |
| Service/sub-panel 0 - 200 amps | \$29.00 | Qty 1 | | |
| Electrical Permit Issuance | \$38.00 | | | |
| TOTAL | \$75.50 | | | |
| SUMMARY: | | | | |
| ELECTRICAL PERMIT | \$67.00 | | County of Free | n.a. |
| CA Bldg Standards Comm. Fee (SB-1473) | \$1.00 | | Department of Public Work | |
| Workers Comp. | \$7.50 | | dress: 2220 Tulare Street, G | |
| TOTAL | \$75.50 | | REG-RECEIPT:51 - 409 | |
| | · | | CASHIER ID : EDH1234 | Jul 20 2009 |
| ****** | | = | Date Printed: 7/20/2009 14: | 13:50 |
| TOTAL BILLED: | \$75.50 | | *************************************** | |
| PAYMENT RECEIVED: | \$0.00 | | 09103293FG | \$75.50 |
| BALANCE DUE: | \$75.50 | | SubToial | \$75.50 |
| | | | 62 <u>1</u> | |
| | | | GE.L | |
| • | | 4 | TOTAL DUE | |
| the factor | المرا ممولادا | ." | RECEIVED FROM : | |
| | | | INDUSTRIAL ELECTRIC | |
| · · · · · · · · · · · · · · · · · · · | | | CHECK | \$75.5 0 |
| | | | | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| * • • | | | | |
| • • • | | | TOTAL TEMDERED | \$75 ₋ 50 |

| DIAN CHECK NO | |
|--|---|
| PLAN CHECK NO. | PERMIT NO. |
| Is there a jacket for this address? Yes; () No - ()Notified cashier | 12) Is a well log required? () Yes () No |
| 2) Are there existing septic records? () No ; // Yes If yes, do they need to be attached? () Yes; // No | 13) Does this require a septic review? () No () Yes, date logged: Why? () Test hole; () Small lot () Engr. Report; () Other |
| 3) is a grading permit required? (1) No; () Yes; () Unknown Has one been issued?() Yes; ()No | 14) Does the Site Plan include: A. () All property lines B. () Adjacent streets & closest cross-street |
| 4) Does the permit form include: A. ()) Address B. () Nearest town C. () Cross street D. () Owner's name/address/phone E. () Contractor name/address/phone F. () Designer's name/address/phone G. () Exact project H. () Legal Description I. () APN (Assessor's Parcel Number) J. () Zone District K. () Min. & Max. Setbacks L. () SLUC M. () Flood Map & Zone N. () Building Height (1) Stories: (2) Plate: (3) Ridge: O. () School District P. () Grading Permit Q. () Land Use Permit R. () SRA Requirements & Fee S. () Valuation Code | C. () Parcel Size D. () Easements E. () North Arrow F. () Accurate Property Dimensions G. () Existing & Proposed Buildings H. () Well & Septic Location I. () Driveway Location J. () Proposed Setbacks K. () Width of Road L. () O.P.S.H. (If applicable) M. () Turn-Around Area N. () Overhangs into Required Yards O. () LPG Tank / Water tank P. () Flood Prone Stamp 15) Does the Plot Plan form include: A. () A vicinity (location) map B. () APN (Assessor's Parcel Number) C. () Address D. () Owner's Name and Address E. () Septic Size F. () Leaching Factor G. () Dry-well Limitations H. () Water Well Information |
| 5) Must an Owner / Bidr. Verification be mailed? () No, why? () Completed () Contractor () Yes/Unknown - Date mailed | I. () Signature |
| i) Is a Certificate of Insurance required? () No /) Yes, Is it on file?() Yes () No Expiration Date: | B. () Setbacks for Major Streets C. () Street Sides for Garages D. () Accessory bldg. In req. yards E. () Space between buildings |
| Does the permit form include: A. () Owner-Bidr/Cont. declaration B. () Contractor's license class C. () Worker's Comp. declaration D. () Lender's name/address E. () Certification signature | F. () CNEL for FAT G. () Soll Subsidence Areas H. () Westland's Water District L. () Alta Irrigation District J. () Friant Redevelopment K. () Water Filtration H.D. Clearance L. () State Floodway Maps |
| i) Is this a legal lot? Mapping: () Yes; () Unknown Zoning : () Yes; () Unknown Merger: () Yes; () No | M. () Flood Prone Certification N. () Earthquake - Special Study O. () Puli Land Use/SPR Envelope P. () WWD/CSA Q. () Specific Plan Areas |
|) Is the proposed use allowed? Yes () Need Operational Statement | 17) () ALCC Clearance |
| O) Has a special zoning clearance been submitted to allow this use? () No () Yes # | 18) Zoning, plot plan & plan check letter signed? () Yes; () No 19) Other |
| 1) Are development fees due? A. Drainage () No - Why? () Outside() Exempt () Possibly - Date sent B. Sewer: () Yes () No C. Water: () Yes () No | Processed By: Bodo Date: 7000000000000000000000000000000000000 |

FIRM NAME.

SIGNA STORE OF CONTRACTOR OR OWNER TOWNER TO FILL IN REVERSE SIDE

MISC. TOTAL

INSPECTION RECORD

| | INSPEC | TION | INSPECTOR'S SIGN | DATE | INSPECTOR'S SIGN | DATE | CN | NR | OTHER |
|--|--|--|--|--|---|--|---|--|---------------------------------------|
| of other | FOUNDATION: 10 | | 101,220 - 27 - 32 - 28 | for the same of | 3-26-6 | 9 | EKI: | A 74 P | CAP CO |
| and an extra section of | | ACADEMIC TO THE PARTY OF THE PA | 147 147 20 E | | 2000 | ik tin | 2 | he | ens |
| | FLOOR GIRDERS & JOISTS PORCH & PATIO PIERS | | The same of the sa | 14 - 514 - | alin | CASA | hi | d | ile |
| | | | | 72.2 | | - | 1 | 21 | Kichle |
| | | | | 100 | | 3 40 | -/ | 9 703 | 8 1 1 |
| | FRAME: ext. loth, | bipeing botts | 4, | 1000 | 4 | | | 3,8 | Company of |
| UILDING | LATH (exterior) | | 8 | | -276F 3 = | v 230 jr. 4 | | | 1. Ell. |
| The same of the same of | LATH (interior) | S OVER THE | 4 | 8.00 | 8 | | 7.1 | | |
| | SHOWER WALL | | 20 5 11 | | - E | 2:- | 4. | 1 | 1 2 2 - |
| | SHOWER PAN 8 | | | 100 mg/17 mg | 16 | 1 | | | |
| | UNDER FLOOR | AREA-CLEAN | | The state of the state of the | No Old | N 680 W | | | 24 A 155 |
| | and the second | | \$ 12 The 18 The | | 178- AL | Part of the second | A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3.10 | 12.12.4 |
| eggs size of | FINAL INSPECT | ION | | | 0.00 | | | 1000 | |
| | | CHON | INSPECTOR'S SIGN | DATE | INSPECTOR'S SIGN | DATE | CN | NR | OTHER |
| A CONTRACTOR | COMPLET | | | Activity of | | 1 100 | 150 | | 2535 |
| 1986 - Paris 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | CONDUIT | WIRING | | | Sec. 1 | | v disease II d | 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| LECTRICAL | ROUGH ELEC. | | | 77450 466 3 | Submitted to | WEARING TO A SET | 一道》 | Shire | · 网络红色 |
| INICAL | ELEC. | MAIN PANEL | | 100 | 10 July 200 | are eded of the later | or The contract | D -22 | 1 12 STE 5. 3 |
| | 1 | 12 2 | 8 15 15 15 15 15 15 15 15 15 15 15 15 15 | 1961 - 1967 - 1968 - 19 | | La Propi State | 13,515 | 1 | AND |
| | FINAL ELEC. | - | Court for deliver gotton | codest or headtests of | Carlo Para Carlo | PERSONAL SERVICES | SALE. | 4 | 1224 |
| | INSPE | ECTION | INSPECTOR'S SIGN | DATE DIV | | DATE | CN | NR. | OTHER |
| | GROUND PLU | | Harry Harry | to the second | | PARTY TAL | 670 | ¥ | 100 |
| | VENTS | | 14.4 | | | | 1 | | |
| The Comment | WATER PIPE | | #2 | | | A FOR SING | 4 4 00 | da | VS |
| A LAF DOLL | GAS PIPE | 2 - 1 - 2 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - | \$ 3.50 mm | □ We | atomail | n excess o | 1 12 | 1 | A |
| Adda PVs | | 1242 | \$ 150 mm 100 mm | T Pr | ek not starica Eress stopped | THE STATE OF THE STATE OF THE SECOND | - 1 (M.) | | A Care St |
| PLUMBING | TUB ACCESS | 119 PF 3 | | The second secon | Sign Control | OF EDSTANDED OF STATES OF THE | 27 Aug 196 | 10000 | |
| 889 B. By 159 | DRYOUT GAS | HOUSE SPOR | | | | 19 INSP | ECTO | 10 | No |
| Weeks Value | - | HOUSE SEWER | STATE OF THE STATE | 0 | DATE 3-27 | 01/ 10 | ent | | |
| SAMENTA OF | SEPTIC T. & PI | TS BACKFILLED | a staviter ce i | | 700 | cm 94 se | | 200 | 10000 |
| Taker 50 | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | A MARIE LA CONTRACTOR DE LA CONTRACTOR D | A Charles of the Control | 7 | 18 7 7 | 1000 | 87 | 180 St. 1871 St. |
| 1370 | FINAL INSPECTION | | · · · · · · · · · · · · · · · · · · · | DE CONT. | and the same | | 1 | Biss | |
| | INSPECTION | | INSPECTOR'S SIGN | DATE | INSPECTOR'S SIGN | DATE | CN | NR | OTHER |
| 1000 | | | TO TO TO A SIGN | Table 1 | CONTRACTOR OF THE | Section of the | 1 4 5 | | 1 |
| | Duca III | PELOCE. | | | | | | | |
| MECH. | DUCTS UNDE | | 18 Ar | and the service of th | 10 mm | | 1000 | | |
| and | DUCTS OVER | INEAU | | 1 1 | | | N ISW | 0.00 | 100 |
| MISC. | FRESH AIR | The second second second second | The second second | 1,200 g 1 300 g 100 | English Service | X NET VILLA | 100 | 211 | B TO EQ H |
| | | ys vent comb. air | | 17 | | 100 | | W. (2011) | |
| | REFRIGERATIO | TINU NC | | (P) | No. of the second | Aug The State of t | 1 | STATE OF STA | |
| | | The second second | | 1 1 1 1 1 1 1 | | | +++ | | - 40 a 129 |
| THE RESERVE OF THE PARTY OF THE | FINAL INSPEC | 100000000000000000000000000000000000000 | | The work of the second second | TOTAL NOT THE WATER THE TANK TO THE PERSON. | THE PROPERTY OF THE PARTY OF THE | | OF \$10 Sec. 56 | VI 100 TO THE REAL PROPERTY. |

statistical state

srl-x1

TELEVIONE TO THE

TO SHELL OF SELECTION OF SELECTION OF

AND THE STATE OF T

BUREAU TRANSPORT

ALTONOLON CON

106 TABLESTAL TO WIT FOR LAW MEDICAL TO 10 1 1

READS CANCER SOLD
FRESHOLD CALLES STOLD
FRESHOLD CALLE STOLD

FRESNO COLOR PLANNING COMMISSION ROOM 102 - HALL OF RECORDS ANNEX PLOT PLAN FRESNO 21, CALIFORNIA Existing Garage Name of Applicant Sam Simonian Phone 255-3225 S. Armstrong Address of Applicant // 39 **Building Site Address** Same OFFICE USE ONLY -Zone Classification Approved by Register Number **Date Approved** Bldg. Permit Number 98159

| FOR APPLICANT | TO FILL | IN | | D | EPA | RTMENTO | PUB | | | DIVISIO | OF BUILDING | AND S | SAFETY |
|---|---------------|--------------------------|--------------------------------------|-----------------------------|---------------|--------------------------------|--------------------|--|----------|--|--|----------|--|
| BULD | NG. | | | | COLUMN | LINTON D. BEE TOR OF PUBLIC | A7 | (| | / | CHIEF BU | ERT E. H | INSPECT" |
| NEW ALTERATION TO THE | AGE : | | | | - | HR. INSPEC | THE REAL PROPERTY. | | ICATIO | ON FOR | 199 Z. KINGS CA | NYON | N ROAD |
| STORIES BUILDING PA | TIO | | | 1 | ANS | 488-3895 | RVICE | | ERA | - | FPESNO, CA | | 3702 |
| | R./CP | 7 | | - | FO | R APPLICAN | IT TO | FILL IN (T | ype o | r Print ZONE | 1/2/3. | 4 - 5 | 5 |
| TOWNS OF | 4 | Pump | ~ | BU | HL DIN | G ADDRESS | 1/3 | 39~ | 10 | amas | 104 | | |
| THEOLINA J | | | | | - | TTOWN | | 11 | | NEAREST CR | and the same of th | | the |
| | | | | | WNER | DRESS | 23 | CALO. | D.K. | un_ | DAT | E 7/ | 12- |
| | | | 100 | CIT | - | Fres | 28 | | | | TEL NO. | | |
| TRACT | OT NO. | c. | TRACT | - | NTRA | CTOR | | | | | CEMSE NO. | FI P | MONE |
| TRACT | | | | BL | DG. | 0 | 7 | moderate | 12 | | | 2-285 | and full feet |
| | | | | | ECT. | Sie | de | Chia | Z. | 2000 | | 75 | 452 |
| | | | | ME | CH. | **** | 100.60 | AD TH | W 100 10 | BBILLEATIE | N IS YOUR | PER | 88 957 |
| | Calmostres | er Man Mossius | 6 | DATE | 28.5 | TEN VAL | - | Or THE PARTY OF TH | 100 0 | CLACS | | AMOL | OF STREET, STR |
| FIRST PRINT LINE | | | | | | | | 1 | TI SE | | | | |
| SIZE OF LOT | ON LOT | Acceptance of the second | | | | 100 | | | | | | | |
| USE OF EXISTING BLDG. | NO FA | D. OF | 0.1 | 115 | | 4337 | 23 | 4 | ~ | 6 a i | | | 6 |
| ARCHITECT OR ENGINEER | gates of the | | | | | | | | | | | | |
| | TEL. | | 79. | | j i | | | | | | ا ا د فرید | | |
| ADDRESS | | ACHMENT | | | | . " | | | | | | | |
| PLANNING DEPA | THE THE PURCH | 以内部で 3位置に2002年 | (1.00) (1.00) | | | | | | | | | | |
| THE REPORT OF THE PARTY OF THE PARTY. | KIME | ENER MARKET | (C) | | | u v | | W TE | | | | | |
| SETTINGS SET SEAST BETERROR | * # | | | | | | | de terri | | | | | |
| greenen en en en en en en | TE . | | Ť | 1.17 | | | | | | | | | |
| CERTIFICATE OF OCCUPANCY | eorio (| 1 monore | 3 1 | | | | | | | | | | |
| ZONE SPECIAL SPECIAL | 21 - 1 - 1 | /I | | 1 | | | | | | | | | |
| PERMIT. | A | | | | E1 'C | CTRICAL | | TOTAL N | | | CHANICAL . | | |
| NO. | FACE | FEE NO. | | | | | EACH | řEE | NO. | 98.65 | CHAINCAL . | EACH | FEE |
| PERMIT FEE | 3.00 | J.00 | PERMIT F | EE | | | 3.00 | 3.00 | | PERMIT FEE | | 3.00 | 3.00 |
| WATER CLOSET | 1.75 | | C SHEED CO. CO. | | itches L | ight Outlets | | | | | SYSTEM (1 to 5 outlets) | 2.00 | |
| BASIN (LAVATORY) | 1.75 | | FIXTURES TOTAL (o | | | 48 | | | | GAS APPLIANCE | | 2.50 | Lance |
| SHOWER | 1.75 | FIRST | 10 OR PO | | S ODOV | 9) | 2.50 | | | VENTILATION DU | ICT GRAVITY | 2.90 | - 2052 |
| KITCHEN SINK | 1.75 | REMA | INDER | rice Co | 1 | 0 ea | | | | SERVING COMM | | 3.00 | |
| DISHWASHER | 1./5 | | - | RANGE | | DISHWASHER | 1.00 | | | Mechanical Inc. Under 4,000 CFM | 3.00, | | |
| FLOOR DRAIN | 1.75 | | DRYERS | 11" | EATER | DISPOSAL | 1.00 | | | Over 4,000 CFM- SERVING COMM. | | | |
| URINAL | 1.75 | | 12-24/19 | | 1 | | | micros migh | | OVER 4 MC.F.M | | 1000 | 高1369ks |
| WASTE DISPOSAL | 1.75 | | 0-14 HP | .50 | • | OVER 5-15 HP | 2.00 | | | DUCT SYSTEM- N | - | | |
| CONVERSION LPG to NAT. GAS | 10.00 | | OVER 1/2 2 HP. OVER 2 5 HP. | 1.00 | _ | WELDERS | 1.00 | | | SINGLE STURY O | -4M SQ. FT. | 5.00 | |
| HOUSE SEWER | 5.00 | 1. | MOTORS | 7000 | 10 | | 1.00 | 200 | | MULTI STORY-PER | STATE OF STA | 4.00 | |
| WATER PIPING and/or SERVICE | 1.50 | | | 7 / 7 | | | | | | EVAP. COOLER | | 2.00 | 57.5 |
| EA. GAS PIPING SYSTEM (1 to 5 outlets) | 2.00 | | | | | | | | | | | 2.5 | |
| GAS PIPING SYSTEM (6 ur more, each) GAS APPLIANCE | 2.50 | CES | CAL PROPERTY AND PERSONS | independent of | OCCUPATION OF | FEE 8.00 PER F | AND REAL PROPERTY. | ANELS | - T | SPECIAL INSPEC | TION FEE - 8.00 PER I | HOUR | ITC |
| SPECIAL (SEE ORDINANCE) | | 1 | NO/8 0 | - | - | | 1.50 | 150 | | LESS THAN 7 TO | | 4.00 | |
| ROOF DRAIN 1 TO 4 | 2.00 | | NO.4. N | 0. 2, 01 | R NO. | | 2.50 | | | OVER 7 TONS to | | 7.00 | |
| EACH ADDITIONAL DRAIN | .50 | | NO. 1/0, | - | - | | 3.50 | 200 | | 0-11 | | | |
| SPECIAL INSPECTION FEE-8.00 PER F | SOME SHEET | | 250,000 (OVER 35 | - | - | - | 7.50 | 0.36 | | The second secon | slem to 136,000 STU 30,001 to 370,000 STU | 7.00 | |
| 。 [1] [1] [1] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2 | 100 | | | 100-100 | 2020SI | Y DWELL | PARTIES NO. | | | WINDOW UNIT | 1000 | 2.00 | |
| All plumbing work, including water hooter, in a one-bathroom newly constructed, single family dwelling; (excluding all other gas ap- pliance logs) | 15.00 | | | | 100000 | 750 Sq. Fi. | 11.00 | | | | | | |
| All plumbing work, including water heater, in a two-ballsroom newly constructed, single family dwelling; (excluding all other gas op- | 19.00 | (Del 210 Eleme | est a con | | | 10001 | 15.00 | 12000 | | SINGLE F | AMILY DWELL | ING | |
| | ,,,,,, | | | | - | 1500* * | 20.00 | CORPORATE OF THE PARTY OF THE P | | 0 to 750 SQ. F | 1. | 6.00 | |
| All plumbing work, including water heater in a newly constructed, single family dwelling of three bathrooms; lexituding all other gas ap- | 22.00 | | | - | 001 to | | 32.00 | | | 751 * 1500 * | : | 7.00 | |
| A For each additional hathroom over three | | | 2.12 | | 501 to | | 38.00 | | | 2501 3000 | | 11.00 | |
| 4. For each additional bathroom over three \$1.75 per bathroom fature. | | | | - 100 | | | 1246 | | | | | | |
| TOTAL FEE | \$ | 0 | | | τοτ | AL FEE | \$6 | 50 | | | TOTAL FEE | \$ | |
| ROBERT E. HUBER A SEE BUILDING INSPEC | TOR | M | | | | | III | ST | 177 | 186981 | NLY CO | 36 | |
| CHECKED BY VALIDATED IN THAT HAVE REAL GIVEN IS CLARECT. THE LICENSE, WHERE IN | THIS AP | LICATION AND | STATE TH | CAS | INFO | CHECK THE | LDG. | 9 | UNIT | TOTAL | PLAN % CHECK % | | |
| SIGN BELÓW A | ND C | MPLETE I | BEVER. | SE . | | | ARAGI | | | | BUILDING | | +- |
| | 1 300 (4) | | | | | | i OL: | | | | PLUMBING | | |
| X | | | _ Dat | e | | | HATH | | | - | ELEC. PRPMIT | -60 | 450 |
| Owner | | | | | | | AIR CO | ND. | | | MEGN. PERMIT | | |
| Contractor Fire | n Nam | | 79 | 4 | 35-151 | | | | | | | | |
| Lic. No. | | Cla | | 2 13 4 4 2 2 10 14 2 2 2 | 703-34- | | OTAL | | | 1.77 | TOTAL. | | |
| 20M:GAY:8201:10-74 | THI | S PERMIT SHALL | EXPIRE BY | COM | TION A | ND BECOME NU | AYS. | VOID IF THE | E WORK | IS NOT | INSPECT | ON | COBY |

INSPECTION RECORD

| | | Charles and Annual Control | | | | record contour | |
|--|--|--|------------------|--|--|----------------|--------|
| BUILDING INSPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NR |
| Foundation: location forms setback | | | | | - | 1.789 | |
| Foundation: Garage | | - | | | + | 1 | 200 |
| Floor Girders & Joists | | 1 | | | - | | - |
| Pool Steel: location forms setback | | | | | - | - | |
| Frame: bracing bolts | | 15 | | | - | - | - |
| Lath: (exterior) | | - | | | - | | |
| Fireplace: damper | | - | | | - | 1 | |
| Fireplace: roof | <i>c</i> | | | | | - | |
| Shower Walls over Tub | | | | Lawrence Committee Committ | - | - | |
| Chower Pan & Walls | | - | | The state of the s | - | - | |
| Under Floor Area-Clean | | and the second s | | | - | | - |
| Bond Beam & Steel | # 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. | | | | | 1 | |
| (1) | the contract of the contract o | | | | | ALC POSSESSED | 700000 |
| (2) | a classical and the | Service and an arrange | | The second secon | - Comment | | |
| (3) | tion region is the of the time of the contract | | | | | | |
| Service and the property of th | E M. Carlo Joseph Processor Services | | and the second | | | | |
| The second secon | er e kroener en same | | | | 1 | | |
| FINAL INSPECTION | A ALEXANDER OF THE | S 1 5 12 | | | | - | |
| The state of the s | | | * | | PHILAN ST | | |
| ELECTRICAL INSPECTION | INSPECTOR'S SIGN | DATE | PEMARKS | INSPECTOR'S SIGN | DATE | CN | NR |
| THE CONSTRUCTOR OF THE PROPERTY OF THE PROPERT | Post 1 | | | | - | | |
| Conduit: Pvc Galv. | fleefond | 9/26/20 | | 120 | 1 | 1 | |
| Rough Wiring | Sollgstonde | 9/30/2 | PT CONTRACTOR | D. alexander | 8/0/25 | 4 | |
| Elec. Main Panel | Milleranela | \$ 56,5 | | | | | |
| Temporary Meter | | // | | | | - | |
| Temporary Power Pole | | | | TANGE OF CONTRACT | | | |
| Ground Electrode | Makends | 2/36/00 | | Section of Address Section 1995 | | 13 | |
| Ground Clamp | malla-ca | - p6/25 | | | | | |
| | | 11 ' | 1 500 100 500 50 | Les transcribents of re- | - | | |
| A STREET STORY OF THE STREET | | | | \$ 100 May 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | |
| FINAL INSPECTION | & Neponda | 9/10/25 | | Part of the second seco | | 10-10-5 | |
| | | adop antidisplactionels | | THE RESIDENCE OF THE PROPERTY | AND THE PROPERTY AND THE PARTY | DESCRIPTION | |
| | | make the majority of | | | | | |
| PLUMBING INSPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NR |
| PLUMBING INSPECTION Ground Plumbing: solf | INSPECTOR'S SIGN | make the majority of | REMARKS | INSPECTOR'S SIGN | DATE | CN | NR |
| | INSPECTOR'S SIGN | make the majority of | REMARKS | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing: solf Water Pipe | INSPECTOR'S SIGN | make the majority of | REMARKS | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing: soll Water Pipe Vents | INSPECTOR'S SIGN | make the majority of | | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing: soll Water Pipe Vents Gas Pipe | INSPECTOR'S SIGN | well of the property of | | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing: solf Water Pipe Vents Gas Pipe Tub Access: | INSPECTOR'S SIGN | well of the property of | | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access: Dryout Gas | INSPECTOR'S SIGN | well of the property of | | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing: soil | INSPECTOR'S SIGN | well of the property of | | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access: Dryout Gas Septic Tunk House Sewer | INSPECTOR'S SIGN | well of the property of | | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sever Septic T. & Pits Backfilled | INSPECTOR'S SIGN | well of the property of | | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sever Septic T. & Pits Backfilled | INSPECTOR'S SIGN | well of the property of | | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sever Septic T. & Pits Backfilled | INSPECTOR'S SIGN | well of the property of | | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing-soil Water Pipe Vents Gas Pipe Tub Access Dryoul Gas Septic Tank House Sever Septio T, & Pils Backfilled Temporary Meter | INSPECTOR'S SIGN | well of the property of | | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing-soil Water Pipe Vents Gas Pipe Tub Access Dryoul Gas Septic Tank House Sever Septio T, & Pils Backfilled Temporary Meter | INSPECTOR'S SIGN | well of the property of | | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access: Dryout Gas Septic 1.3nk House Server Septic 1.8 Pits Backfilled Temporary Meter | INSPECTOR'S SIGN | well of the property of | | INSPECTOR'S SIGN | DATE | CN | |
| Ground Plumbing solf Water Pipe Vents Gas Pipe Tub Access Dryoul Gas Septic Tank House Sewer Septic T. & Pils Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION | INSPECTOR'S SIGN | DATE | | | | | |
| Ground Plumbing solf Water Pipe Vents Gas Pipe Tub Access Dryou's Gas Septic Tank House Sevuer Septic Ta Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor | INSPECTOR'S SIGN | DATE | | INSPECTOR'S SIGN | DATE | | |
| Ground Plumbing solf Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sewer Septic T. & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead | INSPECTOR'S SIGN | DATE | | | | | |
| Ground Plumbing soil Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic 17nk House Sewer Septic 1. & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overtead Fresh Air | INSPECTOR'S SIGN | DATE | | INSPECTOR'S SIGN | DATE | | |
| Ground Plumbing solf Water Pipe Vents Gas Pipe Tub Access Dryott Gas Septic 17-1k House Sewer Septic 1. & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | | NR |
| Ground Plumbing soil Water Pipe Vents Gas Pipe Tub Access Dryott Gas Septic 17 k House Sewer Septic 1 & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Retrigeration Unit | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | | |
| Ground Plumbing solf Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic 17 h House Sewer Septic 1. & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Refrigeration Unit | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | | NR |
| Ground Plumbing solf Water Pipe Vents Gas Pipe Tub Access Dryoul Gas Septic Tunk House Sewer Final Inspection Duct Overtead Fresh Air Furnace: gas vents comb. air Refrigeration Unit Evaporative Cooler | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | | NR |
| Ground Plumbing: solf Water Pipe Vents Gas Pipe Tub Access: Dryout Gas Septic Tank House Sever Septic Tank House Sever Septic Tank Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Refrigeration Unit Evaporative Cooler | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | | NR |
| Ground Plumbing: soil Water Pipe Vents Gas Pipe Tub Access: Dryout Gas Septic Tank House Sewer Septic T. & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Refrigeration Unit Evaporative Cooler | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | | NR |
| Ground Plumbing solf Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic 17 k House Sewer Septic 1. & Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Refrigeration Unit Evaporative Cooler | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NR |
| Ground Plumbing-solf Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sevuer Septic Ta Pits Backfilled Temporary Meter FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Refrigeration Unit Evaporative Cooler | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | | NR |
| Ground Plumbing solf Water Pipe Vents Gas Pipe Tub Access Dryout Gas Septic Tank House Sever Septic Tank FINAL INSPECTION MECHANICAL INSPECTION Ducts Underfloor Duct Overhead Fresh Air Furnace: gas vents comb. air Refrigeration Unit Evaporative Cooler FINAL INSPECTION | INSPECTOR'S SIGN | DATE | REMARKS | INSPECTOR'S SIGN | DATE | CN | NR |

| Carport | - |
|------------------------------|------|
| | |
| /5/68 B-98159 × Sam Simonian | |
| Ag Fump | |
| /15/75 E-135723 "/Pistacchio | Pump |
| Ag Exempt | |
| /6/71 AGEX-2421 Sam Simonian | 1 |


REROOF RESIDENCE

(ALICE SIMONIAN)

BLDG 102.50 SMI .54 PATTE TOTL 103.04

R- 178109:05MAR.17'942 CHECK 103.04 LINE 04 4-15-94 6C 07/20/09 UPGRADE ELECT SERVICE FOR EXISTING

SFR 0-200AMPS E-09-103293 scanned





Adult Services Department Children & Family Services Department Employment & Temporary Assistance Department

April 10, 2001

Mr. Bill Kermoyan Kermoyan Farm 901 South Armstrong Fresno, California 93727

Dear Mr. Kermoyan:

SUBJECT:

Underground Storage Tank Abandonment Completion

LOCATION:

901 S. Armstrong, Fresno, CA

This letter confirms the permanent closure of underground storage tanks at the above site as required by the California Code of Regulations, Title 23, Article 7. The closure occurred on October 19, 2000 with the removal of two (2)underground storage tanks. With the provision that the information provided to this office is accurate and representative of existing conditions, no further action is required at this time. The site should now be properly closed, including backfilling as necessary.

This letter does not relieve you of any liability under the California Health and Safety Code or Water Code for past, present, or future operations at the site. Nor, does it relieve you of the responsibility to clean up existing, additional, or previously unidentified conditions at the site which cause or threaten to cause pollution, or nuisance, or otherwise pose a threat to water quality or public health.

Please call me at (559) 445-3271 if you have any questions.

Sincerely,

Lisa Smoot, R.E.H.S.

Environmental Health Analyst III . Environmental Health System

LMS:csw

CC:

Jim Williams, Statewide Excavation, Inc.

RECEIVED

APR & 2001

COMMERCIAL TANK SALES 3259 So. Elm Ave. Presno, Cu., 93702-5222 559-233-8265 FAX# 559-233-7757

Department of Community Health **Environmental Health System**

2000 . 2 tanks were accepted by COMMERCIAL day of October (m this 19th TANK SALES to be out sheared or otherwise propossed to be smelled for recycling in accordance with all federal, state, and local regulations. Each tank has been cleaned and rendered gas free for "bot" work and a 2" hole has been cut into each tank for inspection purposes. All tanks will have a triple riose certificate or manifest and a copy of the rensoval permit.

Tank # 1

2000 gallon UST

Fresno County # 6528

CCS

Tank# 2

2000 ealion ust

· %5529

OC S

LEGAL OWNER: Bill Kercyan Farm

Address : City.

901 Armstorra Fresno, Ca. 93703 Address: :

CONTRACTOR: Statewide Excavating, Inc. 5408 E. Jensen Ave.

City

Fresno, Ca. 93725

Struck Trenchine 3275 N. Scabel

Sanger, Ca. 93657

FILE # 1417 and Jarkes

David Barker, owner

Date: 10/19/00



567 W. Shaw Ave., Ste. B Fresno, CA 93704 (559) 497-2880 FAX (559) 497-2886

November 17, 2000

RECEIVED

APR 2 2001

BSK 01-40-0754

Department of Community Health Environmental Health System

Mr. Bill Kermoyan % Larry Strunk 3275 N. Bethel Avenue Sanger, California 93657

SUBJECT: Report of UST Removal Soil Sampling and Analysis

901 S. Armstrong Avenue

Fresno, California

Dear Mr. Kermoyan:

BSK & Associates (BSK) conducted soil sampling and analyses in conjunction with the removal of one 2,000-gallon underground storage tank (UST) and one 2,000 gallon diesel UST at the subject site. The USTs were formally used to store gasoline and diesel fuels. Our scope of services was in accordance with our October19, 2000 proposal for Mr. Bill Kermoyan (Client), and the agreement you signed on October 20, 2000.

The UST was removed on October 20, 2000. BSK technician, Mr. Richard Newman, was present to collect a sample of the soil from beneath each UST for laboratory analyses and to document the removal activities. Ms. Lisa Smoot and Mr. John Smith of the Fresno County Community Health Department (FCCHD) were on-site to observe the soil sampling activities, approve soil the sampling location, and specify the analytical tests for the samples.

FIELD METHODOLOGY AND OBSERVATIONS

When Mr. Newman arrived at the site, the soils around the UST had been excavated, the dispenser piping had been removed, and the tank was rinsed. The dispenser were located above the respective USTs. When the USTs were removed from the excavations, each were observed to be slightly rusted, but with no visible pitting or holes. Soils excavated from around the UST consisted mainly of fine to medium grained sand.

One soil sample (S-1-T1@ 11') was collected from the north end of the diesel tank at a depth of 11 feet below ground surface (bgs). One soil sample (S-2-T2@12.5') was also obtained from beneath

J:\40\00\0754 Armstrong Tank Pull\0754 UST Removal.wpd

the fill end of the gasoline tank at a depth of about 12.5 feet bgs. The soil samples were collected by pushing a stainless steel tube into soil removed from the indicated depth by a backhoe operated by Williams Excavation. The approximate soil sampling locations are shown on Figure 1, Site Map. The soils excavated from below the UST had no visible discoloration or petroleum hydrocarbon odor. The stainless steel tubes were capped with teflon sheets and plastic caps, labeled, and placed in an ice chest cooled with Blue Ice.

Ms. Smoot specified that the soil sample collected beneath the diesel tank be analyzed for total petroleum hydrocarbons as referenced to diesel (TPHd) and the sample collected from beneath the gasoline tank be analyzed for total petroleum hydrocarbons as referenced to gasoline (TPHg), methyl tertiary butyl ether (MTBE), and benzene, toluene, ethylbenzene and total xylenes (BTEX).

The samples were transported directly from the site to BSK Analytical Laboratories in Fresno, California for analysis. Chain-of-custody (COC) protocol was maintained throughout the transfer. A copy of the COC is attached with the laboratory report. The laboratory used EPA Method 8015 (M) for analysis of TPHg and TPHd, EPA Methods 8015/8020 for MTBE and EPA Method 8020 for BTEX analysis.

FINDINGS

TPHg, MTBE and BTEX were not detected in the sample collected from beneath the gasoline tank. Detection limits for these methods were 1, 0.05 and 0.005 milligrams per kilogram (mg/kg), respectively. TPHd was detected in the sample at 2.3. The laboratory detection limit for this sample was 2 mg/kg.

LIMITATIONS

This report was prepared for Client in accordance with generally accepted standards of environmental practice in California at the time the service was performed. Our services were conducted solely for the purpose of evaluating environmental conditions of the soil with respect to the presence of petroleum hydrocarbons as referenced to diesel at the location sampled. No soils/foundation engineering (geotechnical engineering) implications are stated or should be inferred. Evaluation of the conditions at the site for the purpose of this investigation is made from a limited number of observation points. Subsurface conditions may vary away from the data points available. Additional work, including further subsurface investigation, can reduce the inherent uncertainties associated with this type of investigation.

J:\40\00\0754 Armstrong Tank Pull\0754 UST Removal.wpd



We appreciate the opportunity to be of service. Please call if you have questions or need additional information.

Respectfully submitted,

BSK & ASSOCIATES

Mark J. Pomaville Project Scientist

Ralph T. Boyajian P.E. Principal Engineer

Ash I Boyijan


MJP/RTB/clh

Attachments: Figure 1 – Site Map

Laboratory Report and Chain-of Custody Documentation

Distribution: Client (1 original, 1 copy)

BSK Project File 310 (1 original)





Cover Letter

10/31/2000

Mark Pomaville BSK and Associates - Geotechnical 567 West Shaw Suite C-1 Fresno, CA 93704

BSK Submission Number: 2000100734

Dear Mark Pomaville:

BSK Analytical Laboratories adheres to a quality assurance plan that has been approved by the State of California Department of Health Services. Our Environmental Laboratory Accreditation Program (ELAP) certification number is 1180.

BSK Analytical Laboratories has prepared this certificate of analysis in response to your request for analytical services. All information was taken from your Chain of Custody or related correspondence. BSK completed all sample handling and analytical procedures within the Laboratory's standard acceptability criteria with any exceptions noted below.

If additional clarification of any information is required, please contact our Client Services Department at (800)877-8310 or (559)497-2888.

Sincerely,

BSK Analytical Laboratories

Authorizing Signature(s)

Juliane Adams

Organic Laboratory Supervisor

Ko Yang

Inorganic Laboratory Supervisor

Cynthia Pigman QA/QC Supervisor



Mark Pomaville BSK and Associates - Geotechnical 567 West Shaw Suite C-1 Fresno, CA 93704

BSK Submission #: 2000100734

BSK Sample ID #: 68698

Project ID: 01400754

Project Desc:

Submission Comments:

Sample Type:

Solid

Sample Description: S-1-T1 at 11' Diesel

Sample Comments:

Certificate of Analysis

Report Issue Date: 10/31/2000

Date Received: 10/19/2000 Prep Analysis

Time Sampled: 1045

Date Sampled: 10/19/2000

Organics Analyte Method Result Units PQL Dilution DLR Date Date TPH as Diesel EPA 8015(M) 2.3 10/27/2000 10/27/2000

mg/L: Milligrams/Liter (ppm) mg/Kg: Milligrams/Kilogram (ppm) μg/L: Micrograms/Liter (ppb) μg/Kg: Micrograms/Kilogram (ppb)

%Rec: Percent Recovered (surrogates)

PQL: Practical Quantitation Limit

DLR: Detection Limit for Reporting

: PQL x Dilution

ND: None Detected at DLR

H: Analyzed outside of hold time

P: Preliminary result

S: Suspect result. See Cover Letter for comments.

E: Analysis performed by External laboratory. See External Laboratory Report attachments.



Mark Pomaville BSK and Associates - Geotechnical 567 West Shaw Suite C-1 Fresno, CA 93704

BSK Submission #: 2000100734

BSK Sample ID #: 68699

Project ID: 01400754

Project Desc:

Submission Comments:

Sample Type:

Solid

Sample Description: S-2-T2 at 12.5 Gas

Sample Comments:

Certificate of Analysis

Report Issue Date: 10/31/2000

Date Sampled: 10/19/2000

Date Received: 10/19/2000

Time Sampled: 1100

| | | | | | | | : ' | |
|----------------------|---------------|--------|-------|-------|----------|-------|------------|------------|
| Organics | | | | | | | Prep | Analysis |
| Analyte | Method | Result | Units | PQL | Dilution | DLR | Date | Date |
| TPH as Gasoline | EPA 8015(M) | ND | mg/Kg | 1 | 1 | 1 | 10/23/2000 | 10/23/2000 |
| Methyl-t-Butyl Ether | EPA 8015/8020 | ND | mg/Kg | 0.05 | . 1 | 0.05 | 10/23/2000 | 10/23/2000 |
| Benzene | EPA 8020 | ND | mg/Kg | 0.005 | 1 | 0.005 | 10/23/2000 | 10/23/2000 |
| Ethylbenzene | EPA 8020 | ND | mg/Kg | 0.005 | 1 | 0.005 | 10/23/2000 | 10/23/2000 |
| Toluene | EPA 8020 | ND | mg/Kg | 0.005 | 1 | 0.005 | 10/23/2000 | 10/23/2000 |
| Total Xylenes | EPA 8020 | ND | mg/Kg | 0.005 | 1 | 0.005 | 10/23/2000 | 10/23/2000 |

mg/L: Milligrams/Liter (ppm)

mg/Kg: Milligrams/Kilogram (ppm)

μg/L: Micrograms/Liter (ppb)

μg/Kg: Micrograms/Kilogram (ppb) %Rec: Percent Recovered (surrogates) PQL: Practical Quantitation Limit

DLR: Detection Limit for Reporting

: PQL x Dilution

ND: None Detected at DLR

H: Analyzed outside of hold time

P: Preliminary result

S: Suspect result. See Cover Letter for comments.

E: Analysis performed by External laboratory. See External Laboratory Report attachments.

Report Authentication Code:

- I AMARKA BANKA KANTO KAN



1414 Stanislaus Street Fresno, CA 93706-1623 (209) 497-2888, 800 877-8310 (209) FAX 485-6935

2000100734

ZUUUTUU/34 BSK G TAT: Standard

10/19/2000

Standard

Requested Analyses

Analyses Request Chain of Custody

sociara masantos

| | | | | | | | | | | | | | | | 1 | | | | | |
|-------------------|------------------------|------------------|--------------|-----------------------------|--------------|--------------|------|-------------------|--|-------------|-------------|----|----------|-------|--|------------------------|--|------------------------------|---|-----------------------------|
| | | | | | المنتبا | | | | | | | | | T | Ť | | | ľ | - | 200 |
| | | | | | | | | | | | | | | | T | | | | Time | |
| | | | | | | | - | 1 | | | Ī | | | 1 | | |] 🖁], | | Ē | |
| | | | | | | | - | | | | | | | 1 | 1 | 1 | Payment Received with Delivery | | | |
| , , | | | | | | | | | | | | | | | | | | il | H | + |
| | | | | | | | | | | 1 | | | | | | | 1 8 | | Date | |
| · | | | | | | | | | | | | | | | | | 7 a L | | | |
| | | | | | | | | | · | | | | | | 1 | |] \$, | <u> </u> | - | 1 |
| ٠. | · . | | | | | | | | | | | | - | | | | | Receipt # | | |
| | 1 | Z13 | 79 | 1101 | | X | | | | | | | 1 | | | | | estan I | | |
| | | (| 7-/1 | AL. | X | | | | | | | | | 1 | | | | | | |
| | | | | | | | | | | | | | | | | | <u> </u> | | | |
| Ç | 2 2 | 9 | | | | | | Ĭ | | | | | | | | | Additional Services Authorized by. | | Company | |
| 00 | 3 8 | 3 | l z | <u>ə</u> | | Q | , | | | | | | | | | | Autho | ହ | Com | |
| Phone # 167 128 | 11/2007 1497-7986 | | Comment or | Č U | CT | 612020 | 1 | | | | | | | | | | vices | (Signature) | | |
| 3 au | 4 | , m | omno | tatio | 19 | 2 | | 1 | | | | | | | | | al Ser | is) | | |
| Pho | FAX | System # | ∬ ັ | 9 3 | 12/2 | 3 | · | 1 | | | | | | | | | lition | | | |
| | | | | | | | | 1 | | | | | | | | | Adi | | | |
| | | | | | | | | | \ | | | ļ. | | | <u> </u> | <u> </u> | | 1. | | |
| W from all 1 & | 4 } | | | | | | | | | | | | | | | | | | | |
| 11/10 | トシレルーのたい | | | | | | · | | | | | | | | | | oue) | | | |
| 2 | | \$ | | | | | | | | : \ : \ | | | | | | | Day | | | |
| 1 | | 2 1 | \mathbb{N} | ation | 12 | | | | | | | | | | | | s: []. 5 Day or IV (circl | tody | | |
| 100 | |) \ | | Sample Description/Location | World Distal | ν, | | | | | -/ | | | | | | | [] - Formal Chain of Custody | Print Name | |
| 2 | ` | | M | ption | 72 | 3 | | | | : | | | | | | | Additional Service Rush Priority: []·2 Day Data package: Level II, III | hain o | Print | |
| Report Attention: | Project, Quote or PO # | | No. | escri | 1 | N | - | | | - | | \ | | | | | dition ty: [ge: Le | mal C | | - |
| rt Atte | ct, Qu | ioi. | M | Je D | 2 | 3 | | | | | | | | | | | Adorio Priorio | - For | | |
| Repo | Proje | Copy to: | | Saml | 110 | (Q) | 1 | \ | | | | | ` | | | | tush I Data 1 | | | |
| | 2 | | þý. | | 1 | 13 | | | | | | | | | | | , 20 10 | | | |
| | 1 | | Sampled by: | | 1-1 | 52-TERMS | | A | | | | | | | | | | | \ \ | L |
| | 18 | 8 | Sam | | V | | | | | ′ | | | | | | | | | j | |
| | W. SHAW AW SUFE | | | , p | | | | | - | | | | | | | | as es; | | | No. |
| | 1 | 8 | Time | Sampled | 3 | 8 | | | Ì | \ | | | | , | | | G - G | | | ļ . |
| | 13 | O | <u></u> | Š | 5401 1045 | 200 | | | | A. | | | | | | | solid with S | | 4 | |
| 1 | 1/2 | Old | 9 | led | 18 | | İ | | | , N | a. | | | | | | d S - g | | Signature | |
| X | T 194 | 🥸 | Date | Sampled | 12 | | | CONTRACTOR OF THE | S. Charles Annie and Annie and Annie and Annie and Annie and Annie and Annie and Annie and Annie and Annie and | ·. | Mark Market | | | | | | Liqui Assoc | | Sig | d by: |
| 图 | N | 1/2 | 2 | | | (4) (1) | | | | † Q | (iza) | X | | | | | Matrix Type: L. Liquid S. Solid G. Gas Type of Hazards Associated with Samplesi | | - Armelinory | Received / Relinquished by: |
| TITLE | ĺ | c, Zip | tAB use only | * Ø | | | 224° | | | 100 100 | | | | | e de la composition della comp | | ix Ty _I of Hæ | | - A CONTRACTOR OF THE PARTY OF | / Relin |
| Client Name | Address | City, State, Zip | VB us | | | 27 | | | | | | | | | | 14,57 51,5 73,44 | Matr Type | | | eived, |
| <u> </u> | <u> ₹</u> | 0 | | Sample Cample | | \searrow 1 | | | | <i>\$3.</i> | \$ | | STORY OF | (2) H | 22 | Se de | | - 1 | | ÄČ |

Notice: Payment for services rendered as notes herein are the infull within 30 days from when involved. If not so paid, account belances are deemed delinquent balances are subject to monthly service/re-billing charges and interest calculated at 112% per annum. USK & Associates shall be entitled to recover on delinquent acceptable, costs of collections, including attorneys fees incurred prior to or in litigation whether concluded by judgment, settlement, compromise, or otherwise. The person-signing for the Client/Company expressly acknowledges that they are either the Client or authorized agent of the Client.

Received / Relinquished by:
Received / Relinquished by:

Received for Laboratory day

UNDERGROUND STORAGE TANKS

FACILITY

UNIFIED PROGRAM CONSOLIDATED FORM
FRESNO COUNTY HUMAN SERVICES SYSTEM-DEPARTMENT OF COMMUNITY HEALTH-ENVIRONMENTAL HEALTH SYSTEM
1221 Fulton Mall, Post Office Box 11867, Fresno, California 93775 (559) 445-3271 (one page per site)

| NEAREST CROSS STRE | GAS STATION A3. FARM | | 5. CHANGE OF INFORMATION (Specify change - local use only) 6. TEMPORARY SITE CLOSURE INFORMATION FACILITY ID# FACILITY OWNER TYPE CORPORATION 1. CORPORATION 2. INDIVIDUAL 3. PARTNERSHIP | 332607 4. LOCAL AGENCY/DISTRICT* 5. COUNTY AGENCY* 6. STATE AGENCY* | 1 |
|--|--|---|---|--|----|
| TOTAL NUMBER OF TAN REMAINING AT SITE | | dian Reservation or division (This is | r of UST a public agency: name of supervisor of , section or office which operates the UST. the contact person for the tank records.) | (Jos-1172) ARTITROUX AUG. 4 | 06 |
| PROPERTY OWNER NA | | | 407 | PHONE 40 | 80 |
| MAILING OR STREET AE | CRMOYAL | | <u>(559)251-7312,</u> | V \$850000 | |
| 4581 | E. Walde | Auc. | | | 09 |
| CITY FREEL | 17 | | 410 STATE 411 | 21P CODE 93703 | 12 |
| PROPERTY OWNER TY | PE 1. CORPORATION | 2. INDIVIDUAL 3. PARTNERSHIP | 4. LOCAL AGENCY / DISTRICT 5. COUNTY AGENCY | | 13 |
| | | III. TANK | OWNER INFORMATION | | |
| TANK OWNER NAME | 1/201 Day | | 414 | PHONE 41 | 15 |
| MAILING OR STREET AL | MCELLATO TAID | | | (339) 831-1312 | 16 |
| CITY 4591 | D Maron 4 | Hie. | 417 STATE 418 | ZIP CODE | 40 |
| tresi | <u>a</u> . | | 417 STATE 418 | 13703 | 19 |
| TANK OWNER TYPE | ☐ 1. CORPORATION | individual 3. Partnership | ☐ 4. LOCAL AGENCY / DISTRICT☐ 5. COUNTY AGENCY | ☐ 6. STATE AGENCY 42 ☐ 7. FEDERAL AGENCY | 20 |
| | IV. BO | DARD OF EQUALIZATIO | N UST STORAGE FEE ACCOUNT NUMBER | | |
| TY (TK) HQ 4 | 4 - | Call (916) | 322-9669 if questions arise | 42 | 21 |
| · | | V. PETROLEUM U | ST FINANCIAL RESPONSIBILITY | | |
| INDICATE METHOD(S) | 1. SELF-INSURED 2. GUARANTEE 3. INSURANCE | ☐ 4. SURETY BOND ☐ 5. LETTER OF CREDIT ☐ 6. EXEMPTION | ☐ 7. STATE FUND ☐ 8. STATE FUND & CFO LETTER ☐ 9. STATE FUND & CD | ☐ 10. LOCAL GOV'T MECHANISM☐ 99. OTHER: | 22 |
| | | VI. LEGAL NOTIFIC | ATION AND MAILING ADDRESS | / | |
| Check one box to indicate Legal notifications and mai | which address should be used for le ilings will be sent to the tank owner u | gal notifications and mailing inless box 1 or 2 is checked. | ☐ 1. FACILITY ☐ 2. PROPERT | Y OWNER 3. TANK OWNER 42 | 23 |
| | | VII. APP | PLICANT SIGNATURE | | - |
| | the information provided herein is tru | e and accurate to the best of my l | knowledge. | | |
| SIGNATURE OF APPLICA | INT STATE | | DATE 10-19-200 424 | PHONE 42 | 25 |
| NAME OF APPLICANT (pr | y ci il | | 426 TITLE OF APPLICANT | 3PL 233-7701 | 27 |
| LA LAY STATE UST FACILITY NU | Strung St | | 428 1998 UPGRADE CERTIFICATE NUMBER /For | IER_ | |
| | | | 428 1998 UPGRADE CERTIFICATE NUMBER (For) | ocal use only) 42: | 9 |

UNDERGROUND STORAGE TANKS

TANK PAGE 1

UNIFIED PROGRAM CONSOLIDATED FORM
FRESNO COUNTY HUMAN SERVICES SYSTEM-DEPARTMENT OF COMMUNITY HEALTH-ENVIRONMENTAL HEALTH SYSTEM
1221 Fulton Mall, Post Office Box 11867, Fresno, California 93775 (559) 445-3271

| and the second s | Control of the second s | A STATE OF THE PARTY OF THE PAR | The State of the S | 3 AND THE R. P. LEWIS CO., LANSING, S. | March Services of the section of the | and the state of t | | | THE PAGE OF | |
|--|--|--|--|--|--|--|----------------------------------|----------------------------|---------------|--------------|
| | 4 | · | | | | | | Page | Q of | 5 |
| TYPE OF ACTION 1. N | NEW SITE PERMIT | AMENDED PERMIT | □ 5. i | CHANGE OF INFO | ORMATION) | | Пестемро | RARY SITE CLO | elibe | |
| Check one item only) | | | | | 01.000110119 | | _/ | NENTLY CLOSE | | |
| □ 3. R | RENEWAL PERMIT | pecify reason - for loca | l use only) (St | ecify change - for | r local use oniv | | | EMOVED | | 430 |
| BUSINESS NAME (Same as FAC | | | 3 | FACILITY ID # | | | | 17 | | |
| BILL KER | MOYAL F | ACTU | | CVA | CDC | 2023 | 32600 | | _ | |
| LOCATION WITHIN SITE (Option | nal) ^ | ٨ | | | | ^* | | | | 431 |
| 901 J. | JOST UNSIE | <u>sc Au</u> | <u> </u> | +120s | <u> رەدا (</u> | <u>U.</u> | 93727 | | | |
| Table ID. II | | | I. TANK DES | CRIPTION | · · · · · · · · · · · · · · · · · · · | ···· | · | | __/_ | |
| TANK ID# | 432 WW | TANK MANUFACTU | ててしらると | D | 433 | COMPART | MENTALIZED TAM If "Yes", complet | IK Ye e one page for ea | | '434 ent. |
| DATE INSTALLED (YEAR/MO) | 435 | TANK CAPACITY IN | | | 436 | NUMBER (| OF COMPARTMEN | TS | | 437 |
| 15 YEAR | le Aco | \sim | $\rho_{\rm COO}$ | | | | 00 | رتـ | | |
| ADDITIONAL DESCRIPTION (Fo | or local use only) | | | | | <u> </u> | | | | 438 |
| | " | | | : | | | | | | 400 |
| , | | | II. TANK CO | NTENTS | | | | | | |
| TANK USE | 439 | PETROLEUM TYPE | | | · · · · · · · · · · · · · · · · · · | | | | | 440 |
| 1. MOTOR VEHICLE FUEL | 1a. REG | ULAR UNLEADED | ☐ 2. | LEADED | | [| ☐ 5. JET FUEL | | | |
| if marked, complete Petroleum 1 | | MIUM UNLEADED | 🔲 з. 1 | ! Diesel | | [| ☐ 6. AVIATION F | UEL | | |
| 2. NON-FUEL PETROLEUN | ^A ☐ 1c. MIDG | RADE UNLEADED | □ 4. € | GASOHOL | | [| 99. OTHER | | | |
| 3. CHEMICAL PRODUCT | COMMON NA | AME (from Hazardous | Materials Inventory pag | e) | ······································ | 441 0 | CAS # (from Hazard | lous Materials Invi | entory name) | 442 |
| | ncludes | • | | | | | | out maionaio imp | mory pagey | · ·- |
| □ 95. UNKNOWN | | | | : : | | | | | | |
| | | | III. TANK CON | STRUCTION | | | | | | |
| TYPE OF TANK | 1. SINGLE WALL | | | | П - оч- | | | | <u> </u> | 3 12 1/21 |
| (Check one item only) | 2. DOUBLE WALL | | SINGLE WALL WITH EXTERIOR MEMBRAN | E LINER | | | ITH INTERNAL BL | ADDER SYSTEM | | 443 |
| Onesk one kem only) | 2. BOUBLE WALL | □ 4. | SINGLE WALL IN A VA | AULT | 95. UNKI | | | | | |
| FANK MATERIAL - primary tank | \ / | | | | ☐ 99. OTH | EK | | · | <u> </u> | |
| | 1. BARE STEEL | | FIBERGLASS / PLAST | | . CONCRETE | | | ☐ 95. UNKNO | WN | 444 |
| Check one item only) | 🗸 🗌 2. STAINLESS STEER | - □ 4. | STEEL CLAD W/FIBEI | RGLASS 08. | . FRP COMPA | TIBLE W/100 | 0% METHANOL | 99. OTHER | | |
| FANK MATERIAL - secondary tan | ık 🖂 . DADE OTEG | | REINFORCED PLAST | | | | | | | |
| Check one item only) | 2. STAINLESS STEEL | | FIBERGLASS / PLAST | : | | | 0% METHANOL | ☐ 95. UNKNO | | 445 |
| Ondok one hem omy) | LI 2. STAINLESS STEEL | | STÉEL CLAD WIFIBER REINFORCED PLASTI | | . FRP NON-CO | | JACKET | ☐ 99. OTHER | | |
| | | _ | CONCRETE | , LJ 10 |). COATED ST | EEL | | | | - |
| TANK INTERIOR LINING | 1. RUBBER LINED | | EPOXY LINING | | GLASS LININ | о Пет | | DATE | INSTALLED | 447 |
| OR COATING | 2. ALKYD LINING | | PHENOLIC LINING | : 💟 | . GLASS LIMIP . UNLINED | | . UNKNOWN | 446 DATE | , | |
| 'Check one item only) | Z. ALKTO LINING | · 4, | PRENOLIC LIMING | | . UNLINEU | . 🗀 99 | OTHER | (For le | cal use only) | _ |
| OTHER CORROSION PROTECTION IF APPLICABLE | 1. MANUFACTURED | CATHODIC 3. | FIBERGLASS REINFO | RCED PLASTIC | ☐ 95. UNK | NOWN | 448 | | INSTALLED | 449 |
| | PROTECTION | □ 4. | IMPRESSED CURREN | ļr . | ☐ 99. OTH | IER | · | | _ | _ |
| Check one item only) SPILL AND OVERFILL | ☐ 2. SACRIFICIAL AND | | | ! | | | | | cal use only) | |
| | | | 150 TYPE (For local us | e only) 451 | | | EQUIPMENT: YEA | R INSTALLED | | 452 |
| Check all that apply) | LJ 1. SPILL CONTAINM | ENT | <u> </u> | <u> </u> | 1. ALARI | ~ | 3. FIL | L TUBE SHUT O | FF VALVE 💃 | SIA |
| | ☐ 2. DROP TUBE | | 14 | | 🗆 2. BALL | FLOAT | ノレロ 4. EX | EMPT | | ' 1 |
| | 3. STRIKER PLATE | | 1 ' 3 | <u>. </u> | | | | • | | |
| | | | IV. TANK LEAK | DETECTION | 47 | | | A EXPLICIT A | | 1,7977 |
| IF SINGLE WALL TANK | (Check all that apply): | · | <u>a ngagaga ku su gaga sa kangaga</u> | 453 | IF DOUBLE | WALL TANK | OR TANK WITH | SLADDER (Check | one item only |): 454 |
| 1, VISUAL (EXPOSED POR | RTION ONLY) | ☐ 5. MANUAI | TANK GAUGING (MT | | | | WALL IN VAULT | | | , |
| 2. AUTOMATIC TANK GAU | JGING (ATG) | ☐ 6. VADOSE | , | ! | | | TERSTITIAL MON | | | |
| ☐ 3. CONTINUOUS ATG | | ☐ 7. GROUNI | OWATER | ! ! | | UAL MONIT | | | | |
| 4. STATISTICAL INVENTOR | | + □,8. TANK TE | STING | : : : | | • • | | | | |
| BIENNIAL TANK TESTI | | 99. OTHER | 4 1 2 2 2 2 2 | | | | | | | |
| | | V. TANK CLOSUR | E INFORMATION / P | ERMANENT C | LOSURE IN | PLACE | ··· | | | |
| ESTIMATED DATE LAST USED | • | ESTIMATED QUAN | TITY OF SUBSTANCE | REMAINING | 456 | TANK FIL | LED WITH INERT | MATJERIAL? | | 457 |
| UDVIDOR | 2/7 | | <u></u> & ~ | galfons | | | \ | / | | - |
| <u> </u> | · | | | | | · | Yes | Kuo | : 63 | SS-1017 |
| | | | | ! | | | , | | T) | UU-1U1/ |

UNDERGROUND STORAGE TAND

TANK PAGE 2

UNIFIED PROGRAM CONSOLIDATED FORM
FRESNO COUNTY HUMAN SERVICES SYSTEM-DEPARTMENT OF COMMUNITY HEALTH-ENVIRONMENTAL HEALTH SYSTEM

| VI PIPING CONSTR | Page O of O |
|---|---|
| UNDERGROUND PIPING | ABOVEGROUND PIPING |
| SYSTEM TYPE 1, PRESSURE 2, SUCTION 3, GRAVITY 458 | |
| A SINCLE WALL DISTRICT THENCH TO COTTED 400 | |
| CONSTRUCTION 21. SINGLE WALL / LI 3. LINED TRENCH LI 99. OTHER 460 MANUFACTURER 2. DOUBLE WALL J 95. UNKNOWN | ☐ 2. DOUBLE WALL ☐ 99. OTHER 462 |
| MANUFACTURER 461 | MANUFACTURER 463 |
| 1. BARE STEEL G. FRP COMPATIBLE W/ 100% METHANOL. | □ 1. BARE STEEL □ 6. FRP COMPATIBLE W/ 100% METHANOL |
| MATERIALS AND \(\sum \) Z STAINLESS STEEL \(\sum 7.\) GALVANIZED STEEL | ☐ 2. STAINLESS STEEL ☐ 7. GALVANIZED STEEL |
| CORROSION | ☐ 3. PLASTIC COMPATIBLE WITH CONTENTS ☐ 8. FLEXIBLE (HDPE) ☐ 99. OTHER |
| PROTECTION 3. PLASTIC COMPATIBLE WITH CONTENTS 195, UNKNOWN 4. FIBERGLASS 8. FLEXIBLE (HDPE) 99, OTHER | ☐ 4. FIBERGLASS ☐ 9. CATHODIC PROTECTION |
| 5. STEEL W/ COATING 9. CATHODIC PROTECTION 464 | |
| | L 5. STEEL W COATING L 95. UNKNOWN 465 TECTION (Check all that apply) |
| UNDERGROUND PIPING | ABOVEGROUND PIPING |
| SINGLE WALL PIPING 466 | SINGLE WALL PIPING 467 |
| PRESSURIZED PIPING (Check all that apply): | PRESSURIZED PIPING (Check all that apply): |
| 1. ELECTRONIC LINE LEAK DETECTOR 3.0 GPH TEST WITH AUTO PUMP SHUT OFF FOR LEAK, SYSTEM FAILURE, AND SYSTEM DISCONNECTION + AUDIBLE AND VISUAL | 1. ELECTRONIC LINE LEAK DETECTOR 3.0 GPH TEST <u>WITH</u> AUTO PUMP SHUT OFF FOR LEAK, SYSTEM FAILURE, AND SYSTEM DISCONNECTION + AUDIBLE AND VISUAL ALARMS |
| ALARMS | 2. MONTHLY 0.2 GPH TEST |
| 2. MONTHLY 0.2 GPH TEST | 3. ANNUAL INTEGRITY TEST (0.1 GPH) |
| 3. ANNUAL INTEGRITY TEST (0.1 GPH) | 4. DAILY VISUAL CHECK |
| | |
| CONVENTIONAL SUCTION SYSTEMS: | CONVENTIONAL SUCTION SYSTEMS (Check all that apply): □ 5. DAILY VISUAL MONITORING OF PIPING AND PUMPING SYSTEM |
| 5. DAILY VISUAL MONITORING OF PUMPING SYSTEM + TRIENNIAL PIPING INTEGRITY TEST (0.1 GPH) | Date: Visual monitoring of Fining and Fomeling System Triennial integrity test (0.1 GPH) |
| .` · | |
| SAFE SUCTION SYSTEMS (NO VALVES IN BELOW GROUND PIPING): 7. SELF MONITORING | SAFE SUCTION SYSTEMS (NO VALVES IN BELOW GROUND PIPING): |
| 17. SELF MONITORING | 7. SELF MONITORING |
| GRAVITY FLOW: | GRAVITY FLOW (Check all that apply): |
| 9. BIENNIAL INTEGRITY TEST (0.1 GPH) | 8. DAILY VISUAL MONITORING |
| XIO. NA | 9. BIENNIAL INTEGRITY TEST (0.1 GPH) |
| SECONDARILY CONTAINED PIPING | SECONDARILY CONTAINED PIPING |
| PRESSURIZED PIPING (Check all that apply): | PRESSURIZED PIPING (Check all that apply): |
| CONTINUOUS TURBINE SUMP SENSOR <u>WITH</u> AUDIBLE AND VISUAL ALARMS AND (Check one) | 10. CONTINUOUS TURBINE SUMP SENSOR WITH AUDIBLE AND VISUAL ALARMS AND (check one) |
| a. AUTO PUMP SHUT OFF WHEN A LEAK OCCURS | a. AUTO PUMP SHUT OFF WHEN A LEAK OCCURS |
| ☐ b. AUTO PUMP SHUT OFF FOR LEAKS, SYSTEM FAILURE AND SYSTEM DISCONNECTION | 5. AUTO PUMP SHUT OFF FOR LEAKS, SYSTEM FAILURE AND SYSTEM DISCONNECTION |
| C c. NO AUTO PUMP SHUT OFF | C. NO AUTO PUMP SHUT OFF |
| ☐ 11. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST) <u>WITH</u> FLOW SHUT OFF OR RESTRICTION | 11. AUTOMATIC LEAK DETECTOR |
| 12. ANNUAL INTEGRITY TEST (0.1 GPH) | 12. ANNUAL INTEGRITY TEST (0.1 GPH) |
| SUCTION/GRAVITY SYSTEM: | SUCTION/GRAVITY SYSTEM: |
| ☐ 13. CONTINUOUS SUMP SENSOR + AUDIBLE AND VISUAL ALARMS | ☐ 13. CONTINUOUS SUMP SENSOR + AUDIBLE AND VISUAL ALARMS |
| EMERGENOV OFNEDATORS ONLY (Observe Market and A) | 1 |
| EMERGENCY GENERATORS ONLY (Check all that apply) 14. CONTINUOUS SUMP SENSOR WITHOUT AUTO PUMP SHUT OFF + AUDIBLE AND | EMERGENCY GENERATORS ONLY (Check all that apply) 14. CONTINUOUS SUMP SENSOR WITHOUT AUTO PUMP SHUT OFF + AUDIBLE AND VISUAL |
| VISUAL ALARMS | ALARMS |
| 15. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST) WITHOUT FLOW SHUT OFF OR | 15. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST) |
| RESTRICTION | |
| 16. ANNUAL INTEGRITY TEST (0.1 GPH) | ☐ 16. ANNUAL INTEGRITY TEST (0.1 GPH) |
| 17. DAILY VISUAL CHECK | 17: DAILY VISUAL CHECK |
| | ER CONTAINMENT |
| DISPENSER CONTAINMENT 1. FLOAT MECHANISM THAT SHUTS OFF SHEAR VALVE | ☐ 4. DAILY VISUAL CHECK |
| DATE INSTALLED 468 2. CONTINUOUS DISPENSER PAN SENSOR + AUDIBLE AND V | |
| D\A 3. CONTINUOUS DISPENSER PAN SENSOR <u>WITH</u> AUTO SHU | |
| | RATOR SIGNATURE 5 |
| I certify that the information provided herein is true and accurate to the best of my knowledge. SIGNATURE OF OWNER/OPERATOR | DATE |
| Brown Stream | 170-19-2000 |
| NAME OF OWNER/OPERATOR (print) 471 | |
| I ANKY STANK | CARE OF OWNER. |
| | 00010016 |
| Permit Number (For local use only) 473 Permit Approved (For local use only) | 474 Permit Expiration Date (For local use only) 475 |
| | |

UNDERGROUND STORAGE TANKS

TANK PAGE 1

(two pages per tank)

UNIFIED PROGRAM CONSOLIDATED FORM

FRESNO COUNTY HUMAN SERVICES SYSTEM-DEPARTMENT OF COMMUNITY HEALTH-ENVIRONMENTAL HEALTH SYSTEM 1221 Fulton Mall, Post Office Box 11867, Fresno, California 93775 (559) 445-3271

| | | | | | | | Page 💾 of | 3 |
|---|------------------------------------|-------------------------------------|---------------------------------------|---------------------------------------|--------------|-----------------------------------|-------------------------------|----------------------|
| | IEW SITE PERMIT 🔲 4. | AMENDED PERMIT | ☐ 5. CHANGE | OF INFORMAT | ION) | 🗆 6. ТЕМРОІ | RARY SITE CLOSURE | |
| (Check one item only) | ENEWAL PERMIT == | | | | | 3/ | NENTLY CLOSED ON SITE | |
| BUSINESS NAME (Same as FAC | | pecify reason - for local use only) | (Specify chair | nge - for local us | se only) | 8. TANK RI | EMOVED | 430 |
| BILL Ke | -RMO YAL | FARTI | الع ا | A C | XOO! | 2332609 | | 1 |
| LOCATION WITHIN SITE (Option | nal) | Λ | | | ^ | | | 431 |
| 4010. | KIRUSTRO | ua Ave | f12 | رمحاك | Cor c | 73722 | | |
| TANK ID# | 432 | | FANK DESCRIPTIO | | 100 | | | |
| CIUNU | SUL | | 7000 | | | | one page for each compart | o 434 nent. |
| DATE INSTALLED (YEAR/MO) | 435 | TANK CAPACITY IN GALLONS | . ! | | 436 NUME | SER OF COMPARTMENT | | 437 |
| ADDITIONAL DESCRIPTION (Fo. | 0 1900 | 2000 | <u> </u> | | | 000 | <u> </u> | |
| ADDITIONAL DESCRIPTION (FO | riocal use only) | | · ! · | | | | | 438 |
| | | J. | . TANK CONTENTS | , | | | | |
| TANK USE | 439 | PETROLEUM TYPE | | | | | | 440 |
| 1. MOTOR VEHICLE FUEL (if marked, complete Petroleum T | 5 | SULAR UNLEADED | 1. LEADED | | | 5. JET FUEL | • | |
| 2. NON-FUEL PETROLEUM | L ID. PRE | MIUM UNLEADED GRADE UNLEADED | 3. DIESEL | | | ☐ 6. AVIATION FL☐ 99. OTHER | IEL | |
| 3. CHEMICAL PRODUCT | | IAME (from Hazardous Materials I | | - | 441 | | ous Materials Inventory page | |
| 4. HAZARDOUS WASTE (In Used Oil) | ncludes | WINE (NOW FIGURE GOOD WATER TAILS A | weillory page) | | 441 | CAS # (HOHI Hazardo | ous materials inventory page) | 442 |
| ☐ 95. UNKNOWN | | | | | | | | |
| | | III. 7 | TANK CONSTRUCT | ION | | | 1 4.5 1 4.6 1 4.6 | |
| TYPE OF TANK | 1. SINGLE WALL | ☐ 3. SINGLE V | | 5. | SINGLE WAL | L WITH INTERNAL BLA | DDER SYSTEM | 443 |
| (Check one item only) | 2 DOUBLE WALL | | R MEMBRANE LINER VALL IN A VAULT | | UNKNOWN | | | |
| TANK MATERIAL - primary tank | | | | | OTHER | | | |
| • • | 1. BARE STEEL | 3. FIBERGL | | 5. CONC | | - | 95. UNKNOWN | 444 |
| (Check one item only) | 2. STAINLESS STEE | | LAD WIFIBERGLASS CED PLASTIC (FRP) | ■ 8. FRP C | OMPATIBLE V | V/100% METHANOL | ☐ 99. OTHER | |
| TANK MATERIAL - secondary tani | k 🔲 1. BARE STEEL | 3. FIBERGL | ASS / PLASTIC | S. FRP C | OMPATIBLE V | V/100% METHANOL | ☐ 95. UNKNOWN | 445 |
| (Check one item only) | 2. STAINLESS STEE | | AD WIFIBERGLASS | | ION-CORRODI | BLE JACKET | 99. OTHER | |
| | | 5 CONCRE | | ☐ 10. COAT | ED STEEL | | | |
| TANK INTERIOR LINING OR COATING | ☐ 1. RUBBER LINED☐ 2. ALKYD LINING | ☐ 3. EPOXY LI | NING | ☐ 5, GLAS | _ | 95. UNKNOWN | 446 DATE INSTALLED | 0 447 |
| (Check one item only) OTHER CORROSION | Z. ALKID LINING | <u> </u> | | 6. UNLIN | | 99. OTHER | (For local use only | |
| PROTECTION IF APPLICABLE | 1. MANUFACTURED PROTECTION | | ASS REINFORCED PL | | . UNKNOWN | 448 | DATE INSTALLED | 449 |
| (Check one item only) | 2. SACRIFICIAL AND | ☐ 4. IMPRESSI | ED CURRENT | LJ 99 | OTHER | | (For local use only | 2 |
| SPILL AND OVERFILL | | YEAR INSTALLED 450 TYPE | (For local use only) | 451 OVER | FILL PROTECT | ION EQUIPMENT: YEAR | RINSTALLED | (452 |
| (Check all that apply) | 1. SPILL CONTAINS | IENT | | 🛮 1. | ALARM- | 3. FILL | . TUBE SHUT OFF VALVE | $\mathcal{D} \Delta$ |
| | 2. DROP TUBE | $-\mathcal{V}/\mathcal{A}$ | · · · | 🗆 2. | BALL FLOAT | MOD 4. EXE | MPT | , [|
| | ☐ 3. STRIKER PLATE | | | | | | | |
| IR ANIAL TAKE | | IV. 77 | ANK LEAK DETEC | 7. | | | | |
| IF SINGLE WALL TANK 1, VISUAL (EXPOSED POR | | [] | | I | | | LADDER (Check one item or | ily): 454 |
| 2. AUTOMATIC TANK GAU | · | ☐ 5. MANUAL TANK GA | UGING (MTG) | | | GLE WALL IN VAULT O | | |
| ☐ 3. CONTINUOUS ATG | S (S) | ☐ 7. GROUNDWATER | · i | l | MANUAL MC | IS INTERSTITIAL MONI INITORING | TORING | |
| ☐ 4. STATISTICAL INVENTOR | | | | J 3. | a torse MC | viaito | | |
| BIENNIAL TANK TESTI | NG : | OTHER | שטטע | | | | | |
| ESTIMATED DATE LAST USES | VD#40/D430 | V. TANK CLOSURE INFORI | | | | | | |
| ESTIMATED DATE LAST USED | • | ESTIMATED QUANTITY OF S | 80 | | 456 TANK | FILLED WITH INERT M | ATERIAL? | 457 |
| <u> </u> | <u> </u> | · | gallons | · · · · · · · · · · · · · · · · · · · | | 🗆 Yes 🔀 | No | |

HSS-1017

RGROUND STORAGE TAN

TANK PAGE 2

UNIFIED PROGRAM CONSOLIDATED FORM FRESNO COUNTY HUMAN SERVICES SYSTEM-DEPARTMENT OF COMMUNITY HEALTH-ENVIRONMENTAL HEALTH SYSTEM

| | · | | VI. PIPING CO | ONSTE | RUCTIO | ON (Check all that app | (y): " " " " " " " " " " " " " " " " " " " | | Page | of <u>()</u> |
|-----------------------------------|---|--|-------------------------------------|-------|-------------------|---------------------------------|--|--|------------------------|---------------|
| | UNDERG | ROUND PIPING | | | | | ABOVEGR | OUND PIPING | | |
| SYSTEM TYPE | PRESSURE | 2. SUCTION | ☐ 3. GRAVITY | 458 | □ <u>,</u> 1. | PRESSURE | 🗆 2. suc | TION | 3. GRAVITY | r 459 |
| CONSTRUCTION | SINGLE WALL | € 3. LINED TRENCH | · ☐ 99. OTHER | 460 | □ 1. | SINGLE WALL | | ☐ 95. UNKNOWN | | 462 |
| | 2. DOUBLE WALL | ☐ 95. UNKNOWN | | | ☐ 2. | DOUBLE WALL | | 99. OTHER | | |
| | MANUFACTURER | | | 461 | | MANUFACTUE | RER | | | 463 |
| | 1. BARE STEEL | 6. FRP COMPATIBL | E W/ 100% METHA | NOL | □ 1. | BARE STEEL | | ☐ 6. FRP COMPATI | | ANOL |
| MATERIALS AND | ☐ 2 STAINLESS STEEL | 7. GALVANIZED ST | EEL | | □ 2. | STAINLESS STEEL | | 7. GALVANIZED | STEEL | |
| PROTECTION | 3. PLASTIC COMPATII | BLE WITH CONTENTS | 🗆 95. UNKN | OWN | □ 3. | PLASTIC COMPATIE | BLE WITH CONTENTS | 8. FLEXIBLE (HDI | PE) 🗆 99. (| OTHER |
| ł İ | ☐ 4. FIBERGLASS | 8. FLEXIBLE (HDPE | • | R | □ 4. | FIBERGLASS | | 9. CATHODIC PR | OTECTION | |
| | 5. STEEL W/ COATING | 9. CATHODIC PRO | | 464 | | STEEL W/ COATING | | ☐ 95. UNKNOWN | | 465 |
| | | | VII. PIPING LE | AK DE | TECTI | ON (Check all that ap) | oly) | | | i jaj |
| | | ROUND PIPING | | 400 | | | | OUND PIPING | | |
| PRESSURIZED PI | PING (Check all that apply): | WALLFIRM | | 466 | PRES | SURIZED PIPING (Ch | | ALL PIPING | | 467 |
| 1. ELECTRO LEAK, SYS ALARMS | NIC LINE LEAK DETECTOR STEM FAILURE, AND SYSTE | 3.0 GPH TEST <u>WITH</u> AUTO EM DISCONNECTION + AU |) PUMP SHUT OFF DIBLE AND VISUAL | FOR | _ : | SYSTEM FAILURE, | LEAK DETECTOR 3.0 G AND SYSTEM DISCON | SPH TEST <u>WITH</u> AUTO NECTION + AUDIBLE A | PUMP SHUT OFF FO | OR LEAK, S |
| 2. MONTHLY | O 2 GPH TEST | | • | | □ 2 | . MONTHLY 0.2 GPH | TEST | | | |
| 1 | NTEGRITY TEST (0.1 GPH) | | | | | . ANNUAL INTEGRIT | , , | | | |
| S. ANNOALI | MILONITI IESI (G. FGFH) | | | | □ 4 | . DAILY VISUAL CHE | CK | | | |
| CONVENTIONAL | SUCTION SYSTEMS: | | | | CONV | ENTIONAL SUCTION | SYSTEMS (Check all th | at apply): | | |
| | UAL MONITORING OF PUM | PING SYSTEM + TRIENNIA | L PIPING INTEGRI | TY | □; 5 | . DAILY VISUAL MON | IITORING OF PIPING AN | ND PUMPING SYSTEM | | |
| TEST (0.1 | GPH) | | | | □:6 | . TRIENNIAL INTEGR | ITY TEST (0.1 GPH) | | | |
| SAFE SUCTION S | YSTEMS (NO VALVES IN BE NITORING | ELOW GROUND PIPING): | | | : ' | SUCTION SYSTEMS SELF MONITORING | (NO VALVES IN BELOW | / GROUND PIPING): | | |
| GRAVITY FLOW: | | | | | GRAV | ITY FLOW (Check all I | that apply): | | | |
| 9. BIENNIAL | INTEGRITY TEST (0.1 GPH) | | | | Broken I | . DAILY VISUAL MON | | | | |
| X.10. | a/u | | | | □ <u>'</u> 9 | BIENNIAL INTEGRIT | TY TEST (0.1 GPH) | | | |
| | PiNG (Check all that apply): | CONTAINED PIPING | | | PRES | SURIZED PIPING (Che | SECONDARILY C eck all that apply): | ONTAINED PIPING | | |
| 10. CONTINU (Check on | IOUS TURBINE SUMP SENS ie) | OR <u>WITH</u> AUDIBLE AND V | ISUAL ALARMS AN | ID . | | | BINE SUMP SENSOR <u>W</u> | | JAL ALARMS AND (d | check one) |
| ù a. AU | TO PUMP SHUT OFF WHEN | | | | | ☐ a. AUTO PUMP 8 | SHUT OFF WHEN A LEA | AK OCCURS | | |
| ☐ b. AU | TO PUMP SHUT OFF FOR L SCONNECTION | EAKS, SYSTEM FAILURE A | AND SYSTEM | | | ☐ b. AUTO PUMP S | SHUT OFF FOR LEAKS, | SYSTEM FAILURE AN | D SYSTEM DISCON | NECTION |
| C. NO | AUTO PUMP SHUT OFF | | | | | C. NO AUTO PUN | | | | • |
| 11. AUTOMA | TIC LINE LEAK DETECTOR | (3.0 GPH TEST) <u>WITH</u> FLO | W SHUT OFF OR | | 11 | . AUTOMATIC LEAK | DETECTOR | | | |
| 12. ANNUAL | INTEGRITY TEST (0.1 GPH) | | | | ☐ _: 12 | . ANNUAL INTEGRIT | Y TEST (0.1 GPH) | • | | |
| SUCTION/GRAVIT | | 4 | | | SUCTI | ON/GRAVITY SYSTE | M: | | | |
| 13. CONTINU | JOUS SUMP SENSOR + ÂUE | DIBLE AND VISUAL ALARM | s | | ☐ ¹ 13 | . CONTINUOUS SUM | IP SENSOR + AUDIBLE | AND VISUAL ALARMS | | |
| | EMERGENCY GENERAT | ORS ONLY (Check all that a | unn(v) | | | EME | RGENCY GENERATOR | S ONLY (Check all that | annlı) | ĺ |
| 14. CONTINU | OUS SUMP SENSOR WITH | • | | | ☐ <u>:</u> 14 | | P SENSOR <u>WITHOUT</u> | | | SUAL |
| RESTRIC | | 3.0 GPH TEST) <u>WITHOUT</u> | FLOW SHUT OFF (|)R | | | EAK DETECTOR (3.0 G | PH TEST) | | |
| | NTEGRITY TEST (0.1 GPH) | | | | | . ANNUAL INTEGRIT | | | | |
| 17. DAILY VIS | UAL CHECK | | | | | . DAILY VISUAL CHE | СК | | | |
| | | | VIII. DIS | PENS | ER CC | NTAINMENT | | | | |
| DISPENSER CONT | | MECHANISM THAT SHUTS | | | | | | 4. DAILY | / VISUAL CHECK | |
| DATE INSTALLE | | NUOUS DISPENSER PAN S | | | | | | 5. TRENCH LINER / N | MONITORING | |
| <u> </u> | L 3. CONTIN | NUOUS DISPENSER PAN S | ENSOR <u>WITH</u> AUT | O SHU | T OFF F | OR DISPENSER + AL | JDIBLE AND VISUAL AL | ARMS 6. NONI | <u> </u> | 469 |
| 1 - 40 0 - 5 | | | | R/OPE | RATO | R SIGNATURE | | , , | | |
| signature of | formation provided herein is tr | rue and accurate to the best | of my knowledge. | | 1 6. | 7. | | | | |
| _ A) | my STI | unh | | | | TE 10 - 19 | - 2000 PATOR POWN | | | 470 |
| I A | R/OPERATOR (print) | 1.143k | | 47 | TIT | LE OF OWNER/OPE | RATOR | VC 0 | | 472 |
| L AM | 4 ST/ | WN | | | C | HRB O | - own | ER_ | | |
| Permit Number (Fo | or local use only) 473 | Permit Approved (For Id | ocal use only) | | | | 47 | 4 Permit Expiration | Date (For local use or | nly) 475 I |
| | • | | | | | | | | | · · |

UNDERGROUND STORAGE TANK ABANDONMENT INSPECTION REPORT
FRESNO COUNTY COMMUNITY HEALTH DEPARTMENT-ENVIRONMENTAL HEALTH SYSTEM
Post Office Box 11867, Fresno, California 93775
1221 Fulton Malli-(209)445-3271

| Site Information Facility BILL Rermoyan Fa Address 901 S. Avms | Date 0/19/00 arm PR# C.T. 14,04 share city Fresho zip 93703 |
|---|---|
| Tank Information Gas Diesel Tank#/size: 1.6528/2K 2.6529/2K 3 | Abandonment in place Removal 3. / 4. / 5. / 6. / |
| Inspection Information | Y/N Inspection Information Y/N |
| Tank(s) completely emptied | Groundwater/Product in excavation(circle one) |
| Tank(s) cleaned and waste manifested | Approved abandonment in place |
| Tank(s) properly purged/LEL below 5% | A & B forms completed and submitted |
| All piping removed | Samples taken by: |
| Soil discoloration and its location(s): | odors noted - Sandy soil |
| Tank condition(describe): No holes | observed. |
| Notes: Tanks are gary? Than Brundis | To Commercial Hanks volker |
| Plot Key | Plot Plan(not) to scale) |
| X = Sample location | Total a Masse |
| T _x = Tank number | L Shoel gardse Shoeld |
| S _y = Sample number | |
| D' = Depth below grade(ft) Note the depth of sample. eg.: S _y -D' | 3 |
| Analysis/Sample numbers TPH Gas & BTXE/ * WTTBE So | John J |
| | & na / |
| TPH Diesel/ | Store Sp. doice |
| EPA 418.1/ | 5.1 |
| Other: | The tence like |
| Note: TPH by DHS-GC/FID(LUFT), BTXE by 8020 | Orce |
| Asa Smoot | K. |
| Analyst Signature CONTRACTOR CERTIFIES PROPER DECONTAMINATION | Owner/Representative Signature, Title |



OIL CONSERVATION SERVICE

INC CONSERVATION THRU RECYCLING

ENVIRONMENTAL SERVICES 3256 N. MARKS AVE. FRESNO, CA 93722-4919 (559) 485-5495 FAX (559) 485-5497

ENVIRONMENTAL PROTECTION AGENCY I.D. NO. CAD 980 673 842

DEPT. OF HEALTH SERVICES HAZARDOUS WASTE HAULER REG. NO. 1943

TANK TEST CERTIFICATION

| Date: 10 119 100 Job No.: Tank No.: 6529 Tank Size: 2000 |
|---|
| Prod. Unl. Gas ☐ Manifest No.: 9968308 Invoice No.: 23883 Held: Lead Gas ☐ |
| Diesel |
| and the control of t |
| EPA ID No.: CAC 002 331 604 |
| 医乳头上颌 法国际的复数形式 医乳头切除术 医动物 计自动 医皮肤上颌 医黄木属 医大线 医二十二氏 医二甲基甲醛 计处理机 医克勒氏虫虫 |
| Generator: Dill Kennium Phone: |
| Address: 458/ & 1300e City: 1200e Zip: 93703 |
| 내용 : 그들은 사용 그리는 이 문화장이 되는 경험하는 회원 회원이 가는 것이다. 이 맛을 보다고 |
| Client: Strenk Thanks: Phone: 59-233-1101 |
| Address: 3275 n. Sital City: Singer Zip: 93057 |
| |
| Test No1 Time: 9:00 Am LEL: 30 % Initial: A P. |
| Test No. 2 Time: 10:25 LEL: 0 % Initial: AR |
| Test No. 3 Time: LEL: % Initial: |
| |
| Test No. 4 Time: LEL: % Initial: |
| Test No5 Time: LE↓: % Initial: |
| O.C.S. Inc. certifies that at the time that this tank was tested by us it was free of flammable vapors. It may not remain vapor free. Treat this container with extreme caution, it may contain explosive gases. |
| DO NOT EXPOSE THIS CONTAINER TO FLAMES, SPARKS OR EXCESSIVE HEAT. |
| DO NOT CUT OR WELD ON THIS TANK. |
| 보는 즐겁게 보고 있다는 경기를 가면 있는 것이 없다. 그리고 있다면 보고 있는 것이 없는 것이 없는 것이 없는 것이 없는 것이다. 그렇게 되는 것이 없는 것이다. 그렇게 되는 것이다. 그렇게 다른 |
| Generator's Signature: CANE OF DW NOR |
| Contractor's Signature: GN SNAM |
| County of: PHSNO 0 |
| County Inspector's Signature: Was Am 504 |
| County inspectors digitature. Typoset 1777/11/11/11 |
| 사진 사람들이 되었다. 그는 사람들은 사람들은 사람들이 되었다. 그는 사람들은 사람들은 사람들이 가지 않는 사람들이 되었다. 그는 사람들은 사람들은 사람들이 되었다. |



OIL CONSERVATION
SERVICE

INC. CONSERVATION THRU RECYCLING

ENVIRONMENTAL SERVICES 3256 N. MARKS AVE. FRESNO, CA 93722-4919 (559) 485-5495 FAX (559) 485-5497

ENVIRONMENTAL PROTECTION AGENCY I.D. NO. CAD 980 673 842

DEPT. OF HEALTH SERVICES HAZARDOUS WASTE HAULER REG. NO. 1943

TANK TEST CERTIFICATION

| Date: <u>IO I PA IOO</u> Job No.: | Tank No.: 6528 Prod. Unl. Gas Invoice No.: 23883 Held: Lead Gas Invoice Invo |
|---|--|
| EPA ID No.: | 으로 하는 사람, 기본, 경향 등을 받는 것이다. 이번 수 있는 것은 사람들은 것이다. |
| Generator: Bill Karnayan | |
| Address: 4581 E. Willow |) City: 11000 Zip: 93703 |
| Client: Struck Ironadaia Address: 3205 D. Badha | Phone: 559 - 233-1101 City: Sanger Zip: 931057 |
| | |
| Test No1 Time: _830_ | |
| Test No. <u>2</u> Time: <u>//0:3/</u> | LEL: 6 % Initial: A.K. |
| Test No. 3 Time: | LEL: % Initial: |
| Test No. 4 Time: | LEL: % Initial: |
| Test No. 5 Time: | LEL: % Initial: |
| O.C.S. Inc. certifies that at the time that this ta remain vapor free. Treat this container with ext | nk was tested by us it was free of flammable vapors. It may not treme caution, it may contain explosive gases. |
| DO NOT EXPOSE THIS CONT | AINER TO FLAMES, SPARKS OR EXCESSIVE HEAT. |
| | CUT OR WELD ON THIS TANK. Trank CARE OF TUNER |
| Generator's Signature: | Sold Cities of Dalbert |
| Contractor's Signature: | > Lunc |
| County of: THESTO | |
| County Inspector's Signature: | a 5000+ |



Human Services System Department Of Community Health ENVIRONMENTAL HEALTH APPLICATION P O Box 11800, Fresno CA 93775-1800 1221 Fulton Mall -- \$\pi\$ 559 445-3357

PLEASE PRINT OR TYPE

| Business Name | Bill | Kermu | yen Fo | - 7 <i>1-1</i> 965 | · | |
|---|--|---|--|--|---|---|
| Inspection Site Address | 901 | S. Ar | msfron. | , | | |
| Date of Business Co | | o i CA | 7 372 Bi | usiness Tel | ephone | |
| | D 4 | | : | | | |
| Billing Address | 1511 | | moyan | | · · · · · · · · · · · · · · · · · · · | |
| | 4581 | 2. h | Deldon | | | |
| | Fresh | 10, CA | 9370 | 3 | | |
| Business Owner | _Bil/_ | Kerm | oyan | | | |
| Owner Address | sane | 95 b | elling | | | |
| | | | <i></i> | Те | lephone 25 | 1-7312 |
| The Applicant hereby agrees to Ordinances and to pay all applements which is being applied Environmental Health of any Environmental Health may rest | licable Fresno Count for here. PENALTIE change in the type | y Environmental I S FOR LATE PAY of business activi | Health Permit and Ins MENT ARE ASSESSE ty, name, billing addi | statutes, laws, i pection Fees, ar ED AT 10% PER ess, or owners | regulations, and the Fr id late penalties, if any MONTH OR FRACTIO nip by calling 445-33 | esno County Charter y, which apply to the IN THEREOF. Notify 57. Failure to notify |
| Owner / Authoriz | zed Represent | | Title | | | Date |
| | | | | | | |
| Record ID# E | E# PE# 54 6302 6507 | - UST State | ctivity Descrip Removal | Swelan | Billing Code | Fee 316.00 10.00 |
| Record ID# E | | - UST State | Removal | Swelan | Billing Code | 316.00 |
| Record ID# E | 54 6302 6507 650 | - UST State | Removal Oversight | Surlay arge X E | Billing Code Penalty Due AMOUNT DUE | 316.00 |
| Penalty Calculation: | 54 6302 6507 650 | - UST State 2 State | Removal Oversight Ust Surch | Sureland arge X 2 TOTAL A | Penalty Due | 316.00 |
| Penalty Calculation: | 54 6302 6507 650 | Left/Mailed | Removal Oversicht Cust Surd | Surlay arge X 2 TOTAL A | Penalty Due AMOUNT DUE | 316.00 10.00 16.00 342.00 |
| Penalty Calculation: | 54 6302 6507 650 Dwnership Cha | Left/Mailed | Removal Oversicht Cust Surd Taken In 10 ness Name Ch | TOTAL A | Penalty Due AMOUNT DUE Taken In By: 4 | 316.00 10.00 16.00 342.00 Tyee |
| Penalty Calculation: RETURN TO: ∠ · So ☑ New Business □ Comments | 54 6302 6507 650 Dwnership Cha | Left/Mailed | Removal Oversicht Cust Surd Taken In 10 ness Name Ch | TOTAL A | Penalty Due AMOUNT DUE Taken In By: ling Address Ch | 316.00 10.00 16.00 342.00 Tyee |
| Penalty Calculation: RETURN TO: ∠ · S · New Business □ C Close(inactive) □ C Comments Business Name ■ | Dwnership Cha | Left/Mailed | Removal Oversicht Cust Surd Taken In 10 ness Name Ch | TOTAL A | Penalty Due AMOUNT DUE Taken In By: ling Address Ch on/Change 🗷 | 316.06 10.06 16.00 16.00 342.60 Gree ange □ Other ctivity Change |
| Penalty Calculation: RETURN TO: | Date Date Close (delete) C | Left/Mailed | Removal Oversich Cust Surd Taken In 10 ness Name Ch | TOTAL A 17-06 ange Bil ite Correcti CT#_1 | Penalty Due AMOUNT DUE Taken In By: ling Address Ch on/Change 日本 | 316.06 10.06 16.00 16.00 342.60 Gree ange □ Other ctivity Change |
| Penalty Calculation: RETURN TO: \$\(\sigma \cdot \) New Business \$\(\sigma \cdot \) Close(inactive) \$\(\sigma \cdot \) Comments Business Name \$\(\sigma \cdot \) Inspection Site \$\(\sigma \cdot \) FA#\(\sigma \cdot \) Supervisor Review \$\(\sigma \cdot \) | Dwnership Cha | Left/Mailed | Taken In 10 Taken In 10 Taken In 10 Taken In 10 Taken In 10 Taken In 10 Taken In 10 Taken In 10 Taken In 10 Taken In 10 | TOTAL A TOT | Penalty Due AMOUNT DUE Taken In By: ling Address Ch on/Change 🗷 | 316.06 10.06 16.00 16.00 342.60 Gree ange □ Other ctivity Change |
| Penalty Calculation: RETURN TO: | Date Date Date Description of the second control of the second con | Left/Mailed | Taken In 10 Taken | TOTAL A TOT | Penalty Due AMOUNT DUE Taken In By: ling Address Ch on/Change A 4.04 City C Date Date | 316.06 16.00 16.00 16.00 342.60 Ange Other otivity Change |
| Penalty Calculation: RETURN TO: | Date Date Close (delete) C | Left/Mailed | Taken In 10 Taken | TOTAL A TOT | Penalty Due AMOUNT DUE Taken In By: ling Address Ch on/Change A 4.04 City C Date Date | 316.06 16.00 16.00 16.00 342.60 Ange Other otivity Change |



UNDERGROUND STORAGE TANK PERMIT APPLICATION

FRESNO COUNTY DEPARTMENT OF COMMUNITY HEALTH ENVIRONMENTAL HEALTH SYSTEM P.O. BOX 11867

FRESNO, CA. 93775 (559) 445-3271

| ABANDONMEN | II/REMOVAL L | AB/ | ANDONMENT IN PLACE | \square N | IEW CONSTRUC | CTION REPAIR |
|---|-------------------------------|----------------------|--|-------------------|-------------------|----------------------------|
| (| | | FACILITY INFORMATION | | ÷ | |
| Facility Name BIU | L Kermoti | au F | ARM Facility Phone | (533) | 251-7812 J | ob Phone 90.853512 |
| Address 901 | S. ARMS | T12.11 Y | Auc City Fix | عاله | State C | A Zin 93722 |
| Tank Owner Blu | KCRMUY | محدد | | -0 | Phone (575) | 251-2312 |
| Address 45 | 81 E. W | Con | Ac City G | 1 <i>.</i> =.u >. | State C | A zin 92703 |
| | | | y only | | State C | A 210 / 3 103 |
| CONTRACTOR INFO | ORMATION | <u> </u> | TANK CLEANER/TRANSPORTE | R | CONSUL | TANT INFORMATION |
| Company Coch | SUL POTTOL | Compar | گرح، اله | | Company K + | Anacore |
| Address S C . Ja | | | 3276 D. MARW J | he | 1 | Assu Ale Surac |
| City Facture C | L. Zip <u>93725</u> | | Freyry Cs. zip 9 | | | CA. zip 93704 |
| Phone (\$59) 22) | -623) | Phone (| 2942-204 (772) | | | 497-2000 |
| Contractor Class A | Hor | Waste T | Fransporter ID No. 1943 | | Registration Type | 490492 |
| License No. SO3774 | | Tank De | estination_BRUDDY_SQL | <u> </u> | License No. | NA |
| Site Contact Person: | mallin. | Rinsate | Manifested Y Tank Manifest | ted 🗥 | | |
| | | | TANK INFORMATION | | | |
| PERMIT # | SIZE | | PRODUCT | A | GE OF TANK | PREVIOUSLY STORED MATERIAL |
| 6528 | 2000 | | CANUE | | 15 | Casolina |
| 6529 | 2000 | | Dieler | | 15 | Dieser |
| : | | | | | | 1 |
| | | | | | | |
| | | | | | | |
| Dames Have | <u> </u> | | RIBE WORK TO BE PERFO | DRMED | | |
| Roman Tans | Des Pilis | | RIBE WORK TO BE PERFO F. C.E. H., | ORMED | CIFICATION | ; Na World BACK-F |
| Roman Tans | Des Pilis | | RIBE WORK TO BE PERFO SI PCR F.C.E.H., | DRMED | CCIFICATION | ; Na World BACK-F |
| Person Fave | DID Pili | | Y PGR F.C. ₹. 1,1 | o. sk | CIFICATION | ; Nation Bran-F |
| | 040 Pilio CT 14.04 | | RIBE WORK TO BE PERFO AS PERFORMENTAL PROPERTY OF SEC | o. sk | # 7936 | 2 ation Date 18-17-00 |
| OFFICIAL USE ONLY PR# NOTE: Permit expires ninety (9 of this permit and any other St | CT 4.04 90) days after the ap | APN plication cons. | Fee \$ | O. Sk | Application (form | ation Date 18-17-08 |
| OFFICIAL USE ONLY PR# NOTE: Permit expires ninety (9 | CT 4.04 90) days after the ap | APN plication cons. | Fee \$ | O. Sk | Application (form | ation Date 18-17-08 |

TO:

COUNTY OF FRESNO

DEPARTMENT OF HEALTH UNDERGROUND STORAGE TANK PROGRAM P.O. Box 11867 FRESNO, CALIFORNIA 93775

GRADING PERMIT STATUS

IN CONJUNCTION WITH THE REMOVAL OF UNDERGROUND PETROLEUM STORAGE TANKS

This form is to provide the County of Fresno with information regarding the grading (or excavation/compaction) permit status relative to the proposed *removal of underground petroleum storage tanks* at the following site:

This form must be presented to Fresno County Environmental Health System **prior to** obtaining an underground storage tank abandonment permit.

| Address: 90/ | <u> </u> | ARINSTRO | W(-) | · · · · · · · · · · · · · · · · · · · |
|--|-----------------------------------|-------------------------|----------------|--|
| City/County: Nearest Cross Street or Road: | | | | <u>· </u> |
| A grading permit was issued on | 0/6/0 | | | for this site |
| A grading permit is not required by this j removal of underground storage tanks at | urisdiction for exc this site. | avation and or backfill | ing in conjunc | tion with the |
| Comments: | 7947 | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| CITY/COUNTY | OF | | 1/ | and the same of th |
| Printed name of official | <u>ER_</u> | Signature of official | Wals | |
| 478-17 | <u> 575</u> | 10-60- | | |

White Copy: Building Dept. File

Yellow: County Health Dept.

Blue: Applicant

6/91

10/19/200/

UNDERGROUND STORAGE TANK PERMIT APPLICATION

FRESNO COUNTY DEPARTMENT OF COMMUNITY HEALT RECEIVED

ENVIRONMENTAL HEALTH SYSTEM

P.O. BOX 11867 RESNO CA 93775 (559) 445.

MAR 1 9 2001

COMMERCIAL Tom

| • | FRESN | U, CA. 937/5 (559) | 445-327 | 1 | MAK I 2 5001 |
|-------------------------------|-------------------------------|---|------------------|---------------------------------|----------------------------|
| ABANDONMEN | IT/REMOVAL A | BANDONMENT IN PLACE | □ NE | . Depart EW CONSTR <u>EM</u> | ment of Community Health |
| ÷ | | FACILITY INFORMATIO | <u>N</u> | | |
| Facility Name BIL | L KERNOYAU | Facility Phone | e <u>(\$339)</u> | 251-7312 J | ob Phone 978-3512 |
| Address 901 | J. ARMSTRU | K Ar City To | منا لت | State CA | A Zin 93120 |
| Tank Owner | KCRMYAN | | · · · · · | Phone (TS) | 251-721- |
| Address 45 | 81 E. Win. | City C | - | 2017 | A01 131 Z |
| | | S S S City | الوياحان | State Q | A Zip 73/103 |
| CONTRACTOR INF | ORMATION | TANK CLEANER/TRANSPORTE | R | CONSULT | TANT INFORMATION |
| Commany J. W. Co. A. | Comp | OCS, INC. | | | माळ्ळाच |
| Address & Jal | Man Addre | \$3276 D. MARW J | | | |
| city Fredy No. C | 7:- 01035 | 5216 10, 1 49144 4 | No. | - Ja / W./ | Asu Ale durac |
| Phone (\$35) 223 | | Fich (Zip S | 3722 | | CA. Zip 93704 |
| Contractor Class A | | 7845-234 (222) | | · · | 497-1660 |
| <u> </u> | Waste | Transporter ID No. 1943 | NA) | | 490482 |
| License No. S03074 | Tank | Destination Discussion | DXG | License No | _ NA |
| Site Contact Person: | Rinsat | e Manifested V Tank Manifes | ted <u>Lu</u> | | |
| | | TANK INFORMATION | | | |
| PERMIT # | SIZE | PRODUCT | AG | E OF TANK | PREVIOUSLY STORED MATERIAL |
| 6528 | 2000 | Capur | | S | Casalia |
| 6529 | 2000 | Dicieu | | 15 | गिखंदा |
| | | | | , | |
| | | | | | |
| 0 1 | DESC | CRIBE WORK TO BE PERFO | ORMED | | |
| KONO ANS | AND PIPIUL | As ler Fice. 4, | o. ska | CHCATINU | 112 Chouse Brown Fr |
| | | | · | | |
| | | | | | · |
| FFICIAL USE ONLY | | 10/17/00 Ker | استعا | ¥79365 | 2 |
| PR# | CT 14.04 APN | Fee \$ | 342 | | tion Date 18-17-07 |
| OTE: Permit expires ninety (§ | O) days after the application | date. The applicant has receive | ed, understar | ada and mill | |
| | | Permit Conditions provided and out provided OSHA Exc. | | | s A, B, C) provided |
| 71 | 70- | last been | | \ | /. |
| PROVED BY | APPLIC | CANT NAME (PRINT) | A | PPICANT SIGNAT | TIME / TITLE |

STATE OF CALIFORNIA

WATER RESOURCES CONTROL BOARD

FORM 'A': SITE

UNDERGROUND STORAGE TANK PROGRAM FACILITY/SITE, INFORMATION and/or PERMIT APPLICATION



COMPLETE THIS FORM FOR EACH FACILITY/SITE

| ONE ITEM 2 INTERIM P | <u> </u> | - = | TEMPORARY SITE | | / PEHN | WANENTLY GLOSED SITE |
|---|--|------------------------|--|-------------------------------------|--|--|
| FACILITY/SITE INFORMATION | ON & ADDRESS — (MUS | ST BE COMP | LETED) | | | |
| FACILITY/SITE NAME D # J | SERVICES | CARE OF AD | DRESS INFORMAT | | = 4 | |
| ADDRESS 1/08 5. 7 | FOULER AVE | NEAREST CF | OSS STREET | Box to in CORPO | ndicale PAR Pration Loc Dual Col | ITNERSHIP STATE-AGENCY CAL-AGENCY FEDERAL-AGENCY UNTY-AGENCY |
| CITY NAME | RESNO | STATE CA | ZIP CODE 93. | 725 | SITE PHONE | #, WITH AREA CODE |
| TYPE OF BUSINESS: 2 DISTRIBUTOR 1 GAS STATION 3 FARM | 4 PROCESSOR SESERVATION or TRUST LANDS | EPA ID # | | , | | of TANK's T THIS SITE |
| EMERGENCY CONTACT PERSO | N (PRIMARY) | EMERGE | NCY CONTA | CT PERSON (| (SECONDA | RY) |
| DAYS: NAME (LAST, FIRST) | PHONE # WITH AREA (| DODE DAYS: NAM | E (LAST, FIRST) | | P | HONE # WITH AREA CODE |
| NIGHTS: NAME (LAST, FIRST) | PHONE # WITH AREA (| CODE NIGHTS: N | AME (LAST, FIRST) | | P | HONE # WITH AREA CODE |
| PROPERTY OWNER INFOR | MATION & ADDRESS - | - (MUST BE | COMPLET | ED) | , , | |
| NAME SAME | AST | CARE OF AD | DRESS INFORMAT | ION | | |
| MAILING or STREET ADDRESS | | | PORATION [| PARTNERSHIP LOCAL-AGENC COUNTY-AGEN | Y □ F | STATE-AGENCY FEDERAL-AGENCY |
| CITY NAME | | STATE | ZIP GODE | Ē | PHONE #, WI | TH AREA CODE |
| . TANK OWNER INFORMAT | ION & ADDRESS — (MU | JST BE COM | PLETED) | 1 | | |
| NAME SAME | AST | CARE OF AD | DRESS INFORMAT | ION | | |
| MAILING OF STREET ADDRESS | , | ☐ COR | o indicate E PORATION E /IDUAL E | PARTNERSHIP LOCAL-AGENC COUNTY-AGEN | Y S | STATE-AGENCY FEDERAL-AGENCY |
| CITY NAME | | STATE | ZIP CODE | | | TH AREA CODE |
| LEGAL NOTIFICATION AN | ND BILLING ADDRESS | | | | | |
| CHECK ONE (1) BOX INDICATING WHIC | H ABOVE ADDRESS SHOULD BE US | ED FOR BOTH LEG | L NOTIFICATION | N AND BILLING: | ŅŢ | II. 🔲 III. 🔲 |
| THIS FORM HAS BEEN COMPL | ETED UNDER PENALTY OF PER | RJURY, AND TO | HE BEST OF I | MY KNOWLED | GĘ, IS TRUE | E AND CORRECT. |
| APPLICANT'S NAME (PRINTE | ED & SIGNATURE) | | | DATE | | |
| LOCAL AGENCY USE ONLY | Υ | | | | | · · · · · · · · · · · · · · · · · · · |
| COUNTY# JURISDICTION | ON# AGENCY# | | FACILITY ID # | | # of | TANKS at SITE |
| | | | | | 0 | 200 |
| CURRENT LOCAL AGENCY FACILITY ID # | 58.028 | APPROVED BY NA | ME Then | 44 | PHONE #1 | WITH AREA CODE |
| PERMIT NUMBER | PERMIT APPROVAL DATE | 1 | RMIT EXPIRATION | ON DATE | | |
| LOCATION CODE CENSUS TRACT# | SUPERVISOR-DISTRICT | CODE B | JSINESS PLAN FI | ILED NO | DATE | FILED |
| | | 1 | | | | |

THIS FORM MUST BE ACCOMPANIED BY AT LEAST (1) OR MORE TANK PERMIT FORM 'B' APPLICATION(S), UNLESS THIS IS A CHANGE OF SITE INFORMATION ONLY. FORM À (3-2-88)

STATE OF CALIFORN

WATER RESOURCES CONTRO

BOARD

FORM 'B':
TANK

UNDERGROUND STORAGE TANK PROGRAM TANK PERMIT APPLICATION INFORMATION



COMPLETE A SEPARATE FORM WITH THE FOLLOWING INFORMATION FOR EACH TANK.

| | MARK ONLY ONE ITEM | 1 NEW PERMIT 2 INTERIM PERMIT | 3 RENEWAL PERMIT 4 AMENDED PERMIT | · '\ | HANGE OF INFORMATION EMPORARY TANK CLOSURE | 7 PERMANENTLY CLOSED TANK 8 TANK REMOVED |
|----------|---------------------------------|---|--|--|---|---|
| ł | FACILITY/SITE NAI | ME WHERE TANK IS INSTA | | ERVICES | 5 | FARM TANK - YES NO |
| L 7 | | | LL ITEMS - IF UNKNOWN — | | | |
| · [| A. OWNERS TANK ID | | | | CTURED BY: | NKNOW |
| t | C. YEAR INSTALLED | 1 | 74 | | APACITY IN GALLONS: | 2000 |
| ٠, | | | | | · · · · · · · · · · · · · · · · · · · | - |
| II. [| A. 1 MOTOR VEH | | EUM B. | | C. 1 UNLEADED | 2 LEADED 3 DIESEL |
| 1 | 3 CHEMICAL F | =- | [] | 1 PRODUCT | 4 GASAHOL | 5 JET FUEL 6 AVIATION GAS |
| | 5 HAZARDOU | | 95 UNKNOWN | 2 WASTE | 7 METHANOL | 99 OTHER (DESCRIBE IN ITEM D, BELOW) |
| | | /EHICLE FUEL, ENTER NAME BSTANCE STORED & C.A.S. # | | | | C.A.S. #: |
| III. | TANK CONST | RUCTION MARK O | NE ITEM ONLY IN BOX A, B | 3, C, & D | | |
| | A. TYPE OF SYSTEM | 1 DOUBLE WALLED 2 SINGLE WALLED | 3 SINGLE WALLED WITH EXTERIOR 4 SECONDARY CONTAINMENT | · '= | 99 OTHER | |
| | | 1 STEEL/IRON | 2 STAINLESS STEEL | 3 FIBERGLASS | 4 STEEL CLAD W/FIBERGLASS R | EINFORCED PLASTIC |
| . [| B. TANK MATERIAL | 5 CONCRETE | = _ = | 7 ALUMINUM | 8 100% METHANOL COMPATIBLE | E FRP |
| 1 | L | 9 BRONZE | 10 GALVANIZED STEEL | 95 UNKNOWN | 99 OTHER | <u>Y</u> |
| | C. INTERIOR LINING | 1 RUBBER LINED 5 GLASS LINING IS LINING MATERIAL COMPATIBLE | 6 UNLINED | 3 EPOXY LINING [| 4 PHENOLIC LINING 95 UNKNOWN 99 OTHER | |
| Ì | D. CORROSION | 1 POLYETHLENE WRAP | 2 TAR OR ASPHALT | 3 VINYL WRAP | 4 FIBERGLASS REINFORCED PLA | ASTIC |
| | PROTECTION | 5 CATHODIC PROTECTION | | 795 UNKNOWN | 99 OTHER | |
| IV. | . PIPING INFOR | | A IF ABOVE GROUND, U IF I | | | O OTHER |
| } | A. SYSTEM TYPE B. CONSTRUCTION | A U 1 SUCTION A U 1 SINGLE WALLED | A U 2 PRESSURE A U 2 DOUBLE WALLED | A U 3 GRAVITY | | A U 95 UNKNOWN A U 99 OTHER A U 95 UNKNOWN A U 99 OTHER |
| | B. CONSTRUCTION C. MATERIAL | A U 1 STEEL/IRON A U 5 ALUMINUM | A U 2 STAINLESS STEEL A U 6 CONCRETE | A U 3 POLYVIN A U 7 STEEL C | NYL CHLORIDE (PVC) A U | 4 FIBERGLASS PIPE A U 91 NONE 8 100% METHANOL COMPATIBLE FRP |
| . 1 | L | A U 9 GALVANIZED STE | EL A (U)95 UNKNOWN | A U 99 OTHER | | |
| ٧. | LEAK DETECT | (ION SYSTEM CIR | CLE P FOR PRIMARY, OR \$ | FOR SECONDAR | Y, A PRIMARY LEAK DETEC | CTION SYSTEM MUST BE CIRCLED. |
| | P S 1 VISUAL CHECK | K P \$ 2 INVENTORY 5 | TO THE PARTY OF TH | | | e s opoublé lutter Monitorino NELLO |
| - | P S 6 PRECISION TL | ESTING P S 7 PRESSURE TE | | | | \$ 5 GROUND WATER MONITORING WELLS \$ 99 OTHER |
| VI. | | ESTING P S 7 PRESSURE TE | | DNE P/S | | |
| VI. | | ON ON TANK PERM | ESTING P \$ 91 NO | DIN PLACE | Š UNKNOWN P | |
| VI. | 1. ESTIMATED DATE I | DN ON TANK PERM LAST USED (MO/YR) AS BEEN COMPLETED U | ANENTLY CLOSED 2. ESTIMATED QUAR SUBSTANCE REM UNDER PENALTY OF PERJ | D IN PLACE INTITY OF MAINING IN | 95 UNKNOWN P 3. WAS GALLONS | S 99 OTHER |
| VI. | 1. ESTIMATED DATE I | ESTING P S 7 PRESSURE TE DN ON TANK PERM LAST USED (MO/YR) | ANENTLY CLOSED 2. ESTIMATED QUAR SUBSTANCE REM UNDER PENALTY OF PERJ | D IN PLACE INTITY OF MAINING IN | 95 UNKNOWN P 3. WAS GALLONS | TANK FILLED WITH YES NO EDGE, IS TRUE AND CORRECT. |
| : | 1. ESTIMATED DATE I | DN ON TANK PERM LAST USED (MO/YR) LAS BEEN COMPLETED U CANT'S NAME (PRINTED & SIGNA | ANENTLY CLOSED 2. ESTIMATED QUAR SUBSTANCE REM UNDER PENALTY OF PERJ | D IN PLACE INTITY OF MAINING IN | 3. WAS GALLONS HE BEST OF MY KNOWLE | TANK FILLED WITH YES NO EDGE, IS TRUE AND CORRECT. |
| : | 1. ESTIMATED DATE I | DN ON TANK PERM LAST USED (MO/YR) LAS BEEN COMPLETED U CANT'S NAME (PRINTED & SIGNA | ANENTLY CLOSED 2. ESTIMATED QUAR SUBSTANCE REM UNDER PENALTY OF PERJ | DIN PLACE NTITY OF MAINING IN | 3. WAS GALLONS HE BEST OF MY KNOWLE | S 99 OTHER |
| : | 1. ESTIMATED DATE I | ESTING P S 7 PRESSURE TE ON ON TANK PERM LAST USED (MO/YR) LAS BEEN COMPLETED U ICANT'S NAME (PRINTED & SIGNA CY USE ONLY | ANENTLY CLOSED 2. ESTIMATED QUAR SÜBSTANCE REM UNDER PENALTY OF PERJ ATURE) | DIN PLACE NTITY OF MAINING IN | 3. WAS GALLONS A DATE | TANK FILLED WITH YES NO EDGE, IS TRUE AND CORRECT. |
| : | 1. ESTIMATED DATE I | ESTING P S 7 PRESSURE TE ON ON TANK PERM LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) | ANENTLY CLOSED 2. ESTIMATED QUAR SÜBSTANCE REM UNDER PENALTY OF PERJ ATURE) | DIN PLACE NTITY OF MAINING IN | 3. WAS GALLONS GALLONS ATE DATE FACILITY ID # | TANK FILLED WITH YES NO EDGE, IS TRUE AND CORRECT. |
| : | THIS FORM HA APPLIC COUNTY # | ESTING P S 7 PRESSURE TE ON ON TANK PERM LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) LAST USED (MO/YR) | ANENTLY CLOSED 2. ESTIMATED QUAR SÜBSTANCE REM UNDER PENALTY OF PERJ ATURE) | DIN PLACE INTITY OF MAINING IN JURY, AND TO THE | 3. WAS GALLONS GALLONS ATE DATE FACILITY ID # | TANK FILLED WITH YES NO EDGE, IS TRUE AND CORRECT. TANK ID # |

STATE OF CALIFORNI

WATER RESOURCES CONTRC

FORM 'B': TANK

UNDERGROUND STORAGE TANK PROGRAM TANK PERMIT APPLICATION INFORMATION



COMPLETE A SEPARATE FORM WITH THE FOLLOWING INFORMATION FOR EACH TANK.

| MARK ONLY ONE ITEM | 1 NEW PERMIT 2 INTERIM PERMIT | 3 RENEWAL PI | <u> </u> | 5 CHANGE OF INFO | | 7 PERMANENTLY 8 TANK REMOVED | |
|--|---|--|--------------------------------------|--|----------------------------|-----------------------------------|---|
| FACILITY/SITE NAM | ME WHERE TANK IS INSTAL | LED: D4 | 3 SERV | rcES . | | FARM TANK - YES |] NO [|
| TANK DESCRIF | PTION COMPLETE ALL | ITEMS - IF UNKNO | WN - SO SPECI | ₹ Υ | | | |
| A. OWNERS TANK ID | " UNKNOW | ~ | B. M/ | NUFACTURED BY: | | MANOWN | |
| C. YEAR INSTALLED | 1982 | | D. TA | NK CAPACITY IN G | ALLONS: | 675 | |
| TANK CONTE | NTS IF (A.1), IS MARI | (ED, COMPLETE ITE | EM C. IF (A.1), IS | NOT MARKED, CO | MPLETE ITEM D | • | |
| the state of the s | PRODUCT 4 OIL. IS 80 EMPTY EHICLE FUEL, ENTER NAME (| 95 UNKNOWN | B. 1 PRODUCE 2 WASTE | эт | ASAHOL 5 | JET FUEL. 69 OTHER (DESCRIBE IN 1 | DIESEL AVIATION GAS TEM D, BELOW) |
| HAZARDOUS SUE | BSTANCE STORED & C.A.S. # | E ITEM ONLY IN BO | | | . G.A | A.S. #: | |
| A. TYPE OF SYSTEM | 1 DOUBLE WALLED | 3 SINGLE WALLED WITH E) 4 SECONDARY CONTAINM 2 STAINLESS STEEL | CTERIOR LINER | 95 UNKNOW 99 OTHER 4 STEEL CL | VN AD W/FIBERGLASS REIN | FORCED PLASTIC | |
| B. TANK MATERIAL | 5 CONCRETE 9 BRONZE 1 RUBBER LINED | 6 POLYVINYL CHLORIDE 10 GALVANIZED STEEL 2 ALKYD LINING | 7 ALUMINUM 95 UNKNOWN 3 EPOXY LINING | 99 OTHER _ | THANOL COMPATIBLE FR | Р | |
| C. INTERIOR LINING | 5 GLASS LINING IS LINING MATERIAL COMPATIBLE W | 6 UNLINED | | 95 UNKNOW 99 OTHER | | | |
| D. CORROSION PROTECTION | 1 POLYETHLENE WRAP 5 CATHODIC PROTECTION | 2 TAR OR ASPHALT 91 NONE | 3 VINYL WRAP 95 UNKNOWN | 4 FIBERGLA 99 OTHER | ISS REINFORCED PLASTI | C | |
| . PIPING INFO | RMATION CIRCLE A | IF ABOVE GROUND, | U IF UNDERGRO | UND, both if a pp | PLICABLE | | |
| A. SYSTEM TYPE | A U 1 SUCTION | A U 2 PRESSURE | A U 3 (| RAVITY A | | | U 99 OTHER |
| B. CONSTRUCTION C. MATERIAL | A U 1 SINGLE WALLED A U 1 STEEL/IRON A U 5 ALUMINUM A U 9 GALVANIZED STEEL | A U 2 DOUBLE WA A U 2 STAINLESS S A U 6 CONCRETE 95 UNKNOWN | STEEL A U 3 F | POLYVINYL CHLORIDE STEEL CLAD W/FRP | (PVC) A U 4 F | / | U 99 OTHER J 91 NONE TBLE FRP |
| LEAK DETECT | TION SYSTEM CIRCL | E P FOR PRIMARY. | OR S FOR SECC | NDARY, A PRIMAR | Y LEAK DETECT | ION SYSTEM MUST E | BE CIRCLED. |
| P S 1 VISUAL CHECK | | CONCILIATION P S | 3 VADOSE WELLS | | MONITOR P S | | |
| . INFORMATIO | N ON TANK PERMA | NENTLY CLO | SED IN PLA | CE | | | |
| 1. ESTIMATED DATE | LAST USED (MO/YR) | I | O QUANTITY OF CE REMAINING IN | GALLO | INERT M | NK FILLED WITH MATERIAL? | ES NO |
| APPLIC | AS BEEN COMPLETED UN CANT'S NAME (PRINTED & SIGNAT | | PERJURY, AND | TO THE BEST OF | DATE | GE, IS TRUE AND C | ORRECT. |
| LOCAL AGENC | T USE ONLY | | | | | | |
| COUNTY # | JURISDICTION # | AGENCY # | | FACILITY ID | # | TANK ID | # |
| CURRENT LOCAL AGE | ENCY FACILITY ID # | 026 | APPROVED | BY NAME | ne 1140 | PHONE # WITH AREA | CODE |
| PERMIT NUMBER | | PERMIT APP | ROVAL DATE | PERMIT EXPIRAT | TION DATE | F F 2 | -// |
| CHECK# | PERMIT AMOUNT | SURCHARGE AMT. | FEE | CODE | RECEIPT # | BY: | |



Department of Health

George, Blet

February 12, 1988

Mr. Joe Riley D & J SERVICES 1108 S. Fowler Ave. Fresno, CA 93725

> Subject: Soil Sample Site: 1108 S. Fowler Ave. APN:

Mr. Riley,

The Fresno County Health Department has reviewed the report submitted for chemical soil analysis conducted at the above address.

We concur with the results and conclusions of this report based solely on its scope, procedures, and findings submitted by TWINING LABS

The excavation may now be properly backfilled.

Very truly yours,

Lancelot Leitch, R.S.

Environmental Health Analyst

LL:emr

FRESNO COUNTY HEALTH DEPARTMENT UNDERGROUND TANK PROGRAM P. O. BOX 11867 FRESNO, CA 93775

PERMIT TO PERMANENTLY ABANDON UNDERGROUND STORAGE TANK(S)

TYPE OF ABANDONMENT (Fill out one Application per Facility)

| | Abandon In PlaceAbandon/RemoveRemoval Date/-2-88cTAPN |
|-----|--|
| | Facility Name TOF RULLY 1.0.# 880210-2 |
| 14 | Facility Address 1108 of facular City Fresho |
| ٠. | Owner/Operator (Ine Refer) Telephone |
| | Address 108 Iso Fawler City Freund Zip 93727 |
| | Tank Removal Contractor No. — CA License No. — |
| | Address Zip Telephone |
| | Tank Destination 3259 So Elm Hwy 41 |
| ٠., | Final Tank Disposition Used and above ground fanks Samples Taken By: O Firm: |
| | |
| | Permit Approved By: Date: YIQ 88 |
| | Permit # Size Product Age of Tank Previously Stored Material |
|)ر | 1030 675 Has Gyear Har. |
| 1 | 7 (03) 4000 bliesel 4 years Wiesel |
| | |
| | CONDITIONS OF ABANDONMENT |
| | 1. If the tanks are to be <u>REMOVED FROM THE SITE</u> , soil samples shall be |
| | obtained under the direction of an approved professional engineer, |
| | geologist, authorized representative of a California State approved by |
| | this office. Sample numbers, locations and consultant must be approved |
| | by this office prior to commencement. |
| | 2. 48 Hour advance notice shall be given to Fresno County Environmental |
| | Health Officer prior to initiating excavation. |
| | 3. All residual liquid, solids, or sludges shall be removed and the tank |
| | purged with dry ice at the rate of 15 lbs. per 1,000 gallon capacity |
| | prior to excavation. 4. All associated piping shall be removed from the underground soil |
| | 4. All associated piping shall be removed from the underground soil. 5. This permit shall be onsite during excavation. |
| | 6. This permit shall accompany the tank(s) to the final destination, shall |
| • | be signed and dated by all parties listed below and returned to this |
| | office within five (5) days upon final destination. |
| | 7. Permittee shall contact the local Fire Department prior to initiating |
| | abandonment procedures. |
| | 8. If the tanks are to be ABANDONED IN PLACE and BACKFILLED, a written |
| | proposal for soil analysis shall be submitted to this office by a |
| | qualified soils consultant and the existence of the in place tank and |
| | fittings shall be recorded on the property deed using the enclosed form. |
| | OWNER: DATE: 1-19 88 |
| | 11 11 11 11 11 11 11 11 11 11 11 11 11 |
| | CONTRACTOR: NONE, DATE: 1-17-88 |
| | DESTINATION: De Comil Jank DATE: 1-19-88 |
| | VI 8 |
| | 8/87vc / |
| | |



Geotechnical and Environmental Consultants

• Engineering and Chemical Laboratories

February 8, 1988

TL 488-0044-00

For:

D & J Services

1108 S. Fowler Ave.

Fresno, California 93725

Attention:

Mr. Joe Riley

Project:

1108 S. FOWLER AVE.

FRESNO, CALIFORNIA

Subject:

Underground Storage Tank - Sampling and Analysis

This report presents the analytical results of the soil sample retrieved from the excavation resulting from the removal of an underground fuel storage tank. The product stored in the tank and the capacity of the tank are unknown. Attached to the report is a copy of the chain-of-custody form.

The scope of our testing was authorized by Mr. Joe Riley, owner of D & J Services.

Project Description

The project consists of sampling and analyzing the soils at the former location of the underground storage tank at the above-referenced project site.

Sampling Procedure

The soil samples were obtained by Mr. Randy Stephenson of our firm on January 21, 1988. The samples were retrieved from a depth of approximately 3 feet below the bottom of the former tank location. The locations and depths were specified by Mr. Lance Leitch with the Fresno County Environmental Health Department. The soil samples were retrieved by hand augering to the desired depth retrieving soil using the hand augering equipment. soil was then transferred to pre-cleaned glass jars with teflon-lined lids and immediately packed in ice shipment to the laboratory. The samples were clearly identified and banded with shipping seals. The samples retrieved in the field were brought to our facility in Fresno, California on January 21, 1988.

²⁵²⁷ Fresno Street • P.O. Box 1472 Fresno, California 93716 • (209) 268-7021

¹⁴⁰⁵ Granite Lane, Suite 1 Modesto, California 95351 • (209) 523-0994

⁹⁴⁰¹ West Goshen Avenue Visalia, California 93291 • (209) 651-2190

^{☐ 5301} Office Park Drive, Suite 310 Bakersfield, California 93309 •(805) 322-5216

1108 S. Fowler Avenue Fresno, California

TL 488-0044-00 Page 2

1-21-88

Test Methods

The soil samples retrieved from the project site were analyzed for the following constituents using the listed EPA methods.

Benzene, Toluene, Xylenes Total Hydrocarbons SW-846: Methods 5020, 8020 SW-846: Methods 5020, 8015

RESULTS OF SOIL SAMPLE ANALYSIS

Date Sampled: 1-21-88 Date Received:

| C1 | | | | 4. | | |
|-------------------------------|------------------|------------------|-------------------|---------------|---------------|-------------------------|
| Sample Number and Depth | Benzene mg/kg | Toluene mg/kg | Xylenes _mg/kg | TH-1 mg/kg | TH-2 mg/kg | Date <u>Analyzed</u> |
| S-1, 9 Feet | NA | NA | NA | NA 、 | ND | 1-23-88 |
| S-2, 9 Feet | ND | ND | ND | ŃD | NA | 1-23-88 |
| MDL | 0.05 | 0.05 | 0.20 | 0.5 | 0.5 | |

MDL = Method Detection Limit.

mg/kg = Milligrams per Kilogram (parts per million).

TH-1 = Total Hydrocarbons (reference standard: gasoline).
TH-2 = Total Hydrocarbons (reference standard: diesel).

ND = None Detected At or Above the MDL.

NA = Not Analyzed.

The Twining Laboratories. Inc.

Fresno Modesto

Visalia

Bakersfield

1108 S. Fowler Avenue Fresno, California

TL 488-0044-00 Page 3

If you should have any questions regarding the information contained in this report, please do not hesitate to contact our office.

Sincerely,

THE TWINING LABORATORIES

Pale S. Stanton

Dale S. Stanton Project Engineer

Environmental Engineering Department

DSS/tc

1 c herewith

1 c Fresno County Environmental Health Department Attn: Mr. Lance Leitch

1 c Parker McCants and Company Attn: Mr. Gary Kittredge

The Zwining Laboratories, Inc.

Fresno Modesto

Visalia

Bakersfield

The Twining Laboratories, Inc.

CHAIN OF CUSTODY RECORD

| Project No. D+ J Services | |
|--|-----------------------|
| Date/Time Sampled 1-21-88 / 14:00 | |
| Affiliation of Sampler/Shipper Twining Luboratories, Inc | <u>.</u> , |
| Address 2527 Fresno St., Fresno, CA 93716 Number Street City State Zip | 268-702/ Telephone |
| Collector's Name R.K. Stephenson Signature Signature | lon |
| Transported By K. Shipped Date Shipped | 1-21-88 |
| Sample Receiver | |
| Address | |
| Date/Time Received | |
| Comments Results to R.K. Strphenson | |
| Collector's Sample No. Sample Description Analys | is Requested |
| 002 <u>Soil</u> TH 6 | Piesel) |
| 003 Soil BTX, 7 | TH (Gasoline) |
| | |
| | |
| | |
| | |
| | |
| | |
| Chain of Possession: | |
| 1. M. Signature Twining Lubora for iestac. | 1-21-88 |
| Signature Affiliation 74 | Inclusive Dates |
| Signature Affiliation | Inclusive Dates |
| 3Signature Affiliation | Inclusive Dates |
| 4 | |
| Signature Affiliation | Inclusive Dates |



QUALIFICATIONS

JIM VUE, GIT STAFF GEOLOGIST

EDUCATION

BS, Geology, California State University, Fresno

CERTIFICATION

CA, Geologist-in-Training (GIT), No. 815
OSHA 40 Hour HAZWOPER Training
Title 22 Drinking Water Certified Water Sampler

PROFILE

Mr. Jim Vue has more than five years of environmental engineering experience in California. He has conducted Phase I Environmental Site Assessment (ESA) throughout California and Phase II ESA, and other environmental sampling throughout the Central Valley. His duties include project coordination, sampling, logging, and report preparation. In addition, Mr. Vue is also proficient in geotechnical logging, sampling, and report preparation.

RELEVANT EXPERIENCE

BEDROSIAN TRUCK SERVICE, FRESNO

Staff Geologist | Mr. Vue served as Staff Geologist for the Bedrosian Truck Service Project. The scope of services for this project included the removal of underground storage tanks and impacted soils, collection of subsurface soil samples, and installation, monitoring, and removal of groundwater wells. His duties included project coordination, permitting, groundwater sampling, soil sampling, and report preparation.

MERCED COUNTY REGIONAL WASTE AUTHORITY, MERCED

Staff Geologist | Mr. Vue served as Staff Geologist for the Geotechnical Investigation for the Merced County Regional Waste Authority Project (RWA). The scope of services included geotechnical investigation for the design of an expansion at the Merced County RWA. Mr. Vue's duties consisted of project coordination, geotechnical logging and sampling, as well as report preparation.

VALLEY CHILDREN HOSPIRAL MEDICAL OFFICE, MERCED

Staff Geologist | Mr. Vue served as a Staff Geologist for the Phase I Environmental Site Assessment for the Valley Children Hospital Medical Office project. Mr. Vue's duties consisted of project coordination, records request, interviews, and report preparation.

JOSUE MONTES | PRINCIPAL GEOTECHNICAL ENGINEER

EDUCATION

#G2904

BS, Civil Engineering, University of Santo Tomas, Philippines, 1983

LICENSE / REGISTRATION

(CA) Licensed Professional Engineer #C52610 (CA) Licensed Geotechnical Engineer Mr. Josue Montes has more than 29 years of extensive geotechnical assessment, engineering, construction inspections, and materials testing experience in California with successful leadership roles. His duties include proposal preparation, project management, engineering, and completion of various projects from pre-design to detailed design, materials testing, and construction monitoring. His responsibilities also include business development and project proposal preparation and review, staff mentoring and training, preparation of geotechnical reports, plan details, and geotechnical related specifications. Josue is experienced in managing and performing challenging geotechnical ground investigations, earthwork design and structure foundations, site-specific evaluation of seismic ground motions, and liquefaction and landslide hazard assessments.

RELEVANT PROJECT INVOLVEMENT / EXPERIENCE

AVENUE 7 1/2 BRIDGE, FIREBAUGH

Project Engineer | Mr. Montes served as Project Engineer for the Avenue 7 1/2 Bridge Project. Construction consisted of large diameter deep foundations and of the bridge substructure and superstructure. The bridge consisted of two-span bridge decks, approximately 40 foot wide with pedestrian sidewalks of both sides of the superstructure. His duties included construction inspection and testing of drilling, inspection and monitoring of drilling fluid / slurry, concrete pouring, and post construction testing of concrete poured using gamma-gamma testing.

MAIN STREET BRIDGE, PORTERVILLE

Project Engineer | Mr. Montes served as Project Engineer for the Main Street Bridge Project. The construction consisted of a new 40-foot wide concrete two-span bridge supported on large diameter reinforced concrete piers (CIDH's), on Main Street crossing Tule River. Josue's primary responsibilities included inspections and monitoring of construction of large- diameter CIDH's, its sub-structure (bents and abutments).

CALIFORNIA HIGH SPEED RAIL CP 2-3, LOS ANGELES

Project Manager | Mr. Montes provided Project Management services for the California Speed Rail CP 2-3 Project. The contract includes approximately 65 miles of construction, including embankment, overcrossings / bridges, viaducts, and associated railway / track structures. As the Quality Control laboratory for the project, tasks included materials sampling and testing as required by the project. Sampling of potential borrow sites, prepared embankment subgrade, concrete batching, plate (eV2) testing, nuclear and sand cone testing, lightweight deflectometer tests (LWD), and AASHTO classification of soils. Primary responsibilities include oversight of geotechnical tasks required by the High Speed Rail Contract Package 2-3. Geotechnical tasks included managing laboratory, evaluation of potential borrow sites, haul roads, task coordination, and oversight of field testing (nuke gauge, sand cone, plate test/eV2, LWD or lightweight deflectometer, grounding test).

WESTSIDE PARKWAY, BAKERSFIELD

Senior Engineer | Mr. Montes served as a Senior Engineer for the Westside Parkway Project. The project included a series of overcrossings and undercrossings along the Westside Parkway alignment located north of the Kern River, west of SR-58. His responsibilities included preparation of laboratory tests on collected soils samples from the field exploration, preparation and review of the foundation engineering report for Caltrans review.

DOLLAR GENERAL STORES, INLAND EMPIRE UTILITIES AGENCY

Geotechnical Engineer-of-Record | Mr. Montes provided geotechnical engineer services for the design and construction of Dollar General Stores in various locations throughout California. The project consisted of single-story masonry and steel commercial buildings on shallow foundations. Different locations required careful evaluation of on-site soils and import soils prior to construction. As the geotechnical-engineer-of-record, his responsibilities included preparation of scope of work for field exploration for geotechnical / foundation investigation in various geographical areas and varying geological deposits. Preparation of laboratory testing of subsurface soils and writing and finalizing of geotechnical investigation reports.

KAWEAH DELTA HOSPITAL, VISALIA

Project Engineer | Mr. Montes served as Project Engineer for the Kaweah Delta Hospital Project. Construction included installation of deep foundations and a rigid grade beam system as support of a multi-story concrete-frame building. His responsibilities included oversight of monitoring and inspections of over 100 reinforced drilled concrete piers at various elevations.



JOSUE MONTES, PE, GE | CONTINUED

CENTURY 21 OFFICE BUILDING, CALIFORNIA

Project Engineer | Mr. Montes services as Project Engineer for the Century 21 Office Building Project. The project consisted primarily of a high rise building supported on driven pre-stressed square concrete piles. The project included subterranean parking levels. and construction included a Pile Driving Analysis (PDA) program prior to pile production. Josue's duties included oversight of PDA and reevaluation of pile design. Also monitoring and inspection of production pile driving and evaluation post driving of piles.

PERFORMANCE VENUE, LASED (RAMS STADIUM), LOS ANGELES

Geotechnical Engineer-of-Record | Mr. Montes services as Geotechnical Engineer-of-Record for the Performance Venue project located at the RAMS stadium. The project consisted of construction of a multi-use dome facility adjoining the professional football Los Angeles Rams home playing arena. This project also consisted of a multi-level structure, including a performance / concert, multiple shops, and associated structures, supported mainly of mat foundations. Primary responsibilities included review and evaluation of an existing geotechnical report prepared by others, engineering of foundations based on the available data, and preparation of a foundation engineering report for the planned structure. Josue responded to review comments by multiple layers of peer review, and the permitting agency reviews and comments.

