

<b>CITY OF FRESNO</b>  <b>MITIGATED NEGATIVE DECLARATION</b>		Notice of Intent was filed with:  <b>FRESNO COUNTY CLERK</b> 2220 Tulare Street, First Floor, Fresno, CA 93721  on  <b>July 1, 2016</b>
The full Initial Study and the Master Environmental Impact Report SCH No. 2012111015 are on file in the Development and Resource Management Department, Fresno City Hall, 3rd Floor 2600 Fresno Street Fresno, California 93721 (559) 621-8277	<b>ENVIRONMENTAL ASSESSMENT NUMBER:</b>  <b>EA No. A-16-003/R-16-003</b>	
<b>APPLICANT:</b>  Jeffrey T. Roberts Granville Homes 1396 West Herndon Avenue #101 Fresno, CA 93711	<b>PROJECT LOCATION:</b>  1721 South Hughes Avenue in the City and County of Fresno, California (13.67 acres) Assessor's Parcel Number(s): 464-101-23 36°43'28.2144"N Latitude, - 119°50'4.7292" W Longitude Mount Diablo Base Meridian, Township 14 S, Range 20 E, Section 7	
<b>PROJECT DESCRIPTION:</b> Jeffrey Roberts, on behalf of GV Holdings, Inc., has filed Plan Amendment Application No. A-16-003 and Rezone Application No. R-16-003 pertaining to approximately 13.67 acres of property. The subject property is located on the east side of South Hughes Avenue between West Kearney Boulevard and West California Avenue. Plan Amendment Application No. A-16-003 proposes to amend the Fresno General Plan, the Edison Community Plan, and the Fresno-Chandler Downtown Airport Master Plan from the Corridor/Center Mixed Use (16-30 du/ac) planned land use designation to the Medium Low Density Residential (3.5-6 du/ac) planned land use designation. Rezone Application No. R-16-003 requests authorization to rezone the subject property from the CMX/UGM ( <i>Corridor/Center Mixed-Use/Urban Growth Management</i> ) zone district to RS-4/UGM ( <i>Residential Single Family, Medium Low Density/Urban Growth Management</i> ) zone district.		
The City of Fresno has conducted an initial study of the above-described project and it has been determined to be a subsequent project that may not be fully within the scope of the Master Environmental Impact Report (MEIR) SCH No. 2012111015 prepared for the Fresno General Plan. Therefore, the Development and Resource Management Department proposes to adopt a Mitigated Negative Declaration for this project.		
With project specific mitigation imposed, there is no substantial evidence in the record that this project may have additional significant, direct, indirect or cumulative effects on the environment that are significant and that were not identified and analyzed in the MEIR. After conducting a review of the adequacy of the MEIR pursuant to Public Resources Code, Section 21157.6(b)(1), the Development and Resource Management Department, as lead agency, finds that no substantial changes have occurred with respect to the circumstances under which the MEIR was certified and that no new information, which was not known and could not have been known at the time that the MEIR was certified as complete has become available. The project is not located on a site which is included on		

any of the lists enumerated under Section 65962.5 of the Government Code including, but not limited to, lists of hazardous waste facilities, land designated as hazardous waste property, hazardous waste disposal sites and others, and the information in the Hazardous Waste and Substances Statement required under subdivision (f) of that Section.

Additional information on the proposed project, including the proposed environmental finding of a mitigated negative declaration, initial study and all documents and technical studies referenced in the initial study, as well as electronic copies of documents, may be obtained from the Development and Resource Management Department, Fresno City Hall, 2600 Fresno Street, Third Floor-North, Room 3076, Fresno, California 93721-3604. Please contact McKencie Contreras at (559) 621-8066 for more information.

ANY INTERESTED PERSON may comment on the proposed environmental finding. Comments must be in writing and must state (1) the commentor's name and address; (2) the commentor's interest in, or relationship to, the project; (3) the environmental determination being commented upon; and (4) the specific reason(s) why the proposed environmental determination should or should not be made. Comments may be submitted at any time between the publication date of this notice and close of business on **July 25, 2016**. Please direct all comments to McKencie Contreras, City of Fresno Development and Resource Management Department, City Hall, 2600 Fresno Street, Third Floor-North, Room 3076, Fresno, California, 93721-3604; or by email, [McKencie.Contreras@fresno.gov](mailto:McKencie.Contreras@fresno.gov); or by facsimile, (559) 498-1026. Para información en español, comuníquese con McKencie Contreras al teléfono (559) 621-8066.

PREPARED BY:  
McKencie Contreras, Supervising Planner

SUBMITTED BY:



DATE: July 1, 2016

McKencie Contreras, Supervising Planner  
DEVELOPMENT & RESOURCE MANAGEMENT  
DEPARTMENT

Attachments:

- Exhibit A: Vicinity Map
- Exhibit B: Notice of Intent
- Exhibit C: Initial Study Impact Checklist and Initial Study (Appendix G)
- Exhibit D: MEIR No. SCH No. 2012111015 General Plan Mitigation Monitoring Checklist
- Exhibit E: Project Specific Mitigation Measure Checklist dated July 1, 2016
- Exhibit F: Agency Comments

Exhibit A:  
Vicinity Map

# Vicinity Map

W. Kearney Blvd.

S. Hughes Ave.

S. Crystal Ave.

W. California Ave.

## Legend



Subject Property



Property not included  
in A-16-003 & R-16-003



**Exhibit B:  
Notice of Intent**

<p style="text-align: center;"><b>CITY OF FRESNO</b></p> <p style="text-align: center;"><b>NOTICE OF INTENT TO ADOPT A MITIGATED NEGATIVE DECLARATION</b></p>	<p style="text-align: center;">Filed with: Fresno County Clerk 2220 Tulare Street, First Floor, Fresno, CA 93721</p>
<p style="text-align: center;"><b><u>EA No. A-16-003/R-16-003 for</u></b></p> <p style="text-align: center;">Plan Amendment Application No. A-16-003 and Rezone Application No. R-16-003</p>	<p style="text-align: center; font-size: 2em; font-weight: bold;">FILED</p> <p style="text-align: center;">JUL 01 2016</p> <p style="text-align: right;">TIME 1:00pm</p> <p style="text-align: center;">FRESNO COUNTY CLERK By <i>Cristina Diaz</i> DEPUTY</p>
<p>APPLICANT:</p> <p>Jeffrey T. Roberts Granville Homes 1396 West Herndon Avenue #101 Fresno, CA 93711</p>	
<p>PROJECT LOCATION:</p> <p>1721 South Hughes Avenue in the City and County of Fresno, California (13.67 acres) Assessor's Parcel Number(s): 464-101-23</p> <p>36°43'28.2144"N Latitude, - 119°50'4.7292" W Longitude Mount Diablo Base Meridian, Township 14 S, Range 20 E, Section 7</p>	
<p>PROJECT DESCRIPTION:</p> <p>Jeffrey Roberts, on behalf of GV Holdings, Inc., has filed Plan Amendment Application No. A-16-003 and Rezone Application No. R-16-003 pertaining to approximately 13.67 acres of property. The subject property is located on the east side of South Hughes Avenue between West Kearney Boulevard and West California Avenue. Plan Amendment Application No. A-16-003 proposes to amend the Fresno General Plan, the Edison Community Plan, and the Fresno-Chandler Downtown Airport Master Plan from the Corridor/Center Mixed Use (16-30 du/ac) planned land use designation to the Medium Low Density Residential (3.5-6 du/ac) planned land use designation. Rezone Application No. R-16-003 requests authorization to rezone the subject property from the CMX/UGM (<i>Corridor/Center Mixed-Use/Urban Growth Management</i>) zone district to RS-4/UGM (<i>Residential Single Family, Medium Low Density/Urban Growth Management</i>) zone district.</p>	
<p>The City of Fresno has conducted an initial study of the above-described project and it has been determined to be a subsequent project that is not fully within the scope of the Master Environmental Impact Report SCH No. 2012111015 (MEIR) prepared for the Fresno General Plan. Therefore, the Development and Resource Management Department proposes to adopt a Mitigated Negative Declaration for this project.</p> <p>With the project specific mitigation imposed, there is no substantial evidence in the record that this project may have additional significant, direct, indirect or cumulative effects on the environment that are significant and that were not identified and analyzed in the MEIR. After conducting a review of the adequacy of the MEIR pursuant to Public Resources Code, Section 21157.6(b)(1), the Development and Resource Management Department, as lead agency, finds that no substantial changes have occurred with respect to the circumstances under which the MEIR was certified and that no new information, which was not known and could not have been known at the time that the</p>	

MEIR was certified as complete has become available. The project is not located on a site which is included on any of the lists enumerated under Section 65962.5 of the Government Code including, but not limited to, lists of hazardous waste facilities, land designated as hazardous waste property, hazardous waste disposal sites and others, and the information in the Hazardous Waste and Substances Statement required under subdivision (f) of that Section.

Additional information on the proposed project, including the MEIR proposed environmental finding of a mitigated negative declaration and the initial study may be obtained from the Development and Resource Management Department, Fresno City Hall, 2600 Fresno Street, 3rd Floor Fresno, Room 3043, California 93721-3604. Please contact McKencie Contreras at (559) 621-8066 for more information.

ANY INTERESTED PERSON may comment on the proposed environmental finding. Comments must be in writing and must state (1) the commentor's name and address; (2) the commentor's interest in, or relationship to, the project; (3) the environmental determination being commented upon; and (4) the specific reason(s) why the proposed environmental determination should or should not be made. Any comments may be submitted at any time between the publication date of this notice and close of business on **July 25, 2016**. Please direct comments to McKencie Contreras, Supervising Planner, City of Fresno Development and Resource Management Department, City Hall, 2600 Fresno Street, Room 3043, Fresno, California, 93721-3604; or by email to [McKencie.Contreras@fresno.gov](mailto:McKencie.Contreras@fresno.gov); or comments can be sent by facsimile to (559) 498-1026.

INITIAL STUDY PREPARED BY:  
McKencie Contreras, Supervising Planner

DATE: July 1, 2016

SUBMITTED BY:



McKencie Contreras, Supervising Planner  
CITY OF FRESNO DEVELOPMENT AND  
RESOURCE MANAGEMENT  
DEPARTMENT

Exhibit C:  
Appendix G



**APPENDIX G TO ANALYZE  
SUBSEQUENT PROJECT IDENTIFIED IN MEIR SCH No. 2012111015/INITIAL  
STUDY**

**Environmental Checklist Form for:**

**EA No. A-16-003/R-16-003**

**1. Project title:**

Plan Amendment Application No. A-16-003  
Rezone Application No. A-16-003

**2. Lead agency name and address:**

City of Fresno  
Development and Resource Management Department  
2600 Fresno Street  
Fresno, CA 93721

**3. Contact person and phone number:**

McKencie Contreras, Supervising Planner  
City of Fresno  
Development and Resource Management Dept.  
(559) 621-8066

**4. Project location:**

1721 South Hughes Avenue; Located on the east side of South Hughes Avenue  
between West Kearney Boulevard and West California Avenue in the County of  
Fresno, California

Assessor's Parcel Number(s): 464-101-23

Site Latitude: 36°43'28.2144"N

Site Longitude: - 119°50'4.7292" W

Mount Diablo Base Meridian, Township 14 S, Range 20 E, Section 7

**5. Project sponsor's name and address:**

Jeffrey T. Roberts  
Granville Homes  
1396 West Herndon Avenue #101  
Fresno, CA 93711

6. **General & Community plan designation:**

Existing – Corridor/Center Mixed-Use

Proposed – Medium Low Density Residential

7. **Zoning:**

Existing – CMX/UGM (Corridor/Center Mixed-Use/Urban Growth Management)

Proposed – RS-4/UGM (Residential Single Family, Medium Low Density/Urban Growth Management)

8. **Description of project:**

Plan Amendment Application No. A-16-003 proposes to amend the Fresno General Plan, the Edison Community Plan, and the Fresno-Chandler Downtown Airport Master Plan from the Corridor/Center Mixed Use (16-30 du/ac) planned land use designation to the Medium Low Density Residential (3.5-6 du/ac) planned land use designation. Rezone Application No. R-16-003 requests authorization to rezone the subject property from the CMX/UGM (*Corridor/Center Mixed-Use/Urban Growth Management*) zone district to RS-4/UGM (*Residential Single Family, Medium Low Density/Urban Growth Management*) zone district. Entitlements for the proposed development will be submitted at a later date.

9. **Surrounding land uses and setting:**

	<b>Planned Land Use</b>	<b>Existing Zoning</b>	<b>Existing Land Use</b>
<b>North</b>	Medium Low Density Residential	<b>RS-4/UGM</b> <i>(Residential Single Family, Medium Low Density/Urban Growth Management)</i>	Vacant Land
<b>East</b>	Corridor/Center Mixed-Use	<b>CMX/UGM</b> <i>(Corridor/Center Mixed-Use District/Urban Growth Management)</i>	Single Family Residences & Church
<b>South</b>	Fresno County	<b>AL-20</b> <i>(Limited Agricultural – Fresno County)</i>	Single Family Residence & Vacant Land
<b>West</b>	Medium Low Density Residential	<b>RS-4/UGM</b> <i>(Residential Single Family, Medium Low Density/Urban Growth Management)</i>	Agricultural Land

10. Other public agencies whose approval is required (e.g., permits, financing approval, or participation agreement):

City of Fresno (COF) Department of Public Works; COF Department of Public Utilities; COF Fire Department; Fresno Metropolitan Flood Control District; Fresno County Department of Public Health; San Joaquin Valley Air Pollution Control District; and Fresno Irrigation District

**ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:**

Pursuant to Public Resources Code Section 21157.1(b) and CEQA Guidelines 15177(b)(2), the purpose of this Master Environmental Impact Report (MEIR) initial study is to analyze whether the subsequent project was described in MEIR SCH No. 2012111015 and whether the subsequent project may cause any additional significant effect on the environment, which was not previously examined in MEIR SCH No. 2012111015 adopted for the Fresno General Plan.

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

<input type="checkbox"/> Aesthetics	<input type="checkbox"/> Agriculture and Forestry Resources	<input type="checkbox"/> Air Quality
<input type="checkbox"/> Biological Resources	<input type="checkbox"/> Cultural Resources	<input type="checkbox"/> Geology /Soils
<input type="checkbox"/> Greenhouse Gas Emissions	<input type="checkbox"/> Hazards & Hazardous Materials	<input type="checkbox"/> Hydrology/Water Quality
<input type="checkbox"/> Land Use/Planning	<input type="checkbox"/> Mineral Resources	<input type="checkbox"/> Noise
<input type="checkbox"/> Population /Housing	<input type="checkbox"/> Public Services	<input type="checkbox"/> Recreation
<input type="checkbox"/> Transportation/Traffic	<input type="checkbox"/> Utilities/Service Systems	<input type="checkbox"/> Mandatory Findings of Significance

**DETERMINATION:** (To be completed by the Lead Agency)


On the basis of this initial evaluation:

I find that the proposed project is a subsequent project identified in the MEIR and that it is fully within the scope of the MEIR because it would have no additional significant effects that were not examined in the MEIR such that no new additional mitigation measures or alternatives may be required. All applicable mitigation measures contained in the Mitigation Measure Monitoring

Checklist shall be imposed upon the proposed project. A FINDING OF CONFORMITY will be prepared.

X I find that the proposed project is a subsequent project identified in the MEIR but that it is not fully within the scope of the MEIR because the proposed project could have a significant effect on the environment that was not examined in the MEIR. However, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. The project specific mitigation measures and all applicable mitigation measures contained in the MEIR Mitigation Measure Monitoring Checklist will be imposed upon the proposed project. A MITIGATED NEGATIVE DECLARATION will be prepared.

\_\_\_\_\_ I find that the proposed project is a subsequent project identified in the MEIR but that it MAY have a significant effect on the environment that was not examined in the MEIR, and an ENVIRONMENTAL IMPACT REPORT is required to analyze the potentially significant effects not examined in the MEIR pursuant to Public Resources Code Section 21157.1(d) and CEQA Guidelines 15178(a).



\_\_\_\_\_  
McKencie Contreras, Supervising Planner



\_\_\_\_\_  
Date

#### EVALUATION OF ADDITIONAL ENVIRONMENTAL IMPACTS NOT ASSESSED IN THE MEIR:

1. For purposes of this MEIR Initial Study, the following answers have the corresponding meanings:
  - a. "No Impact" means the subsequent project will not cause any additional significant effect related to the threshold under consideration which was not previously examined in the MEIR.
  - b. "Less Than Significant Impact" means there is an impact related to the threshold under consideration that was not previously examined in the MEIR, but that impact is less than significant;
  - c. "Less Than Significant with Mitigation Incorporation" means there is a potentially significant impact related to the threshold under consideration that was not previously examined in the MEIR, however, with the mitigation incorporated into the project, the impact is less than significant.
  - d. "Potentially Significant Impact" means there is an additional potentially significant effect related to the threshold under consideration that was not previously examined in the MEIR.

2. A brief explanation is required for all answers except "No Impact" answers that are adequately supported by the information sources a lead agency cites in the parentheses following each question. A "No Impact" answer is adequately supported if the referenced information sources show that the impact simply does not apply to projects like the one involved (e.g., the project falls outside a fault rupture zone). A "No Impact" answer should be explained where it is based on project-specific factors as well as general standards (e.g., the project will not expose sensitive receptors to pollutants, based on a project-specific screening analysis).
3. All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as project-level, indirect as well as direct, and construction as well as operational impacts.
4. Once the lead agency has determined that a particular physical impact may occur, then the checklist answers must indicate whether the impact is potentially significant, less than significant with mitigation, or less than significant. "Potentially Significant Impact" is appropriate if there is substantial evidence that an effect may be significant. If there are one or more "Potentially Significant Impact" entries when the determination is made, an EIR is required.
5. A "Finding of Conformity" is a determination based on an initial study that the proposed project is a subsequent project identified in the MEIR and that it is fully within the scope of the MEIR because it would have no additional significant effects that were not examined in the MEIR.
6. "Negative Declaration: Less Than Significant With Mitigation Incorporated" applies where the incorporation of mitigation measures has reduced an effect from "Potentially Significant Impact" to a "Less Than Significant Impact." The lead agency must describe the mitigation measures, and briefly explain how they reduce the effect to a less than significant level (mitigation measures from Section XVII, "Earlier Analyses," may be cross-referenced).
7. Earlier analyses may be used where, pursuant to the tiering, program EIR or MEIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR or negative declaration. Section 15063(c)(3)(D). In this case, a brief discussion should identify the following:
  - a. Earlier Analysis Used. Identify and state where they are available for review.
  - b. Impacts Adequately Addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in the MEIR or another earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on the earlier analysis.
  - c. Mitigation Measures. For effects that are "Less than Significant with Mitigation

Measures Incorporated," describe the mitigation measures which were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.

8. Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g., general plans, zoning ordinances). Reference to a previously prepared or outside document should, where appropriate, include a reference to the page or pages where the statement is substantiated.
9. Supporting Information Sources: A source list should be attached, and other sources used or individuals contacted should be cited in the discussion.
10. This is only a suggested form, and lead agencies are free to use different formats; however, lead agencies should normally address the questions from this checklist that are relevant to a project's environmental effects in whatever format is selected.
11. The explanation of each issue should identify:
  - a. The significance criteria or threshold, if any, used to evaluate each question; and
  - b. The mitigation measure identified, if any, to reduce the impact to less than significance.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
I. AESTHETICS -- Would the project:				
a) Have a substantial adverse effect on a scenic vista?				X
b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?				X
c) Substantially degrade the existing visual character or quality of the site and its surroundings?			X	

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?			X	

The subject property is surrounded by agriculture, rural residential and vacant land. Currently, the subject property is undeveloped. The proposed project will not damage any scenic resources nor will it degrade the visual character or quality of the subject site and its surroundings. Kearney Boulevard to the north of the subject property is designated as a Scenic Drive; however, the proposed project will not impact Kearney Boulevard.

Any lighting where provided to illuminate parking area and public streets shall be hooded and so arranged and controlled so as not to cause a nuisance either to highway traffic or to the living environment. The amount of light shall be provided according to the standards of the Department of Public Works. Future development of the site will not create a new source of substantial light or glare which would affect day or night time views in the project area, given that during the entitlement process, staff will ensure that lights are located in areas that will minimize light sources to the neighboring properties. Further, Mitigation Measure (MM) AES-1 and MM AES-3 require lighting systems for street and parking areas to be shielded to direct light to surfaces and orient light away from adjacent properties. As a result, the project will have no impact on aesthetics.

In conclusion, with MEIR mitigation measures incorporated, the project will not result in any aesthetic impacts beyond those analyzed in MEIR SCH No. 2012111015.

ENVIRONMENTAL ISSUES	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
<p>II. AGRICULTURE AND FORESTRY RESOURCES: In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. -- Would the project:</p>				
<p>a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?</p>				X
<p>b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?</p>				X
<p>c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?</p>				X
<p>d) Result in the loss of forest land or conversion of forest land to non-forest use?</p>				X



<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use?				X

The subject site is designated as “Vacant or Disturbed Land” on the 2014 Rural Mapping Edition: Fresno County Important Farmland Map. This includes open field areas that do not qualify for an agricultural category, mineral and oil extraction area, off road vehicle area, electrical substation, channelized canna and rural freeway interchange. Thus the proposed project has no impact on prime farmland, farmland of statewide importance, or unique farmland.

The subject site and property adjacent to the subject site are not under a Williamson Act contract. Therefore, the proposed project on the subject site will not affect the Williamson Act contract parcels.

The proposed project does not conflict with any forest land or Timberland Production or result in any loss of forest land. The proposed project does not include any changes which will affect the existing environment.

In conclusion, the proposed project would not result in any agriculture and forestry resource environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
III. AIR QUALITY AND GLOBAL CLIMATE CHANGE - (Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations.) -- Would the project:				

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
a) Conflict with or obstruct implementation of the applicable air quality plan (e.g., by having potential emissions of regulated criterion pollutants which exceed the San Joaquin Valley Air Pollution Control Districts (SJVAPCD) adopted thresholds for these pollutants)?			X	
b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?			X	
c) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?			X	
d) Expose sensitive receptors to substantial pollutant concentrations.				X
e) Create objectionable odors affecting a substantial number of people?				X

### Setting

The subject site is located in Fresno County and within the San Joaquin Valley Air Basin (SJVAB). This region has had chronic non-attainment of federal and state clean air standards for ozone/oxidants and particulate matter due to a combination of topography and climate. The San Joaquin Valley (Valley) is hemmed in on three sides by mountain ranges, with prevailing winds carrying pollutants and pollutant precursors from urbanized areas to the north (and in turn contributing pollutants and precursors to downwind air basins). The Mediterranean climate of this region, with a high number of

sunny days and little or no measurable precipitation for several months of the year, fosters photochemical reactions in the atmosphere, creating ozone and particulate matter.

Regional factors affect the accumulation and dispersion of air pollutants within the SJVAB. Air pollutant emissions overall are fairly constant throughout the year, yet the concentrations of pollutants in the air vary from day to day and even hour to hour. This variability is due to complex interactions of weather, climate, and topography. These factors affect the ability of the atmosphere to disperse pollutants. Conditions that move and mix the atmosphere help disperse pollutants, while conditions that cause the atmosphere to stagnate allow pollutants to concentrate. Local climatological effects, including topography, wind speed and direction, temperature, inversion layers, precipitation, and fog can exacerbate the air quality problem in the SJVAB.

The SJVAB is approximately 250 miles long and averages 35 miles wide, and is the second largest air basin in the state. The SJVAB is defined by the Sierra Nevada in the east (8,000 to 14,000 feet in elevation), the Coast Ranges in the west (averaging 3,000 feet in elevation), and the Tehachapi mountains in the south (6,000 to 8,000 feet in elevation). The Valley is basically flat with a slight downward gradient to the northwest. The Valley opens to the sea at the Carquinez Straits where the San Joaquin-Sacramento Delta empties into San Francisco Bay. The Valley, thus, could be considered a “bowl” open only to the north.

During the summer, wind speed and direction data indicate that summer wind usually originates at the north end of the Valley and flows in a south-southeasterly direction through the Valley, through Tehachapi pass, into the Southeast Desert Air Basin. In addition, the Altamont Pass also serves as a funnel for pollutant transport from the San Francisco Bay Area Air Basin into the region.

During the winter, wind speed and direction data indicate that wind occasionally originates from the south end of the Valley and flows in a north-northwesterly direction. Also during the winter months, the Valley generally experiences light, variable winds (less than 10 mph). Low wind speeds, combined with low inversion layers in the winter, create a climate conducive to high carbon monoxide (CO) and particulate matter (PM10 and PM2.5) concentrations. The SJVAB has an “Inland Mediterranean” climate averaging over 260 sunny days per year. The Valley floor is characterized by warm, dry summers and cooler winters. For the entire Valley, high daily temperature readings in summer average 95°F. Temperatures below freezing are unusual. Average high temperatures in the winter are in the 50s, but highs in the 30s and 40s can occur on days with persistent fog and low cloudiness. The average daily low temperature is 45°F.

The vertical dispersion of air pollutants in the Valley is limited by the presence of persistent temperature inversions. Solar energy heats up the Earth’s surface, which in turn radiates heat and warms the lower atmosphere. Therefore, as altitude increases, the air temperature usually decreases due to increasing distance from the source of

heat. A reversal of this atmospheric state, where the air temperature increases with height, is termed an inversion. Inversions can exist at the surface or at any height above the ground, and tend to act as a lid on the Valley, holding in the pollutants that are generated here.

Regulations

The San Joaquin Valley Air Pollution Control District (SJVAPCD) is the local regional jurisdictional entity charged with attainment planning, rulemaking, rule enforcement, and monitoring under Federal and State Clean Air Acts and Clean Air Act Amendments.

The SJVAPCD has developed the San Joaquin Valley 1991 California Clean Air Act Air Quality Attainment Plan (AQAP), which continues to project nonattainment for the above-noted pollutants in the future. This project will be subject to applicable SJVAPCD rules, regulations, and strategies. In addition, the project may be subject to the SJVAPCD Regulation VIII, Fugitive Dust Rules, related to the control of dust and fine particulate matter. This rule mandates the implementation of dust control measures to reduce the potential for dust to the lowest possible level. The plan includes a number of strategies to improve air quality including a transportation control strategy and a vehicle inspection program.

As currently zoned, the entire subject property could potentially be developed with 410 dwelling units. With the proposed rezone the number of dwelling units would reduce to 82 dwelling units. Future development of the subject property would be subject to District Rule 9510 (Indirect Source Review). District Rule 9510 is intended to mitigate a project's impact on air quality through project design elements or by payment of applicable off-site mitigation fees

In conclusion, with MEIR mitigation measures incorporated, the project will not result in any air quality impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
IV. BIOLOGICAL RESOURCES - - Would the project:				

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?				X
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or US Fish and Wildlife Service?				X
c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?				X
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?				X

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?				X
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?				X

The proposed project would not directly affect any sensitive, special status, or candidate species, nor would it modify any habitat that supports them. There is no riparian habitat or any other sensitive natural community identified in the vicinity of the proposed project by the California Department of Fish and Game or the US Fish and Wildlife Service. No federally protected wetlands are located on the subject property. Therefore, there would be no impacts to species, riparian habitat or other sensitive communities and wetlands. The proposed project would have no impact on the movement of migratory fish or wildlife species or on established wildlife corridors or wildlife nursery sites. No local policies regarding biological resources are applicable to the subject site and there would be no impacts with regard to those plans.

No habitat conservation plans or natural community conservation plans in the region pertain to the natural resources that exist on the subject site or in their immediate vicinity. Therefore, there would be no impacts.

In conclusion, with MEIR mitigation measures incorporated, the project will not result in any biological resource impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
V. CULTURAL RESOURCES -- Would the project:				

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
a) Cause a substantial adverse change in the significance of a historical resource as defined in '15064.5?				X
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to '15064.5?				X
c) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?				X
d) Disturb any human remains, including those interred outside of formal cemeteries?				X

There are no structures which exist within the project area that are listed in the National or Local Register of Historic Places; however, in 1982 an eight and a half mile segment of Kearney Boulevard was evaluated and determined eligible for inclusion in the National Register of Historic Places. The Keeper of the Register at the National Park Service concurred with this eligibility. Therefore, a segment of Kearney Boulevard north of the subject property is considered a historical resource for the purposes of the California Environmental Quality Act. The project will not have a significant impact on Kearney Boulevard.

In conclusion, with MEIR mitigation measures incorporated, the project will not result in any cultural resource impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
VI. GEOLOGY AND SOILS -- Would the project:				

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.				X
ii) Strong seismic ground shaking?				X
iii) Seismic-related ground failure, including liquefaction?				X
iv) Landslides?				X
b) Result in substantial soil erosion or the loss of topsoil?				X
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?				X
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property?				X



<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?				X

No adverse environmental effects related to topography, soils or geology are expected as a result of this plan amendment and rezone. The request will have a less than significant impact on geology and soils.

In conclusion, the proposed project would not result in any geology or soil environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<b>VII. GREENHOUSE GAS EMISSIONS -- Would the project:</b>				
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?			X	
b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?			X	

The proposed project will not occur at a scale or scope with potential to contribute substantially or cumulatively to the generation of greenhouse gas emissions, either directly or indirectly. The General Plan and MEIR rely upon a Greenhouse Gas Reduction Plan that provides a comprehensive assessment of the benefits of city policies and proposed code changes, existing plans, programs, and initiatives that reduce greenhouse gas emissions. The plan demonstrates that even though there is increased growth, the City would still be reducing greenhouse gas emissions through

2020 and per capita emission rates drop substantially. The benefits of adopted regulations become flat in later years and growth starts to exceed the reductions from all regulations and measures. Although it is highly likely that regulations will be updated to provide additional reductions, none are reflected in the analysis since only the effect of adopted regulations is included.

In conclusion, the proposed project would not result in any greenhouse gas emission environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
VIII. HAZARDS AND HAZARDOUS MATERIAL -- Would the project:				
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?				X
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?				X
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?				X
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?				X

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in				
a safety hazard for people residing or working in the project area?				X
f) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?				X
g) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?				X
h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?				X

There are no known existing hazardous material conditions on the property and the property is not included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5. The project itself will not generate or use hazardous materials in a manner outside health department requirements, is not near any wildland fire hazard zones, and poses no interference with the City's or County's Hazard Mitigation Plans or emergency response plans.

A portion of the subject property is located within the boundaries of the Fresno-Chandler Downtown Airport Master Plan area. The entire subject property is not within the vicinity of a private airstrip. Development of the subject property will require review by the

Airport Department. Therefore, there will be less than significant impacts related to hazards.

In conclusion, with MEIR mitigation measures incorporated, the project will not result in any hazards and hazardous material impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
IX. HYDROLOGY AND WATER QUALITY -- Would the project:				
a) Violate any water quality standards or waste discharge requirements?				X
b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?			X	
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on- or off-site?			X	

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
d) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?			X	
e) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?			X	
f) Otherwise substantially degrade water quality?			X	
g) Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?				X
h) Place within a 100-year flood hazard area structures which would impede or redirect flood flows?				X
i) Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?				X
j) Inundation by seiche, tsunami, or mudflow?				X

## Setting

Fresno is one of the largest cities in the United States still relying primarily on groundwater for its public water supply. Surface water treatment and distribution has been implemented in the northeastern part of the City, but the city is still subject to an EPA Sole Source Aquifer designation. While the aquifer underlying Fresno typically exceeds a depth of 300 feet and is capacious enough to provide adequate quantities of safe drinking water to the metropolitan area well into the twenty-first century, groundwater degradation, increasingly stringent water quality regulations, and an historic trend of high consumptive use of water on a per capita basis (some 250 gallons per day per capita), have resulted in a general decline in aquifer levels, increased cost to provide potable water, and localized water supply limitations.

The adverse groundwater conditions of limited supply and compromised quality have been well- documented by planning, environmental impact report and technical studies over the past 20 years including the Master Environmental Impact Report (MEIR) No. SCH No. 2012111015 for the Fresno General Plan, the MEIR 10130 for the 2025 Fresno General Plan, Final EIR No.10100, Final EIR No.10117, and Final EIR No. SCH 95022029 (Fresno Metropolitan Water Resource Management Plan), et al. These conditions include water quality degradation due to DBCP, arsenic, iron, and manganese concentrations; low water well yields; limited aquifer storage capacity and recharge capacity; and, intensive urban or semi-urban development occurring upgradient from the Fresno Metropolitan Area.

In response to the need for a comprehensive long-range water supply and distribution strategy, the General Plan recognizes the Kings Basin's Integrated Regional Water Management Plan, Fresno-Area Regional Groundwater Management Plan, and City of Fresno Metropolitan Water Resource Management Plan and cites the findings of the City of Fresno 2010 Urban Water Management Plan. The purpose of these management plans is to provide safe, adequate, and dependable water supplies to meet the future needs of the Kings Basin regions and the Fresno-Clovis metropolitan area in an economical manner; protect groundwater quality from further degradation and overdraft; and, provide a plan of reasonably implementable measures and facilities.

The 2010 Urban Water Management Plan, Figure 4-3 (incorporated by reference) illustrates the City of Fresno's goals to achieve a 'water balance' between supply and demand while decreasing reliance upon and use of groundwater. To achieve these goals the City is implementing a host of strategies, including:

- Intentional groundwater recharge through reclamation at the City's groundwater recharge facility at Leaky Acres (located northwest of Fresno-Yosemite international Airport), refurbish existing streams and canals to increase percolation, and recharge at Fresno Metropolitan Flood Control District's (FMFCD) storm water basins;

- Increase use of existing surface water entitlements from the Kings River, United States Bureau of Reclamation and Fresno Irrigation District for treatment at the Northeast Storm Water Treatment Facility (NESWTF) and construct a new Southeast Storm Water Treatment Facility (SESWTF); and
- Recycle wastewater at the Fresno-Clovis Regional Wastewater Reclamation Facility (RWRF) for treatment and re-use for irrigation, and to percolation ponds for groundwater recharge. Further actions include the General Plan, Policy RC-6-d to prepare, adopt and implement a City of Fresno Recycled Water Master Plan.

In the near future, groundwater will continue to be an important part of the City's supply but will not be relied upon as heavily as has historically been the case. The 2010 UWMP projects that groundwater pumped by the City will decrease from approximately 128,578 AF/year in 2010 to approximately 85,000 AF/year at buildout of the General Plan. This would represent a decrease in the groundwater percentage of total water supply from 87 percent to 36 percent. This reduction in groundwater pumping will recharge the aquifer by approximately 15,000 acre-feet per year because the safe yield is approximately 100,000 acre-feet per year. In order to meet this projection, the City is planning to rely on expanding their delivery and treatment of surface water supplies and groundwater recharge activities.

In addition, the General Plan policies require the City to maintain a comprehensive conservation program to help reduce per capita water usage, and includes conservation programs such as landscaping standards for drought tolerance, irrigation control devices, leak detection and retrofits, water audits, public education and implementing US Bureau of Reclamation Best Management Practices for water conservation to maintain surface water entitlements.

Implementation of the Fresno General Plan policies, the Kings Basin Integrated Regional Water Management Plan, City of Fresno Urban Water Management Plan, Fresno-Area Regional Groundwater Management Plan, and City of Fresno Metropolitan Water Resource Management Plan and the applicable mitigation measures of approved environmental review documents will address the issues of providing an adequate, reliable, and sustainable water supply for the project's urban domestic and public safety consumptive purposes.

### Project

The applicant will be required to comply with all requirements of the City of Fresno Department of Public Utilities that will reduce the project's water impacts to less than significant. When development permits are issued, the subject site will be required to pay drainage fees pursuant to the Drainage Fee Ordinance. The Fresno Metropolitan Flood Control District (FMFCD) has stated that the FMFCD system can accommodate the proposed request.

In conclusion, with MEIR mitigation measures incorporated, the project will not result in any hydrology and water quality impacts beyond those analyzed in MEIR SCH No. 2012111015.

ENVIRONMENTAL ISSUES	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
X. LAND USE AND PLANNING - Would the project:				
a) Physically divide an established community?				X
b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?				X
c) Conflict with any applicable habitat conservation plan or natural community conservation plan?				X

The subject property is proposed to be redesignated from the Corridor/Center Mixed-Use (16-30 dwelling units (du)/acre) planned land use to the Medium Low Density Residential (3.5-6 du/acre) planned land use designation and reclassified from the CMX/UGM (*Corridor/Center Mixed-Use/Urban Growth Management*) zone district to RS-4/UGM (*Residential Single Family, Medium Low Density/Urban Growth Management*) zone district. The proposed zone district is consistent with the proposed planned land use designation.

The project will not conflict with any conservation plans since it is not located within any conservation plan areas. No habitat conservation plans or natural community conservation plans in the region pertain to the natural resources that exist on the subject site or in its immediate vicinity. Therefore, there would be no impacts.

In conclusion, the proposed project would not result in any land use and planning environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.



<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
XI. MINERAL RESOURCES -- Would the project:				
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?				X
b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?				X

The subject property is not located in an area designated for mineral resource preservation or recovery, therefore, will not result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state. The subject site is not delineated on a local general plan, specific plan or other land use plan as a locally-important mineral resource recovery site; therefore it will not result in the loss of availability of a locally-important mineral resource.

In conclusion, the proposed project would not result in any mineral resource environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
XII. NOISE -- Would the project result in:				
a) Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?			X	

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
b) Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?			X	
c) A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?				X
d) A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?				X
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?				X
f) For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?				X

Generally, the three primary sources of substantial noise that affect the City of Fresno and its residents are all transportation-related and consist of local streets and regional highways; airport operations at the Fresno Yosemite International, the Fresno-Chandler Downtown, and the Sierra Sky Park Airports; and railroad operations along the BNSF Railway and the Union Pacific Railroad lines. A portion of the subject property is located within the boundaries of the Fresno-Chandler Downtown Airport Master Plan area.

Potential noise sources at the subject property would be roadway noise from the major street abutting the subject property and airport operation noise from the existing Fresno-

Chandler Downtown Airport. Development of the subject property will be subject to review by the City of Fresno Airports Department.

In conclusion, the proposed project would not result in any noise environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
XIII. POPULATION AND HOUSING -- Would the project:				
a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?			X	
b) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?				X
c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?				X

The proposed rezone is requesting to reclassify the subject property from the CMX zone district to the RS-4 zone district, which will reduce the number of dwelling units permitted on the property. Therefore, the impact to population will be less than significant given the reduction in dwelling units.

Future development will occur at an intensity and scale that is permitted by the proposed zone district. Thus, the proposed rezone will not facilitate an additional intensification of uses beyond that which would be allowed.

The proposed rezone does not have the potential to displace existing housing or residents and will not either directly or indirectly induce substantial population growth in the area.

In conclusion, the proposed project would not result in any population and housing environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
XIV. PUBLIC SERVICES --				
a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:				
Fire protection?			X	
Police protection?			X	
Drainage and flood control?			X	
Parks?			X	
Schools?			X	
Other public services?			X	

City police and fire protection services are also available to serve the proposed project. Fire Station No. 3 is located east of the subject property less than 2.5 miles away and Fire Station No. 19 is located north of the subject property less than 2.25 miles away.

All public facilities will be required at the time of development of the subject property. The proposed plan amendment and rezone will have a less than significant impact given that it is reducing the density on the subject property.

In conclusion, with MEIR mitigation measures incorporated, the project will not result in any public service impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
XV. RECREATION --				
a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?			X	
b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?				X

The proposed plan amendment and rezone will not affect recreational services beyond what was analyzed in the MEIR for the Fresno General Plan. In conclusion, the proposed plan amendment and rezone would not result in any recreation environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
XVI. TRANSPORTATION/TRAFFIC -- Would the project:				
a) Conflict with an applicable plan, ordinance or policy				

<b>ENVIRONMENTAL ISSUES</b>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
establishing measures of effectiveness for the performance of the circulation system, taking into account all modes of transportation including mass transit and non-motorized travel and relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths and mass transit?			X	
b) Conflict with an applicable congestion management program, including but not limited to level of service standards and travel demand measures or other standards established by the county congestion management agency for designated roads or highways?				X
c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that result in substantial safety risks?				X
d) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?				X
e) Result in inadequate emergency access?				X

<b>ENVIRONMENTAL ISSUES</b>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
f) Conflict with adopted policies, plans, or programs regarding public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities?				X

The subject property is located on the east side of South Hughes Avenue between West Kearney Boulevard and West California Avenue. In the Fresno General Plan Circulation Element, South Hughes Avenue is designated as a collector street, which has the primary function of connecting local streets and arterials and neighborhood traffic generators and providing access to abutting properties. Future development of the subject property will be required to construct all necessary street frontage improvements to City Standards.

The subject site is located within Traffic Impact Zone III (TIZ-III). Zone TIZ-III represents areas near or outside the city limits but within the sphere of influence as of December 21, 2012. A traffic impact study (TIS) is required for all development projected to generate 100 or more peak hour new vehicle trips within Zone TIZ-III.

The Public Works Department/Traffic Engineering Division staff has reviewed the proposed traffic yield from the proposed project and the expected traffic generation will not adversely impact the existing and projected circulation system as analyzed in the MEIR. Applying the factors outlined in the Institute of Traffic Engineers (ITE) Trip Generation Manual, the existing planned land use of Corridor/Center Mixed-Use would generate at least 3,903 average daily trips (ADT), 308 vehicle trips during the morning peak hour travel period (7 to 9 a.m.) and 410 vehicle trips during the evening peak hour travel period (4 to 6 p.m.) on a weekday. The proposed Medium Low Density Residential planned land use would generate 784 ADT, 62 vehicle trips during the morning peak hour travel period and 83 vehicle trips during the evening peak hour travel period on a weekday. The proposed land use will generate at least 3,119 less ADT, 246 less morning peak hour trips, and 327 less evening peak hour trips. A TIS was not required for the proposed plan amendment and rezone; however, a TIS may be required for future development. The applicant will be preparing a master plan for the area, which will require further analysis at that time of proposed development.

In conclusion, the proposed project would not result in any transportation/traffic environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
XVII. UTILITIES AND SERVICE SYSTEMS -- Would the project:				
a) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?				X
b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?				X
c) Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?				X
d) Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?				X
e) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?				X
f) Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?				X



<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
g) Comply with federal, state, and local statutes and regulations related to solid waste?				X

Utilities and service systems will be required for future development of the subject property. The proposed rezone is not expected to result in the construction of new storm water drainage facilities or expansion of existing facilities. The rezone request will be reducing the number of dwelling units in the area; therefore there shall be a less than significant impact on utilities and service systems.

In conclusion, with MEIR mitigation measures incorporated, the project will not result in any utilities and service system impacts beyond those analyzed in MEIR SCH No. 2012111015.

<b>ENVIRONMENTAL ISSUES</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant with Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<b>XVIII. MANDATORY FINDINGS OF SIGNIFICANCE --</b>				
a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?				X

<b>ENVIRONMENTAL ISSUES</b>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?				X
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?				X

The proposed plan amendment and rezone are considered not to be a direct or indirect detriment to the quality of the environment through reductions in habitat, populations, or examples of local history (through either individual or cumulative impacts).

The proposed rezone does not have the potential to degrade the quality of the environment or reduce the habitat of wildlife species and will not threaten plant communities or endanger any floral or faunal species. Furthermore the plan amendment and rezone have no potential to eliminate important examples of major periods in history.

Therefore, as noted in preceding sections of this Initial Study, there is no evidence in the record to indicate that incremental environmental impacts facilitated by this rezone would be cumulatively significant. There is also no evidence in the record that the proposed project would have any adverse impacts directly, or indirectly, on human beings.

**Exhibit D:  
MEIR Mitigation Measure Monitoring Checklist**

# MEIR Mitigation Measure Monitoring Checklist for EA No. A-16-003/R-16-00

July 1, 2016

## INCORPORATING MEASURES FROM THE MASTER ENVIRONMENTAL IMPACT REPORT (MEIR) CERTIFIED FOR THE CITY OF FRESNO GENERAL PLAN UPDATE (SCH No. 2012111015)

This mitigation measure monitoring and reporting checklist was prepared pursuant to California Environmental Quality Act (CEQA) Guidelines Section 15097 and Section 21081.6 of the Public Resources Code (PRC). It was certified as part of the Fresno City Council's approval of the MEIR for the Fresno General Plan update (Fresno City Council Resolution 2014-225, adopted December 18, 2014).

Letter designations to the right of each MEIR mitigation measure listed in this Exhibit note how the mitigation measure relates to the environmental assessment of the above-listed project, according to the key found at right and at the bottoms of the following pages:

- A - Incorporated into Project
- B - Mitigated
- C - Mitigation in Progress
- D - Responsible Agency Contacted
- E - Part of City-wide Program
- F - Not Applicable

The timing of implementing each mitigation measure is identified in the checklist, as well as identifies the entity responsible for verifying that the mitigation measures applied to a project are performed. Project applicants are responsible for providing evidence that mitigation measures are implemented. As lead agency, the City of Fresno is responsible for verifying that mitigation is performed/completed.

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE						
			A	B	C	D	E	F	
<p><b>Aesthetics:</b></p> <p><b>AES-1.</b> Lighting systems for street and parking areas shall include shields to direct light to the roadway surfaces and parking areas. Vertical shields on the light fixtures shall also be used to direct light away from adjacent light sensitive land uses such as residences.</p> <p><b>Verification comments:</b></p>	Prior to issuance of building permits	Public Works Department (PW) and Development & Resource Management Dept. (DARM)	X						X

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
<b>Aesthetics (continued):</b>								
<p><b>AES-2:</b> Lighting systems for public facilities such as active play areas shall provide adequate illumination for the activity; however, low intensity light fixtures and shields shall be used to minimize spillover light onto adjacent properties.</p> <p><b>Verification comments:</b></p>	Prior to issuance of building permits	DARM						X
<p><b>AES-3:</b> Lighting systems for non-residential uses, not including public facilities, shall provide shields on the light fixtures and orient the lighting system away from adjacent properties. Low intensity light fixtures shall also be used if excessive spillover light onto adjacent properties will occur.</p> <p><b>Verification comments:</b></p>	Prior to issuance of building permits	DARM	X				X	
<p><b>AES-4:</b> Lighting systems for freestanding signs shall not exceed 100 foot Lamberts (FT-L) when adjacent to streets which have an average light intensity of less than 2.0 horizontal footcandles and shall not exceed 500 FT-L when adjacent to streets which have an average light intensity of 2.0 horizontal footcandles or greater.</p> <p><b>Verification comments:</b></p>	Prior to issuance of building permits	DARM						X

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE					
			A	B	C	D	E	F

**Aesthetics (continued):**

<p><b>AES-5:</b> Materials used on building facades shall be non-reflective.</p>	<p>Prior to development project approval</p>	<p>DARM</p>	<p>X</p>				<p>X</p>			
<p><b>Verification comments:</b></p>										

**Air Quality:**

<p><b>AIR-1:</b> Projects that include five or more heavy-duty truck deliveries per day with sensitive receptors located within 300 feet of the truck loading area shall provide a screening analysis to determine if the project has the potential to exceed criteria pollutant concentration based standards and thresholds for NO2 and PM2.5. If projects exceed screening criteria, refined dispersion modeling and health risk assessment shall be accomplished and if needed, mitigation measures to reduce impacts shall be included in the project to reduce the impacts to the extent feasible. Mitigation measures include but are not limited to:</p> <ul style="list-style-type: none"> <li>• Locate loading docks and truck access routes as far from sensitive receptors as reasonably possible considering site design limitations to comply with other City design standards.</li> <li>• Post signs requiring drivers to limit idling to 5 minutes or less.</li> </ul>	<p>Prior to development project approval</p>	<p>DARM</p>					<p>X</p>			
<p><b>Verification comments:</b></p>										

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable



MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE VERIFIED BY					
			A	B	C	D	E	F

**Air Quality (continued):**

<p><b>AIR-2</b> (continued from previous page)</p> <ul style="list-style-type: none"> <li>For large distribution centers where the owner controls the vehicle fleet, provide facilities to support alternative fueled trucks powered by fuels such as natural gas or bio-diesel</li> <li>Utilize electric powered material handling equipment where feasible for the weight and volume of material to be moved.</li> </ul> <p><b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>							
<p><b>AIR-3:</b> Require developers proposing projects on ARB's list of projects in its Air Quality and Land Use Handbook (Handbook) warranting special consideration to prepare a cumulative health risk assessment when sensitive receptors are located within the distance screening criteria of the facility as listed in the ARB Handbook.</p> <p><b>Verification comments:</b></p>	<p>Prior to development project approval</p>	<p>DARM</p>					<p>X</p>		

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable



MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE VERIFIED BY					
			A	B	C	D	E	F

**Air Quality** (continued):

<p><b>AIR-4:</b> Require developers of projects containing sensitive receptors to provide a cumulative health risk assessment at project locations exceeding ARB Land Use Handbook distance screening criteria or newer criteria that may be developed by the San Joaquin Valley Air Pollution Control District (SJVAPCD).</p> <p><b>Verification comments:</b></p>	<p>Prior to development project approval</p>	<p>DARM</p>					X	
<p><b>AIR-5:</b> Require developers of projects with the potential to generate significant odor impacts as determined through review of SJVAPCD odor complaint history for similar facilities and consultation with the SJVAPCD to prepare an odor impact assessment and to implement odor control measures recommended by the SJVAPCD or the City to the extent needed to reduce the impact to less than significant.</p> <p><b>Verification comments:</b></p>	<p>Prior to development project approval</p>	<p>DARM</p>			X	X		

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE					
			A	B	C	D	E	F

**Biological Resources:**

<p><b>BIO-1:</b> Construction of a proposed project should avoid, where possible, vegetation communities that provide suitable habitat for a special-status species known to occur within the Planning Area. If construction within potentially suitable habitat must occur, the presence/absence of any special-status plant or wildlife species must be determined prior to construction, to determine if the habitat supports any special-status species. If special-status species are determined to occupy any portion of a project site, avoidance and minimization measures shall be incorporated into the construction phase of a project to avoid direct or incidental take of a listed species to the greatest extent feasible.</p> <p><b>Verification comments:</b></p>	<p>Prior to development project approval</p>	<p>DARM</p>					<p>X</p>
<p><b>BIO-2:</b> Direct or incidental take of any state or federally listed species should be avoided to the greatest extent feasible. If construction of a proposed project will result in the direct or incidental take of a listed species, consultation with the resources agencies and/or additional permitting may be required. Agency consultation through the California Department of Fish and Wildlife (CDFW) 2081 and U.S. Fish and Wildlife Service (USFWS) Section 7 or Section 10 permitting processes must take place prior to any action that</p> <p><i>(continued on next page)</i></p>	<p>Prior to development project approval</p>	<p>DARM</p>					<p>X X</p>

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE VERIFIED BY					
			A	B	C	D	E	F

**Biological Resources (continued):**

<p><b>BIO-2</b> (continued from previous page)                      may result in the direct or incidental take of a listed species. Specific mitigation measures for direct or incidental impacts to a listed species will be determined on a case-by-case basis through agency consultation.   <b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>							
<p><b>BIO-3:</b> Development within the Planning Area should avoid, where possible, special-status natural communities and vegetation communities that provide suitable habitat for special-status species. If a proposed project will result in the loss of a special-status natural community or suitable habitat for special-status species, compensatory habitat-based mitigation is required under CEQA and the California Endangered Species Act (CESA). Mitigation will consist of preserving on-site habitat, restoring similar habitat or purchasing off-site credits from an approved mitigation bank. Compensatory mitigation will be determined through consultation with the City and/or resource agencies. An appropriate mitigation strategy and ratio will be agreed upon by the developer and lead agency to reduce project impacts to special-status natural communities to a less than significant                      (continued on next page)</p>	<p>Prior to development project approval</p>	<p>DARM</p>	<p>X</p>					<p>X</p>	

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A B C D E F					
			A	B	C	D	E	F

**Biological Resources (continued):**

<p><b>BIO-3</b> (continued from previous page):                  level. Agreed-upon mitigation ratios will depend on the quality of the habitat and presence/absence of a special-status species. The specific mitigation for project level impacts will be determined on a case-by-case basis.  <b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>								
<p><b>BIO-4:</b> Proposed projects within the Planning Area should avoid, if possible, construction within the general nesting season of February through August for avian species protected under Fish and Game Code 3500 and the Migratory Bird Treaty Act (MBTA), if it is determined that suitable nesting habitat occurs on a project site. If construction cannot avoid the nesting season, a pre-construction clearance survey must be conducted to determine if any nesting birds or nesting activity is observed on or within 500-feet of a project site. If an active nest is observed during the survey, a biological monitor must be on site to ensure that no proposed project activities would impact the active nest. A suitable buffer will be established around the active nest until the nestlings have fledged and the nest is no longer active. Project activities                  (continued on next page)</p>	<p>Prior to development project approval and during construction activities</p>	<p>DARM</p>	<p>X</p>				<p>X</p>			

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Biological Resources (continued):**

<p><b>BIO-4</b> (continued from previous page): may continue in the vicinity of the nest only at the discretion of the biological monitor. <b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>										
<p><b>BIO-5:</b> If a proposed project will result in the removal or impact to any riparian habitat and/or a special-status natural community with potential to occur in the Planning Area, compensatory habitat-based mitigation shall be required to reduce project impacts. Compensatory mitigation must involve the preservation or restoration of riparian habitat and/or a site mitigation credits for impacts to riparian habitat and/or a special-status natural community. Mitigation must be conducted in-kind or within an approved mitigation bank in the region. The specific mitigation ratio for habitat-based mitigation will be determined through consultation with the appropriate agency (i.e., CDFW or USFWS) on a case-by-case basis. <b>Verification comments:</b></p>	<p>Prior to development project approval</p>	<p>DARM</p>	<p>X</p>				<p>X</p>					

A - Incorporated into Project  
B - Mitigated

C - Mitigation in Process  
D - Responsible Agency Contacted

E - Part of City-Wide Program  
F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Biological Resources** (continued):

<p><b>BIO-6:</b> Project impacts that occur to riparian habitat may also result in significant impacts to streambeds or waterways protected under Section 1600 of Fish and Wildlife Code and Section 404 of the CWA. CDFW and/or USACE consultation, determination of mitigation strategy, and regulatory permitting to reduce impacts, as required for projects that remove riparian habitat and/or alter a streambed or waterway, shall be implemented.</p> <p><b>Verification comments:</b></p>	<p>Prior to development project approval</p>	<p>DARM</p>	<p>X</p>	<p></p>	<p></p>	<p></p>	<p>X</p>
--	--	-------------	----------	---------	---------	---------	----------

<p><b>BIO-7:</b> Project-related impacts to riparian habitat or a special-status natural community may result in direct or incidental impacts to special-status species associated with riparian or wetland habitats. Project impacts to special-status species associated with riparian habitat shall be mitigated through agency consultation, development of a mitigation strategy, and/or issuing incidental take permits for the specific special-status species, as determined by the CDFW and/or USFWS.</p> <p><b>Verification comments:</b></p>	<p>Prior to development project approval</p>	<p>DARM</p>	<p>X</p>	<p></p>	<p></p>	<p></p>	<p></p>
---	--	-------------	----------	---------	---------	---------	---------

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE					
			A	B	C	D	E	F

**Biological Resources** *(continued)*:

<p><b>BIO-8:</b> If a proposed project will result in the significant alteration or fill of a federally protected wetland, a formal wetland delineation conducted according to U.S. Army Corps of Engineers (USACE) accepted methodology is required for each project to determine the extent of wetlands on a project site. The delineation shall be used to determine if federal permitting and mitigation strategy are required to reduce project impacts. Acquisition of permits from USACE for the fill of wetlands and USACE approval of a wetland mitigation plan would ensure a "no net loss" of wetland habitat within the Planning Area. Appropriate wetland mitigation/creation shall be implemented in a ratio according to the size of the impacted wetland.</p> <p><b>Verification comments:</b></p>	<p>Prior to development project approval</p>	<p>DARM</p>	<p>X</p>					<p>X</p>
<p><b>BIO-9:</b> In addition to regulatory agency permitting, Best Management Practices (BMPs) identified from a list provided by the USACE shall be incorporated into the design and construction phase of the project to ensure that no pollutants or siltation drain into a federally protected wetland. Project design features such as fencing, appropriate drainage and <i>(continued on next page)</i></p>	<p>Prior to development project approval; but for long-term operational BMPs, prior to issuance of occupancy</p>	<p>DARM</p>	<p>X</p>		<p>X</p>			

A - Incorporated into Project  
B - Mitigated

C - Mitigation in Process  
D - Responsible Agency Contacted

E - Part of City-Wide Program  
F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A B C D E F					
			A	B	C	D	E	F

**Biological Resources (continued):**

<p><b>BIO-9</b> (continued from previous page):                  incorporating detention basins shall assist in ensuring project-related impacts to wetland habitat are minimized to the greatest extent feasible.  <b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>						
---	----------------------------	----------------------------	--	--	--	--	--	--

**Cultural Resources:**

<p><b>CUL-1:</b> If previously unknown resources are encountered before or during grading activities, construction shall stop in the immediate vicinity of the find and a qualified historical resources specialist shall be consulted to determine whether the resource requires further study. The qualified historical resources specialist shall make recommendations to the City on the measures that shall be implemented to protect the discovered resources, including but not limited to excavation of the finds and evaluation of the finds in accordance with Section 15064.5 of the CEQA Guidelines and the City's Historic Preservation Ordinance.                   If the resources are determined to be unique historical resources as defined under Section 15064.5 of the CEQA Guidelines, measures shall be identified by the monitor and                  (continued on next page)</p>	<p>Prior to commencement of, and during, construction activities</p>	<p>DARM</p>	<p>X</p>					
--	--	-------------	----------	--	--	--	--	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable



MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE					
			A	B	C	D	E	F

**Cultural Resources** (continued):

<p><b>CUL-1</b> (continued from previous page)                      recommended to the Lead Agency. Appropriate measures for significant resources could include avoidance or capping, incorporation of the site in green space, parks, or open space, or data recovery excavations of the finds.                      No further grading shall occur in the area of the discovery until the Lead Agency approves the measures to protect these. Any historical artifacts recovered as a result of mitigation shall be provided to a City-approved institution or person who is capable of providing long-term preservation to allow future scientific study.</p> <p><b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>							
<p><b>CUL-2:</b> Subsequent to a preliminary City review of the project grading plans, if there is evidence that a project will include excavation or construction activities within previously undisturbed soils, a field survey and literature search for prehistoric archaeological resources shall be conducted. The following procedures shall be followed.                      If prehistoric resources are not found during either the field survey or literature search, excavation and/or construction activities can commence. In the event that buried prehistoric (continued on next page)</p>	<p>Prior to commencement of, and during, construction activities</p>	<p>DARM</p>	<p>X</p>						

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
--------------------	------------------	------------------------	---	---	---	---	---	---

**Cultural Resources** (continued):

<p><b>CUL-2</b> (continued from previous page)</p> <p>archaeological resources are discovered during excavation and/or construction activities, construction shall stop in the immediate vicinity of the find and a qualified archaeologist shall be consulted to determine whether the resource requires further study. The qualified archaeologist shall make recommendations to the City on the measures that shall be implemented to protect the discovered resources, including but not limited to excavation of the finds and evaluation of the finds in accordance with CEQA Guidelines Section 15064.5.</p> <p>If the resources are determined to be unique prehistoric archaeological resources as defined under Section 15064.5 of the CEQA Guidelines, mitigation measures shall be identified by the monitor and recommended to the Lead Agency. Appropriate measures for significant resources could include avoidance or capping, incorporation of the site in green space, parks, or open space, or data recovery excavations of the finds. No further grading shall occur in the area of the discovery until the Lead Agency approves the measures to protect these resources. Any prehistoric archaeological artifacts recovered as a result of mitigation shall be provided</p> <p style="text-align: right;">(continued on next page)</p>	<p>[see previous page]</p>	<p>[see previous page]</p>						
--	----------------------------	----------------------------	--	--	--	--	--	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
<p><b>Cultural Resources (continued):</b></p> <p><b>CUL-2 (further continued from previous two pages)</b></p> <p>to a City-approved institution or person who is capable of providing long-term preservation to allow future scientific study.</p> <p>If prehistoric resources are found during the field survey or literature review, the resources shall be inventoried using appropriate State record forms and submit the forms to the Southern San Joaquin Valley Information Center. The resources shall be evaluated for significance. If the resources are found to be significant, measures shall be identified by the qualified archaeologist. Similar to above, appropriate mitigation measures for significant resources could include avoidance or capping, incorporation of the site in green space, parks, or open space, or data recovery excavations of the finds.</p> <p>In addition, appropriate mitigation for excavation and construction activities in the vicinity of the resources found during the field survey or literature review shall include an archaeological monitor. The monitoring period shall be determined by the qualified archaeologist. If additional prehistoric archaeological resources are found during <i>(continued on next page)</i></p>	<p>[see Page 14]</p>	<p>[see Page 14]</p>						

Cultural Resources (continued):

**A** - Incorporated into Project  
**B** - Mitigated

**C** - Mitigation in Process  
**D** - Responsible Agency Contacted

**E** - Part of City-Wide Program  
**F** - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
<p><b>CUL-2</b> (further continued from previous three pages)                      excavation and/or construction activities, the procedure identified above for the discovery of unknown resources shall be followed.  <b>Verification comments:</b></p>	<p>[see Page 14]</p>	<p>[see Page 14]</p>						
<p><b>CUL-3:</b> Subsequent to a preliminary City review of the project grading plans, if there is evidence that a project will include excavation or construction activities within previously undisturbed soils, a field survey and literature search for unique paleontological/geological resources shall be conducted. The following procedures shall be followed:                      If unique paleontological/geological resources are not found during either the field survey or literature search, excavation and/or construction activities can commence. In the event that unique paleontological/geological resources are discovered during excavation and/or construction activities, construction shall stop in the immediate vicinity of the find and a qualified paleontologist shall be consulted to determine whether the resource requires further study. The qualified paleontologist shall make recommendations to the City on the measures that shall be implemented to protect the discovered                      (continued on next page)</p>	<p>Prior to commencement of, and during, construction activities</p>	<p>DARM</p>	<p>X</p>					

A - Incorporated into Project  
 B - Mitigated  
 C - Mitigation in Process  
 D - Responsible Agency Contacted  
 E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
<p><b>CUL-3</b> <i>(continued from previous page)</i></p> <p>resources, including but not limited to, excavation of the finds and evaluation of the finds. If the resources are determined to be significant, mitigation measures shall be identified by the monitor and recommended to the Lead Agency. Appropriate mitigation measures for significant resources could include avoidance or capping, incorporation of the site in green space, parks, or open space, or data recovery excavations of the finds. No further grading shall occur in the area of the discovery until the Lead Agency approves the measures to protect these resources. Any paleontological/geological resources recovered as a result of mitigation shall be provided to a City-approved institution or person who is capable of providing long-term preservation to allow future scientific study.</p> <p>If unique paleontological/geological resources are found during the field survey or literature review, the resources shall be inventoried and evaluated for significance. If the resources are found to be significant, mitigation measures shall be identified by the qualified paleontologist. Similar to above, appropriate mitigation measures for significant resources could include avoidance or capping, incorporation of the site in green space, parks, or open space, or data recovery excavations of the finds. In addition, appropriate mitigation for excavation and construction activities in the vicinity of the</p> <p style="text-align: right;"><i>(continued on next page)</i></p>	<p><i>[see previous page]</i></p>	<p><i>[see previous page]</i></p>						

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Cultural Resources (continued):**

<p><b>CUL-3</b> (further continued from previous two pages)</p> <p>resources found during the field survey or literature review shall include a paleontological monitor. The monitoring period shall be determined by the qualified paleontologist. If additional paleontological/geological resources are found during excavation and/or construction activities, the procedure identified above for the discovery of unknown resources shall be followed.</p> <p><b>Verification comments:</b></p>	<p>[see Page 17]</p>	<p>[see Page 17]</p>						
<p><b>CUL-4:</b> In the event that human remains are unearthed during excavation and grading activities of any future development project, all activity shall cease immediately. Pursuant to Health and Safety Code (HSC) Section 7050.5, no further disturbance shall occur until the County Coroner has made the necessary findings as to origin and disposition pursuant to PRC Section 5097.98(a). If the remains are determined to be of Native American descent, the coroner shall within 24 hours notify the Native American Heritage Commission (NAHC). The NAHC shall then contact the most</p> <p>(continued on next page)</p>	<p>Prior to commencement of, and during, construction activities</p>	<p>DARM</p>	<p>X</p>				<p>X</p>	

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE VERIFIED BY					
			A	B	C	D	E	F

**Cultural Resources (continued):**

<p><b>CUL-4</b> (continued from previous page) likely descendent of the deceased Native American, who shall then serve as the consultant on how to proceed with the remains. Pursuant to PRC Section 5097.98(b), upon the discovery of Native American remains, the landowner shall ensure that the immediate vicinity, according to generally accepted cultural or archaeological standards or practices, where the Native American human remains are located is not damaged or disturbed by further development activity until the landowner has discussed and conferred with the most likely descendants regarding their recommendations, if applicable, taking into account the possibility of multiple human remains. The landowner shall discuss and confer with the descendants all reasonable options regarding the descendants' preferences for treatment. <b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>						
---	----------------------------	----------------------------	--	--	--	--	--	--

A - Incorporated into Project  
B - Mitigated

C - Mitigation in Process  
D - Responsible Agency Contacted

E - Part of City-Wide Program  
F - Not Applicable





MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE VERIFIED BY					
			A	B	C	D	E	F
<b>Hazards and Hazardous Materials (continued):</b>								
<p><b>HAZ-4:</b> Re-designate the current vacant lots at the northeast corner of Kearney Boulevard and South Thorne Avenue to Public Facilities-Airport or Open Space.</p> <p><b>Verification comments:</b></p>	Prior to development approvals	DARM						X
<p><b>HAZ-5:</b> Prohibit residential uses within Safety Zone 1 northwest of the Hawes Avenue and South Thorne Avenue intersection.</p> <p><b>Verification comments:</b></p>	Prior to development approvals	DARM						X
<p><b>HAZ-6:</b> Establish an alternative Emergency Operations Center in the event the current Emergency Operations Center is under redevelopment or blocked.</p> <p><b>Verification comments:</b></p>	Prior to redevelopment of the current Emergency Operations Center	Fresno Fire Department and Mayor/ City Manager's Office						X

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE		WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
<b>Hydrology and Water Quality</b>									
<p><b>HYD-1:</b> The City shall develop and implement water conservation measures to reduce the per capita water use to 215 gallons per capita per day.</p> <p><b>Verification comments:</b></p>		Prior to water demand exceeding water supply	Department of Public Utilities (DPU)					X	
<p><b>HYD-2:</b> The City shall continue to be an active participant in the Kings Water Authority and the implementation of the Kings Basin IRWMP.</p> <p><b>Verification comments:</b></p>		Ongoing	DPU					X	
<p><b>HYD-5.1:</b> The City and partnering agencies shall implement the following measures to reduce the impacts on the capacity of existing or planned storm drainage Master Plan collection systems to less than significant.</p> <ul style="list-style-type: none"> <li>Implement the existing Storm Drainage Master Plan (SDMP) for collection systems in drainage areas where the amount of imperviousness is unaffected by the change in land uses.</li> </ul> <p><i>(continued on next page)</i></p>		Prior to exceedance of capacity of existing stormwater drainage facilities	Fresno Metropolitan Flood Control District (FMFCD), DARM, and PW					X	

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
--------------------	------------------	------------------------	---	---	---	---	---	---

**Hydrology and Water Quality** *(continued)*:

<p><b>HYD-5.1</b> <i>(continued from previous page)</i></p> <ul style="list-style-type: none"> <li>Update the SDMP in those drainage areas where the amount of imperviousness increased due to the change in land uses to determine the changes in the collection systems that would need to occur to provide adequate capacity for the stormwater runoff from the increased imperviousness.</li> <li>Implement the updated SDMP to provide stormwater collection systems that have sufficient capacity to convey the peak runoff rates from the areas of increased imperviousness.</li> </ul> <p>Require developments that increase site imperviousness to install, operate, and maintain FMFCD approved on-site detention systems to reduce the peak runoff rates resulting from the increased imperviousness to the peak runoff rates that will not exceed the capacity of the existing stormwater collection systems.</p> <p><b>Verification comments:</b></p>	<p><i>[see previous page]</i></p>	<p><i>[see previous page]</i></p>					
--	-----------------------------------	-----------------------------------	--	--	--	--	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
--------------------	------------------	------------------------	---	---	---	---	---	---

**Hydrology and Water Quality (continued):**

<p><b>HYD-5.2:</b> The City and partnering agencies shall implement the following measures to reduce the impacts on the capacity of existing or planned storm drainage Master Plan retention basins to less than significant:</p> <p>Consult the SDMP to analyze the impacts to existing and planned retention basins to determine remedial measures required to reduce the impact on retention basin capacity to less than significant. Remedial measures would include:</p> <ul style="list-style-type: none"> <li>• Increase the size of the retention basin through the purchase of more land or deepening the basin or a combination for planned retention basins.</li> <li>• Increase the size of the emergency relief pump capacity required to pump excess runoff volume out of the basin and into adjacent canal that convey the stormwater to a disposal facility for existing retention basins.</li> <li>• Require developments that increase runoff volume to install, operate, and maintain, Low Impact Development (LID) measures to reduce runoff volume to the runoff volume that will not exceed the capacity of the existing retention basins.</li> </ul> <p><b>Verification comments:</b></p>	<p>Prior to exceedance of capacity of existing retention basin facilities</p>	<p>FMFCD, DARM, and PW</p>					X	
--	---	----------------------------	--	--	--	--	---	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Hydrology and Water Quality (continued):**

<p><b>HYD-5.3:</b> The City and partnering agencies shall implement the following measures to reduce the impacts on the capacity of existing or planned storm drainage Master Plan urban detention (stormwater quality) basins to less than significant.</p> <p>Consult the SDMP to determine the impacts to the urban detention basin weir overflow rates and determine remedial measures required to reduce the impact on the detention basin capacity to less than significant. Remedial measures would include:</p> <ul style="list-style-type: none"> <li>• Modify overflow weir to maintain the suspended solids removal rates adopted by the FMFCD Board of Directors.</li> <li>• Increase the size of the urban detention basin to increase residence time by purchasing more land. The existing detention basins are already at the adopted design depth.</li> <li>• Require developments that increase runoff volume to install, operate, and maintain, Low Impact Development (LID) measures to reduce peak runoff rates and runoff volume to the runoff rates and volumes that will not exceed the weir overflow rates of the existing urban detention basins.</li> </ul> <p><b>Verification comments:</b></p>	<p>Prior to exceedance of capacity of existing urban detention basin (stormwater quality) facilities</p>	<p>FMFCD, DARM, and PW</p>					<p>X</p>
--	--	----------------------------	--	--	--	--	----------

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED			COMPLIANCE VERIFIED BY			A	B	C	D	E	F

**Hydrology and Water Quality (continued):**

**HYD-5.4:** The City shall implement the following measures to reduce the impacts on the capacity of existing or planned storm drainage Master Plan pump disposal systems to less than significant.

- Consult the SDMP to determine the extent and degree to which the capacity of the existing pump system will be exceeded.
- Require new developments to install, operate, and maintain FMFCD design standard on-site detention facilities to reduce peak stormwater runoff rates to existing planned peak runoff rates.
- Provide additional pump system capacity to maximum allowed by existing permitting to increase the capacity to match or exceed the peak runoff rates determined by the SDMP.

**Verification comments:**

Prior to exceedance of capacity of existing pump disposal systems	FMFCD, DARM, and PW											X
---	---------------------	--	--	--	--	--	--	--	--	--	--	---

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE					
			A	B	C	D	E	F

**Hydrology and Water Quality (continued):**

<ul style="list-style-type: none"> <li><b>HYD-5.5:</b> The City shall work with FMFCD to develop and adopt an update to the SDMP for the Southeast Development Area that would be adequately designed to collect, convey and dispose of runoff at the rates and volumes which would be generated by the planned land uses in that area.</li> </ul> <p><b>Verification comments:</b></p>	<p>Prior to development approvals in the Southeast Development Area</p>	<p>FMFCD, DARM, and PW</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	---	----------------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------

**Public Services:**

<p><b>PS-1:</b> As future fire facilities are planned, the fire department shall evaluate if specific environmental effects would occur. Typical impacts from fire facilities include noise, traffic, and lighting. Typical mitigation to reduce these impacts includes:</p> <ul style="list-style-type: none"> <li><b>Noise:</b> Barriers and setbacks on the fire department sites.</li> <li><b>Traffic:</b> Traffic devices for circulation and a “keep clear zone” during emergency responses.</li> <li><b>Lighting:</b> Provision of hoods and deflectors on lighting fixtures on the fire department sites.</li> </ul> <p><b>Verification comments:</b></p>	<p>During the planning process for future fire department facilities</p>	<p>DARM</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	--	-------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------------------	--------------------------

A - Incorporated into Project  
B - Mitigated

C - Mitigation in Process  
D - Responsible Agency Contacted

E - Part of City-Wide Program  
F - Not Applicable





MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Public Services (continued):**

<p><b>PS-3</b> (continued from previous page)</p> <ul style="list-style-type: none"> <li>Noise: Barriers and setbacks placed on school sites.</li> <li>Traffic: Traffic devices for circulation.</li> <li>Lighting: Provision of hoods and deflectors on lighting fixtures for stadium lights.</li> </ul> <p><b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>							
<p><b>PS-4:</b> As future parks and recreational facilities are planned, the City shall evaluate if specific environmental effects would occur. Typical impacts from school facilities include noise, traffic, and lighting. Typical mitigation to reduce potential impacts from park and recreational facilities includes:</p> <ul style="list-style-type: none"> <li>Noise: Barriers and setbacks placed on school sites.</li> <li>Traffic: Traffic devices for circulation.</li> <li>Lighting: Provision of hoods and deflectors on lighting fixtures for outdoor play area/field lights.</li> </ul> <p><b>Verification comments:</b></p>	<p>During the planning process for future park and recreation facilities</p>	<p>DARM</p>				<p>X</p>			

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A B C D E F					
			A	B	C	D	E	F

**Public Services (continued):**

<p><b>PS-5:</b> As future detention, court, library, and hospital facilities are planned, the appropriate agencies shall evaluate if specific environmental effects would occur. Typical impacts from court, library, and hospital facilities include noise, traffic, and lighting. Typical mitigation to reduce potential impacts includes:</p> <ul style="list-style-type: none"> <li>• <i>Noise:</i> Barriers and setbacks placed on school sites.</li> <li>• <i>Traffic:</i> Traffic devices for circulation.</li> <li>• <i>Lighting:</i> Provision of hoods and deflectors on outdoor lighting fixtures</li> </ul> <p><b>Verification comments:</b></p>	<p>During the planning process for future detention, court, library, and hospital facilities</p>	<p>DARM, to the extent that agencies constructing these facilities are subject to City of Fresno regulation</p>					<p><b>X</b></p>
--	--	---	--	--	--	--	-----------------

**Utilities and Service Systems**

<p><b>USS-1:</b> The City shall develop and implement a wastewater master plan update.</p> <p><b>Verification comments:</b></p>	<p>Prior to wastewater conveyance and treatment demand exceeding capacity</p>	<p>DPU</p>				<p><b>X</b></p>
---	---	------------	--	--	--	-----------------

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
<b>Utilities and Service Systems (continued):</b>								
<p><b>USS-2:</b> Prior to exceeding existing wastewater treatment capacity, the City shall evaluate the wastewater system and shall not approve additional development that contributes wastewater to the wastewater treatment facility that could exceed capacity until additional capacity is provided. By approximately the year 2025, the City shall construct the following improvements:</p> <ul style="list-style-type: none"> <li>Construct an approximately 70 MGD expansion of the Regional Wastewater Treatment and Reclamation Facility and obtain revised waste discharge permits as the generation of wastewater is increased.</li> <li>Construct an approximately 0.49 MGD expansion of the North Facility and obtain revised waste discharge permits as the generation of wastewater is increased.</li> </ul> <p><b>Verification comments:</b></p>	<p>Prior to exceeding existing wastewater treatment capacity</p>	<p>DPU</p>					X	
<p><b>USS-3:</b> Prior to exceeding existing wastewater treatment capacity, the City shall evaluate the wastewater system and shall not approve additional development that contributes wastewater to the wastewater treatment facility that could exceed capacity until additional capacity is provided. After <i>(continued on next page)</i></p>	<p>Prior to exceeding existing wastewater treatment capacity</p>	<p>DPU</p>					X	

A - Incorporated into Project  
B - Mitigated

C - Mitigation in Process  
D - Responsible Agency Contacted

E - Part of City-Wide Program  
F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A B C D E F					
			A	B	C	D	E	F

**Utilities and Service Systems (continued):**

<p><b>USS-3</b> (continued from previous page)                      approximately the year 2025, the City shall construct the following improvements:</p> <ul style="list-style-type: none"> <li>Construct an approximately 24 MGD wastewater treatment facility within the Southeast Development Area and obtain revised waste discharge requirements as the generation of wastewater is increased.</li> <li>Construct an approximately 9.6 MGD expansion of the Regional Wastewater Treatment and Reclamation Facility and obtain revised waste discharge permits as the generation of wastewater is increased.</li> </ul> <p><b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>							
<p><b>USS-4:</b> A Traffic Control/Traffic Management Plan to address traffic impacts during construction of water and sewer facilities shall be prepared and implemented, subject to approval by the City (and Fresno County, when work is being done in unincorporated area roadways). The plan shall identify access and parking restrictions, pavement markings and signage, and hours of construction and for deliveries. It shall include haul routes, the notification plan, and coordination with emergency service providers and schools.</p> <p><b>Verification comments:</b></p>	<p>Prior to construction of water and sewer facilities</p>	<p>PW for work in the City; PW and Fresno County Public Works and Planning when unincorporated area roadways are involved</p>				X			

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Utilities and Service Systems** *(continued)*:

<p><b>USS-5:</b> Prior to exceeding capacity within the existing wastewater collection system facilities, the City shall evaluate the wastewater collection system and shall not approve additional development that would generate additional wastewater and exceed the capacity of a facility until additional capacity is provided. By approximately the year 2025, the following capacity improvements shall be provided.</p> <ul style="list-style-type: none"> <li>Orange Avenue Trunk Sewer: This facility shall be improved between Dakota and Jensen Avenues. Approximately 37,240 feet of new sewer main shall be installed and approximately 5,760 feet of existing sewer main shall be rehabilitated. The size of the new sewer main shall range from 27 inches to 42 inches in diameter. The associated project designations in the 2006 Wastewater Master Plan are RS03A, RL02, C01-REP, C02-REP, C03-REP, C04-REP, C05-REP, C06-REL and C07-REP.</li> <li>Marks Avenue Trunk Sewer: This facility shall be improved between Clinton Avenue and Kearney Boulevard. Approximately 12,150 feet of new sewer main shall be installed. The size of the new sewer main shall range from 33 inches to 60 inches in diameter. The associated project designations in the 2006 Wastewater Master Plan are CM1-REP and CM2-REP.</li> </ul> <p style="text-align: right;"><i>(continued on next page)</i></p>	<p>Prior to exceeding capacity within the existing wastewater collection system facilities</p>	<p>DPU</p>					<p style="text-align: center;">X</p>
---	--	------------	--	--	--	--	--------------------------------------

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY						
			A	B	C	D	E	F

**Utilities and Service Systems (continued):**

<p><b>USS-5 (continued from previous page)</b></p> <ul style="list-style-type: none"> <li>North Avenue Trunk Sewer: This facility shall be improved between Polk and Fruit Avenues and also between Orange and Maple Avenues. Approximately 25,700 feet of new sewer main shall be installed. The size of the new sewer main shall range from 48 inches to 66 inches in diameter. The associated project designations in the 2006 Wastewater Master Plan are CN1-REL1 and CN3-REL1.</li> <li>Ashlan Avenue Trunk Sewer: This facility shall be improved between Hughes and West Avenues and also between Fruit and Blackstone Avenues. Approximately 9,260 feet of new sewer main shall be installed. The size of the new sewer main shall range from 24 inches to 36 inches in diameter. The associated project designations in the 2006 Wastewater Master Plan are CA1-REL and CA2-REP.</li> </ul> <p><b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>						
---	----------------------------	----------------------------	--	--	--	--	--	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A B C D E F					
			A	B	C	D	E	F

**Utilities and Service Systems** (continued):

<p><b>USS-6:</b> Prior to exceeding capacity within the existing 28 pipeline segments shown in Figures 1 and 2 in Appendix J-1, the City shall evaluate the wastewater collection system and shall not approve additional development that would generate additional wastewater and exceed the capacity of one of the 28 pipeline segments until additional capacity is provided.</p> <p><b>Verification comments:</b></p>	<p>Prior to exceeding capacity within the existing 28 pipeline segments shown in Figures 1 and 2 in Appendix J-1 of the MEIR</p>	<p>DPU</p>	<table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X</td> </tr> </table>																X
							X												
<p><b>USS-7:</b> Prior to exceeding existing water supply capacity, the City shall evaluate the water supply system and shall not approve additional development that demand additional water until additional capacity is provided. By approximately the year 2025, the following capacity improvements shall be provided.</p> <ul style="list-style-type: none"> <li>Construct an approximately 80 million gallon per day (MGD) surface water treatment facility near the intersection of Armstrong and Olive Avenues, in accordance with Chapter 9 and Figure 9-1 of the City of Fresno Metropolitan Water Resources Management Plan Update (2014 Metro Plan Update) Phase 2 Report, dated January 2012.</li> </ul> <p style="text-align: right;"><i>(continued on next page)</i></p>	<p>Prior to exceeding existing water supply capacity</p>	<p>DPU</p>	<table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X</td> </tr> </table>																X
							X												

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
<b>Utilities and Service Systems (continued):</b>								
<p><b>USS-7</b> (continued from previous page)</p> <ul style="list-style-type: none"> <li>Construct an approximately 30 MGD expansion of the existing northeast surface water treatment facility for a total capacity of 60 MGD, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update.</li> <li>Construct an approximately 20 MGD surface water treatment facility in the southwest portion of the City, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update.</li> </ul> <p><b>Verification comments:</b></p>	[see previous page]	[see previous page]						
<p><b>USS-8:</b> Prior to exceeding capacity within the existing water conveyance facilities, the City shall evaluate the water conveyance system and shall not approve additional development that would demand additional water and exceed the capacity of a facility until additional capacity is provided. The following capacity improvements shall be provided by approximately 2025.</p> <ul style="list-style-type: none"> <li>Construct 65 new groundwater wells, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update. (continued on next page)</li> </ul>	Prior to exceeding capacity within the existing water conveyance facilities	DPU				X		

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable



MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
--------------------	------------------	------------------------	---	---	---	---	---	---

**Utilities and Service Systems** *(continued)*:

<p><b>USS-8</b> <i>(continued from previous page)</i></p> <ul style="list-style-type: none"> <li>Construct a 2.0 million gallon potable water reservoir (Reservoir T2) near the intersection of Clovis and California Avenues, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update.</li> <li>Construct a 3.0 million gallon potable water reservoir (Reservoir T3) near the intersection of Temperance and Dakota Avenues, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update.</li> <li>Construct a 3.0 million gallon potable water reservoir (Reservoir T4) in the Downtown Planning Area, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update.</li> <li>Construct a 4.0 million gallon potable water reservoir (Reservoir T5) near the intersection of Ashlan and Chestnut Avenues, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update.</li> <li>Construct a 4.0 million gallon potable water reservoir (Reservoir T6) near the intersection of Ashlan Avenue and Highway 99, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update.</li> </ul> <p><i>(continued on next page)</i></p>	<p><i>[see previous page]</i></p>	<p><i>[see previous page]</i></p>						
---	-----------------------------------	-----------------------------------	--	--	--	--	--	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY						
			A	B	C	D	E	F

**Utilities and Service Systems** (continued):

<p><b>USS-8</b> (continued from previous two pages)</p> <ul style="list-style-type: none"> <li>Construct 50.3 miles of regional water transmission mains ranging in size from 24-inch to 48-inch diameter, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update.</li> <li>Construct 95.9 miles of 16-inch diameter transmission grid mains, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update.</li> </ul> <p><b>Verification comments:</b></p>	<p>[see Page 37]</p>	<p>[see Page 37]</p>								
<p><b>USS-9:</b> Prior to exceeding capacity within the existing water conveyance facilities, the City shall evaluate the water conveyance system and shall not approve additional development that would demand additional water and exceed the capacity of a facility until additional capacity is provided. The following capacity improvements shall be provided after approximately the year 2025 and additional water conveyance facilities shall be provided prior to exceedance of capacity within the water conveyance facilities to accommodate full buildout of the General Plan Update.</p> <p style="text-align: right;"><i>(continued on next page)</i></p>	<p>Prior to exceeding capacity within the existing water conveyance facilities</p>	<p>DPU</p>					X			

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE					
			A	B	C	D	E	F

**Utilities and Service Systems (continued):**

<p><b>USS-9</b> (continued from previous page)</p> <ul style="list-style-type: none"> <li>Construct a 4.0 million gallon potable water reservoir (SEDA Reservoir 1) within the northern part of the Southeast Development Area.</li> <li>Construct a 4.0 million gallon potable water reservoir (SEDA Reservoir 2) within the southern part of the Southeast Development Area.</li> </ul> <p>Additional water conveyance facilities shall be provided prior to exceedance of capacity within the water conveyance facilities to accommodate full buildout of the General Plan Update.</p> <p><b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>						
--	----------------------------	----------------------------	--	--	--	--	--	--

**Utilities and Service Systems - Hydrology and Water Quality**

<p><b>USS-10:</b> In order to maintain Fresno Irrigation District canal operability, FMFCD shall maintain operational intermittent flows during the dry season, within defined channel capacity and downstream capture capabilities, for recharge.</p> <p><b>Verification comments:</b></p>	<p>During the dry season</p>	<p>Fresno Irrigation District (FID)</p>	<table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> </tr> </table>													X									
				X																					

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Utilities and Service Systems - Biological Resources:**

<p><b>USS-11:</b> When FMFCD proposes to provide drainage service outside of urbanized areas:</p> <p>(a) FMFCD shall conduct preliminary investigations on undeveloped lands outside of highly urbanized areas. These investigations shall examine wetland hydrology, vegetation and soil types. These preliminary investigations shall be the basis for making a determination on whether or not more in-depth wetland studies shall be necessary. If the proposed project site does not exhibit wetland hydrology, support a prevalence of wetland vegetation and wetland soil types then no further action is required.</p>	<p>Prior to development approvals outside of highly urbanized areas</p>	<p>California Regional Water Quality Control Board (RWQCB), and USACE</p>				X		
<p>(b) Where proposed activities could have an impact on areas verified by the Corps as jurisdictional wetlands or waters of the U.S. (urban and rural streams, seasonal wetlands, and vernal pools), FMFCD shall obtain the necessary Clean Water Act, Section 404 permits for activities where fill material shall be placed in a wetland, obstruct the flow or circulation of waters of the United States, impair or reduce the reach of such waters. As part of FMFCD's Memorandum of Understanding with CDFG, Section 404 and 401 permits would be obtained from the U.S. Army Corps of Engineers and from the</p> <p style="text-align: right;"><i>(continued on next page)</i></p>								

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE VERIFIED BY					
			A	B	C	D	E	F

**Utilities and Service Systems - Biological Resources (continued):**

<p><b>USS-11</b> (continued from previous page)</p> <p>Regional Water Quality Control Board for any activity involving filling of jurisdictional waters). At a minimum, to meet "no net loss policy," the permits shall require replacement of wetland habitat at a 1:1 ratio.</p> <p>(c) Where proposed activities could have an impact on areas verified by the Corps as jurisdictional wetlands or waters of the U.S. (urban and rural streams, seasonal wetlands, and vernal pools), FMFCD shall submit and implement a wetland mitigation plan based on the wetland acreage verified by the U.S. Army Corps of Engineers. The wetland mitigation plan shall be prepared by a qualified biologist or wetland scientist experienced in wetland creation, and shall include the following or equally effective elements:</p> <ul style="list-style-type: none"> <li>i. Specific location, size, and existing hydrology and soils within the wetland creation area.</li> <li>ii. Wetland mitigation techniques, seed source, planting specifications, and required buffer setbacks. In addition, the mitigation plan shall ensure adequate water supply is provided to the created wetlands in order to maintain the proper</li> </ul> <p style="text-align: right;">(continued on next page)</p>	<p>[see previous page]</p>	<p>[see previous page]</p>	
--	----------------------------	----------------------------	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
--------------------	------------------	------------------------	---	---	---	---	---	---

**Utilities and Service Systems - Biological Resources (continued):**

<p><b>USS-11</b> (continued from previous two pages)</p> <p>hydrologic regimes required by the different types of wetlands created. Provisions to ensure the wetland water supply is maintained in perpetuity shall be included in the plan.</p> <p>iii. A monitoring program for restored, enhanced, created, and preserved wetlands on the project site. A monitoring program is required to meet three objectives; 1) establish a wetland creation success criteria to be met; 2) to specify monitoring methodology; 3) to identify as far as is possible, specific remedial actions that will be required in order to achieve the success criteria; and 4) to document the degree of success achieved in establishing wetland vegetation.</p> <p>(d) A monitoring plan shall be developed and implemented by a qualified biologist to monitor results of any on-site wetland restoration and creation for five years. The monitoring plan shall include specific success criteria, frequency and timing of monitoring, and assessment of whether or not maintenance activities are being carried out and how these shall be adjusted if necessary.</p> <p style="text-align: right;"><i>(continued on next page)</i></p>	<p>[see Page 41]</p>	<p>[see Page 41]</p>						
--	----------------------	----------------------	--	--	--	--	--	--

A - Incorporated into Project  
B - Mitigated

C - Mitigation in Process  
D - Responsible Agency Contacted

E - Part of City-Wide Program  
F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Utilities and Service Systems - Biological Resources (continued):**

<p><b>USS-11</b> (continued from previous three pages)</p> <p>If monitoring reveals that success criteria are not being met, remedial habitat creation or restoration should be designed and implemented by a qualified biologist and subject to five years of monitoring as described above.</p> <p>Or</p> <p>(e) In lieu of developing a mitigation plan that outlines the avoidance, purchase, or creation of wetlands, FMFCD could purchase mitigation credits through a Corps approved Mitigation Bank.</p> <p><b>Verification comments:</b></p>	<p>[see Page 41]</p>	<p>[see Page 41]</p>						
<p><b>USS-12:</b> When FMFCD proposes to provide drainage service outside in areas that support seasonal wetlands or vernal pools:</p> <p>(a) During facility design and prior to initiation of ground disturbing activities in areas that support seasonal wetlands or vernal pools, FMFCD shall conduct a preliminary rare plant assessment. The assessment will determine the likelihood on whether or not the project site could support rare plants. If it is determined that the project site would not support rare plants, then no further (continued on next page)</p>	<p>During facility design and prior to initiation of ground disturbing activities in areas that support seasonal wetlands or vernal pools</p>	<p>California Department of Fish &amp; Wildlife (CDFW) and U.S. Fish and Wildlife Service (USFWS)</p>			<p>X</p>			

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
--------------------	------------------	------------------------	---	---	---	---	---	---

**Utilities and Service Systems - Biological Resources (continued):**

<p><b>USS-12</b> (continued from previous page)</p> <p>action is required. However, if the project site has the potential to support rare plants; then a rare plant survey shall be conducted. Rare plant surveys shall be conducted by qualified biologists in accordance with the most current CDFG/USFWS guidelines or protocols and shall be conducted at the time of year when the plants in question are identifiable.</p> <p>(b) Based on the results of the survey, prior to design approval, FMFCD shall coordinate with CDFG and/or implement a Section 7 consultation with USFWS, shall determine whether the project facility would result in a significant impact to any special status plant species. Evaluation of project impacts shall consider the following:</p> <ul style="list-style-type: none"> <li>• The status of the species in question (e.g., officially listed by the State or Federal Endangered Species Acts).</li> <li>• The relative density and distribution of the on-site occurrence versus typical occurrences of the species in question.</li> </ul> <p>(continued on next page)</p>	<p>[see previous page]</p>	<p>[see previous page]</p>						
--	----------------------------	----------------------------	--	--	--	--	--	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable



MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Utilities and Service Systems - Biological Resources (continued):**

<p><b>USS-12</b> (continued from previous two pages)</p> <ul style="list-style-type: none"> <li>The habitat quality of the on-site occurrence relative to historic, current or potential distribution of the population.</li> </ul> <p>(c) Prior to design approval, and in consultation with the CDFG and/or the USFWS, FMFCD shall prepare and implement a mitigation plan, in accordance with any applicable State and/or federal statutes or laws, that reduces impacts to a less than significant level.</p> <p><b>Verification comments:</b></p>	<p>[see Page 44]</p>	<p>[see Page 44]</p>							
<p><b>USS-13:</b> When FMFCD proposes to provide drainage service outside in areas that support seasonal wetlands or vernal pools:</p> <p>(a) During facility design and prior to initiation of ground disturbing activities in areas that support seasonal wetlands or vernal pools, FMFCD shall conduct a preliminary survey to determine the presence of listed vernal pool crustaceans.</p> <p>(continued on next page)</p>	<p>During facility design and prior to initiation of ground disturbing activities in areas that support seasonal wetlands or vernal pools</p>	<p>CDFW and USFWS</p>			X				

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
--------------------	------------------	------------------------	---	---	---	---	---	---

**Utilities and Service Systems - Biological Resources (continued):**

<p><b>USS-13</b> (continued from previous page)</p> <p>(b) If potential habitat (vernal pools, seasonally inundated areas) or fairy shrimp exist within areas proposed to be disturbed, FMFCD shall complete the first and second phase of fairy shrimp presence or absence surveys. If an absence finding is determined and accepted by the USFWS, then no further mitigation shall be required for fairy shrimp.</p> <p>(c) If fairy shrimp are found to be present within vernal pools or other areas of inundation to be impacted by the implementation of storm drainage facilities, FMFCD shall mitigate impacts on fairy shrimp habitat in accordance with the USFWS requirements of the Programmatic Biological Opinion. This shall include on-site or off-site creation and/or preservation of fairy shrimp habitat at ratios ranging from 3:1 to 5:1 depending on the habitat impacted and the choice of on-site or off-site mitigation. Or mitigation shall be the purchase of mitigation credit through an accredited mitigation bank.</p> <p><b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>						
---	----------------------------	----------------------------	--	--	--	--	--	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Utilities and Service Systems - Biological Resources (continued):**

<p><b>USS-14:</b> When FMFCD proposes to construct drainage facilities in an area where elderberry bushes may occur:</p> <p>(a) During facility design and prior to initiation of construction activities, FMFCD shall conduct a project-specific survey for all potential Valley Elderberry Longhorn Beetle (VELB) habitats (elderberry shrubs), including a stem count and an assessment of historic or current VELB habitat.</p> <p>(b) FMFCD shall avoid and protect all potential identified VELB habitat where feasible.</p> <p>(c) Where avoidance is infeasible, develop and implement a VELB mitigation plan in accordance with the most current USFWS mitigation guidelines for unavoidable take of VELB habitat pursuant to either Section 7 or Section 10(a) of the Federal Endangered Species Act. The mitigation plan shall include, but might not be limited to, relocation of elderberry shrubs, planting of elderberry shrubs, and monitoring of relocated and planted elderberry shrubs.</p> <p><b>Verification comments:</b></p>	<p>During facility design and prior to initiation of construction activities</p>	<p>CDFW and USFWS</p>			X				
---	--	-----------------------	--	--	---	--	--	--	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A B C D E F					
			A	B	C	D	E	F

**Utilities and Service Systems - Biological Resources (continued):**

<p><b>USS-15:</b> Prior to ground disturbing activities during nesting season (March through July) for a project that supports bird nesting habitat, FMFCD shall conduct a survey of trees. If nests are found during the survey, a qualified biologist shall assess the nesting activity on the project site. If active nests are located, no construction activities shall be allowed within 250 feet of the nest until the young have fledged. If construction activities are planned during the no n-breeding period (August through February), a nest survey is not necessary.</p> <p><b>Verification comments:</b></p>	<p>Prior to ground disturbing activities during nesting season (March through July) for a project that supports bird nesting habitat</p>	<p>CDFW and USFWS</p>	<p>X</p>				
<p><b>USS-16:</b> When FMFCD proposes to construct drainage facilities in an area that supports bird nesting habitat:</p> <p>(a) FMFCD shall conduct a pre-construction breeding-season survey (approximately February 1 through August 31) of proposed project sites in suitable habitat (levee and canal berms, open grasslands with suitable burrows) during the same calendar year that construction is planned to begin. If phased construction procedures are planned for the proposed project, the results of the above survey shall be valid only for the season when it is conducted.</p> <p><i>(continued on next page)</i></p>	<p>Prior to ground disturbing activities during nesting season (March through July) for a project that supports bird nesting habitat</p>	<p>CDFW and USFWS</p>	<p>X</p>				

A - Incorporated into Project  
 B - Mitigated  
 C - Mitigation in Process  
 D - Responsible Agency Contacted  
 E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	A	B	C	D	E	F
--------------------	------------------	------------------------	---	---	---	---	---	---

**Utilities and Service Systems - Biological Resources (continued):**

<p><b>USS-16</b> (continued from previous page)</p> <p>(b) During the construction stage, FMFCD shall avoid all burrowing owl nest sites potentially disturbed by project construction during the breeding season while the nest is occupied with adults and/or young. The occupied nest site shall be monitored by a qualified biologist to determine when the nest is no longer used. Avoidance shall include the establishment of a 160-foot diameter non-disturbance buffer zone around the nest site. Disturbance of any nest sites shall only occur outside of the breeding season and when the nests are unoccupied based on monitoring by a qualified biologist. The buffer zone shall be delineated by highly visible temporary construction fencing.</p> <p>Based on approval by CDFG, pre-construction and pre-breeding season exclusion measures may be implemented to preclude burrowing owl occupation of the project site prior to project-related disturbance. Burrowing owls can be passively excluded from potential nest sites in the construction area, either by closing the burrows or placing one-way doors in the burrows according to current CDFG protocol. Burrows shall be examined not more than 30 days before construction to ensure that no owls have recolonized the area of construction.</p> <p style="text-align: right;"><i>(continued on next page)</i></p>	<p>[see previous page]</p>	<p>[see previous page]</p>						
---	----------------------------	----------------------------	--	--	--	--	--	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE					
			A	B	C	D	E	F

**Utilities and Service Systems - Biological Resources (continued):**

<p><b>USS-16</b> (continued from previous two pages) For each burrow destroyed, a new burrow shall be created (by installing artificial burrows at a ratio of 2:1 on protected lands nearby. <b>Verification comments:</b></p>	[see Page 49]	[see Page 49]								
<p><b>USS-17:</b> When FMFCD proposes to construct drainage facilities in the San Joaquin River corridor: (a) FMFCD shall not conduct instream activities in the San Joaquin River between October 15 and April 15. If this is not feasible, FMFCD shall consult with the National Marine Fisheries Service and CDFW on the appropriate measures to be implemented in order to protect listed salmonids in the San Joaquin River. (b) Riparian vegetation shading the main-channel that is removed or damaged shall be replaced at a ratio and quantity sufficient to maintain the existing shading of the channel. The location of replacement trees on or within (continued on next page)</p>	During instream activities conducted between October 15 and April 15	National Marine Fisheries Service (NMFS), CDFW, and Central Valley Flood Protection Board (CVFPB)			X					

A - Incorporated into Project  
B - Mitigated

C - Mitigation in Process  
D - Responsible Agency Contacted

E - Part of City-Wide Program  
F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Utilities and Service Systems / Biological Resources (continued):**

<p><b>USS-17</b> (continued from previous page)                  FMFCD berms, detention ponds or river channels shall be approved by FMFCD and the Central Valley Flood Protection Board.  <b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>						
--	----------------------------	----------------------------	--	--	--	--	--	--

**Utilities and Service Systems – Recreation / Trails:**

<p><b>USS-18:</b> When FMFCD updates its District Service Plan:                  Prior to final design approval of all elements of the District Services Plan, FMFCD shall consult with Fresno County, City of Fresno, and City of Clovis to determine if any element would temporarily disrupt or permanently displace existing or planned trails and associated recreational facilities as a result of the proposed District Services Plan. If the proposed project would not temporarily disrupt or permanently displace adopted existing or planned trails, no further mitigation is necessary. If the proposed project would have an effect on the trails and associated facilities, FMFCD shall implement the following:                  (continued on next page)</p>	<p>Prior to final design approval of all elements of the District Services Plan</p>	<p>DARM, PW, City of Clovis, and County of Fresno</p>			X		
--	---	---	--	--	---	--	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE VERIFIED BY					
			A	B	C	D	E	F

**Utilities and Service Systems – Recreation / Trails (continued):**

<p><b>USS-18</b> (continued from previous page)</p> <p>(a) If short-term disruption of adopted existing or planned trails and associated recreational facilities occur, FMFCD shall consult and coordinate with Fresno County, City of Fresno, and City of Clovis to temporarily re-route the trails and associated facilities.</p> <p>(b) If permanent displacement of the adopted existing or planned trails and associated recreational facilities occur, the appropriate design modifications to prevent permanent displacement shall be implemented in the final project design or FMFCD shall replace these facilities.</p> <p><b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>						
--	----------------------------	----------------------------	--	--	--	--	--	--

**Utilities and Service Systems – Air Quality:**

<p><b>USS-19:</b> When District drainage facilities are constructed, FMFCD shall:</p> <p>(a) Minimize idling time of construction equipment vehicles to no more than ten minutes, or require that engines be shut off when not in use.</p> <p>(continued on next page)</p>	<p>During storm water drainage facility construction activities</p>	<p>Fresno Metropolitan Flood Control District and SJVAPCD</p>	<p>X</p>				
--	---	---	----------	--	--	--	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable



MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY	COMPLIANCE STATUS					
			A	B	C	D	E	F

**Utilities and Service Systems – Air Quality (continued):**

<p><b>USS-19</b> (continued from previous page)</p> <p>(b) Construction shall be curtailed as much as possible when the Air Quality Index (AQI) is above 150. AQI forecasts can be found on the SJVAPCD web site.</p> <p>(c) Off-road trucks should be equipped with on-road engines if possible.</p> <p>(d) Construction equipment should have engines that meet the current off-road engine emission standard (as certified by CARB), or be re-powered with an engine that meets this standard.</p> <p><b>Verification comments:</b></p>	<p>[see previous page]</p>	<p>[see previous page]</p>						
--	----------------------------	----------------------------	--	--	--	--	--	--

**Utilities and Service Systems – Adequacy of Storm Water Drainage Facilities:**

<p><b>USS-20:</b> Prior to exceeding capacity within the existing storm water drainage facilities, the City shall coordinate with FMFCD to evaluate the storm water drainage system and shall not approve additional development that would convey additional storm water to a facility that would experience an exceedance of capacity until the necessary additional capacity is provided.</p> <p><b>Verification comments:</b></p>	<p>Prior to exceeding capacity within the existing storm water drainage facilities</p>	<p>FMFCD, PW, and DARM</p>			<p>X</p>	<p>X</p>	<p>X</p>	
---	--	----------------------------	--	--	----------	----------	----------	--

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

MITIGATION MEASURE	WHEN IMPLEMENTED	COMPLIANCE VERIFIED BY						
			A	B	C	D	E	F

**Utilities and Service Systems – Adequacy of Water Supply Capacity:**

<p><b>USS-21:</b> Prior to exceeding existing water supply capacity, the City shall evaluate the water supply system and shall not approve additional development that demand additional water until additional capacity is provided. By approximately the year 2025, the City shall construct an approximately 25,000 AF/year tertiary recycled water expansion to the Fresno-Clovis Regional Wastewater Reclamation Facility in accordance with the 2013 Recycled Water Master Plan and the 2014 City of Fresno Metropolitan Water Resources Management Plan update.</p> <p>Implementation of Mitigation Measure USS-5 is also required prior to approximately the year 2025.</p> <p><b>Verification comments:</b></p>	<p>Prior to exceeding existing water supply capacity</p>	<p>DPU and DARM</p>			<p>X</p>	<p>X</p>
--	--	---------------------	--	--	----------	----------

**Utilities and Service Systems – Adequacy of Landfill Capacity:**

<p><b>USS-22:</b> Prior to exceeding landfill capacity, the City shall evaluate additional landfill locations and shall not approve additional development that could contribute solid waste to a landfill that is at capacity until additional capacity is provided.</p> <p><b>Verification comments:</b></p>	<p>Prior to exceeding landfill capacity</p>	<p>DPU and DARM</p>			<p>X</p>
--	---	---------------------	--	--	----------

A - Incorporated into Project  
 B - Mitigated

C - Mitigation in Process  
 D - Responsible Agency Contacted

E - Part of City-Wide Program  
 F - Not Applicable

**Exhibit E:  
Project Specific Mitigation Measures**

**CITY OF FRESNO  
MITIGATED NEGATIVE DECLARATION  
PROJECT SPECIFIC MITIGATION MONITORING CHECKLIST  
ENVIRONMENTAL ASSESSMENT NO. A-16-003/R-16-003**

**Project/EA No. A-16-003/R-16-003**

**Date: July 1, 2016**

	Mitigation Measure	Implemented By	When Implemented	Verified By
	The project shall implement and incorporate, as appropriate all mitigation measures as identified in the attached Master Environmental Impact Report No. SCH No. 2012111015 Fresno General Plan Mitigation Monitoring Checklist dated July 1, 2016.	Applicant	Processing and review of project proposal prior to approval of special permit.	City of Fresno Development & Resource Management Department (DARM) & Departments of Public Works (PW) and Utilities
III – Air Quality	Pay Indirect Source review off-site mitigation fee.	Applicant	Prior to issuance of building permits.	City of Fresno DARM;
XVI – Transportation/Traffic	This project shall pay its Traffic Signal Mitigation Impact (TSMI) Fee of \$47.12 per ADT, per the Master Fee Schedule, at the time of building permit based on the trip generation rate(s) as set forth in the latest edition of the ITE Generation Manual and the Master Fee Schedule. Based on weekday total ADT of 784 for the proposed project, the fee would be \$36,942.08 and shall be paid at time of building permit.  This project shall pay its Fresno Major Street Impact (FMSI) Fee, which will be determined at time of building permit. This FMSI fee is creditable towards major street roadway improvements included in the nexus study for the FMSI fee.	Applicant	Prior to issuance of grading and/or building permits.	City of Fresno DARM & PW Departments

Exhibit F:  
Agency Comments

City Hall  
2600 Fresno Street, 4<sup>th</sup> Floor  
Fresno, California 93721  
Ph. (559) 621-8800  
www.fresno.gov

Scott L. Mozier, P.E.  
Public Works Director

June 22, 2016

McKencie Contreras, Supervising Planner  
Development and Resources Management Department  
2600 Fresno Street, 3<sup>rd</sup> Floor  
Fresno, CA 93721

**SUBJECT: REVIEW OF THE REVISED TRIP GENERATION ANALYSIS DATED JUNE 21, 2016 FOR THE PROPOSED GENERAL PLAN AMENDMENT FOR THE PROPERTY LOCATED AT THE NORTHEAST CORNER OF HUGHES AND CALIFORNIA AVENUES  
TIS 16-001, A-16-003, R-16-003**

**PROJECT ANALYSIS OVERVIEW**

We have reviewed the Trip Generation Analysis prepared by Precision Civil Engineering, Inc. for the proposed General Plan Amendment (GPA), "project", for the property located at the northeast corner of Hughes and California Avenues. According to the Trip Generation Analysis, the proposed project site is currently zoned as an Agricultural District (AE-5) and is designated as Neighborhood Mixed Use in the General Plan. The proposed GPA would amend the land use designation to Medium Low Density Residential (R-1). The project site is currently vacant.

Vehicle trips projected to be generated by the project were calculated using the ITE Trip Generation Manual, 7<sup>th</sup> Edition. Please note the ITE Trip Generation Manual is now in its 9<sup>th</sup> Edition. Per the City of Fresno Traffic Impact Study Guidelines, trip generation should be based on the most current edition of the Trip Generation Manual. A comparison of the projected trips to be generated with the original and proposed zoning is shown in the following table.

Land Use	Size	Weekday						
		ADT	AM Peak Hour			PM Peak Hour		
			In	Out	Total	In	Out	Total
Existing GP Designation Single Family Dwelling Units (ITE Code 210)	410 DU	3,903	71	231	308	258	152	410
Proposed GP Designation Single Family Dwelling Units (ITE Code 210)	82 DU	784	16	46	62	52	31	83
Difference		-3,119	-55	-185	-246	-206	-121	-327

DU = dwelling units

The project site is located in Traffic Impact Zone (TIZ) III. Traffic Impact Zone III allows for 100 peak hour trips to be generated by a project before a Traffic Impact Study is required. Because the proposed project is projected to generate less than 100 peak hour trips, a Traffic Impact Study will not be required.

## **GENERAL COMMENTS and CONDITIONS**

1. This project shall pay its Traffic Signal Mitigation Impact (TSMI) Fee of \$47.12 per ADT, per the Master Fee Schedule, at the time of building permit. Based on the weekday total ADT of 784 for the proposed project, the fee would be \$36,942.08 payable at the time of the building permit.

The TSMI fee facilitates project impact mitigation to the City of Fresno Traffic Signal infrastructure so that costs are applied to each new project/building based on the generated ADT. The TSMI fee is credited against traffic signal installation/modifications and/or Intelligent Transportation System (ITS) improvements (constructed at their ultimate location) that plan to build out the 2035 General Plan circulation element and are included in the Nexus Study for the TSMI fee. The TSMI fee is regularly updated as new traffic signals are added, new grant funds offset developer improvement costs, and/or construction costs increase/decrease. If the project is conditioned with traffic signal improvements in excess of their TSMI fee amount, the applicant may apply for fee credits (security/bonding and/or developer agreement required) and/or reimbursement for work in excess of their fee as long as the infrastructure is in place at the ultimate location. The applicant should work with the Public Works Department and identify, with a Professional Engineers estimate, the costs associated with the improvements prior to paying the TSMI fee to determine any applicable fee credits and/or reimbursements.

For project specific impacts that are not consistent with the 2035 General Plan, Public Works Standards, and/or are not incorporated into the TSMI fees, the infrastructure costs will not be eligible for reimbursement unless the City Engineer and City Traffic Engineer include the new traffic signal and/or ITS infrastructure in the next TSMI fee update and the applicant agrees to pay the new TSMI fee that includes the new infrastructure. Failure to pay this fee or construct improvements that are credited/reimbursable with this fee will result in a significant unmitigated impact as this fee is applied to all projects within the City Sphere of Influence.

2. This project shall pay its Fresno Major Street Impact (FMSI) Fee, which will be determined at time of building permit. This FMSI fee is creditable towards major street roadway improvements included in the nexus study for the FMSI fee.
3. The project shall pay the Regional Transportation Mitigation Fee (RTMF). Pay the RTMF fee to the Joint Powers Agency located at 2035 Tulare Street, Suite 201, Fresno, CA 93721; (559) 233-4148, ext. 200; [www.fresnocog.org](http://www.fresnocog.org). Provide proof of payment or exemption, based on vesting rights, prior to issuance of building permits.
4. The TIS review fee of \$288 for review of the Trip Generation Analysis document is due.

5. The proposed project shall make necessary improvements and right-of-way and public easement dedications along adjacent public street(s) and within the site boundaries per City of Fresno standards/requirements.
6. The proposed site plan shall be reviewed and approved by the City of Fresno Traffic & Engineering Services Division, Traffic Planning Section.

If you have any further questions regarding this matter, please contact me at (559) 621-8792 or [jill.gormley@fresno.gov](mailto:jill.gormley@fresno.gov) .

Sincerely,



Jill Gormley, TE  
City Traffic Engineer / Traffic Engineering Manager  
Public Works Department, Traffic & Engineering Services

C: Copy filed with Traffic Impact Study  
Louise Gilio, Traffic Planning Supervisor  
Jeff Roberts, Granville Homes  
Ken Vang, Precision Civil Engineering





**PUBLIC WORKS DEPARTMENT:**

**DATE:** March 22, 2016

**TO:** McKencie Contreras  
Development and Resource Management Department, Planning Division

**THROUGH:** Louise Gilio, Traffic Planning Supervisor  
Public Works Department, Traffic and Engineering Division

**FROM:** Jairo Mata, Engineer II  
Public Works Department, Traffic and Engineering Division

**PLAN AMENDMENT APPLICATION NO.** A-16-003  
**REZONE APPLICATION NO.** R-16-003

**OWNER (S):** Jeffrey Roberts  
**APN (S):** 464-101-23  
**LOCATION:** 1721 South Hughes Avenue

Trip Generation									
	Acres	From	ADT'S	AM	PM	To	ADT'S	AM	PM
	13.67	Commercial Mixed Use RE/UGM	3,903	308	410	Medium Low Density Residential RS-4/UGM	784	62	83

Highway Capacity					
	Existing	ADT'S	Actual ADT's	Projected	ADT'S
<b>Hughes Avenue</b> Collector	2-lane undivided	10,000	Current counts unavailable	3- lane w/cont. left turn,	13,000

**Traffic Impact Study (TIS) required: Yes**

The Developer/Owner should consult with the City of Fresno Traffic Engineering Section for the scope of the Traffic Impact Study (TIS). A trip distribution for the proposed project should be provided prior to consulting with the Traffic Engineering Section. The TIS shall identify the mitigation measures, which would mitigate the project and/or other related projects' significant impacts to a level of insignificance.



Department of Public Utilities – Water Division



**DATE:** March 21, 2016

**TO:** MCKENCIE CONTRERAS, Supervising Planner  
Development Department/Current Planning

**THROUGH:** MICHAEL CARBAJAL, Division Manager  
Department of Public Utilities, Water Division

**FROM:** ROBERT A. DIAZ, Senior Engineering Technician *R.A.D.*  
Department of Public Utilities, Water Division

**SUBJECT: WATER REQUIREMENTS FOR REZONE R-16-003 & A-16-003**

**General**

Plan Amendment Application No. A-16-003 and Rezone Application No. R-16-003 were filed by Jeffrey Roberts, on behalf of GV Holdings, Inc., and pertain to ±13.67 acres of property located on the east side of South Hughes Avenue between West Kearney Boulevard and West California Avenue, 1721 South Hughes Avenue & APN: 464-101-23. Plan Amendment Application No. A 16-003 proposes to amend the Fresno General Plan and the Edison Community Plan from the Commercial Mixed Use planned land use designation to the Medium Low Density Residential land use designation. Rezone Application No. R-16-003 proposes to amend the Official Zone Map to reclassify the subject property from RE/UGM (Residential Estate/Urban Growth Management) to RS-4/UGM (Residential Single Family, Medium Low Density/Urban Growth Management) zone district.

**Water Requirements**

The nearest water main to serve the proposed project is a 14-inch main located in North Hughes Avenue. Water facilities are available to provide service to the site subject to the following requirements:

1. On-site water facilities shall be private.
2. Installation of water service(s) & meter box(es) shall be required.
3. Seal and abandon any existing on-site well in compliance with the State of California Well Standards, Bulletin 74-90 or current revisions issued by California Department of Water Resources and City of Fresno standards.



*A Nationally Accredited Public Utility Agency*



FRESNO METROPOLITAN FLOOD CONTROL DISTRICT

File 210.414 "NN"  
400.21  
410.202

March 16, 2016

Ms. McKencie Contreras  
City of Fresno  
Development Services/Planning Division  
2600 Fresno Street, Room 3076  
Fresno, CA 93721

Dear Ms. Contreras,

**Rezone Application No. R-16-003**  
**Plan Amendment Application No. A-16-003**  
**Drainage Area "NN"**

The proposed rezone lies within the District's Drainage Area "NN". The District's system can accommodate the proposed rezone.

Should street improvements become a requirement of the rezone, Master Plan facilities maybe required and the City and developer should contact the District.


If there are any questions concerning this matter, please feel free to contact us.

Very truly yours,

  
Gary Chapman  
Engineering Technician III

GC/lrl

COPY



OFFICE OF  
**FRESNO**  
**IRRIGATION DISTRICT**

TELEPHONE (559) 233-7161  
FAX (559) 233-8227  
2907 S. MAPLE AVENUE  
FRESNO, CALIFORNIA 93725-2208

YOUR MOST VALUABLE RESOURCE - WATER

March 10, 2016

McKencie Contreras  
Development and Resource Management  
City of Fresno  
2600 Fresno Street, Third Floor  
Fresno, CA 93721

RE: Plan Amendment Application No. A-16-003 and Rezone Application No. R-16-003  
N/E California and Hughes avenues

Dear Ms. Contreras:

The Fresno Irrigation District (FID) has reviewed the Plan Amendment Application No. A-16-003 and Rezone Application No. R-16-003 which proposes to amend the Fresno General Plan and the Edison Community Plan from the Commercial Mixed Use planned land use designation to the Medium Low Density Residential land use designation. The Rezone Application proposes to amend the Official Zone Map to reclassify the subject property from RE/UGM to RS-4/UGM zone district, APN: 464-101-23. FID has the following comments:

1. FID does not own, operate or maintain any facility located on the subject property as shown on the attached FID exhibit map.
2. For informational purposes, FID's active Lower Dry Creek No. 77 Canal runs westerly and crosses Hughes Avenue approximately 2,100 feet north of the subject property as shown on the attached FID exhibit map. Should this project include any street and or utility improvements along Hughes Avenue or in the vicinity of the canal/canal crossing, FID require it review and approve all plans.


Thank you for submitting the proposed project for our review. We appreciate the opportunity to review and comment on the subject documents for this project. If you have any questions please feel free to contact Chris Lundeen at (559) 233-7161 extension 7410 or [clundeen@fresnoirrigation.com](mailto:clundeen@fresnoirrigation.com).

Sincerely,

Laurence Kimura, P.E.  
Chief Engineer

Attachment

G:\Agencies\FresnoCity\Amendment Application\A-16-003.doc



Subject Property  
APN: 464-101-23

FID's Lower Dry Creek No. 77

This map was produced by the Fresno Irrigation District and is provided for reference and informational purposes only and is not intended to show map scale accuracy or all inclusive map features, nor for legal purposes. FID makes no statements regarding the accuracy of this map as the features shown are in their approximate location. Please contact the FID Engineering Dept. at (559) 233-7151 for further information on FID facilities.



Legend

- FID Canal
- FID Pipeline
- FID Boundary
- Stream Group
- Other-Creek/River
- Railroad
- Streets & Hwys
- Abandoned Canal
- Private Canal
- Private Pipeline
- Abandoned Pipeline
- Other-Pipeline
- Parcel
- PMFCD Acquired Basins
- PMFCD Proposed Basins



1/23/2015  
C:\Vicki\master AC11.mxd



*Preparing Career Ready Graduates*

March 15, 2016

McKencie Contreras  
Development and Resource Management  
City of Fresno  
2600 Fresno Street, Third Floor  
Fresno, CA 93721-3604

Re: **PLAN AMENDMENT NO. A-16-003 AND REZONE NO. R-16-003**  
**1721 S. HUGHES AVE.**

Dear Ms. Contreras,

In response to your request for school district information regarding the above plan amendment application and rezone application for the amendment of the planned land use from the Commercial Mixed Use designation to the Medium Low Density Residential land use designation, and the reclassification of the subject property from Residential Estate/Urban Growth Management to Residential Single Family, Medium Low Density/Urban Growth Management zone district, Fresno Unified School District submits the following.

Any residential development on the above referenced property would be subject to the residential development fee rate, currently \$3.36 per square foot. Any new development on the property would be subject to the development fee prior to issuance of a building permit and fees would be calculated pursuant to rates effective at time of payment.

The project is presently within the attendance areas identified below. Any developed properties would be serviced by the following schools:

Elementary School: Columbia  
Middle School: Gaston  
High School: Edison

Thank you for the opportunity to comment. Please contact our office at (559) 457-3066 if you have any questions or require additional information regarding our comments.

Sincerely,

Alex Belanger, Assistant Superintendent  
Facilities Management and Planning

*abc*

AB:hl

c: Jeffrey Roberts, Applicant/Agent

**BOARD OF EDUCATION**

Luis A. Chavez, President  
Christopher De La Cerda, Clerk  
Brooke Ashjian  
Valerie F. Davis  
Lindsay Cal Johnson  
Carol Mills, J.D.  
Janet Ryan

**SUPERINTENDENT**

Michael E. Hanson