

**CITY OF FRESNO – ENVIRONMENTAL ASSESSMENT
NEGATIVE DECLARATION**

| | |
|--|---|
| <p>The project described below is not exempt from the California Environmental Quality Act (CEQA); however it will not have a significant effect on the environment and is prepared in accordance with Sections 15070 to 15075 of the CEQA Guidelines.</p> | <p align="center">DATE RECEIVED FOR FILING:</p> <p align="center">Filed with the Fresno County Clerk's office on March 21, 2019</p> |
| <p>Applicant: Gorgio Russo, Ginder Development 759 West Alluvial Avenue, Suite 102 Fresno, CA 93711</p> <p>Property Owner: Russ Nakata, Sequoia II, LLC and Sequoia-Fresno Joint Venture 4747 North First Street, #128 Fresno, CA</p> | <p>Initial Study Prepared By: Ralph Kachadourian, Supervising Planner March 21, 2019</p> |
| <p>Environmental Assessment No's: P18-00826 / P18-02232</p> | <p>Project Location (including APN): 810/816 East Nees Avenue; located northeast from the corner of East Nees Avenue and North Bond Street in the City of Fresno (portion of APN 402-220-66) Site Latitude: 36°51'14.57" N & Site Longitude: 119°46'12.05" W Mount Diablo Base & Meridian, Township 12S, Range 20E, Section 27</p> |
| <p>Project Description:</p> <p>Plan Amendment/Rezone Application No. P18-00826 and Development Permit Application No. P18-02232 were filed by the applicant, Mr. Giorgio Russo with Ginder Development, on behalf of property owner Russ Nakata, Sequoia-Fresno Joint Venture & Sequoia II, LLC, for a General Plan Amendment and Rezone of an 11.16-acre portion of a 22.81-acre undeveloped parcel located northeast from the corner of East Nees Avenue and North First Street. A Development Permit application was also filed to construct a gated luxury apartment complex on 10.25-acre portion of the subject property. The project site is adjacent to established retail/commercial uses and residential subdivisions.</p> <p>Plan Amendment No. P18-00826 proposes to amend the Fresno General Plan and the Woodward Park Community Plan to re-designate the land use of the subject 11.16-acres from <i>Commercial-Recreation</i> to <i>Residential Medium High Density (12-16 Dwelling Units/Acre)</i>.</p> <p>Rezone No. P18-00826 proposes to rezone the subject 11.16-acres from <i>CRC/UGM/cz (Commercial-Recreation/Urban Growth Management/Conditions of Zoning)</i> to <i>RM-1/UGM (Residential Multi-Family, Medium High Density/Urban Growth Management/Conditions of Zoning)</i> consistent with the land use plan amendment...</p> <p>Development Permit Application No. P18-02232 proposes development of a gated 164-unit multi-family luxury apartment complex in 21 buildings to be established on the 10.25-acre portion of the 11.16 acres subject to the plan amendment and rezone with a residential density of 16-units to the</p> | |

acre. The project will consist of sixteen (16) two story buildings with four units per building (mix of 1, 2 & 3 bedrooms); a two story clubhouse that includes twenty (20) one bedroom units; four (4) separate single-story buildings (fourplex) with 2 bedroom units with garage space for each unit; and twenty (20) separate single-story garage buildings providing 184 parking spaces. Site improvements include; the roadway extension of North Bond Street (private roadway), landscaping, walkways, decorative masonry walls and iron fencing/gates, patio and pool, and 54 guest parking spaces.

The Development and Resource Management Department staff has prepared an Initial Study (See Attached "Appendix G/Initial Study for a Negative Declaration") to evaluate the project in accordance with the land use and environmental policies and provisions of the City of Fresno's General Plan adopted by the Fresno City Council on December 18, 2014 and the related Master Environmental Impact Report (MEIR) SCH No. 2012111015. The project is determined not to have a significant effect on the environment and is prepared in accordance with Sections 15070 to 15075 of the CEQA Guidelines. The project is partially within the scope of MEIR SCH No. 2012111015.

Pursuant to Section 21157.1 of the California Public Resources Code (CEQA Provisions), it may be determined that a subsequent project falls within the scope of the MEIR, provided that the project does not cause additional significant impacts on the environment that were not previously examined by the MEIR. Based on this Initial Study, the following findings are made: (1) the proposed project is partially within the scope of the MEIR because it will not generate additional significant effects on the environment not previously examined and analyzed by the MEIR for the reasons set forth in the Initial Study; and, (2) there are no additional mitigation measures or alternatives required.

The Development and Resource Management Department, as lead agency, finds that no substantial changes have occurred with respect to the circumstances under which the MEIR was certified and that no new information, which was not known and could not have been known at the time that the MEIR was certified as complete, has become available. Moreover, as lead agency for this project, the Development and Resource Management Department, in accordance with Sections 15070 to 15075 of the CEQA Guidelines has determined that all feasible mitigation measures from the MEIR shall be applied to the project as set forth in the attached MEIR Mitigation Measure Monitoring Checklist.

Public notice has been provided regarding staff's finding in the manner prescribed by Section 15072 of the CEQA Guidelines and by Section 21092 of the California Public Resources Code (CEQA provisions).

Ralph Kachadourian

March 21, 2019

Ralph Kachadourian, Supervising Planner

Date

Attachments: Notice of Intent to Adopt a Negative Declaration
Negative Declaration – EA Determination
Project Map Diagrams
Initial Study Checklist (CEQA Appendix G)
MEIR No. SCH No. 2012111015 General Plan Mitigation Monitoring Checklist

CITY OF FRESNO

**NOTICE OF INTENT TO ADOPT A
NEGATIVE DECLARATION**

**PROJECT ENVIRONMENTAL ASSESSMENT
NO. P18-00826 / P18-02232**

Applicant:

Gorgio Russo, Ginder Development
759 West Alluvial Avenue, Suite 102
Fresno, CA 93711

Property Owner:

Russ Nakata, Sequoia II, LLC and Sequoia-Fresno Joint
Venture
4747 North First Street, #128
Fresno, CA

PROJECT LOCATION:

810/816 East Nees Avenue; located northeast from the
corner of East Nees Avenue and North Bond Street in the
City of Fresno (portion of APN 402-220-66)
Site Latitude: 36°51'14.57" N & Site Longitude:
119°46'12.05" W
Mount Diablo Base & Meridian, Township 12S, Range 20E,
Section 27

PROJECT DESCRIPTION:

Plan Amendment/Rezone Application No. P18-00826 and Development Permit Application No. P18-02232 were filed by Giorgio Russo with Ginder Development, on behalf of property owner Russ Nakata, Sequoia-Fresno Joint Venture & Sequoia II, LLC, for a General Plan Amendment and Rezone of an 11.16-acre portion of a 22.81-acre undeveloped parcel located northeast from the corner of East Nees Avenue and North First Street. A Development Permit application was also filed to construct a gated luxury apartment complex on 10.25-acre portion of the subject property. The project site is adjacent to established retail/commercial uses and residential subdivisions.

Plan Amendment No. P18-00826 proposes to amend the Fresno General Plan and the Woodward Park Community Plan to re-designate the land use of the subject 11.16-acres from *Commercial-Recreation to Residential Medium High Density (12-16 Dwelling Units/Acre)*.

Rezone No. P18-00826 proposes to rezone the subject 11.16-acres from *CRC/UGM/cz (Commercial-Recreation/Urban Growth Management/Conditions of Zoning)* to *RM-1/UGM (Residential Multi-Family, Medium High Density/Urban Growth Management/Conditions of Zoning)* consistent with the land use plan amendment.

Development Permit No. P18-02232 proposes development of a gated 164-unit multi-family luxury apartment complex in 21 buildings to be established on the 10.25-acre portion of the 11.16 acres subject to the plan amendment and rezone with a residential density of 16-units to the acre.

Filed with:

FRESNO COUNTY CLERK
2220 Tulare Street, Fresno, CA
93721

E201910000119

FILED

MAR 21 2019

TIME

3:00

FRESNO COUNTY CLERK

By

DEPUTY

The City of Fresno has conducted an initial study of the above-described project and it has been determined not to have a significant effect on the environment and is prepared in accordance with Sections 15070 to 15075 of the CEQA Guidelines. The project is partially within the scope of MEIR SCH No. 2012111015, therefore, the Development and Resource Management Department propose to adopt a Negative Declaration for this project.

With mitigation imposed under the MEIR, there is no substantial evidence in the record that this project may have additional significant, direct, indirect or cumulative effects on the environment that are significant and that were not identified and analyzed in the MEIR. The Development and Resource Management Department, as lead agency, finds that no substantial changes have occurred with respect to the circumstances under which the MEIR was certified and that no new information, which was not known and could not have been known at the time that the MEIR was certified as complete has become available. The project is site specific and the proposed project will not impact any site enumerated under Section 65962.5 of the Government Code including, but not limited to, lists of hazardous waste facilities, land designated as hazardous waste property, hazardous waste disposal sites and others, and the information in the Hazardous Waste and Substances Statement required under subdivision (f) of that Section.

Additional information on the proposed project, including the MEIR, proposed environmental finding and the initial study may be obtained from the Development and Resource Management Department, Fresno City Hall, 2600 Fresno Street, 3rd Floor Fresno, California 93721 3604. Please contact Ralph Kachadourian, Supervising Planner, at (559) 621-8172 or via email at ralph.kachadourian@fresno.gov for more information.

ANY INTERESTED PERSON may comment on the proposed environmental finding. Comments must be in writing and must state (1) the commenter's name and address; (2) the commenter's interest in, or relationship to, the project; (3) the environmental determination being commented upon; and (4) the specific reason(s) why the proposed environmental determination should or should not be made. Any comments may be submitted at any time between the publication date of this notice and close of business on April 10, 2019. Please direct comments to Ralph Kachadourian, Supervising Planner, City of Fresno Development and Resource Management Department, City Hall, 2600 Fresno Street, Room 3043, Fresno, California, 93721-3604; or by email to ralph.kachadourian@fresno.gov.

INITIAL STUDY PREPARED BY:

Ralph Kachadourian

Ralph Kachadourian, Supervising Planner


March 21, 2019

CITY OF FRESNO


DEVELOPMENT AND RESOURCE
MANAGEMENT DEPARTMENT

E201910000119

PLAN AMENDMENT




P18-00826
APN: 402-220-66 (Portion)
Address: 810/ 816 East Ness Avenue



Proposes to redesignate approximately 11.16 acres of property from the crcr (Commercial Recreation) land use to the rmh (Residential-Medium High Density, 12-16 Dwelling Units / Acre) land use.


REZONE



P18-00826


APN: 402-220-66 (Portion)

Address: 810 / 816 East Ness Avenue



Proposes to rezone approximately 11.6 acres of property from the CRC /UGM/cz (*Commercial Recreation/ Urban Growth Management/ conditions of zoning*) to the RM-1/UGM (*Residential Multi-Family, Medium High Density High/ Urban Growth Management/ conditions of zoning*)

PROJECT SITE DEVELOPMENT



P18-02232
APN: 402-220-66 (Portion)
Address: 810 / 816 East Ness Avenue



10.25 acres for development of the 164-unit luxury apartment complex.

APPENDIX G - INITIAL STUDY FOR A NEGATIVE DECLARATION

Environmental Assessment Checklist for P18-00826 / P18-02232

1. **Project Title:**
Plan Amendment / Rezone Application No. P18-00826
Development Permit Application No. P18-02232
2. **Lead agency name and address:**
City of Fresno
Development and Resource Management Department
2600 Fresno Street
Fresno, CA 93721
3. **Contact person and phone number:**
Ralph Kachadourian, Supervising Planner
City of Fresno, Development Services Division
Development & Resource Management Department
(559) 621-8172
ralph.kachadourian@fresno.gov
4. **Project location:**
810/816 East Nees Avenue; located northeast from the corner of East Nees Avenue and North Bond Street. (subject site is a portion of Assessor Parcel 402-220-66)
5. **Project sponsor's name and address:**
Gorgio Russo, Ginder Development
759 West Alluvial Avenue, Suite 102
Fresno, CA 93711

Russ Nakata, Sequoia II, LLC and Sequoia-Fresno Joint Venture
4747 North First Street, #128
Fresno, CA 93726
6. **General Plan Designation:**
Existing: *Commercial-Recreation*
Proposed: *Residential Medium High Density*
7. **Zoning:**
Existing: *CRC/UGM/cz (Commercial-Recreation/Urban Growth Management/Conditions of Zoning)*
Proposed: *RM-1 (Residential Medium High Density (12-16 Dwelling Units/Acre/Urban Growth Management/Conditions of Zoning))*

8. **Description of Project:**

Plan Amendment/Rezone Application No. P18-00826 and Development Permit Application No. P18-02232 were filed by Giorgio Russo with Ginder Development, on behalf of property owner Russ Nakata, Sequoia-Fresno Joint Venture & Sequoia II, LLC, for a General Plan Amendment and Rezone of an 11.16-acre portion of a 22.81-acre undeveloped parcel located northeast from the corner of East Nees Avenue and North First Street. A Development Permit application was also filed to construct a gated luxury apartment complex on a 10.25-acre portion of the 11.16 acres. The project site is adjacent to established retail/commercial uses and residential subdivisions.

Plan Amendment No. P18-00826 proposes to amend the Fresno General Plan and the Woodward Park Community Plan to re-designate the land use of the subject 11.16-acres from *Commercial-Recreation* to *Residential Medium High Density (12-16 Dwelling Units/Acre)*.

Rezone No. P18-00826 proposes to rezone the subject 11.16-acres from *CRC/UGM/cz (Commercial-Recreation/Urban Growth Management/Conditions of Zoning)* to *RM-1/UGM (Residential Multi-Family, Medium High Density/Urban Growth Management/Conditions of Zoning)* consistent with the land use plan amendment.

(For the 11.16 acre portion of the 22.81 acre site, refer to the map exhibits)

Development Permit No. P18-02232 proposes development of a gated 164-unit multi-family luxury apartment complex on the 10.25-acre portion of the 11.16 acres subject to the plan amendment and rezone with a residential density of 16-units to the acre. The project will consist of sixteen (16) two story buildings with four units per building (mix of 1, 2 & 3 bedrooms); a two story clubhouse that includes twenty (20) one bedroom units; four (4) separate single-story buildings (fourplex) with 2 bedroom units with garage space for each unit; and twenty (20) separate single-story garage buildings providing 184 parking spaces. Site improvements include; the roadway extension of North Bond Street (private roadway), landscaping, walkways, decorative masonry walls and iron fencing/gates, patio and pool, and 54 guest parking spaces.

(For the 10.25-acre portion to be developed, refer to the site development map exhibit)

9. **Surrounding Land Uses and Setting:**

| | Planned Land Use | Existing Zoning | Existing Land Use |
|-------|--------------------------------|--|--|
| North | Residential Medium Low Density | <i>RS-4/UGM, (Residential Single-Family, Medium Low Density/Urban Growth Management)</i> | Single Family Residential |
| East | Residential Medium Low Density | <i>RS-4/UGM, (Residential Single-Family, Medium Low Density/Urban Growth Management)</i> | Single Family Residential |
| South | Community Commercial | <i>CC/UGM/cz (Community Commercial/Urban Growth Management/Conditions of Zoning)</i> | Undeveloped Parcel (Proposed Funeral Home) |
| | | | Service Station/Convenience Store |
| West | Employment-Office | <i>O/UGM/cz, (Office/Urban Growth Management/Conditions of Zoning)</i> | Undeveloped Land |

10. **Other Public Agencies Whose Approval Is Required:**

The proposed project may require approvals from the agencies and/or departments listed below, and others that may not be listed, as necessary:

- Development and Resource Management Department;
- Building & Safety Services Division;
- Department of Public Works;
- Department of Public Utilities;
- County of Fresno, Department of Public Health;
- City of Fresno Fire Department;
- Fresno Metropolitan Flood Control District;
- San Joaquin Valley Air Pollution Control District; and
- Fresno Irrigation District.

11. **Have California Native American tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code (PRC) Section 21080.3.1? If so, is there a plan for consultation that includes, for example, the determination of significance of impacts to tribal cultural resources, procedures regarding confidentiality, etc.?**

Note: Conducting consultation early in the CEQA process allows tribal governments, lead agencies, and project proponents to discuss the level of environmental review, identify and address potential adverse impacts to tribal cultural resources, and reduce the potential for delay and conflict in the environmental review process. (See PRC Section 21080.3.2.) Information may also be available from the California Native American Heritage Commission's Sacred Lands File per PRC Section 5097.96 and the California Historical Resources Information System administered by the California Office of Historic Preservation. Please also note that PRC Section 21082.3(c) contains provisions specific to confidentiality.

Pursuant to Senate Bill 18 (SB 18) the City contacted the Native American Heritage Commission (NAHC) for a list of tribes traditionally or culturally affiliated with the project area. Invitations to consult on the proposed project were mailed on September 11, 2018 to the list of tribes provided by the NAHC. During the required 90-day review period for tribes to request consultation, which ended December 11, 2018, no tribes elected to consult regarding the proposed project.

Pursuant to Assembly Bill 52 (AB 52) the Dumna Wo Wah Tribal Government and Table Mountain Rancheria have requested notification and a certified letter was mailed to the Dumna Wo Wah Tribal Government on August 21, 2018 and the Table Mountain Rancheria was notified by first class mail on August 21, 2018. The 30 day comment period ended on September 21, 2018. Both tribes did not request consultation.

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages:

| | | | | | |
|--|---------------------------|--|------------------------------------|--|------------------------------------|
| | Aesthetics | | Agriculture and Forestry Resources | | Air Quality |
| | Biological Resources | | Cultural Resources | | Energy |
| | Geology/Soils | | Greenhouse Gas Emissions | | Hazards & Hazardous Materials |
| | Hydrology/Water Quality | | Land Use/Planning | | Mineral Resources |
| | Noise | | Population /Housing | | Public Services |
| | Recreation | | Transportation | | Tribal Cultural Resources |
| | Utilities/Service Systems | | Wildfire | | Mandatory Findings of Significance |

DETERMINATION: (To be completed by the Lead Agency)

On the basis of this initial evaluation:

| | |
|----------|--|
| <u>X</u> | I find that the proposed project could not have a significant effect on the environment. A NEGATIVE DECLARATION will be prepared. |
| — | I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared. |
| — | I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required. |
| — | I find that the proposed project MAY have a “potentially significant impact” or “potentially significant unless mitigated” impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed. |
| — | I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION , including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required. |

| | |
|--|--|
| <p><i>Ralph Kachadourian</i> Ralph Kachadourian, Supervising Planner</p> | <p><u>March 21, 2019</u> <i>Date</i></p> |
|--|--|

EVALUATION OF ADDITIONAL ENVIRONMENTAL IMPACTS NOT ASSESSED IN THE MASTER ENVIRONMENTAL IMPACT REPORT (MEIR):

1. For purposes of this Initial Study, the following answers have the corresponding meanings:
 - a. "No Impact" means the subsequent project will not cause any additional significant effect related to the threshold under consideration which was not previously examined in the MEIR.
 - b. "Less Than Significant Impact" means there is an impact related to the threshold under consideration that was not previously examined in the MEIR, but that impact is less than significant;
 - c. "Less Than Significant with Mitigation Incorporation" means there is a potentially significant impact related to the threshold under consideration that was not previously examined in the MEIR, however, with the mitigation incorporated into the project, the impact is less than significant.
 - d. "Potentially Significant Impact" means there is an additional potentially significant effect related to the threshold under consideration that was not previously examined in the MEIR.
2. A brief explanation is required for all answers except "No Impact" answers that are adequately supported by the information sources a lead agency cites in the parentheses following each question. A "No Impact" answer is adequately supported if the referenced information sources show that the impact simply does not apply to projects like the one involved (e.g., the project falls outside a fault rupture zone). A "No Impact" answer should be explained where it is based on project-specific factors as well as general standards (e.g., the project will not expose sensitive receptors to pollutants, based on a project-specific screening analysis).
3. All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as project-level, indirect as well as direct, and construction as well as operational impacts.
4. Once the lead agency has determined that a particular physical impact may occur, then the checklist answers must indicate whether the impact is potentially significant, less than significant with mitigation, or less than significant. "Potentially Significant Impact" is appropriate if there is substantial evidence that an effect may be significant. If there are one or more "Potentially Significant Impact" entries when the determination is made, an EIR is required.
5. "Negative Declaration: Less Than Significant With Mitigation Incorporated" applies where the incorporation of mitigation measures has reduced an effect from "Potentially Significant Impact" to a "Less Than Significant Impact." The lead agency must describe the mitigation measures, and briefly explain how they reduce the

effect to a less than significant level (mitigation measures from Section XVII, "Earlier Analyses," may be cross-referenced).

6. Earlier analyses may be used where, pursuant to the tiering, program EIR or MEIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR or negative declaration. Section 15063(c)(3)(D). In this case, a brief discussion should identify the following:
 - a. Earlier Analysis Used. Identify and state where they are available for review.
 - b. Impacts Adequately Addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in the MEIR or another earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on the earlier analysis.
 - c. Mitigation Measures. For effects that are "Less than Significant with Mitigation Measures Incorporated," describe the mitigation measures which were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.
7. Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g., general plans, zoning ordinances). Reference to a previously prepared or outside document should, where appropriate, include a reference to the page or pages where the statement is substantiated.
8. Supporting Information Sources: A source list should be attached, and other sources used or individuals contacted should be cited in the discussion.
9. This is only a suggested form, and lead agencies are free to use different formats; however, lead agencies should normally address the questions from this checklist that are relevant to a project's environmental effects in whatever format is selected.
10. The explanation of each issue should identify:
 - a. The significance criteria or threshold, if any, used to evaluate each question; and
 - b. The mitigation measure identified, if any, to reduce the impact to less than significance.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|---------------------------------------|---|-------------------------------------|------------------|
| I. AESTHETICS – Except as provided in Public Resources Code Section 21099, would the project: | | | | |

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|---------------------------------------|---|-------------------------------------|------------------|
| a) Have a substantial adverse effect on a scenic vista? | | | | X |
| b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway? | | | | X |
| c) In nonurbanized areas, substantially degrade the existing visual character or quality of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality? | | | | X |
| d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area? | | | X | |

The subject property is currently undeveloped and is surrounded by single family residences to the north and east, an undeveloped 2.5-acre portion of the entire 22.17-acre parcel to the south was recently approved for a proposed commercial project. A portion of this 22.17-acre undeveloped parcel extending west is adjacent to existing and planned retail/commercial developments to the south.

The proposed project will not damage any scenic resources nor will it degrade the visual character or quality of the subject site and its surroundings. The proposed project will comply with existing development code regulations, such as height, lot coverage, and design, to ensure compatibility with the character of the surrounding area, and to minimize the potential for visual impacts. Further, the proposed project would enhance the aesthetics of the neighborhood by developing an otherwise vacant piece of land within a mostly developed area of both residential and commercial. As a multi-family residential development, the project provides comparable residential architecture with design enhancements and site features providing similarity to the adjacent residential uses.

Although the project would add additional site lighting, all lighting would be required to comply with lighting standards. As such, any lighting where provided to illuminate the parking areas, drive-aisles and the private street shall be hooded and so arranged and controlled so as not to cause a nuisance to adjacent properties. The amount of light shall be provided according to the standards of the Department of Public Works. Therefore, compliance with City lighting standards site will ensure that the project not create a new source of substantial light or glare which would affect day or night time views in the project area, given that during the entitlement process, staff will ensure that lights are located in areas that will minimize light sources to the neighboring properties. Further, Mitigation Measure (MM) AES-1 and MM AES-3 require lighting systems for street and parking areas to be shielded to direct light to surfaces and orient light away from adjacent properties. As a result, the project will have no impact on aesthetics, and will not result in any aesthetic impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|--------------------------------|--|------------------------------|-----------|
| II. AGRICULTURE AND FORESTRY RESOURCES – In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state’s inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. Would the project: | | | | |
| a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use? | | | | X |
| b) Conflict with existing zoning for agricultural use, or a Williamson Act contract? | | | | X |

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|---------------------------------------|---|-------------------------------------|------------------|
| c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))? | | | | X |
| d) Result in the loss of forest land or conversion of forest land to non-forest use? | | | | X |
| e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use? | | | | X |

The subject site is designated as “Urban and Built-Up Land” on the 2014 Rural Mapping Edition: Fresno County Important Farmland Map. Urban and Built-Up Land is typically occupied by structures and commonly includes residential, industrial, commercial, institutional facilities, cemeteries, airports, golf courses, sanitary landfills, and other development. Thus the proposed project has no impact on prime farmland, farmland of statewide importance, or unique farmland.

Because the subject site is infill and surrounded by other urban development, the subject site and property adjacent to the subject site are not under a Williamson Act contract. Therefore, the proposed project on the subject site will not affect any Williamson Act contract parcels.

The proposed project does not conflict with any forest land or Timberland Production or result in any loss of forest land. The proposed project does not include any changes which will affect the existing environment. In conclusion, the proposed project would not result in any agriculture and forestry resource environmental impacts.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|-----------------------------|---------------------------------------|---|-------------------------------------|------------------|
|-----------------------------|---------------------------------------|---|-------------------------------------|------------------|

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|--------------------------------|--|------------------------------|-----------|
| III. AIR QUALITY – Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations. Would the project: | | | | |
| a) Conflict with or obstruct implementation of the applicable air quality plan (e.g., by having potential emissions of regulated criterion pollutants which exceed the San Joaquin Valley Air Pollution Control Districts (SJVAPCD) adopted thresholds for these pollutants)? | | | X | |
| b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)? | | | X | |
| c) Expose sensitive receptors to substantial pollutant concentrations? | | | | X |
| d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people? | | | | X |

The subject site is located in Fresno County and within the San Joaquin Valley Air Basin (SJVAB). This region has had chronic non-attainment of federal and state clean air standards for ozone/oxidants and particulate matter due to a combination of topography and climate. The San Joaquin Valley (Valley) is hemmed in on three sides by mountain ranges, with prevailing winds carrying pollutants and pollutant precursors from urbanized areas to the north (and in turn contributing pollutants and precursors to downwind air basins). The Mediterranean climate of this region, with a high number of sunny days and little or no measurable precipitation for several months of the year, fosters photochemical reactions in the atmosphere, creating ozone and particulate matter.

Regional factors affect the accumulation and dispersion of air pollutants within the SJVAB. Air pollutant emissions overall are fairly constant throughout the year, yet the concentrations of pollutants in the air vary from day to day and even hour to hour. This variability is due to complex interactions of weather, climate, and topography. These factors affect the ability of the atmosphere to disperse pollutants. Conditions that move and mix the atmosphere help disperse pollutants, while conditions that cause the atmosphere to stagnate allow pollutants to concentrate. Local climatological effects, including topography, wind speed and direction, temperature, inversion layers, precipitation, and fog can exacerbate the air quality problem in the SJVAB.

The SJVAB is approximately 250 miles long and averages 35 miles wide, and is the second largest air basin in the state. The SJVAB is defined by the Sierra Nevada in the east (8,000 to 14,000 feet in elevation), the Coast Ranges in the west (averaging 3,000 feet in elevation), and the Tehachapi mountains in the south (6,000 to 8,000 feet in elevation). The Valley is basically flat with a slight downward gradient to the northwest. The Valley opens to the sea at the Carquinez Straits where the San Joaquin-Sacramento Delta empties into San Francisco Bay. The Valley, thus, could be considered a "bowl" open only to the north.

During the summer, wind speed and direction data indicate that summer wind usually originates at the north end of the Valley and flows in a south-southeasterly direction through the Valley, through Tehachapi Pass, into the Southeast Desert Air Basin. In addition, the Altamont Pass also serves as a funnel for pollutant transport from the San Francisco Bay Area Air Basin into the region.

During the winter, wind speed and direction data indicate that wind occasionally originates from the south end of the Valley and flows in a north-northwesterly direction. Also during the winter months, the Valley generally experiences light, variable winds (less than 10 mph). Low wind speeds, combined with low inversion layers in the winter, create a climate conducive to high carbon monoxide (CO) and particulate matter (PM10 and PM2.5) concentrations. The SJVAB has an "Inland Mediterranean" climate averaging over 260 sunny days per year. The Valley floor is characterized by warm, dry summers and cooler winters. For the entire Valley, high daily temperature readings in summer average 95°F. Temperatures below freezing are unusual. Average high temperatures in the winter are in the 50s, but highs in the 30s and 40s can occur on days with persistent fog and low cloudiness. The average daily low temperature is 45°F.

The vertical dispersion of air pollutants in the Valley is limited by the presence of persistent temperature inversions. Solar energy heats up the Earth's surface, which in turn radiates heat and warms the lower atmosphere. Therefore, as altitude increases, the air temperature usually decreases due to increasing distance from the source of heat. A reversal of this atmospheric state, where the air temperature increases with height, is termed an inversion. Inversions can exist at the surface or at any height above the ground, and tend to act as a lid on the Valley, holding in the pollutants that are generated here.

The San Joaquin Valley Air Pollution Control District (SJVAPCD) is the local regional jurisdictional entity charged with attainment planning, rulemaking, rule enforcement, and monitoring under Federal and State Clean Air Acts and Clean Air Act Amendments.

The SJVAPCD has developed the San Joaquin Valley 1991 California Clean Air Act Air Quality Attainment Plan (AQAP), which continues to project nonattainment for the above-noted pollutants in the future. This project will be subject to applicable SJVAPCD rules, regulations, and strategies. In addition, the project may be subject to the SJVAPCD Regulation VIII, Fugitive Dust Rules, related to the control of dust and fine particulate matter. This rule mandates the implementation of dust control measures to reduce the potential for dust to the lowest possible level. The plan includes a number of strategies to improve air quality including a transportation control strategy and a vehicle inspection program.

The subject project proposes a Plan Amendment, Rezone, and Development Permit to allow development of the proposed luxury apartment complex with on-site improvements (i.e. landscape, parking, roadway extension and improvements of North Bond Street (a private street) on land that is planned for commercial development in the Fresno General Plan. Although the multi-family residential project involves a Plan Amendment and Rezone, the amendment and rezone will eliminate a commercial recreation land use designation and zoning to an appropriate residential land use designation and zoning complimentary with the adjacent residential subdivisions to the north and east. Thus, the potential environmental impacts related to air-quality would be similar to those analyzed in the MEIR.

In addition, the SJVAPCD on-line 'CEQA Connected' (January 19, 2018) and prior response provided on December 4, 2018, provided preliminary assessment of the proposed project's potential air quality impacts and applicable District rules and regulations stating that the project would have a less-than-significant impact on air quality when compared to annual criteria emissions significance thresholds, and that the project would be subject to District Rule 9510 which is intended to mitigate a project's impact on air quality through project design elements or by payment of off-site mitigation fees. Prior response provided by the SJVAPCD on December 4, 2018 from the

Further, the project will not occur at a scale or scope with potential to contribute substantially or cumulatively to existing or projected air quality violations, impacts, or increases of criteria pollutants for which the San Joaquin Valley region is under an applicable federal or state ambient air quality standard (including releasing emissions that exceed quantitative thresholds for ozone precursors).

The proposed project will comply with all applicable air quality plans; therefore the project will not conflict with or obstruct an applicable air quality plan. The project must comply with the construction and development requirements of the SJVAPCD, therefore, no violations of air quality standards will occur. Development of the subject property will not expose sensitive receptors to substantial pollutant concentrations. Due to the close proximity of other residential and urban uses surrounding the subject site,

the project will not result in a significant impact to sensitive receptors as no net increase of pollutants will occur. Residential development is considered a “sensitive receptor” type use.

The proposed project will be subject to District Rule 9510 (Indirect Source Review). District Rule 9510 was adopted to reduce the impact of NOX and provide emission reductions needed by the SJVAPCD to demonstrate attainment of the federal PM10 standard and contributed reductions that assist in attaining federal ozone standards. Rule 9510 also contributes toward attainment of state standards for these pollutants. Compliance with SJVAPCD Rule 9510 reduces the emissions impacts through incorporation of onsite measures as well as payment of an offsite fee that funds emission reduction projects in the Air Basin.

All development projects that involve soil disturbance are subject to at least one provision of the SJVAPCD Regulation VIII, Fugitive Dust Rules, related to the control of dust and fine particulate matter. The District’s Regulation VIII – Fugitive PM10 prohibitions requires controls for sources of particulate matter necessary for attaining the federal PM10 standards and achieving progress toward attaining the state PM10 Standards. This rule mandates the implementation of dust control measures to reduce the potential for dust to the lowest possible level. The plan includes a number of strategies to improve air quality including a transportation control strategy and a vehicle inspection program.

The proposed project may be subject to the following District rules: Rule 4102 (Nuisance); Rule 4601 (Architectural Coatings); Rule 4641 (Cutback, Slow Cure, and Emulsified Asphalt, Paving and Maintenance Operations); Rule 8021 (Construction, Demolition, Excavation, Extraction, and other Earthmoving Activities) and District permit requirements, such as Authority to Construct (ATC). This will be determined by the SJVAPCD.

In conclusion, the project will not result in any air quality impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|---------------------------------------|---|-------------------------------------|------------------|
| IV. BIOLOGICAL RESOURCES – Would the project: | | | | |

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|--------------------------------|--|------------------------------|-----------|
| a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service? | | | | X |
| b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, and regulations or by the California Department of Fish and Game or US Fish and Wildlife Service? | | | | X |
| c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means? | | | | X |
| d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites? | | | | X |
| e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance? | | | | X |

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|---------------------------------------|---|-------------------------------------|------------------|
| f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan? | | | | X |

The proposed project would not directly affect any sensitive, special status, or candidate species, nor would it modify any habitat that supports them. The subject property is an infill site surrounded by existing urban development to the north, east, south, and west. The existing site itself consists of vacant undeveloped land with non-native vegetation with the exception of three trees. There are no water ways, wetlands, riparian habitat, or other habitat features that would support special-status plant and/or animal species. Further, due to the proximity to a major roadway and surrounding development, it is unlikely the site supports any special-status species as a result of the existing urbanized character of the area.

There is no riparian habitat or any other sensitive natural community identified in the vicinity of the proposed project by the California Department of Fish and Game or the US Fish and Wildlife Service. No federally protected wetlands are located on the subject site. Therefore, there would be no impacts to species, riparian habitat or other sensitive communities and wetlands. There are also no bodies of water on the subject site or in the immediate vicinity of the subject site. The proposed project would have no impact on the movement of migratory fish or wildlife species or on established wildlife corridors or wildlife nursery sites. No local policies regarding biological resources are applicable to the subject site and there would be no impacts with regard to those plans.

There are only three existing mature trees on the entire undeveloped land and no habitat conservation plans or natural community conservation plans in the region pertain to the natural resources that exist on the subject site or in its immediate vicinity. Finally, no actions or activities resulting from the implementation of the proposed project would have the potential to affect floral, or faunal species; or, their habitat, therefore the project site has no impacts to biological resources.

In conclusion, the proposed project would not result in any impacts to biological resources beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|--------------------------------|--|------------------------------|-----------|
| V. CULTURAL RESOURCES – Would the project: | | | | |
| a) Cause a substantial adverse change in the significance of a historical resource as defined in Section 15064.5? | | | | X |
| b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5? | | | X | |
| c) Disturb any human remains, including those interred outside of formal cemeteries? | | | | X |

There are no structures which exist within the project area that are listed in the National or Local Register of Historic Places, and the subject site is not within a designated historic district. There are no known archaeological resources that exist within the project area. There is no evidence that cultural resources of any type (including historical, archaeological, or unique geologic features) exist on the subject property. Past record searches for the region have not revealed the likelihood of cultural resources on the subject property or in its immediate vicinity. Therefore, it is not expected that the proposed project may impact cultural resources. It should be noted however, that lack of surface evidence of historical resources does not preclude the subsurface existence of archaeological resources and undiscovered human remains could be disturbed during project construction.

Therefore, due to the ground disturbing activities that will occur as a result with development of the multi-family residential project, Mitigation Measures (MM) CUL-1, CUL-2, CUL-3, and CUL-4 within MEIR SCH No. 2012111015 for the Fresno General Plan, Mitigation Measure Monitoring Checklist to address archaeological resources, paleontological resources, and human remains will be employed to guarantee that should archaeological and/or animal fossil material be encountered during project excavations, then work shall stop immediately; and, that qualified professionals in the respective field are contacted and consulted in order to ensure that the activities of the proposed project will not involve physical demolition, destruction, relocation, or alteration of historic or archaeological resources.

The site does not contain any cultural resources on the local, state or national registers of historic places. However some of the site may contain previously undisturbed land, and would be subject to the mitigation measures in the MEIR related to late discovery of cultural resources. In conclusion, with MEIR mitigation measures incorporated, the

project will not result in any cultural resource environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|--------------------------------|--|------------------------------|-----------|
| VI. ENERGY – Would the project: | | | | |
| a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation? | | | X | |
| b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency? | | | | X |

The planned development of a multi-family residential apartment complex will consume energy in the short-term during project construction and in the long-term during its daily operations and activities. During construction, the project would typically consume energy by construction vehicles and related equipment. Energy consumption would also occur with operations and activities by residents and guests of the apartment complex such as heating and cooling, refrigeration, lighting, electronics, vehicle trips associated with the residential use.

The California Building Standards Code addresses regulations that apply to the planning, design, operation, construction, use and occupancy of newly constructed buildings or structures. Per these standards, the California Energy Code and the California Green Building Standards Code, (*CALGreen*) provide mandatory standards to maximize energy conservation with the use of recycled materials and products in order to reduce materials costs. As such, it is anticipated that materials used in construction of the residential apartment complex would not involve the wasteful, inefficient, or unnecessary consumption of energy.

The proposed development would be required to comply with the State-mandated building codes to meet minimum efficiency standards related to various building features, including appliances, water and space heating and cooling equipment, building insulation and roofing, and lighting. Implementation of these standards significantly increases energy savings, and adherence to State mandated code requirements and conservation requirements in the Energy Code and CALGreen would ensure that project development would not result in wasteful, inefficient, or unnecessary consumption of energy resources. As a result, the project will have a less than significant impact on energy.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|--------------------------------|--|------------------------------|-----------|
| VII. GEOLOGY AND SOILS – Would the project: | | | | |
| a) Directly or Indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving: | | | | X |
| i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42. | | | | X |
| ii) Strong seismic ground shaking? | | | | X |
| iii) Seismic-related ground failure, including liquefaction? | | | | X |
| iv) Landslides? | | | | X |
| b) Result in substantial soil erosion or the loss of topsoil? | | | | X |
| c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse? | | | | X |
| d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property? | | | | X |

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|--------------------------------|--|------------------------------|-----------|
| e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water? | | | | X |
| f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature? | | | X | |

Fresno has no known active earthquake faults, and is not in any Alquist-Priolo Special Studies Zones. The immediate Fresno area has extremely low seismic activity levels, although shaking may be felt from earthquakes whose epicenters lie to the east, west, and south. Known major faults are over 50 miles distant and include the San Andreas Fault, Coalinga area blind thrust fault(s), and the Long Valley, Owens Valley, and White Wolf/Tehachapi fault systems. The most serious threat to Fresno from a major earthquake in the Eastern Sierra would be flooding that could be caused by damage to dams on the upper reaches of the San Joaquin River.

Fresno is classified by the State as being in a moderate seismic risk zone, Category “C” or “D,” depending on the soils underlying the specific location being categorized and that location’s proximity to the nearest known fault lines. All new structures are required to conform to current seismic protection standards in the California Building Code.

The highly erodible face of the San Joaquin River bluff, and small areas of expansive clay in the northeastern portion of the city’s Sphere of Influence, are the only unstable soil conditions known to exist in the City. Despite long-term over drafting of groundwater that has lowered the static groundwater level under Fresno by as much as 100 feet over the past century, surface subsidence has not been noted in the vicinity of the city (this is probably due to the geologic strata underlying the city, which features layers of clay and hardpan interleaved with alluvial sand and gravel layers).

The proposed project is located in the central northeastern portion of Fresno, within the Woodward Park Community Plan Area. There are no known geologic hazards or unstable soil conditions known to exist on the site. The existing topography demonstrates no apparent unique or significant land forms such as vernal pools. Development of the property requires compliance with grading and drainage standards of the City of Fresno and Fresno Metropolitan Flood Control District Standards.

There are no known paleontological resources that exist within the project area; any previously unknown paleontological resource could be disturbed during project

construction. There is no evidence that paleontological, or other unique geologic features exist on the subject property, therefore it is not expected that the proposed project may impact this resource. It should be noted however, that lack of surface evidence does not preclude the subsurface existence of a paleontological resource. Furthermore, previously unknown paleontological resource could be disturbed during project construction.

Therefore, due to the ground disturbing activities that will occur as a result with development of the mini-storage facility, the measures within MEIR SCH No. 2012111015 for the Fresno General Plan, Mitigation Measure Monitoring Checklist to address paleontological resources will be employed to guarantee that material encountered during project excavations, then work shall stop immediately; and, that qualified professionals in the respective field are contacted and consulted in order to ensure that the activities of the proposed project will not involve physical demolition, destruction, relocation, or alteration of a paleontological resource.

In conclusion, the proposed project would not result in any geology or soil environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|--------------------------------|--|------------------------------|-----------|
| VIII. GREENHOUSE GAS EMISSIONS – Would the project: | | | | |
| a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment? | | | | X |
| b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases? | | | | X |

Greenhouse gas (GHG) emissions and global climate change represent cumulative impacts. GHG emissions cumulatively contribute to the significant adverse environmental impacts of global climate change. No single project could generate enough GHG emissions to noticeably change the global average temperature; instead, the combination of GHG emissions from past, present, and future projects have contributed and will contribute to global climate change and its associated environmental impacts.

Significant changes in global climate patterns have recently been associated with global warming, an average increase in the temperature of the atmosphere near the Earth's

surface, attributed to accumulation of GHG emissions in the atmosphere. Greenhouse gases trap heat in the atmosphere, which in turn heats the surface of the Earth. Some GHGs occur naturally and are emitted to the atmosphere through natural processes, while others are created and emitted solely through human activities. The emission of GHGs through the combustion of fossil fuels (i.e., fuels containing carbon) in conjunction with other human activities appears to be closely associated with global warming.

State law defines GHGs to include the following: carbon dioxide (CO₂), methane (CH₄), nitrous oxide (N₂O), hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride (SF₆) [Health and Safety Code, section 38505(g)]. The most common GHG that results from human activity is carbon dioxide, followed by methane and nitrous oxide.

CEQA requires public agencies to identify the potentially significant effects on the environment of projects they intend to carry out or approve, and to mitigate significant effects whenever it is feasible to do so.

The proposed project will not occur at a scale or scope with potential to contribute substantially or cumulatively to the generation of GHG emissions, either directly or indirectly. The General Plan and MEIR rely upon a Greenhouse Gas Reduction Plan that provides a comprehensive assessment of the benefits of city policies and proposed code changes, existing plans, programs, and initiatives that reduce greenhouse gas emissions. The plan demonstrates that even though there is increased growth, the City would still be reducing GHG emissions through 2020 and per capita emission rates drop substantially. The benefits of adopted regulations become flat in later years and growth starts to exceed the reductions from all regulations and measures. Although it is highly likely that regulations will be updated to provide additional reductions, none are reflected in the analysis since only the effect of adopted regulations is included.

In conclusion, the proposed project will not result in any greenhouse gas emission environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|--------------------------------|--|------------------------------|-----------|
| IX. HAZARDS AND HAZARDOUS MATERIAL – Would the project: | | | | |
| a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials? | | | | X |

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|--------------------------------|--|------------------------------|-----------|
| b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment? | | | | X |
| c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school? | | | | X |
| d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment? | | | | X |
| e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area? | | | | X |
| f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan? | | | | X |
| g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires? | | | | X |

There are no known existing hazardous material conditions on the property and the property is not included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5. The project itself will not generate or use hazardous materials in a manner outside health department requirements, is not near any wild land fire hazard zones, and poses no interference with the City's or County's Hazard Mitigation Plans or emergency response plans.

No pesticides or hazardous materials are known to exist on the site and the proposed project will have no environmental impacts related to potential hazards or hazardous materials as identified above. The project area is not located in an FAA-designated Runway Protection Zone, Inner Safety Zone and Sideline Safety Zone.

In conclusion, the proposed project will not result in any hazards and hazardous material impacts beyond those analyzed in analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|---------------------------------------|---|-------------------------------------|------------------|
| X. HYDROLOGY AND WATER QUALITY – Would the project: | | | | |
| a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality? | | | | X |
| b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin? | | | X | |
| c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or through the addition of impervious surfaces, in a manner which would: | | | | X |
| i) Result in a substantial erosion or siltation on- or off-site; | | | | X |

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|---------------------------------------|---|-------------------------------------|------------------|
| ii) Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site: | | | | X |
| iii) create or contribute runoff water which would exceed the capacity of existing or planned storm water drainage systems or provide substantial additional sources of polluted runoff; or | | | | X |
| iv) impede or redirect flood flows? | | | | X |
| d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation? | | | | X |
| e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan? | | | | X |

The project site is not located within a 100-year Flood Hazard Boundary or a tsunami hazard area. A seiche is an oscillation of a water body, such as a lake, which may cause local flooding. A seiche could occur in Pine Flat, Millerton Lake or Big Dry Creek Dam due to seismic or atmospheric activity. However, the project site is approximately 28 miles from Pine Flat Lake, 35 miles from Millerton Lake and 15 miles away from Big Creek Dry Dam and would not be subject to a seiche. No mudslide hazards exist at the project site because the project site is not located in the immediate vicinity of any landslide prone areas.

Fresno is one of the largest cities in the United States still relying primarily on groundwater for its public water supply. Surface water treatment and distribution has been implemented in the northeastern part of the City, but the city is still subject to an EPA Sole Source Aquifer designation. While the aquifer underlying Fresno typically exceeds a depth of 300 feet and is capacious enough to provide adequate quantities of safe drinking water to the metropolitan area well into the twenty-first century, groundwater degradation, increasingly stringent water quality regulations, and an historic trend of high consumptive use of water on a per capita basis (some 250 gallons per day per capita), have resulted in a general decline in aquifer levels, increased cost to provide potable water, and localized water supply limitations.

This Negative Declaration (ND) prepared for the proposed project is tiered from MEIR SCH No. 2012111015 prepared for the Fresno General Plan, which contains measures to mitigate projects' individual and cumulative impacts to groundwater resources and to reverse the groundwater basin's overdraft conditions.

Fresno has attempted to address these issues through metering and revisions to the City's Urban Water Management Plan (UWMP). The Fresno Metropolitan Water Resource Management Plan, which has been adopted and the accompanying Final EIR (SCH #95022029) certified, is also under revision. The purpose of these management plans is to provide safe, adequate, and dependable water supplies in order to meet the future needs of the metropolitan area in an economical manner; protect groundwater quality from further degradation and overdraft; and, provide a plan of reasonably implementable measures and facilities. City water wells, pump stations, recharge facilities, water treatment and distribution systems have been expanded incrementally to mitigate increased water demands and respond to groundwater quality challenges.

In response to the need for a comprehensive long-range water supply and distribution strategy, the Fresno General Plan recognizes the Kings Basin's Integrated Regional Water Management Plan, Fresno-Area Regional Groundwater Management Plan, and City of Fresno Metropolitan Water Resource Management Plan and cites the findings of the City of Fresno UWMP. The purpose of these management plans is to provide safe, adequate, and dependable water supplies to meet the future needs of the Kings Basin regions and the Fresno-Clovis metropolitan area in an economical manner; protect groundwater quality from further degradation and overdraft; and, provide a plan of reasonably implementable measures and facilities.

The City has indicated that groundwater wells, pump stations, recharge facilities, water treatment and distribution systems shall be expanded incrementally to mitigate increased water demands. One of the primary objectives of Fresno's future water supply plans detailed in Fresno's current UWMP is to balance groundwater operations through a host of strategies. Through careful planning, Fresno has designed a comprehensive plan to accomplish this objective by increasing surface water supplies and surface water treatment facilities, intentional recharge, and conservation, thereby reducing groundwater pumping. The City continually monitors impacts of land use changes and development project proposals on water supply facilities by assigning fixed demand allocations to each parcel by land use as currently zoned or proposed to be rezoned.

Until 2004, groundwater was the sole source of water for the City. In June 2004, a \$32 million Surface Water Treatment Facility ("SWTF") began providing Fresno with water treated to drinking water standards to meet demands anticipated by the growth implicit in the 2025 Fresno General Plan. Surface water is used to replace lost groundwater through Fresno's artificial recharge program at the City-owned Leaky Acres and smaller facilities in Southeast Fresno. Fresno holds entitlements to surface water from Millerton Lake and Pine Flat Reservoir. In 2006, Fresno renewed its contract with the United States Bureau of Reclamation, through the year 2045, which entitles the City to 60,000

acre-feet per year of Class 1 water. This water supply has further increased the reliability of Fresno's water supply.

Also, in 2006, Fresno updated its Metropolitan Water Resources Management Plan designed to ensure the Fresno metro area has a reliable water supply through 2050. The plan implements a conjunctive use program, combining groundwater, treated surface water, artificial recharge and an enhanced water conservation program. In the near future, groundwater will continue to be an important part of the City's supply but will not be relied upon as heavily as has historically been the case. The City is planning to rely on expanding their delivery and treatment of surface water supplies and groundwater recharge activities.

In addition, the General Plan policies require the City to maintain a comprehensive conservation program to help reduce per capita water usage, and includes conservation programs such as landscaping standards for drought tolerance, irrigation control devices, leak detection and retrofits, water audits, public education and implementing US Bureau of Reclamation Best Management Practices for water conservation to maintain surface water entitlements.

Implementation of the Fresno General Plan policies, the Kings Basin Integrated Regional Water Management Plan, City of Fresno UWMP, Fresno-Area Regional Groundwater Management Plan, and City of Fresno Metropolitan Water Resource Management Plan and the applicable mitigation measures of approved environmental review documents will address the issues of providing an adequate, reliable, and sustainable water supply for the project's urban domestic and public safety consumptive purposes. The recently adopted 2015 UWMP analyzed the Fresno General Plans land use capacity.

The proposal to develop the residential multi-family apartment project will require compliance with all requirements of the City of Fresno Department of Public Utilities that will reduce the project's water impacts to less than significant. When development permits are issued, the project will be required to pay drainage fees pursuant to the Drainage Fee Ordinance. Development of the proposed mini-storage will comply with applicable regulations and fees by the Fresno Metropolitan Flood Control District (FMFCD).

In conclusion, the project will not result in any hydrology and water quality impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|---------------------------------------|---|-------------------------------------|------------------|
| XI. LAND USE AND PLANNING – Would the project: | | | | |

| | | | | |
|--|--|--|--|---|
| a) Physically divide an established community? | | | | X |
| b) Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect? | | | | X |

The proposed plan amendment and rezone, including the development permit for the luxury apartment project, will not physically divide an established community given that its location is currently surrounded by existing residential and commercial developments to the north, east, south, and west. The proposed project also meets the General Plan and Woodward Park Community Plan goals and policies.

The approximately 11.16 acres of the subject property is proposed to be re-designated from the Commercial Recreation planned land use to Residential Medium High Density (12-16 Dwelling Units/Acre), and be rezoned from CRC/UGM/cz (Commercial-Recreation/Urban Growth Management/Conditions of Zoning) to RM-1/UGM/cz (Residential Multi-Family, Medium High Density/Urban Growth Management/Conditions of Zoning) zone district for consistency with the amended land use designation.

The proposed project would actually provide greater connectivity between the apartment complex development and the surrounding commercial and residential areas with the extension of North Bond Street, a private street that will be constructed to public right-of-way standards (curb, gutter, sidewalks and street lighting) up to the limits of the project site, including a pedestrian walkway at the western perimeter of the apartment complex that will provide a safe and convenient connection from East Niles Avenue south to North Bond Street that will accommodate the residents to the north to the retail/commercial businesses along East Nees Avenue.

In conclusion, the proposed project would not result in any land use and planning environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|---------------------------------------|---|-------------------------------------|------------------|
| XII. MINERAL RESOURCES – Would the project: | | | | |
| a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state? | | | | X |

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|---------------------------------------|---|-------------------------------------|------------------|
| b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan? | | | | X |

The subject properties are not located in an area designated for mineral resource preservation or recovery, therefore, will not result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state. The subject sites are not delineated on a local general plan, specific plan or other land use plan as a locally-important mineral resource recovery site; therefore it will not result in the loss of availability of a locally-important mineral resource.

In conclusion, the proposed project would not result in any mineral resource environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|---------------------------------------|---|-------------------------------------|------------------|
| XIII. NOISE – Would the project result in: | | | | |
| a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies? | | | X | |
| b) Generation of excessive groundborne vibration or groundborne noise levels? | | | | X |

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|--------------------------------|--|------------------------------|-----------|
| c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels? | | | | X |

Generally, the three primary sources of substantial noise that affect the City of Fresno and its residents are all transportation-related and consist of local streets and regional highways; airport operations at the Fresno Yosemite International, Fresno-Chandler, and the Sierra Sky Park airports; and railroad operations along the BNSF Railway and the Union Pacific Railroad lines. Potential noise sources at the subject property would be roadway noise from the major street (East Nees Avenue) nearest to the subject property. Further, most activity will be from residents of the apartment complex and occasional guests during daytime and early evening hours.

The physical development of the project will provide single story garage buildings along the northern and eastern perimeters of the property adjacent to the residential subdivision, including a solid masonry wall and landscaping which will further buffer any potential for noise. The site is designed to help minimize potential noise by placing the two story apartment buildings over 100-feet away from the adjacent single family residential homes. Therefore, the masonry wall, garage buildings, setback of the apartment buildings and landscaping, will ensure minimal noise impacts to the existing environment.

Although there may be some temporary increases in ambient noise levels resulting from the construction of the site, such increases in ambient noise would be temporary in nature. Construction noise would be typical of a construction site, such as tractors, hammering, and other construction related equipment, however, construction activities would only occur during times consistent with the Fresno Municipal Code, typically during daytime hours during the week, and possibly on some weekends. The project would not likely require any type of equipment, such as pile-driving; therefore, vibration impacts would be minimal.

The immediate vicinity consists primarily of residential users to the north, and east; and retail and commercial uses both existing and proposed to the south, which have similar noise level requirements during the day. Although the project will create additional activity in the area, the project will be required to comply with applicable goals and

policies of the Fresno General Plan related to noise, as well as the performance standards for noise under Chapter 15, Article 25 of the FMC.

The proposed residential apartment project is not located within the vicinity of any private airstrip nor within two miles of any public airport, therefore residents will not be exposed to excessive noise levels.

In conclusion, the proposed project would not result in any noise environmental impacts beyond those addressed by the Fresno General Plan and the FMC.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|--------------------------------|--|------------------------------|-----------|
| XIV. POPULATION AND HOUSING – Would the project: | | | | |
| a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)? | | | | X |
| b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere? | | | | X |

The proposed plan amendment and rezone will allow the development of the residential apartment project on a portion of the subject property, which has remained undeveloped for a number of years and is located adjacent to developed retail/commercial uses and residential subdivisions. The General Plan goals and polices support infill development of vacant, underdeveloped, and re-developable land that includes a range of residential housing types to meet the needs of both current and future residents. The plan amendment and rezone will meet General Plan goals and policies for the proposed project.

Implementation of the proposed project would not would not result in the displacement of any persons or housing or necessitate the construction of replacement housing. Therefore, no impacts would occur. The proposed apartment project will occur at an intensity and scale that is permitted by the proposed plan amendment and rezone. Thus, the project will not facilitate an additional intensification of uses beyond that which would be allowed. The subject site is currently vacant, and does not include existing housing or other habitable structures therefore; no impacts will result from the proposed project.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|--------------------------------|--|------------------------------|-----------|
| XV. PUBLIC SERVICES – Would the project: | | | | |
| a) Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services: | | | | X |
| Fire protection? | | | | X |
| Police protection? | | | | X |
| Schools? | | | | X |
| Parks? | | | | X |
| Drainage and flood control?? | | | X | |
| Other public facilities? | | | | X |

The Department of Public Utilities has reviewed the proposed project and has determined that adequate sewer, water, and solid waste facilities are available subject to compliance with the conditions submitted by the Department of Public Utilities for this project. The MEIR has provided mitigation measures that the proposed project must implement and comply with to mitigate drainage in the area. Development of the property requires compliance with grading and drainage standards of the City of Fresno and FMFCD. Various departments and agencies have submitted conditions that will be required as conditions of approval for the proposed project. All conditions of approval must be complied with prior to occupancy.

Residential development as a result of the proposed project will not have an impact on the Clovis Unified School District's student housing capacity and not directly contribute to population impacts to schools. CUSD anticipates continued growth within the District with plans for the construction of new school facilities to accommodate planned and future growth, having other school sites available for new students to attend, providing

bus transportation to students, and leveeing appropriate school fees for residential developments at the time of building permits.

City police and fire protection services are also available to serve the proposed project. Fire Station No. 13 is located just south of the project site on the southeast corner of East Nees Avenue and North Bond Street. Therefore, the project site would be adequately served by safety services due to its proximity to an existing fire station.

The project would not increase the usage or otherwise impact existing nearby parks or recreational facilities, therefore impacts to existing parks as a result of the project would not occur to the extent that it would create a significant impact. In conclusion, the proposed project would not result in any public service environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|--------------------------------|--|------------------------------|-----------|
| XVI. RECREATION - Would the project: | | | | |
| a) Increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated? | | | | X |
| b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment? | | | | X |

The project has three parks within approximately a one-mile radius: Woodward Park to the northwest, Keith Tice Park to the northeast, and Kaiser Park to the southwest. The demand for these parks will not be increased by approval of the residential apartment project. The proposed project will not result in the physical deterioration of existing parks or recreational facilities. Thus, the project will not result in the type of impacts that would require expansion of existing recreational facilities or affect recreational services beyond what was analyzed in the MEIR No. SCH No. 2012111015 for the Fresno General Plan.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|--------------------------------|--|------------------------------|-----------|
| XVII. TRANSPORTATION – Would the project: | | | | |
| a) Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities? | | | X | |
| b) Conflict or be inconsistent with CEQA Guidelines § 15064.3, subdivision (b)? | | | | X |
| c) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)? | | | | X |
| d) Result in inadequate emergency access? | | | | X |

(CEQA Guideline Section 15064.3, subdivision (b) is applicable statewide after July 1, 2019. The City of Fresno has elected to not adopt these measures at the time of publication, therefore, Section 15064.3, subdivision (b) is not applicable to the proposed project)

The subject property is located on the northeast corner of North Bond Street on the East Nees Avenue in the City of Fresno. In the Fresno General Plan Circulation Element, East Nees Avenue is designated as an arterial street, with the purpose of moving traffic within and between neighborhoods and to and from freeways and expressways. Arterials typically have four to six lanes with median island separation. North Bond Street is designated as a local street (private), which will be designed and constructed according to standards to provide direct access to the proposed apartment complex and eventually to other future development on the remaining western portion of the 22.81 acres, while discouraging excessive speeds and volumes of motor vehicle travel incompatible with neighborhoods being served through the implementation of multiple, well connected routes and traffic calming measures. The proposed project will be required to construct North Bond Street along the entire frontage of the apartment complex development including all necessary full street improvements to City Standards, which will include pavement, striping, curb, gutter, sidewalks, and street lighting.

The subject site is located within Traffic Impact Zone III (TIZ-III). TIZ-III represents areas near or outside the city limits but within the sphere of influence as of December 21,

2012. A Traffic Impact Study (TIS), dated August 24, 2018 was prepared by Peters Engineering Group and was submitted and reviewed by the Public Works Traffic Engineer.

The Public Works Traffic Operations and Planning staff reviewed the TIS and determined that the study intersections are currently operating above the TIZ III level of service (LOS) standard of "D." The study intersections will continue to operate above the TIZ III LOS of "D" in Existing Plus Project conditions and Near Term with Project conditions. The intersection of First Street at Nees Avenue is projected to operate at LOS "F" in the 2040 with Project conditions with the existing intersection configuration. Future plans include adding dual left-turn lanes on all approaches. With these planned intersection improvements, the study intersection will operate at or above the TIZ III LOS of "D" in 2040 with Project conditions.

Applying the factors outlined in the Institute of Traffic Engineers Trip Generation Manual 10th Edition, the proposed multi-family project would generate 1,035 average daily trips (ADT's), 64 weekday vehicle trips during the morning peak hour travel period and 86 weekday vehicle trips during the evening peak hour travel period. Therefore, intersection and roadway traffic will operate at LOS "D" with applicable project conditions that will address and mitigate traffic impacts to less-than-significant.

An Addendum to the TIS was submitted on February 11, 2019 to compare the number of vehicle trips expected to be generated by the proposed apartment project with those that could potentially occur if the site were developed in accordance with the currently-planned Commercial Recreation land uses and zoning. This comparison estimated a variety of typical uses allowed in the Commercial-Recreation zone district, would generate 403 morning peak-hour trips and 453 evening peak hour trips and 5,464 average daily trips (ADT). Based on this comparison, the proposed residential apartment project would result in far fewer vehicle trips than what could occur with development uses based on the Commercial-Recreation zoning.

The project will not conflict with an applicable plan, ordinance or policy establishing measures of effectiveness for the performance of the circulation system. The project will not conflict with an applicable congestion management program; the project will be required to pay applicable traffic impact fees, including Traffic Signal Mitigation Impact fee (TSMI), Fresno Major Street Impact fee; Regional Transportation Mitigation Fee (RTMF), and a traffic study review fee. Adequate emergency access will be provided and the project will not conflict with adopted policies or plans regarding public transit, bicycle or pedestrian facilities because said features will be incorporated into the conditions of approval for the project, as applicable.

In conclusion, the proposed project would not result in any traffic or transportation environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|--------------------------------|--|------------------------------|-----------|
| XVII. TRIBAL CULTURAL RESOURCES – Would the project: | | | | |
| a) Cause a substantial adverse change in the significance of a tribal cultural resource, defined in PRC section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is: | | | | X |
| i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in PRC section 5020.1(k), or, | | | | X |
| ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of PRC section 5024.1. In applying the criteria set forth in subdivision (c) of PRC section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe. | | | | X |

Conducting consultation early in the CEQA process allows tribal governments, lead agencies, and project proponents to discuss the level of environmental review, identify and address potential adverse impacts to tribal cultural resources, and reduce the potential for delay and conflict in the environmental review process. (See PRC Section 21080.3.2.) Information may also be available from the California Native American Heritage Commission's Sacred Lands File per PRC Section 5097.96 and the California Historical Resources Information System administered by the California Office of Historic Preservation.

Senate Bill 18 (SB-18) went into effect January 1, 2005 and requires local governments to consult with Native American tribes prior to the adoption or any amendment of a general plan or specific plan. A local government must notify the appropriate tribes (on the contact list maintained by the NAHC) of the opportunity to conduct consultations for the purpose of preserving, or mitigating impacts to, cultural places located on land within the local government's jurisdiction that is affected by the proposed plan adoption or amendment. Tribes have 90 days from the date on which they receive notification to request consultation, unless a shorter timeframe has been agreed to by the tribe (Government Code Section 65352.3).

Pursuant to Senate Bill 18 (SB 18) the City contacted the Native American Heritage Commission (NAHC) for a list of tribes traditionally or culturally affiliated with the project area. Invitations to consult on the proposed project were mailed on September 11, 2018 to the list of tribes provided by the NAHC. During the required 90-day review period for tribes to request consultation, which ended December 11, 2018, no tribes elected to consult regarding the proposed project.

Assembly Bill 52 (AB 52), which became law January 1, 2015, requires that, as part of the CEQA review process, public agencies provide early notice of a project to California Native American Tribes to allow for consultation between the tribe and the public agency. The purpose of AB 52 is to provide the opportunity for public agencies and tribes to consult and consider potential impacts to Tribal Cultural Resources (TCR's), as defined by the Public Resources Code (PRC) Section 2107(a). Under AB 52, public agencies shall reach out to California Native American Tribes who have requested to be notified of projects in areas within or which may have been affiliated with their tribal geographic range.

Pursuant to Assembly Bill 52 (AB 52) the Dumna Wo Wah Tribal Government and Table Mountain Rancheria have requested notification and a certified letter was mailed to the Dumna Wo Wah Tribal Government on August 21, 2018 and the Table Mountain Rancheria was notified by first class mail on August 21, 2018. The 30 day comment period ended on September 21, 2018. Both tribes did not request consultation.

The subject property is in an area surrounded by extensive urban development. Although the site itself is vacant, there is no evidence to suggest the presence of TCR's. Further, given that both tribes declined consultation, it would suggest the site is not believed to have the TCR's present. Nevertheless, if any artifacts are inadvertently discovered during ground-disturbing activities, existing federal, State, and local laws and regulations would require construction activities to cease until such artifacts are properly examined and determined not to be of significance by a qualified cultural resources professional.

Overall, because the tribes declined SB-18 and AB-52 consultation and because existing cultural resources protection laws exist that would require construction activities to cease if artifacts are discovered, there is no impact to tribal cultural resources. In conclusion, the proposed project would not result in any cultural resource environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|--------------------------------|--|------------------------------|-----------|
| XIX. UTILITIES AND SERVICE SYSTEMS – Would the project: | | | | |
| a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effect? | | | | X |
| b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years? | | | | X |
| c) Result in a determination by the waste water treatment provider, which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments? | | | | X |
| d) Generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals? | | | | X |
| e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste? | | | | X |

(See Hydrology and Water Quality Section above for discussion about water utilities)

Utilities and service systems will be required prior to development of the subject property. The proposed project expected to result in the construction of new storm water drainage facilities or expansion of existing facilities.

The Department of Public Utilities has determined that adequate sanitary sewer and water services will be available to serve the proposed project subject to the payment of any applicable connection charges and/or fees; and, compliance with the Department of Public Utilities standards, specifications, and policies. Sanitary sewer and water service delivery is also subject to payment of applicable connection charges and/or fees; compliance with the Department of Public Utilities standards, specifications, and policies; the rules and regulations of the California Public Utilities Commission and California Health Services; and, implementation of the City-wide program for the completion of incremental expansions to facilities for planned water supply, treatment, and storage. The project site will be serviced by the City of Fresno solid waste division and will have water and sewer facilities available subject to the conditions stipulated for the proposed project.

The proposed project is not expected to exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board. The impact to storm drainage facilities will be less than significant given the developer will be required to provide drainage services and convey runoff to Master Plan Facilities. Development of the property requires compliance with grading and drainage standards of the City of Fresno and FMFCD.

In conclusion, the project will not result in any utilities and services systems environmental impacts beyond those analyzed in MEIR SCH No. 2012111015.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|--------------------------------|--|------------------------------|-----------|
| XX. WILDFIRE – If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project: | | | | |
| a) Substantially impair an adopted emergency response plan or emergency evacuation plan? | | | | X |
| b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire? | | | | X |

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|---------------------------------------|---|-------------------------------------|------------------|
| c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment? | | | | X |
| d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes? | | | | X |

Although the City of Fresno is proximate to high and very high fire hazard designated areas, the City itself is largely categorized as little or no threat or moderate fire hazard, which is largely attributed to paved areas. Some small areas along the San Joaquin River Bluff in the northern portion of the City of Fresno can be prone to wildfire due to the relatively steep terrain and vegetation and are classified as having a high fire hazard.

The City does have an adopted Emergency Operations Plan (EOP); however, the EOP does not designate evacuation routes, which may not be necessary since Fresno does not face any expected natural hazards from likely sources or locations.

The subject property is located adjacent to developed urbanized areas. The subject property is flat in nature which would pose no risk of any downslope flooding and landslides, including the spread of any wildfire; therefore there is no risk of wildfires to any proposed development that would occur on the subject property.

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|---------------------------------------|---|-------------------------------------|------------------|
| XIX. MANDATORY FINDINGS OF SIGNIFICANCE | | | | |

| ENVIRONMENTAL ISSUES | Potentially Significant Impact | Less Than Significant with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|--|--------------------------------|--|------------------------------|-----------|
| a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory? | | | | X |
| b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)? | | | | X |
| c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly? | | | | X |

The land use amendment, rezone and site development are of a size and scope which is neither a direct or indirect detriment to the quality of the environment through reductions in habitat, populations, or examples of local history (through either individual or cumulative impacts).

The project does not have the potential to degrade the quality of the environment or reduce the habitat of wildlife species and will not threaten plant communities or endanger any floral or faunal species. Furthermore the project has no potential to eliminate important examples of major periods in history. Therefore, as noted in preceding sections of this Initial Study, there is no evidence in the record to indicate that

incremental environmental impacts facilitated by this project would be cumulatively significant. There is also no evidence in the record that the proposed project would have any adverse impacts directly, or indirectly, on human beings. Therefore, there are no mandatory findings of significance.

MEIR Mitigation Measure Monitoring Checklist for EA No's. P18-00826 / P18-02232

General Plan Amendment/Rezone/Development Permit

March 21, 2019

INCORPORATING MEASURES FROM THE MASTER ENVIRONMENTAL IMPACT REPORT (MEIR) CERTIFIED FOR THE CITY OF FRESNO GENERAL PLAN UPDATE (SCH No. 2012111015)

This mitigation measure monitoring and reporting checklist was prepared pursuant to California Environmental Quality Act (CEQA) Guidelines Section 15097 and Section 21081.6 of the Public Resources Code (PRC). It was certified as part of the Fresno City Council's approval of the MEIR for the Fresno General Plan update (Fresno City Council Resolution 2014-225, adopted December 18, 2014).

- A** - Incorporated into Project
- B** - Mitigated
- C** - Mitigation in Progress
- D** - Responsible Agency Contacted
- E** - Part of City-wide Program
- F** - Not Applicable

Letter designations to the right of each MEIR mitigation measure listed in this Exhibit note how the mitigation measure relates to the environmental assessment of the above-listed project, according to the key found at right and at the bottoms of the following pages:

The timing of implementing each mitigation measure is identified in in the checklist, as well as identifies the entity responsible for verifying that the mitigation measures applied to a project are performed. Project applicants are responsible for providing evidence that mitigation measures are implemented. As lead agency, the City of Fresno is responsible for verifying that mitigation is performed/completed.

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Aesthetics:

| | | | | | | | | |
|---|--|--|---|--|--|--|---|--|
| <p>AES-1. Lighting systems for street and parking areas shall include shields to direct light to the roadway surfaces and parking areas. Vertical shields on the light fixtures shall also be used to direct light away from adjacent light sensitive land uses such as residences.</p> <p>Verification comments:</p> | <p>Prior to issuance of building permits</p> | <p>Public Works Department (PW) and Development & Resource Management Dept. (DARM)</p> | X | | | | X | |
|---|--|--|---|--|--|--|---|--|

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Aesthetics *(continued)*:

| | | | | | | | | |
|---|--|-------------|--|--|--|--|--|----------|
| <p>AES-2: Lighting systems for public facilities such as active play areas shall provide adequate illumination for the activity; however, low intensity light fixtures and shields shall be used to minimize spillover light onto adjacent properties.</p> <p>Verification comments:</p> | <p>Prior to issuance of building permits</p> | <p>DARM</p> | | | | | | <p>X</p> |
| <p>AES-3: Lighting systems for non-residential uses, not including public facilities, shall provide shields on the light fixtures and orient the lighting system away from adjacent properties. Low intensity light fixtures shall also be used if excessive spillover light onto adjacent properties will occur.</p> <p>Verification comments:</p> | <p>Prior to issuance of building permits</p> | <p>DARM</p> | | | | | | <p>X</p> |
| <p>AES-4: Lighting systems for freestanding signs shall not exceed 100 foot Lamberts (FT-L) when adjacent to streets which have an average light intensity of less than 2.0 horizontal foot-candles and shall not exceed 500 FT-L when adjacent to streets which have an average light intensity of 2.0 horizontal foot-candles or greater.</p> <p>Verification comments:</p> | <p>Prior to issuance of building permits</p> | <p>DARM</p> | | | | | | <p>X</p> |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Aesthetics (continued):

| | | | | | | | | |
|---|--|-------------|----------|--|--|--|--|--|
| <p>AES-5: Materials used on building facades shall be non-reflective.</p> <p>Verification comments:</p> | <p>Prior to development project approval</p> | <p>DARM</p> | <p>X</p> | | | | | |
| | | | | | | | | |

Air Quality:

| | | | | | | | | |
|---|--|-------------|--|--|--|--|--|----------|
| <p>AIR-1: Projects that include five or more heavy-duty truck deliveries per day with sensitive receptors located within 300 feet of the truck loading area shall provide a screening analysis to determine if the project has the potential to exceed criteria pollutant concentration based standards and thresholds for NO2 and PM2.5. If projects exceed screening criteria, refined dispersion modeling and health risk assessment shall be accomplished and if needed, mitigation measures to reduce impacts shall be included in the project to reduce the impacts to the extent feasible. Mitigation measures include but are not limited to:</p> <ul style="list-style-type: none"> • Locate loading docks and truck access routes as far from sensitive receptors as reasonably possible considering site design limitations to comply with other City design standards. • Post signs requiring drivers to limit idling to 5 minutes or less. <p>Verification comments:</p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | <p>X</p> |
| | | | | | | | | |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Air Quality *(continued):*

| | | | | | | | | |
|--|--|-------------|--|--|--|--|--|---|
| <p>AIR-2: Projects that result in an increased cancer risk of 10 in a million or exceed criteria pollutant ambient air quality standards shall implement site-specific measures that reduce toxic air contaminant (TAC) exposure to reduce excess cancer risk to less than 10 in a million. Possible control measures include but are not limited to:</p> <ul style="list-style-type: none"> • Locate loading docks and truck access routes as far from sensitive receptors as reasonably possible considering site design limitations to comply with other City design standards. • Post signs requiring drivers to limit idling to 5 minutes or less • Construct block walls to reduce the flow of emissions toward sensitive receptors • Install a vegetative barrier downwind from the TAC source that can absorb a portion of the diesel PM emissions • For projects proposing to locate a new building containing sensitive receptors near existing sources of TAC emissions, install HEPA filters in HVAC systems to reduce TAC emission levels exceeding risk thresholds. • Install heating and cooling services at truck stops to eliminate the need for idling during overnight stops to run onboard systems. <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | X |
|--|--|-------------|--|--|--|--|--|---|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Air Quality *(continued)*:

| | | | | | | | | |
|--|--|-----------------------------------|--|--|--|--|--|---|
| <p>AIR-2 <i>(continued from previous page)</i></p> <ul style="list-style-type: none"> For large distribution centers where the owner controls the vehicle fleet, provide facilities to support alternative fueled trucks powered by fuels such as natural gas or bio-diesel Utilize electric powered material handling equipment where feasible for the weight and volume of material to be moved. <p>Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
| <p>AIR-3: Require developers proposing projects on ARB's list of projects in its Air Quality and Land Use Handbook (Handbook) warranting special consideration to prepare a cumulative health risk assessment when sensitive receptors are located within the distance screening criteria of the facility as listed in the ARB Handbook.</p> <p>Verification comments:</p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | X |
| | | | | | | | | |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Air Quality (continued):

| | | | | | | | | |
|---|--|-------------|--|--|--|--|--|----------|
| <p>AIR-4: Require developers of projects containing sensitive receptors to provide a cumulative health risk assessment at project locations exceeding ARB Land Use Handbook distance screening criteria or newer criteria that may be developed by the San Joaquin Valley Air Pollution Control District (SJVAPCD).</p> <p>Verification comments:</p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | <p>X</p> |
| <p>AIR-5: Require developers of projects with the potential to generate significant odor impacts as determined through review of SJVAPCD odor complaint history for similar facilities and consultation with the SJVAPCD to prepare an odor impact assessment and to implement odor control measures recommended by the SJVAPCD or the City to the extent needed to reduce the impact to less than significant.</p> <p>Verification comments:</p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | <p>X</p> |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Biological Resources:

| | | | | | | | | |
|--|--|-------------|--|--|--|--|--|----------|
| <p>BIO-1: Construction of a proposed project should avoid, where possible, vegetation communities that provide suitable habitat for a special-status species known to occur within the Planning Area. If construction within potentially suitable habitat must occur, the presence/absence of any special-status plant or wildlife species must be determined prior to construction, to determine if the habitat supports any special-status species. If special-status species are determined to occupy any portion of a project site, avoidance and minimization measures shall be incorporated into the construction phase of a project to avoid direct or incidental take of a listed species to the greatest extent feasible.</p> <p>Verification comments:</p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | <p>X</p> |
| <p>BIO-2: Direct or incidental take of any state or federally listed species should be avoided to the greatest extent feasible. If construction of a proposed project will result in the direct or incidental take of a listed species, consultation with the resources agencies and/or additional permitting may be required. Agency consultation through the California Department of Fish and Wildlife (CDFW) 2081 and U.S. Fish and Wildlife Service (USFWS) Section 7 or Section 10 permitting processes must take place prior to any action that</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | <p>X</p> |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Biological Resources *(continued):*

| | | | | | | | | |
|---|--|-----------------------------------|--|--|--|--|--|---|
| <p>BIO-2 <i>(continued from previous page)</i> may result in the direct or incidental take of a listed species. Specific mitigation measures for direct or incidental impacts to a listed species will be determined on a case-by-case basis through agency consultation.</p> <p>Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
| <p>BIO-3: Development within the Planning Area should avoid, where possible, special-status natural communities and vegetation communities that provide suitable habitat for special-status species. If a proposed project will result in the loss of a special-status natural community or suitable habitat for special-status species, compensatory habitat-based mitigation is required under CEQA and the California Endangered Species Act (CESA). Mitigation will consist of preserving on-site habitat, restoring similar habitat or purchasing off-site credits from an approved mitigation bank. Compensatory mitigation will be determined through consultation with the City and/or resource agencies. An appropriate mitigation strategy and ratio will be agreed upon by the developer and lead agency to reduce project impacts to special-status natural communities to a less than significant</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | X |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Biological Resources *(continued):*

| | | | | | | | | |
|---|---|-----------------------------------|--|--|--|--|--|---|
| <p>BIO-3 <i>(continued from previous page):</i> level. Agreed-upon mitigation ratios will depend on the quality of the habitat and presence/absence of a special-status species. The specific mitigation for project level impacts will be determined on a case-by-case basis.</p> <p>Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
| <p>BIO-4: Proposed projects within the Planning Area should avoid, if possible, construction within the general nesting season of February through August for avian species protected under Fish and Game Code 3500 and the Migratory Bird Treaty Act (MBTA), if it is determined that suitable nesting habitat occurs on a project site. If construction cannot avoid the nesting season, a pre-construction clearance survey must be conducted to determine if any nesting birds or nesting activity is observed on or within 500-feet of a project site. If an active nest is observed during the survey, a biological monitor must be on site to ensure that no proposed project activities would impact the active nest. A suitable buffer will be established around the active nest until the nestlings have fledged and the nest is no longer active. Project activities</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to development project approval and during construction activities</p> | <p>DARM</p> | | | | | | X |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Biological Resources *(continued):*

| | | | | | | | | |
|---|--|-----------------------------------|--|--|--|--|--|---|
| <p>BIO-4 <i>(continued from previous page):</i> may continue in the vicinity of the nest only at the discretion of the biological monitor. Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
| <p>BIO-5: If a proposed project will result in the removal or impact to any riparian habitat and/or a special-status natural community with potential to occur in the Planning Area, compensatory habitat-based mitigation shall be required to reduce project impacts. Compensatory mitigation must involve the preservation or restoration or the purchase of off-site mitigation credits for impacts to riparian habitat and/or a special-status natural community. Mitigation must be conducted in-kind or within an approved mitigation bank in the region. The specific mitigation ratio for habitat-based mitigation will be determined through consultation with the appropriate agency (<i>i.e.</i>, CDFW or USFWS) on a case-by-case basis. Verification comments:</p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | X |
| | | | | | | | | |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Biological Resources *(continued):*

| | | | | | | | | |
|--|--|-------------|--|--|--|--|--|----------|
| <p>BIO-6: Project impacts that occur to riparian habitat may also result in significant impacts to streambeds or waterways protected under Section 1600 of Fish and Wildlife Code and Section 404 of the CWA. CDFW and/or USACE consultation, determination of mitigation strategy, and regulatory permitting to reduce impacts, as required for projects that remove riparian habitat and/or alter a streambed or waterway, shall be implemented.</p> <p>Verification comments:</p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | <p>X</p> |
|--|--|-------------|--|--|--|--|--|----------|

| | | | | | | | | |
|---|--|-------------|--|--|--|--|--|----------|
| <p>BIO-7: Project-related impacts to riparian habitat or a special-status natural community may result in direct or incidental impacts to special-status species associated with riparian or wetland habitats. Project impacts to special-status species associated with riparian habitat shall be mitigated through agency consultation, development of a mitigation strategy, and/or issuing incidental take permits for the specific special-status species, as determined by the CDFW and/or USFWS.</p> <p>Verification comments:</p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | <p>X</p> |
|---|--|-------------|--|--|--|--|--|----------|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Biological Resources *(continued):*

| | | | | | | | | |
|--|--|-------------|--|--|--|--|--|----------|
| <p>BIO-8: If a proposed project will result in the significant alteration or fill of a federally protected wetland, a formal wetland delineation conducted according to U.S. Army Corps of Engineers (USACE) accepted methodology is required for each project to determine the extent of wetlands on a project site. The delineation shall be used to determine if federal permitting and mitigation strategy are required to reduce project impacts. Acquisition of permits from USACE for the fill of wetlands and USACE approval of a wetland mitigation plan would ensure a “no net loss” of wetland habitat within the Planning Area. Appropriate wetland mitigation/creation shall be implemented in a ratio according to the size of the impacted wetland.</p> <p>Verification comments:</p> | <p>Prior to development project approval</p> | <p>DARM</p> | | | | | | <p>X</p> |
| <p>BIO-9: In addition to regulatory agency permitting, Best Management Practices (BMPs) identified from a list provided by the USACE shall be incorporated into the design and construction phase of the project to ensure that no pollutants or siltation drain into a federally protected wetland. Project design features such as fencing, appropriate drainage and</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to development project approval; but for long-term operational BMPs, prior to issuance of occupancy</p> | <p>DARM</p> | | | | | | <p>X</p> |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Biological Resources *(continued):*

| | | | | | | | | |
|---|-----------------------------------|-----------------------------------|--|--|--|--|--|--|
| <p>BIO-9 <i>(continued from previous page):</i> incorporating detention basins shall assist in ensuring project-related impacts to wetland habitat are minimized to the greatest extent feasible. Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
|---|-----------------------------------|-----------------------------------|--|--|--|--|--|--|

Cultural Resources:

| | | | | | | | | |
|--|--|-------------|---|--|--|--|--|--|
| <p>CUL-1: If previously unknown resources are encountered before or during grading activities, construction shall stop in the immediate vicinity of the find and a qualified historical resources specialist shall be consulted to determine whether the resource requires further study. The qualified historical resources specialist shall make recommendations to the City on the measures that shall be implemented to protect the discovered resources, including but not limited to excavation of the finds and evaluation of the finds in accordance with Section 15064.5 of the CEQA Guidelines and the City's Historic Preservation Ordinance. If the resources are determined to be unique historical resources as defined under Section 15064.5 of the CEQA Guidelines, measures shall be identified by the monitor and <i>(continued on next page)</i></p> | <p>Prior to commencement of, and during, construction activities</p> | <p>DARM</p> | X | | | | | |
|--|--|-------------|---|--|--|--|--|--|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Cultural Resources *(continued):*

| | | | | | | | | |
|---|--|-----------------------------------|---|--|--|--|--|--|
| <p>CUL-1 <i>(continued from previous page)</i></p> <p>recommended to the Lead Agency. Appropriate measures for significant resources could include avoidance or capping, incorporation of the site in green space, parks, or open space, or data recovery excavations of the finds.</p> <p>No further grading shall occur in the area of the discovery until the Lead Agency approves the measures to protect these. Any historical artifacts recovered as a result of mitigation shall be provided to a City-approved institution or person who is capable of providing long-germ preservation to allow future scientific study.</p> <p>Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
| <p>CUL-2: Subsequent to a preliminary City review of the project grading plans, if there is evidence that a project will include excavation or construction activities within previously undisturbed soils, a field survey and literature search for prehistoric archaeological resources shall be conducted. The following procedures shall be followed.</p> <p>If prehistoric resources are not found during either the field survey or literature search, excavation and/or construction activities can commence. In the event that buried prehistoric</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to commencement of, and during, construction activities</p> | <p>DARM</p> | X | | | | | |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Cultural Resources *(continued):*

| | | | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|
| <p>CUL-2 <i>(continued from previous page)</i></p> <p>archaeological resources are discovered during excavation and/or construction activities, construction shall stop in the immediate vicinity of the find and a qualified archaeologist shall be consulted to determine whether the resource requires further study. The qualified archaeologist shall make recommendations to the City on the measures that shall be implemented to protect the discovered resources, including but not limited to excavation of the finds and evaluation of the finds in accordance with CEQA Guidelines Section 15064.5.</p> <p>If the resources are determined to be unique prehistoric archaeological resources as defined under Section 15064.5 of the CEQA Guidelines, mitigation measures shall be identified by the monitor and recommended to the Lead Agency. Appropriate measures for significant resources could include avoidance or capping, incorporation of the site in green space, parks, or open space, or data recovery excavations of the finds. No further grading shall occur in the area of the discovery until the Lead Agency approves the measures to protect these resources. Any prehistoric archaeological artifacts recovered as a result of mitigation shall be provided</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Cultural Resources (continued):

| | | | | | | | | |
|--|----------------------|----------------------|--|--|--|--|--|--|
| <p>CUL-2 (further continued from previous two pages)</p> <p>to a City-approved institution or person who is capable of providing long-term preservation to allow future scientific study.</p> <p>If prehistoric resources are found during the field survey or literature review, the resources shall be inventoried using appropriate State record forms and submit the forms to the Southern San Joaquin Valley Information Center. The resources shall be evaluated for significance. If the resources are found to be significant, measures shall be identified by the qualified archaeologist. Similar to above, appropriate mitigation measures for significant resources could include avoidance or capping, incorporation of the site in green space, parks, or open space, or data recovery excavations of the finds.</p> <p>In addition, appropriate mitigation for excavation and construction activities in the vicinity of the resources found during the field survey or literature review shall include an archaeological monitor. The monitoring period shall be determined by the qualified archaeologist. If additional prehistoric archaeological resources are found during</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>[see Page 14]</p> | <p>[see Page 14]</p> | | | | | | |
|--|----------------------|----------------------|--|--|--|--|--|--|

Cultural Resources (continued):

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|---|---|------------------------|---|---|---|---|---|---|
| <p>CUL-2 (further continued from previous three pages) excavation and/or construction activities, the procedure identified above for the discovery of unknown resources shall be followed. Verification comments:</p> | [see Page 14] | [see Page 14] | | | | | | |
| <p>CUL-3: Subsequent to a preliminary City review of the project grading plans, if there is evidence that a project will include excavation or construction activities within previously undisturbed soils, a field survey and literature search for unique paleontological/geological resources shall be conducted. The following procedures shall be followed: If unique paleontological/geological resources are not found during either the field survey or literature search, excavation and/or construction activities can commence. In the event that unique paleontological/geological resources are discovered during excavation and/or construction activities, construction shall stop in the immediate vicinity of the find and a qualified paleontologist shall be consulted to determine whether the resource requires further study. The qualified paleontologist shall make recommendations to the City on the measures that shall be implemented to protect the discovered (continued on next page)</p> | Prior to commencement of, and during, construction activities | DARM | X | | | | | |

A - Incorporated into Project
 B - Mitigated

C - Mitigation in Process
 D - Responsible Agency Contacted

E - Part of City-Wide Program
 F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--|-----------------------------------|-----------------------------------|---|---|---|---|---|---|
| <p>CUL-3 (continued from previous page)</p> <p>resources, including but not limited to, excavation of the finds and evaluation of the finds. If the resources are determined to be significant, mitigation measures shall be identified by the monitor and recommended to the Lead Agency. Appropriate mitigation measures for significant resources could include avoidance or capping, incorporation of the site in green space, parks, or open space, or data recovery excavations of the finds. No further grading shall occur in the area of the discovery until the Lead Agency approves the measures to protect these resources. Any paleontological/geological resources recovered as a result of mitigation shall be provided to a City-approved institution or person who is capable of providing long-term preservation to allow future scientific study.</p> <p>If unique paleontological/geological resources are found during the field survey or literature review, the resources shall be inventoried and evaluated for significance. If the resources are found to be significant, mitigation measures shall be identified by the qualified paleontologist. Similar to above, appropriate mitigation measures for significant resources could include avoidance or capping, incorporation of the site in green space, parks, or open space, or data recovery excavations of the finds. In addition, appropriate mitigation for excavation and construction activities in the vicinity of the</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Cultural Resources *(continued):*

| | | | | | | | | |
|--|--|----------------------|---|--|--|--|--|--|
| <p>CUL-3 <i>(further continued from previous two pages)</i></p> <p>resources found during the field survey or literature review shall include a paleontological monitor. The monitoring period shall be determined by the qualified paleontologist. If additional paleontological/geological resources are found during excavation and/or construction activities, the procedure identified above for the discovery of unknown resources shall be followed.</p> <p>Verification comments:</p> | <p>[see Page 17]</p> | <p>[see Page 17]</p> | | | | | | |
| <p>CUL-4: In the event that human remains are unearthed during excavation and grading activities of any future development project, all activity shall cease immediately. Pursuant to Health and Safety Code (HSC) Section 7050.5, no further disturbance shall occur until the County Coroner has made the necessary findings as to origin and disposition pursuant to PRC Section 5097.98(a). If the remains are determined to be of Native American descent, the coroner shall within 24 hours notify the Native American Heritage Commission (NAHC). The NAHC shall then contact the most</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to commencement of, and during, construction activities</p> | <p>DARM</p> | X | | | | | |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Cultural Resources *(continued):*

| | | | | | | | | |
|---|-----------------------------------|-----------------------------------|--|--|--|--|--|--|
| <p>CUL-4 <i>(continued from previous page)</i></p> <p>likely descendent of the deceased Native American, who shall then serve as the consultant on how to proceed with the remains.</p> <p>Pursuant to PRC Section 5097.98(b), upon the discovery of Native American remains, the landowner shall ensure that the immediate vicinity, according to generally accepted cultural or archaeological standards or practices, where the Native American human remains are located is not damaged or disturbed by further development activity until the landowner has discussed and conferred with the most likely descendants regarding their recommendations, if applicable, taking into account the possibility of multiple human remains. The landowner shall discuss and confer with the descendants all reasonable options regarding the descendants' preferences for treatment.</p> <p>Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
|---|-----------------------------------|-----------------------------------|--|--|--|--|--|--|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Hazards and Hazardous Materials

| | | | | | | | | |
|--|---------------------------------------|-------------|--|--|--|--|--|----------|
| <p>HAZ-1: Re-designate the existing vacant land proposed for low density residential located northwest of the intersection of East Garland Avenue and North Dearing Avenue and located within Fresno Yosemite International Airport Zone 1-RPZ, to Open Space.</p> <p>Verification comments:</p> | <p>Prior to development approvals</p> | <p>DARM</p> | | | | | | <p>X</p> |
| <p>HAZ-2: Limit the proposed low density residential (1 to 3 dwelling units per acre) located northwest of the airport, and located within Fresno Yosemite International Airport Zone 3-Inner Turning Area, to 2 dwelling units per acre or less.</p> <p>Verification comments:</p> | <p>Prior to development approvals</p> | <p>DARM</p> | | | | | | <p>X</p> |
| <p>HAZ-3: Re-designate the current area within Fresno Yosemite International Airport Zone 5-Sideline located northeast of the airport to Public Facilities-Airport or Open Space.</p> <p>Verification comments:</p> | <p>Prior to development approvals</p> | <p>DARM</p> | | | | | | <p>X</p> |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Hazards and Hazardous Materials *(continued)*:

| | | | | | | | | |
|---|--|--|--|--|--|--|--|---|
| <p>HAZ-4: Re-designate the current vacant lots at the northeast corner of Kearney Boulevard and South Thorne Avenue to Public Facilities-Airport or Open Space.</p> <p>Verification comments:</p> | <p>Prior to development approvals</p> | <p>DARM</p> | | | | | | X |
| <p>HAZ-5: Prohibit residential uses within Safety Zone 1 northwest of the Hawes Avenue and South Thorne Avenue intersection.</p> <p>Verification comments:</p> | <p>Prior to development approvals</p> | <p>DARM</p> | | | | | | X |
| <p>HAZ-6: Establish an alternative Emergency Operations Center in the event the current Emergency Operations Center is under redevelopment or blocked.</p> <p>Verification comments:</p> | <p>Prior to redevelopment of the current Emergency Operations Center</p> | <p>Fresno Fire Department and Mayor/ City Manager's Office</p> | | | | | | X |

A - Incorporated into Project
 B - Mitigated

C - Mitigation in Process
 D - Responsible Agency Contacted

E - Part of City-Wide Program
 F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--|--|--|---|---|---|---|---|---|
| Hydrology and Water Quality | | | | | | | | |
| <p>HYD-1: The City shall develop and implement water conservation measures to reduce the per capita water use to 215 gallons per capita per day.</p> <p>Verification comments:</p> | Prior to water demand exceeding water supply | Department of Public Utilities (DPU) | | | | | X | |
| <p>HYD-2: The City shall continue to be an active participant in the Kings Water Authority and the implementation of the Kings Basin IRWMP.</p> <p>Verification comments:</p> | Ongoing | DPU | | | | | X | |
| <p>HYD-5.1: The City and partnering agencies shall implement the following measures to reduce the impacts on the capacity of existing or planned storm drainage Master Plan collection systems to less than significant.</p> <ul style="list-style-type: none"> Implement the existing Storm Drainage Master Plan (SDMP) for collection systems in drainage areas where the amount of imperviousness is unaffected by the change in land uses. <p style="text-align: right;"><i>(continued on next page)</i></p> | Prior to exceedance of capacity of existing stormwater drainage facilities | Fresno Metropolitan Flood Control District (FMFCD), DARM, and PW | X | | | X | X | |

A - Incorporated into Project
 B - Mitigated

C - Mitigation in Process
 D - Responsible Agency Contacted

E - Part of City-Wide Program
 F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Hydrology and Water Quality *(continued)*:

| | | | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|
| <p>HYD-5.1 <i>(continued from previous page)</i></p> <ul style="list-style-type: none"> Update the SDMP in those drainage areas where the amount of imperviousness increased due to the change in land uses to determine the changes in the collection systems that would need to occur to provide adequate capacity for the stormwater runoff from the increased imperviousness. Implement the updated SDMP to provide stormwater collection systems that have sufficient capacity to convey the peak runoff rates from the areas of increased imperviousness. <p>Require developments that increase site imperviousness to install, operate, and maintain FMFCD approved on-site detention systems to reduce the peak runoff rates resulting from the increased imperviousness to the peak runoff rates that will not exceed the capacity of the existing stormwater collection systems.</p> <p>Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Hydrology and Water Quality *(continued)*:

| | | | | | | | | |
|--|---|----------------------------|--|--|--|---|---|---|
| <p>HYD-5.2: The City and partnering agencies shall implement the following measures to reduce the impacts on the capacity of existing or planned storm drainage Master Plan retention basins to less than significant:</p> <p>Consult the SDMP to analyze the impacts to existing and planned retention basins to determine remedial measures required to reduce the impact on retention basin capacity to less than significant. Remedial measures would include:</p> <ul style="list-style-type: none"> • Increase the size of the retention basin through the purchase of more land or deepening the basin or a combination for planned retention basins. • Increase the size of the emergency relief pump capacity required to pump excess runoff volume out of the basin and into adjacent canal that convey the stormwater to a disposal facility for existing retention basins. • Require developments that increase runoff volume to install, operate, and maintain, Low Impact Development (LID) measures to reduce runoff volume to the runoff volume that will not exceed the capacity of the existing retention basins. <p>Verification comments:</p> | <p>Prior to exceedance of capacity of existing retention basin facilities</p> | <p>FMFCD, DARM, and PW</p> | | | | X | X | X |
|--|---|----------------------------|--|--|--|---|---|---|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Hydrology and Water Quality *(continued)*:

| | | | | | | | | |
|--|--|----------------------------|--|--|--|---|---|---|
| <p>HYD-5.3: The City and partnering agencies shall implement the following measures to reduce the impacts on the capacity of existing or planned storm drainage Master Plan urban detention (stormwater quality) basins to less than significant.</p> <p>Consult the SDMP to determine the impacts to the urban detention basin weir overflow rates and determine remedial measures required to reduce the impact on the detention basin capacity to less than significant. Remedial measures would include:</p> <ul style="list-style-type: none"> • Modify overflow weir to maintain the suspended solids removal rates adopted by the FMFCD Board of Directors. • Increase the size of the urban detention basin to increase residence time by purchasing more land. The existing detention basins are already at the adopted design depth. • Require developments that increase runoff volume to install, operate, and maintain, Low Impact Development (LID) measures to reduce peak runoff rates and runoff volume to the runoff rates and volumes that will not exceed the weir overflow rates of the existing urban detention basins. <p>Verification comments:</p> | <p>Prior to exceedance of capacity of existing urban detention basin (stormwater quality) facilities</p> | <p>FMFCD, DARM, and PW</p> | | | | X | X | X |
|--|--|----------------------------|--|--|--|---|---|---|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Hydrology and Water Quality *(continued)*:

| | | | | | | | | |
|---|--|----------------------------|--|--|--|---|---|---|
| <p>HYD-5.4: The City shall implement the following measures to reduce the impacts on the capacity of existing or planned storm drainage Master Plan pump disposal systems to less than significant.</p> <ul style="list-style-type: none"> • Consult the SDMP to determine the extent and degree to which the capacity of the existing pump system will be exceeded. • Require new developments to install, operate, and maintain FMFCD design standard on-site detention facilities to reduce peak stormwater runoff rates to existing planned peak runoff rates. • Provide additional pump system capacity to maximum allowed by existing permitting to increase the capacity to match or exceed the peak runoff rates determined by the SDMP. <p>Verification comments:</p> | <p>Prior to exceedance of capacity of existing pump disposal systems</p> | <p>FMFCD, DARM, and PW</p> | | | | X | X | X |
|---|--|----------------------------|--|--|--|---|---|---|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
| | | | | | | | | |

Hydrology and Water Quality *(continued)*:

| | | | | | | | | |
|---|--|---------------------|--|--|--|--|--|---|
| <ul style="list-style-type: none"> HYD-5.5: The City shall work with FMFCD to develop and adopt an update to the SDMP for the Southeast Development Area that would be adequately designed to collect, convey and dispose of runoff at the rates and volumes which would be generated by the planned land uses in that area. <p>Verification comments:</p> | Prior to development approvals in the Southeast Development Area | FMFCD, DARM, and PW | | | | | | X |
| | | | | | | | | |

Public Services:

| | | | | | | | | |
|---|---|------|--|--|--|--|--|---|
| <p>PS-1: As future fire facilities are planned, the fire department shall evaluate if specific environmental effects would occur. Typical impacts from fire facilities include noise, traffic, and lighting. Typical mitigation to reduce these impacts includes:</p> <ul style="list-style-type: none"> <i>Noise:</i> Barriers and setbacks on the fire department sites. <i>Traffic:</i> Traffic devices for circulation and a “keep clear zone” during emergency responses. <i>Lighting:</i> Provision of hoods and deflectors on lighting fixtures on the fire department sites. <p>Verification comments:</p> | During the planning process for future fire department facilities | DARM | | | | | | X |
| | | | | | | | | |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Public Services *(continued):*

| | | | | | | | | |
|--|--|--|--|--|--|--|--|---|
| <p>PS-2: As future police facilities are planned, the police department shall evaluate if specific environmental effects would occur. Typical impacts from police facilities include noise, traffic, and lighting. Typical mitigation to reduce potential impacts from police department facilities includes:</p> <ul style="list-style-type: none"> • <i>Noise:</i> Barriers and setbacks on the police department sites. • <i>Traffic:</i> Traffic devices for circulation. • <i>Lighting:</i> Provision of hoods and deflectors on lighting fixtures on the fire department sites. <p>Verification comments:</p> | <p>During the planning process for future Police Department facilities</p> | <p>DARM</p> | | | | | | X |
| <p>PS-3: As future public and private school facilities are planned, school districts shall evaluate if specific environmental effects would occur with regard to public schools, and DARM shall evaluate other school facilities. Typical impacts from school facilities include noise, traffic, and lighting. Typical mitigation to reduce potential impacts from school facilities includes:</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>During the planning process for future school facilities</p> | <p>DARM, local school districts, and the Division of the State Architect</p> | | | | | | X |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Public Services (continued):

| | | | | | | | | |
|---|--|----------------------------|--|--|--|--|--|---|
| <p>PS-3 (continued from previous page)</p> <ul style="list-style-type: none"> • <i>Noise:</i> Barriers and setbacks placed on school sites. • <i>Traffic:</i> Traffic devices for circulation. • <i>Lighting:</i> Provision of hoods and deflectors on lighting fixtures for stadium lights. <p>Verification comments:</p> | <p>[see previous page]</p> | <p>[see previous page]</p> | | | | | | |
| <p>PS-4: As future parks and recreational facilities are planned, the City shall evaluate if specific environmental effects would occur. Typical impacts from school facilities include noise, traffic, and lighting. Typical mitigation to reduce potential impacts from park and recreational facilities includes:</p> <ul style="list-style-type: none"> • <i>Noise:</i> Barriers and setbacks placed on school sites. • <i>Traffic:</i> Traffic devices for circulation. • <i>Lighting:</i> Provision of hoods and deflectors on lighting fixtures for outdoor play area/field lights. <p>Verification comments:</p> | <p>During the planning process for future park and recreation facilities</p> | <p>DARM</p> | | | | | | X |

Public Services (continued):

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--|---|--|---|---|---|---|---|---|
| | | | | | | | | |
| <p>PS-5: As future detention, court, library, and hospital facilities are planned, the appropriate agencies shall evaluate if specific environmental effects would occur. Typical impacts from court, library, and hospital facilities include noise, traffic, and lighting. Typical mitigation to reduce potential impacts includes:</p> <ul style="list-style-type: none"> • <i>Noise:</i> Barriers and setbacks placed on school sites. • <i>Traffic:</i> Traffic devices for circulation. • <i>Lighting:</i> Provision of hoods and deflectors on outdoor lighting fixtures <p>Verification comments:</p> | During the planning process for future detention, court, library, and hospital facilities | DARM, to the extent that agencies constructing these facilities are subject to City of Fresno regulation | | | | | | |

Utilities and Service Systems

| | | | | | | | | |
|---|--|-----|--|--|--|--|---|---|
| <p>USS-1: The City shall develop and implement a wastewater master plan update.</p> <p>Verification comments:</p> | Prior to wastewater conveyance and treatment demand exceeding capacity | DPU | | | | | X | X |
|---|--|-----|--|--|--|--|---|---|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems *(continued)*:

| | | | | | | | | |
|--|--|------------|--|--|--|--|---|---|
| <p>USS-2: Prior to exceeding existing wastewater treatment capacity, the City shall evaluate the wastewater system and shall not approve additional development that contributes wastewater to the wastewater treatment facility that could exceed capacity until additional capacity is provided. By approximately the year 2025, the City shall construct the following improvements:</p> <ul style="list-style-type: none"> • Construct an approximately 70 MGD expansion of the Regional Wastewater Treatment and Reclamation Facility and obtain revised waste discharge permits as the generation of wastewater is increased. • Construct an approximately 0.49 MGD expansion of the North Facility and obtain revised waste discharge permits as the generation of wastewater is increased. <p>Verification comments:</p> | <p>Prior to exceeding existing wastewater treatment capacity</p> | <p>DPU</p> | | | | | X | X |
| <p>USS-3: Prior to exceeding existing wastewater treatment capacity, the City shall evaluate the wastewater system and shall not approve additional development that contributes wastewater to the wastewater treatment facility that could exceed capacity until additional capacity is provided. After</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to exceeding existing wastewater treatment capacity</p> | <p>DPU</p> | | | | | X | X |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems (continued):

| | | | | | | | | |
|---|--|---|--|--|--|--|---|---|
| <p>USS-3 (continued from previous page)</p> <p>approximately the year 2025, the City shall construct the following improvements:</p> <ul style="list-style-type: none"> • Construct an approximately 24 MGD wastewater treatment facility within the Southeast Development Area and obtain revised waste discharge requirements as the generation of wastewater is increased. • Construct an approximately 9.6 MGD expansion of the Regional Wastewater Treatment and Reclamation Facility and obtain revised waste discharge permits as the generation of wastewater is increased. <p>Verification comments:</p> | <p>[see previous page]</p> | <p>[see previous page]</p> | | | | | | |
| <p>USS-4: A Traffic Control/Traffic Management Plan to address traffic impacts during construction of water and sewer facilities shall be prepared and implemented, subject to approval by the City (and Fresno County, when work is being done in unincorporated area roadways). The plan shall identify access and parking restrictions, pavement markings and signage, and hours of construction and for deliveries. It shall include haul routes, the notification plan, and coordination with emergency service providers and schools.</p> <p>Verification comments:</p> | <p>Prior to construction of water and sewer facilities</p> | <p>PW for work in the City; PW and Fresno County Public Works and Planning when unincorporated area roadways are involved</p> | | | | | X | X |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems *(continued)*:

| | | | | | | | | |
|---|--|------------|--|--|--|--|---|---|
| <p>USS-5: Prior to exceeding capacity within the existing wastewater collection system facilities, the City shall evaluate the wastewater collection system and shall not approve additional development that would generate additional wastewater and exceed the capacity of a facility until additional capacity is provided. By approximately the year 2025, the following capacity improvements shall be provided.</p> <ul style="list-style-type: none"> • Orange Avenue Trunk Sewer: This facility shall be improved between Dakota and Jensen Avenues. Approximately 37,240 feet of new sewer main shall be installed and approximately 5,760 feet of existing sewer main shall be rehabilitated. The size of the new sewer main shall range from 27 inches to 42 inches in diameter. The associated project designations in the 2006 Wastewater Master Plan are RS03A, RL02, C01-REP, C02-REP, C03-REP, C04-REP, C05-REP, C06-REL and C07-REP. • Marks Avenue Trunk Sewer: This facility shall be improved between Clinton Avenue and Kearney Boulevard. Approximately 12,150 feet of new sewer main shall be installed. The size of the new sewer main shall range from 33 inches to 60 inches in diameter. The associated project designations in the 2006 Wastewater Master Plan are CM1-REP and CM2-REP. <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to exceeding capacity within the existing wastewater collection system facilities</p> | <p>DPU</p> | | | | | X | X |
|---|--|------------|--|--|--|--|---|---|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems *(continued)*:

| | | | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|
| <p>USS-5 <i>(continued from previous page)</i></p> <ul style="list-style-type: none"> • North Avenue Trunk Sewer: This facility shall be improved between Polk and Fruit Avenues and also between Orange and Maple Avenues. Approximately 25,700 feet of new sewer main shall be installed. The size of the new sewer main shall range from 48 inches to 66 inches in diameter. The associated project designations in the 2006 Wastewater Master Plan are CN1-REL1 and CN3-REL1. • Ashlan Avenue Trunk Sewer: This facility shall be improved between Hughes and West Avenues and also between Fruit and Blackstone Avenues. Approximately 9,260 feet of new sewer main shall be installed. The size of the new sewer main shall range from 24 inches to 36 inches in diameter. The associated project designations in the 2006 Wastewater Master Plan are CA1-REL and CA2-REP. <p>Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems *(continued)*:

| | | | | | | | | |
|---|--|------------|--|--|--|--|---|---|
| <p>USS-6: Prior to exceeding capacity within the existing 28 pipeline segments shown in Figures 1 and 2 in Appendix J-1, the City shall evaluate the wastewater collection system and shall not approve additional development that would generate additional wastewater and exceed the capacity of one of the 28 pipeline segments until additional capacity is provided.</p> <p>Verification comments:</p> | <p>Prior to exceeding capacity within the existing 28 pipeline segments shown in Figures 1 and 2 in Appendix J-1 of the MEIR</p> | <p>DPU</p> | | | | | X | X |
| <p>USS-7: Prior to exceeding existing water supply capacity, the City shall evaluate the water supply system and shall not approve additional development that demand additional water until additional capacity is provided. By approximately the year 2025, the following capacity improvements shall be provided.</p> <ul style="list-style-type: none"> Construct an approximately 80 million gallon per day (MGD) surface water treatment facility near the intersection of Armstrong and Olive Avenues, in accordance with Chapter 9 and Figure 9-1 of the City of Fresno Metropolitan Water Resources Management Plan Update (2014 Metro Plan Update) Phase 2 Report, dated January 2012. <p><i>(continued on next page)</i></p> | <p>Prior to exceeding existing water supply capacity</p> | <p>DPU</p> | | | | | X | X |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems *(continued)*:

| | | | | | | | | |
|---|--|-----------------------------------|--|--|--|--|----------|----------|
| <p>USS-7 <i>(continued from previous page)</i></p> <ul style="list-style-type: none"> Construct an approximately 30 MGD expansion of the existing northeast surface water treatment facility for a total capacity of 60 MGD, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update. Construct an approximately 20 MGD surface water treatment facility in the southwest portion of the City, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update. <p>Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
| <p>USS-8: Prior to exceeding capacity within the existing water conveyance facilities, the City shall evaluate the water conveyance system and shall not approve additional development that would demand additional water and exceed the capacity of a facility until additional capacity is provided. The following capacity improvements shall be provided by approximately 2025.</p> <ul style="list-style-type: none"> Construct 65 new groundwater wells, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update. <p><i>(continued on next page)</i></p> | <p>Prior to exceeding capacity within the existing water conveyance facilities</p> | <p>DPU</p> | | | | | <p>X</p> | <p>X</p> |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems *(continued):*

| | | | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|
| <p>USS-8 <i>(continued from previous page)</i></p> <ul style="list-style-type: none"> • Construct a 2.0 million gallon potable water reservoir (Reservoir T2) near the intersection of Clovis and California Avenues, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update. • Construct a 3.0 million gallon potable water reservoir (Reservoir T3) near the intersection of Temperance and Dakota Avenues, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update. • Construct a 3.0 million gallon potable water reservoir (Reservoir T4) in the Downtown Planning Area, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update. • Construct a 4.0 million gallon potable water reservoir (Reservoir T5) near the intersection of Ashlan and Chestnut Avenues, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update. • Construct a 4.0 million gallon potable water reservoir (Reservoir T6) near the intersection of Ashlan Avenue and Highway 99, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update. <p style="text-align: right;"><i>(continued on next page)</i></p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems *(continued)*:

| | | | | | | | | |
|---|--|-----------------------------|--|--|--|--|---|---|
| <p>USS-8 <i>(continued from previous two pages)</i></p> <ul style="list-style-type: none"> Construct 50.3 miles of regional water transmission mains ranging in size from 24-inch to 48-inch diameter, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update. Construct 95.9 miles of 16-inch diameter transmission grid mains, in accordance with Chapter 9 and Figure 9-1 of the 2014 Metro Plan Update. <p>Verification comments:</p> | <p><i>[see Page 37]</i></p> | <p><i>[see Page 37]</i></p> | | | | | | |
| <p>USS-9: Prior to exceeding capacity within the existing water conveyance facilities, the City shall evaluate the water conveyance system and shall not approve additional development that would demand additional water and exceed the capacity of a facility until additional capacity is provided. The following capacity improvements shall be provided after approximately the year 2025 and additional water conveyance facilities shall be provided prior to exceedance of capacity within the water conveyance facilities to accommodate full buildout of the General Plan Update.</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to exceeding capacity within the existing water conveyance facilities</p> | <p>DPU</p> | | | | | X | X |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems *(continued)*:

| | | | | | | | | |
|---|-----------------------------------|-----------------------------------|--|--|--|--|--|--|
| <p>USS-9 <i>(continued from previous page)</i></p> <ul style="list-style-type: none"> Construct a 4.0 million gallon potable water reservoir (SEDA Reservoir 1) within the northern part of the Southeast Development Area. Construct a 4.0 million gallon potable water reservoir (SEDA Reservoir 2) within the southern part of the Southeast Development Area. <p>Additional water conveyance facilities shall be provided prior to exceedance of capacity within the water conveyance facilities to accommodate full buildout of the General Plan Update.</p> <p>Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
|---|-----------------------------------|-----------------------------------|--|--|--|--|--|--|

Utilities and Service Systems - Hydrology and Water Quality

| | | | | | | | | |
|---|------------------------------|---|--|--|--|--|--|----------|
| <p>USS-10: In order to maintain Fresno Irrigation District canal operability, FMFCD shall maintain operational intermittent flows during the dry season, within defined channel capacity and downstream capture capabilities, for recharge.</p> <p>Verification comments:</p> | <p>During the dry season</p> | <p>Fresno Irrigation District (FID)</p> | | | | | | X |
| | | | | | | | | |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems - *Biological Resources:*

| | | | | | | | | |
|--|---|---|--|--|--|--|--|---|
| <p>USS-11: When FMFCD proposes to provide drainage service outside of urbanized areas:</p> <p>(a) FMFCD shall conduct preliminary investigations on undeveloped lands outside of highly urbanized areas. These investigations shall examine wetland hydrology, vegetation and soil types. These preliminary investigations shall be the basis for making a determination on whether or not more in-depth wetland studies shall be necessary. If the proposed project site does not exhibit wetland hydrology, support a prevalence of wetland vegetation and wetland soil types then no further action is required.</p> <p>(b) Where proposed activities could have an impact on areas verified by the Corps as jurisdictional wetlands or waters of the U.S. (urban and rural streams, seasonal wetlands, and vernal pools), FMFCD shall obtain the necessary Clean Water Act, Section 404 permits for activities where fill material shall be placed in a wetland, obstruct the flow or circulation of waters of the United States, impair or reduce the reach of such waters. As part of FMFCD's Memorandum of Understanding with CDFG, Section 404 and 401 permits would be obtained from the U.S. Army Corps of Engineers and from the</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to development approvals outside of highly urbanized areas</p> | <p>California Regional Water Quality Control Board (RWQCB), and USACE</p> | | | | | | X |
|--|---|---|--|--|--|--|--|---|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems - *Biological Resources* (continued):

| | | | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|
| <p>USS-11 <i>(continued from previous page)</i></p> <p>Regional Water Quality Control Board for any activity involving filling of jurisdictional waters). At a minimum, to meet “no net loss policy,” the permits shall require replacement of wetland habitat at a 1:1 ratio.</p> <p>(c) Where proposed activities could have an impact on areas verified by the Corps as jurisdictional wetlands or waters of the U.S. (urban and rural streams, seasonal wetlands, and vernal pools), FMFCD shall submit and implement a wetland mitigation plan based on the wetland acreage verified by the U.S. Army Corps of Engineers. The wetland mitigation plan shall be prepared by a qualified biologist or wetland scientist experienced in wetland creation, and shall include the following or equally effective elements:</p> <ul style="list-style-type: none"> i. Specific location, size, and existing hydrology and soils within the wetland creation area. ii. Wetland mitigation techniques, seed source, planting specifications, and required buffer setbacks. In addition, the mitigation plan shall ensure adequate water supply is provided to the created wetlands in order to maintain the proper <p style="text-align: right;"><i>(continued on next page)</i></p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems - *Biological Resources* (continued):

| | | | | | | | | |
|---|-----------------------------|-----------------------------|--|--|--|--|--|--|
| <p>USS-11 <i>(continued from previous two pages)</i></p> <p>hydrologic regimes required by the different types of wetlands created. Provisions to ensure the wetland water supply is maintained in perpetuity shall be included in the plan.</p> <p>iii. A monitoring program for restored, enhanced, created, and preserved wetlands on the project site. A monitoring program is required to meet three objectives; 1) establish a wetland creation success criteria to be met; 2) to specify monitoring methodology; 3) to identify as far as is possible, specific remedial actions that will be required in order to achieve the success criteria; and 4) to document the degree of success achieved in establishing wetland vegetation.</p> <p>(d) A monitoring plan shall be developed and implemented by a qualified biologist to monitor results of any on-site wetland restoration and creation for five years. The monitoring plan shall include specific success criteria, frequency and timing of monitoring, and assessment of whether or not maintenance activities are being carried out and how these shall be adjusted if necessary.</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p><i>[see Page 41]</i></p> | <p><i>[see Page 41]</i></p> | | | | | | |
|---|-----------------------------|-----------------------------|--|--|--|--|--|--|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems - *Biological Resources* (continued):

| | | | | | | | | |
|--|---|---|--|--|--|--|--|---|
| <p>USS-11 (continued from previous three pages)</p> <p>If monitoring reveals that success criteria are not being met, remedial habitat creation or restoration should be designed and implemented by a qualified biologist and subject to five years of monitoring as described above.</p> <p>Or</p> <p>(e) In lieu of developing a mitigation plan that outlines the avoidance, purchase, or creation of wetlands, FMFCD could purchase mitigation credits through a Corps approved Mitigation Bank.</p> <p>Verification comments:</p> | <p>[see Page 41]</p> | <p>[see Page 41]</p> | | | | | | |
| <p>USS-12: When FMFCD proposes to provide drainage service outside in areas that support seasonal wetlands or vernal pools:</p> <p>(a) During facility design and prior to initiation of ground disturbing activities in areas that support seasonal wetlands or vernal pools, FMFCD shall conduct a preliminary rare plant assessment. The assessment will determine the likelihood on whether or not the project site could support rare plants. If it is determined that the project site would not support rare plants, then no further</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>During facility design and prior to initiation of ground disturbing activities in areas that support seasonal wetlands or vernal pools</p> | <p>California Department of Fish & Wildlife (CDFW) and U.S. Fish and Wildlife Service (USFWS)</p> | | | | | | X |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems - *Biological Resources* (continued):

| | | | | | | | | |
|---|-----------------------------------|-----------------------------------|--|--|--|--|--|--|
| <p>USS-12 <i>(continued from previous page)</i></p> <p>action is required. However, if the project site has the potential to support rare plants; then a rare plant survey shall be conducted. Rare plant surveys shall be conducted by qualified biologists in accordance with the most current CDFG/USFWS guidelines or protocols and shall be conducted at the time of year when the plants in question are identifiable.</p> <p>(b) Based on the results of the survey, prior to design approval, FMFCD shall coordinate with CDFG and/or implement a Section 7 consultation with USFWS, shall determine whether the project facility would result in a significant impact to any special status plant species. Evaluation of project impacts shall consider the following:</p> <ul style="list-style-type: none"> • The status of the species in question (e.g., officially listed by the State or Federal Endangered Species Acts). • The relative density and distribution of the on-site occurrence versus typical occurrences of the species in question. <p style="text-align: right;"><i>(continued on next page)</i></p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
|---|-----------------------------------|-----------------------------------|--|--|--|--|--|--|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems - *Biological Resources* (continued):

| | | | | | | | | |
|--|---|-----------------------|--|--|--|--|--|---|
| <p>USS-12 (continued from previous two pages)</p> <ul style="list-style-type: none"> The habitat quality of the on-site occurrence relative to historic, current or potential distribution of the population. <p>(c) Prior to design approval, and in consultation with the CDFG and/or the USFWS, FMFCD shall prepare and implement a mitigation plan, in accordance with any applicable State and/or federal statutes or laws, that reduces impacts to a less than significant level.</p> <p>Verification comments:</p> | <p>[see Page 44]</p> | <p>[see Page 44]</p> | | | | | | |
| <p>USS-13: When FMFCD proposes to provide drainage service outside in areas that support seasonal wetlands or vernal pools:</p> <p>(a) During facility design and prior to initiation of ground disturbing activities in areas that support seasonal wetlands or vernal pools, FMFCD shall conduct a preliminary survey to determine the presence of listed vernal pool crustaceans.</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>During facility design and prior to initiation of ground disturbing activities in areas that support seasonal wetlands or vernal pools</p> | <p>CDFW and USFWS</p> | | | | | | X |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems - *Biological Resources* (continued):

| | | | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|
| <p>USS-13 <i>(continued from previous page)</i></p> <p>(b) If potential habitat (vernal pools, seasonally inundated areas) or fairy shrimp exist within areas proposed to be disturbed, FMFCD shall complete the first and second phase of fairy shrimp presence or absence surveys. If an absence finding is determined and accepted by the USFWS, then no further mitigation shall be required for fairy shrimp.</p> <p>(c) If fairy shrimp are found to be present within vernal pools or other areas of inundation to be impacted by the implementation of storm drainage facilities, FMFCD shall mitigate impacts on fairy shrimp habitat in accordance with the USFWS requirements of the Programmatic Biological Opinion. This shall include on-site or off-site creation and/or preservation of fairy shrimp habitat at ratios ranging from 3:1 to 5:1 depending on the habitat impacted and the choice of on-site or off-site mitigation. Or mitigation shall be the purchase of mitigation credit through an accredited mitigation bank.</p> <p>Verification comments:</p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems - *Biological Resources* (continued):

| | | | | | | | | |
|---|--|-----------------------|--|--|--|--|--|---|
| <p>USS-14: When FMFCD proposes to construct drainage facilities in an area where elderberry bushes may occur:</p> <p>(a) During facility design and prior to initiation of construction activities, FMFCD shall conduct a project-specific survey for all potential Valley Elderberry Longhorn Beetle (VELB) habitats (elderberry shrubs), including a stem count and an assessment of historic or current VELB habitat.</p> <p>(b) FMFCD shall avoid and protect all potential identified VELB habitat where feasible.</p> <p>(c) Where avoidance is infeasible, develop and implement a VELB mitigation plan in accordance with the most current USFWS mitigation guidelines for unavoidable take of VELB habitat pursuant to either Section 7 or Section 10(a) of the Federal Endangered Species Act. The mitigation plan shall include, but might not be limited to, relocation of elderberry shrubs, planting of elderberry shrubs, and monitoring of relocated and planted elderberry shrubs.</p> <p>Verification comments:</p> | <p>During facility design and prior to initiation of construction activities</p> | <p>CDFW and USFWS</p> | | | | | | X |
|---|--|-----------------------|--|--|--|--|--|---|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems - *Biological Resources* (continued):

| | | | | | | | | |
|--|--|-----------------------|--|--|--|--|--|---|
| <p>USS-15: Prior to ground disturbing activities during nesting season (March through July) for a project that supports bird nesting habitat, FMFCD shall conduct a survey of trees. If nests are found during the survey, a qualified biologist shall assess the nesting activity on the project site. If active nests are located, no construction activities shall be allowed within 250 feet of the nest until the young have fledged. If construction activities are planned during the non-breeding period (August through February), a nest survey is not necessary.</p> <p>Verification comments:</p> | <p>Prior to ground disturbing activities during nesting season (March through July) for a project that supports bird nesting habitat</p> | <p>CDFW and USFWS</p> | | | | | | X |
| <p>USS-16: When FMFCD proposes to construct drainage facilities in an area that supports bird nesting habitat:</p> <p>(a) FMFCD shall conduct a pre-construction breeding-season survey (approximately February 1 through August 31) of proposed project sites in suitable habitat (levee and canal berms, open grasslands with suitable burrows) during the same calendar year that construction is planned to begin. If phased construction procedures are planned for the proposed project, the results of the above survey shall be valid only for the season when it is conducted.</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to ground disturbing activities during nesting season (March through July) for a project that supports bird nesting habitat</p> | <p>CDFW and USFWS</p> | | | | | | X |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems - *Biological Resources* (continued):

| | | | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|
| <p>USS-16 <i>(continued from previous page)</i></p> <p>(b) During the construction stage, FMFCD shall avoid all burrowing owl nest sites potentially disturbed by project construction during the breeding season while the nest is occupied with adults and/or young. The occupied nest site shall be monitored by a qualified biologist to determine when the nest is no longer used. Avoidance shall include the establishment of a 160-foot diameter non-disturbance buffer zone around the nest site. Disturbance of any nest sites shall only occur outside of the breeding season and when the nests are unoccupied based on monitoring by a qualified biologist. The buffer zone shall be delineated by highly visible temporary construction fencing.</p> <p>Based on approval by CDFG, pre-construction and pre-breeding season exclusion measures may be implemented to preclude burrowing owl occupation of the project site prior to project-related disturbance. Burrowing owls can be passively excluded from potential nest sites in the construction area, either by closing the burrows or placing one-way doors in the burrows according to current CDFG protocol. Burrows shall be examined not more than 30 days before construction to ensure that no owls have recolonized the area of construction.</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p><i>[see previous page]</i></p> | <p><i>[see previous page]</i></p> | | | | | | |
|--|-----------------------------------|-----------------------------------|--|--|--|--|--|--|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems - *Biological Resources* (continued):

| | | | | | | | | |
|--|---|--|--|--|--|--|--|---|
| <p>USS-16 (continued from previous two pages)</p> <p>For each burrow destroyed, a new burrow shall be created (by installing artificial burrows at a ratio of 2:1 on protected lands nearby).</p> <p>Verification comments:</p> | <p>[see Page 49]</p> | <p>[see Page 49]</p> | | | | | | |
| <p>USS-17: When FMFCD proposes to construct drainage facilities in the San Joaquin River corridor:</p> <p>(a) FMFCD shall not conduct instream activities in the San Joaquin River between October 15 and April 15. If this is not feasible, FMFCD shall consult with the National Marine Fisheries Service and CDFW on the appropriate measures to be implemented in order to protect listed salmonids in the San Joaquin River.</p> <p>(b) Riparian vegetation shading the main-channel that is removed or damaged shall be replaced at a ratio and quantity sufficient to maintain the existing shading of the channel. The location of replacement trees on or within</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>During instream activities conducted between October 15 and April 15</p> | <p>National Marine Fisheries Service (NMFS), CDFW, and Central Valley Flood Protection Board (CVFPB)</p> | | | | | | X |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems / Biological Resources (continued):

| | | | | | | | | |
|--|----------------------------|----------------------------|--|--|--|--|--|--|
| <p>USS-17 (continued from previous page)</p> <p>FMFCD berms, detention ponds or river channels shall be approved by FMFCD and the Central Valley Flood Protection Board.</p> <p>Verification comments:</p> | <p>[see previous page]</p> | <p>[see previous page]</p> | | | | | | |
|--|----------------------------|----------------------------|--|--|--|--|--|--|

Utilities and Service Systems – Recreation / Trails:

| | | | | | | | | |
|--|---|---|--|--|--|--|--|---|
| <p>USS-18: When FMFCD updates its District Service Plan:</p> <p>Prior to final design approval of all elements of the District Services Plan, FMFCD shall consult with Fresno County, City of Fresno, and City of Clovis to determine if any element would temporarily disrupt or permanently displace adopted existing or planned trails and associated recreational facilities as a result of the proposed District Services Plan. If the proposed project would not temporarily disrupt or permanently displace adopted existing or planned trails, no further mitigation is necessary. If the proposed project would have an effect on the trails and associated facilities, FMFCD shall implement the following:</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>Prior to final design approval of all elements of the District Services Plan</p> | <p>DARM, PW, City of Clovis, and County of Fresno</p> | | | | | | X |
|--|---|---|--|--|--|--|--|---|

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems – Recreation / Trails (continued):

| | | | | | | | | |
|--|----------------------------|----------------------------|--|--|--|--|--|--|
| <p>USS-18 (continued from previous page)</p> <p>(a) If short-term disruption of adopted existing or planned trails and associated recreational facilities occur, FMFCD shall consult and coordinate with Fresno County, City of Fresno, and City of Clovis to temporarily re-route the trails and associated facilities.</p> <p>(b) If permanent displacement of the adopted existing or planned trails and associated recreational facilities occur, the appropriate design modifications to prevent permanent displacement shall be implemented in the final project design or FMFCD shall replace these facilities.</p> <p>Verification comments:</p> | <p>[see previous page]</p> | <p>[see previous page]</p> | | | | | | |
|--|----------------------------|----------------------------|--|--|--|--|--|--|

Utilities and Service Systems – Air Quality:

| | | | | | | | | |
|--|---|---|--|--|--|--|--|----------|
| <p>USS-19: When District drainage facilities are constructed, FMFCD shall:</p> <p>(a) Minimize idling time of construction equipment vehicles to no more than ten minutes, or require that engines be shut off when not in use.</p> <p style="text-align: right;"><i>(continued on next page)</i></p> | <p>During storm water drainage facility construction activities</p> | <p>Fresno Metropolitan Flood Control District and SJVAPCD</p> | | | | | | X |
| | | | | | | | | |

A - Incorporated into Project
B - Mitigated

C - Mitigation in Process
D - Responsible Agency Contacted

E - Part of City-Wide Program
F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems – Air Quality (continued):

| | | | | | | | | |
|--|----------------------------|----------------------------|--|--|--|--|--|--|
| <p>USS-19 (continued from previous page)</p> <p>(b) Construction shall be curtailed as much as possible when the Air Quality Index (AQI) is above 150. AQI forecasts can be found on the SJVAPCD web site.</p> <p>(c) Off-road trucks should be equipped with on-road engines if possible.</p> <p>(d) Construction equipment should have engines that meet the current off-road engine emission standard (as certified by CARB), or be re-powered with an engine that meets this standard.</p> <p>Verification comments:</p> | <p>[see previous page]</p> | <p>[see previous page]</p> | | | | | | |
|--|----------------------------|----------------------------|--|--|--|--|--|--|

Utilities and Service Systems – Adequacy of Storm Water Drainage Facilities:

| | | | | | | | | |
|---|--|----------------------------|--|--|--|--|---|---|
| <p>USS-20: Prior to exceeding capacity within the existing storm water drainage facilities, the City shall coordinate with FMFCD to evaluate the storm water drainage system and shall not approve additional development that would convey additional storm water to a facility that would experience an exceedance of capacity until the necessary additional capacity is provided.</p> <p>Verification comments:</p> | <p>Prior to exceeding capacity within the existing storm water drainage facilities</p> | <p>FMFCD, PW, and DARM</p> | | | | | X | X |
| | | | | | | | | |

A - Incorporated into Project
 B - Mitigated

C - Mitigation in Process
 D - Responsible Agency Contacted

E - Part of City-Wide Program
 F - Not Applicable

| MITIGATION MEASURE | WHEN IMPLEMENTED | COMPLIANCE VERIFIED BY | A | B | C | D | E | F |
|--------------------|------------------|------------------------|---|---|---|---|---|---|
|--------------------|------------------|------------------------|---|---|---|---|---|---|

Utilities and Service Systems – Adequacy of Water Supply Capacity:

| | | | | | | | | |
|--|--|---------------------|--|--|--|--|---|---|
| <p>USS-21: Prior to exceeding existing water supply capacity, the City shall evaluate the water supply system and shall not approve additional development that demand additional water until additional capacity is provided. By approximately the year 2025, the City shall construct an approximately 25,000 AF/year tertiary recycled water expansion to the Fresno-Clovis Regional Wastewater Reclamation Facility in accordance with the 2013 Recycled Water Master Plan and the 2014 City of Fresno Metropolitan Water Resources Management Plan update.</p> <p>Implementation of Mitigation Measure USS-5 is also required prior to approximately the year 2025.</p> <p>Verification comments:</p> | <p>Prior to exceeding existing water supply capacity</p> | <p>DPU and DARM</p> | | | | | X | X |
| | | | | | | | | |

Utilities and Service Systems – Adequacy of Landfill Capacity:

| | | | | | | | | |
|--|---|---------------------|--|--|--|--|---|---|
| <p>USS-22: Prior to exceeding landfill capacity, the City shall evaluate additional landfill locations and shall not approve additional development that could contribute solid waste to a landfill that is at capacity until additional capacity is provided.</p> <p>Verification comments:</p> | <p>Prior to exceeding landfill capacity</p> | <p>DPU and DARM</p> | | | | | X | X |
| | | | | | | | | |

A - Incorporated into Project
 B - Mitigated

C - Mitigation in Process
 D - Responsible Agency Contacted

E - Part of City-Wide Program
 F - Not Applicable