


EXHIBIT F

Proposed Plans



REVISED EXHIBIT

A-17-009
R-17-013

APPL. NO. C-17-101 EXHIBIT A-1 DATE 10/5/17

PROJ. ENG. _____ DATE _____

TRAFFIC ENG. _____ DATE _____

COND. APPROVED BY _____

CITY OF FRESNO PLANNING & DEVELOPMENT

SITE PLAN
836 E. NEES AVENUE
APN 402-220-66
C-17-101

SHEET ONE OF TWO SHEETS

GARY G. GIANNETTA
CIVIL ENGINEERING & LAND SURVEYING
1110 S. STREET
FRESNO, CA 93701
(559) 284-3590

10/5/17
DATE: 4/12/17

1. CONTACT SUE WASTE DIVISION FOR APPOINTMENT TO ESTABLISH ACCESS AND IMPROVEMENTS REQUIRED AS CONDITIONS OF PROVIDING DISPOSAL SERVICE.
821-3500
2. THE SANITARY SEWER SERVICES, WATER, GAS AND ANY OTHER UNDERGROUND SERVICE CONNECTIONS SHALL BE COMPLETED IN ALL AREAS TO BE PAVED PRIOR TO PLACEMENT OF THE MANHOLE STRUCTURE.
3. ALL MANHOLECAPPED PARKING SPOTS SHALL BE PLACED ADJACENT TO FACILITY ACCESS RAMPS OR IN STRATEGIC AREAS WHERE THE MANHOLECAPPED SHALL NOT HAVE TO WHEEL OR WALK BEHIND PARKING VEHICLES WHILE TRAVELING TO OR FROM MANHOLECAPPED PARKING SPOTS.
4. ALL SURVEY MONUMENTS WITHIN THE AREA OF CONSTRUCTION SHALL BE PREMAINTAINED AND IF DAMAGED SHALL BE RESET BY A PERSON LICENSED TO PRACTICE LAND SURVEYING IN THE STATE OF CALIFORNIA.
5. LIGHTING WHEN PROVIDED TO ILLUMINATE PARKING, SALES OR DISPLAY AREAS SHALL BE HOUSED AND SO ARRANGED AND CONTROLLED SO AS NOT TO CAUSE A NUISANCE EITHER TO HIGHWAY TRAFFIC OR TO THE LIVING ENVIRONMENT, THE SPECIFICATIONS AND TYPES OF LIGHTING FIXTURES TO BE INSTALLED ON THE SITE SHALL BE SUBMITTED TO THE PLANNING DEPARTMENT PRIOR TO PERMITTING TO ISSUANCE OF THE BUILDING PERMITS. THE AMOUNT OF LIGHT SHALL BE PROVIDED ACCORDING TO THE STANDARDS OF THE DEPARTMENT OF PUBLIC WORKS. THE PLANNING DEPARTMENT, THE FIRE DEPARTMENT AND THE PIEDMONT POLICE DEPARTMENT, LIGHTING TO BE PLACED ON BUILDINGS.
6. ALL SIGN PROPOSALS TO BE SUBMITTED TO PLANNING DEPARTMENT FOR SEPARATE SIGN REVIEW PRIOR TO INSTALLATION FOR VERIFICATION OF COMPLIANCE WITH ZONING ORDINANCES.
7. WITHIN THIS PROPERTY, REPAIR ALL DAMAGED AND/OR OFF-GRADE CONCRETE STREET IMPROVEMENTS AS DETERMINED BY THE CONSTRUCTION MANAGEMENT ENGINEER PRIOR TO OCCUPANCY. WITHIN THIS PROPERTY, ALL EXISTING SIDEWALKS IN EXCESS OF 48" IN WIDTH MUST BE BROUGHT INTO COMPLIANCE PRIOR TO ACCEPTANCE BY PUBLIC WORKS.
8. TWO MEANS OF INGRESS/EGRESS MUST BE MAINTAINED DURING ALL PHASES OF DEVELOPMENT.
9. ANY UTILITIES REQUIRING RELOCATION SHALL BE THE RESPONSIBILITY AND AT THE EXPENSE OF THE DEVELOPER. THE CITY ENGINEER, THE PLANNING AND CITY FORCES DEVELOPER IS RESPONSIBLE TO NOTIFY CITY WASTE DIVISION AT 821-3500 TO ARRANGE AND COORDINATE WORK.
10. NO USES OF LAND, BUILDING OR STRUCTURES OTHER THAN THOSE SPECIFICALLY APPROVED BY THE CITY PLANNING DEPARTMENT SHALL BE PERMITTED.
11. ALL TREES SHALL BE MAINTAINED IN GOOD HEALTH. TREES MAY NOT BE TRIMMED OR PRUNED TO REDUCE THE NATURAL HEIGHT OR OVERALL CROWN OF THE TREE, EXCEPT AS NECESSARY FOR THE HEALTH OF THE TREE AND PUBLIC SAFETY OR AS MAY BE SPECIFICALLY APPROVED BY THE DEVELOPMENT AND RESOURCE MANAGEMENT DEPARTMENT.



12. A HOLD ON OCCUPANCY SHALL BE PLACED ON THE PROPOSED DEVELOPMENT UNTIL SUCH TIME THAT LANDSCAPING HAS BEEN APPROVED AND VERIFIED FOR PERMANENT INSTALLATION BY THE DEVELOPMENT AND RESOURCE MANAGEMENT DEPARTMENT.
13. SIGNS, OTHER THAN DIRECTIONAL SIGNS, IF APPLICABLE, ARE NOT APPROVED FOR INSTALLATION AS PART OF THIS SPECIAL PERMIT. SUBMIT FOR A SEPARATE MASTER SIGN PROGRAM OR SIGN REVIEW APPLICATION. APPLICATIONS AND REQUIREMENTS FOR SUBMITTAL ARE AVAILABLE AT THE PLANNING DIVISION'S PUBLIC FRONT COUNTER.
14. SURFACE DRAINAGE OVER DRIVEWAY APPROACHES AND SIDEWALK IS NOT PERMITTED WHEN THE AREA TO BE DRAINED EXCEEDS 1/4 ACRE SHOW DETAIL AND PIPE OR CHANNEL SIZES TO BE USED. PER PUBLIC WORKS SDS P-22 & P-23.
15. A BACKFLOW PREVENTION DEVICE IS REQUIRED. CONTACT WATER DIVISION AT 821-3300 FOR REQUIREMENTS; DEVICES MUST BE INSTALLED ON-SITE IN A PERMITTED APPROVED LOCATION. BACKFLOW CONTROL OR A PLUMBING PERMIT IS REQUIRED TO INSTALL DEVICE; BACKFLOW PREVENTION DEVICES REQUIRED SHALL BE INSTALLED AT CONSUMER'S EXPENSE BY A QUALIFIED PLUMBING FIRM. PLUMBING PERMIT REQUIRED. BACKFLOW TESTS BY THE WATER SYSTEMS MANAGER; BACKFLOW DEVICES MUST BE TESTED AND ACCEPTED BY THE WATER DIVISION PRIOR TO GRANTING BUILDING FINAL. DEVELOPER IS REQUIRED TO MAINTAIN ACCESS TO DEVICES FOR A MINIMUM OF 5 DAYS PRIOR TO REQUEST FOR FINAL BUILDING INSPECTION.
16. TWO WORKING DAYS BEFORE COMMENCING EXCAVATION OPERATIONS WITHIN THE STREET RIGHT-OF-WAY AND/OR UTILITY EASEMENTS, ALL EXISTING UNDERGROUND UTILITIES SHALL BE LOCATED BY GEOTECHNICAL SERVICES ALERT (USA) CALL 1-800-942-2444.
17. AS REQUIRED BY THE CALIFORNIA ADMINISTRATION CODE (TITLE 24), AN UNOBSTRUCTED 4'-00" MINIMUM PATH OF TRAVEL ALONG THE PUBLIC SIDEWALK AND CURB SIDES OF THE PROPERTY IS REQUIRED.
18. RAMP AND SIDE SLOPES SHALL BE ROUGH BROOM FINISH PARALLEL TO DRAINAGE.

19. EACH CURB RAMP SHALL HAVE A DETECTABLE WARNING DEVICE AS PER PW STD. DWS CR-32..
20. DESIGN AND CONSTRUCT PARKING LOT PAVEMENT TO PUBLIC WORKS STANDARDS P-21, P-22 AND P-23.
21. IF ARCHAEOLOGICAL AND/OR ANIMAL FOSSIL MATERIAL IS ENCOUNTERED DURING PAVING, GRADING, EXCAVATING, OR CONSTRUCTION, WORK SHALL STOP IMMEDIATELY.
22. UNDERGROUND ALL EXISTING OFFSITE OVERHEAD UTILITIES WITHIN THE LIMITS OF THIS SITE/ MAP AS PER PMC SECTION 14-4114.
23. APPROVAL OF THIS SPECIAL PERMIT MAY BECOME NULL AND VOID IN THE EVENT THE DEVELOPMENT IS NOT COMPLETED IN ACCORDANCE WITH ALL THE CONDITIONS AND REQUIREMENTS IMPOSED ON THIS SPECIAL PERMIT, THE ZONING ORDINANCE, AND ALL PUBLIC WORKS STANDARDS AND SPECIFICATIONS. THE OWNER SHALL BE RESPONSIBLE FOR THE PROTECTION OF THE SITE AND SHALL NOT BE HELD RESPONSIBLE FOR ANY DELETIONS OR OMISSIONS RESULTING FROM SPECIAL PERMIT. A NEW PERMIT SHALL BE SUBMITTED TO THE CITY OF FRESNO. THE CONSTRUCTION PLAN NOT SPECIFICALLY SUBMITTED AND REVIEWED AND APPROVED PURSUANT TO THIS SPECIAL PERMIT OR SUBSEQUENT AMENDMENTS OR REVISIONS.
24. NO STRUCTURES OF ANY KIND (INCLUDING SIGNS, TRASH AND RECYCLING, ETC.) MAY BE INSTALLED OR MAINTAINED WITHIN THE LANDSCAPED AREAS, NO EXPOSED AREAS, SIGNAGE, TRASH OR WASTE, PAVING (EXCLUDING THE BACKFLOW PREVENTION DEVICES), ETC., ARE ALLOWED TO BE LOCATED IN THE LANDSCAPE AREAS OR SETBACKS OR ON THE STREET FRONTS OF THE BUILDINGS. ALL SIGNS, TRASH, OR WASTE SHALL BE REMOVED FROM THE SITE PLAN. THE BACKFLOW DEVICE SHALL BE SCREENED BY LANDSCAPING OR SUCH OTHER MEANS AS MAY BE APPROVED.
25. ALL PROPOSED FENCES, HEDGES AND WALLS, ETC. SHALL BE REVIEWED AND APPROVED PRIOR TO INSTALLATION BY THE CITY OF FRESNO, DEVELOPMENT AND RESOURCE MANAGEMENT DEPARTMENT.


- IF ANIMAL FOSSILS ARE UNCOVERED, THE MUSEUM OF PALEONTOLOGY, U.C. BERKELEY SHALL BE CONTACTED TO OBTAIN A REFERRAL LIST OF RECOGNIZED ARCHAEOLOGISTS. IF THE CITY OF LOS ANGELES WANTS AN ASSESSMENT AND IF THE PALEONTOLOGIST DETERMINES THE MATERIAL TO BE SIGNIFICANT, IT SHALL BE PRESERVED.
- CONTACT PUBLIC WORKS DEPARTMENT, TRAFFIC ENGINEERING, 601-821-0800, 10 WORKDAYS PRIOR TO ANY CITY-SITE CONCRETE CONSTRUCTION.
- IF THERE ARE SUSPECTED HUMAN REMAINS, THE FRESNO COUNTY CORONER SHALL BE IMMEDIATELY CONTACTED. IF THE REMAINS OR OTHER ARCHAEOLOGICAL MATERIAL IS FOUND, THE CITY OF LOS ANGELES SHALL IMMEDIATELY CONTACT THE NATIONAL AMERICAN HERITAGE COMMISSION (PHONE: 916/653-4028). SHALL BE IMMEDIATELY CONTACTED, AND THE CALIFORNIA ARCHAEOLOGICAL SURVEY (SOUTHERN REGIONAL OFFICE) (PHONE: 916/439-2220) SHALL BE CONTACTED TO OBTAIN A REFERRAL LIST OF RECOGNIZED ARCHAEOLOGISTS. AN ARCHAEOLOGICAL ASSESSMENT SHALL BE OBTAINED FROM THE RECOMMENDED ARCHAEOLOGIST. THE CITY OF LOS ANGELES, AND RECOMMENDATIONS MADE TO THE CITY AS TO ANY FURTHER SITE INVESTIGATION OR SITE AVOIDANCE/PRESERVATION.
- ALL CONSTRUCTION WORK ON THIS PROJECT IS SUBJECT TO INTERFERENCE IF THE CITY SYSTEMS ARE NOT PROTECTED FOR FIRE APPARATUS DUE TO RAIN OR OTHER OBSTACLES. ALL REQUIRED FIRE ACCESS LANCES SHALL BE PROVIDED AND MAINTAINED WITH APPROVED ALL WEATHER SPRING CAPABLE OF WITHSTANDING 60,000 PSI PRESSURE. MINING, MINOR ROCK OVERLIES, COMPACTED OR UNDISTURBED SOIL (PER APPROVED ENGINEERING PLANS) SHALL BE REMOVED AND REPLACED WITH FILL OR OTHER APPROVED METHOD THAT WOULD PREVENT SHOULDER DEGRADATION.
- PRIOR TO GRANTING OF FINAL OCCUPANCY, A WRITTEN CERTIFICATION, SIGNED BY A LANDSCAPE PROFESSIONAL, APPROVED BY THE DEVELOPMENT AND RESOURCE MANAGEMENT DEPARTMENT, SHALL BE SUBMITTED TO THE CITY OF LOS ANGELES. REQUIRED LANDSCAPING AND IRRIGATION SYSTEM HAVE BEEN INSTALLED IN ACCORDANCE WITH THE LANDSCAPING AND IRRIGATION PLANS APPROVED BY THE DEVELOPMENT AND RESOURCE MANAGEMENT DEPARTMENT.

31. WALKWAYS CONNECTING ACCESSIBLE ENTRANCES AND OTHER FEATURES CAN BE SLOPED MORE THAN 5% IN THE DIRECTION OF TRAVEL NOR HAVE A CROSS SLOPE EXCEEDING 2%.
32. TRUNCATED DOWNS TO BE PLACED ON THE FULL WIDTH AND LENGTH OF ALL ON-SITE CURB RAMPS.
33. THE ACCESSIBLE PATH OF TRAVEL AS DELINEATED IS A BARRIER-FREE ROUTE 48" MINIMUM IN WIDTH WITH NO AIRRUP LEVEL CHANGES EXCEEDING 1/8" UNLESS BEVELED AT A 1:12 MAXIMUM SLOPE, AND NO VERTICAL LEVEL CHANGES EXCEEDING 1/4". THE CROSS SLOPE DOES NOT EXCEED 2% AND SLOPE IN THE DIRECTION OF TRAVEL DOES NOT EXCEED 5%. THE SURFACE IS FIRM, STABLE AND SLIP RESISTANT. THE ACCESSIBLE PATH OF TRAVEL IS FREE OF OBSTACLES AND OBSTRUCTIONS. BELOW 4" AND LOCATIONS MORE THAN 4" FROM A WALL ABOVE 27" AND BELOW 80". THE ARCHITECT SHALL VERIFY EXISTING CONDITIONS AND DELINEATE ANY REQUIRED UPGRADES INCLUDING CURB RAMP RISE AND CURB 1:12 TO 5. THE ACCESSIBLE ROUTE TO THE PUBLIC SIDEWALK CAN BE A MAXIMUM OF 5% IN THE DIRECTION OF RUN WITH A 2% MAXIMUM CROSS SLOPE.
34. CONSTRUCT COMMERCIAL DRIVEWAY APPROACH AS PER CITY STD. DWGS. P-2 & 3.
35. INSTALL STREET LIGHTS ON ALL FRONTAGES TO CITY STANDARDS AS DETERMINED BY THE CITY TRAFFIC ENGINEER. STREET LIGHTING PLANS ARE REQUIRED AND MUST BE APPROVED BY THE PUBLIC WORKS DEPARTMENT/ENGINEERING SERVICES PRIOR TO COMMENCEMENT OF THE WORK.
36. LOADING BAYS SHALL HAVE SIGNAGE REQUIRING DRIVERS TO SLOPE IDLING TO 5 MINUTES OR LESS.
37. IF THE EXISTING CURB RAMP IS NOT TO CURRENT PUBLIC WORKS STANDARDS, MODIFY OR REPLACE CURB RAMP TO MEET CURRENT STANDARDS.

- (30) WHERE MISSING, CONSTRUCT A 10' SIDEWALK TO PUBLIC WORKS STD. P-5.
39. CONSTRUCT AN UNDERGROUND STREET LIGHTING SYSTEM TO PUBLIC WORKS STANDARDS, E-1 & E-7.
40. NOTE NOT USED
41. DEED(S) OF EASEMENT(S) FOR THE REQUIRED DEDICATION(S) SHALL BE PREPARED BY THE OWNER/DEVELOPER'S ENGINEER AND SUBMITTED TO THE CITY WITH VERIFICATION OF OWNERSHIP PRIOR TO ISSUANCE OF BUILDING PERMIT.
- (42) PROVIDE A LEVEL LANDING WITH A SLOPE NOT EXCEEDING 1:48 AT ALL EXTERIOR DOORS PER CBC 11B-404.2.2.2 WITH MANEUVERING CLEARANCE EXTENDING 24" MIN. PAST THE STRIKE EDGE FOR A DISTANCE OF 60" MIN. ON THE INSIDE OF THE DOOR. FIB 11B-404.2.2.3 EXTERIOR DOORS SHALL LEAD DIRECTLY TO THE PUBLIC WAY BY MEANS OF AN ACCESSIBLE ROUTE. CBC 1020.2.2.1, 11B-206.2.1.
43. PROVIDE SIGNS (17"x22" MINIMUM) AT ALL PUBLIC ENTRANCE DRIVES TO THE PROPERTY WHICH STATE "PARKING VEHICLES STOPPED, PARKED OR LEFT STANDING IN FIRE LINES WILL BE IMMEDIATELY REMOVED AT OWNER'S EXPENSE-2268(b) CALIFORNIA VEHICLE CODE-FRESNO POLICE DEPARTMENT 821-2300".
- (44) INSTALL 30" STATE STANDARD "STOP" SIGN(S) AT LOCATION(S) SHOWN. SIGN SHALL BE MOUNTED ON A 2' GALVANIZED POST WITH THE BOTTOM OF THE SIGN 5' ABOVE GROUND. LOCATE SIGN(S) BEHIND THE CURB AND IMMEDIATELY BEHIND MAJOR STREET SIDEWALK. WHERE "RIGHT TURN ONLY" SIGN ALSO REQUIRED AT SAME LOCATION, INSTALL 30", 36" STATE STANDARD SIGN IMMEDIATELY BELOW THE STOP SIGN ON SAME POST.
45. ON-STREET PARKING FACILITIES REQUIRED SHALL BE CONSTRUCTED OR INSTALLED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT FOR THE USES THEY SERVE.



RAMP DETAIL



NOTE:

1. EXISTING PLANNED LAND USE: COMMERCIAL RECREATION
2. PROPOSED LAND USE: COMMUNITY COMMERCIAL
3. EXISTING ZONING: CRC/UGM/cz
4. PROJECT SITE AREA:
GROSS AREA = 2.74 ACRES
NET AREA = 2.47 ACRES

PARKING STALLS REQUIRED:
ASSEMBLY AREA=2,100 SF
 $2,100/60=35$
OFFICE AREA=564 SF
 $564/2.5=2.3$
REQUIRED SPACES=35+3=38 TOTAL

PARKING STALLS PROVIDED:	
CLEAN AIR	6
STANDARD	67
HANDICAP	4
TOTAL	77

LEGEND:

- | | |
|--|--|
| | EXISTING PROPERTY LINE |
| | CENTERLINE |
| | EXISTING CURB |
| | EXISTING CURB & GUTTER |
| | PROPOSED 6" CURB |
| | PROPOSED PAINTED DIRECTIONAL ARROW |
| | PROPOSED SITE LIGHT |
| | FIRE LANE (PAINTED RED CURB WITH
"FIRE LANE" IN 3" WHITE LETTERS) |

SITE PLAN
836 E. NEES AVENUE
APN 402-220-66
C-17-101


SHEET TWO OF TWO SHEETS

GARY G. GIANNETTA
CIVIL ENGINEERING & LAND SURVEYING
1119 "B" STREET
FRESNO, CA 93721
(558) 284-3590

REVISÉD EXHIBIT

ARCHITECT

HIGGINSON ARCHITECTS, INC.
200 SOUTH SIXTH STREET
REDLANDS, CALIFORNIA 92373
P: 626-375-3030
F: 626-375-4040



THIS DOCUMENT IS THE PROPERTY OF HIGGINSON ARCHITECTS, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF HIGGINSON ARCHITECTS, INC. © 2016

CONSULTANT

CLIENT

WHITEHURST SULLIVAN
BURNS & BLAIR FUNERAL
HOME
SCI
FRESNO, CALIFORNIA

APPROVALS

REVISIONS

DATE: 07/27/17
DATE: 08/30/18
DATE:
CHECKED BY: RAA DRAWN BY: RAA
DATE: AUGUST 2018

SHEET TITLE

EXTERIOR
ELEVATIONS

SHEET NO

A4.0

70131 / EP00-00-18082-12




1 SOUTH ELEVATION
SCALE: 1/8" = 1'-0"




2 NORTH ELEVATION
SCALE: 1/8" = 1'-0"

NOTE: SEE NORTH ELEVATION 1 ABOVE FOR ALL KEYNOTES



3 WEST ELEVATION
SCALE: 1/8" = 1'-0"



4 EAST ELEVATION
SCALE: 1/8" = 1'-0"



HIGGINSON ARCHITECTS, INC.
200 SOUTH SIXTH STREET
REDLANDS, CALIFORNIA 92373
P 909 370-3030
F 909 370-4040



CLIENT:

WHITEHURST SULLIVAN
BURNS & BLAIR FUNERAL
HOME

FRESNO, CALIFORNIA

APPROVALS:

REVISIONS:

1 DATE 07/27/17

2 DATE 08/30/18

3 DATE

CHECKED BY ☐ RAA DRAWN BY ☐ RAA
DATE ☐ AUGUST 2018


SHEET TITLE:

FLOOR PLAN

SHEET NO:

A1.0



70131 / FP00-00180830





PRELIMINARY
PLANTING LEGEND

SYM.	BOTANICAL/COMMON NAME
	SEQUOIA SEMPERVIRENS 'APTOS BLUE'
	ARBUTUS UNEDO STRAWBERRY TREE
	PISTACIA CHINENSIS CHINESE PISTACHE
	LAGERSTROEMIA HYBRID 'NATCHEZ'
	JUNIPERUS CHINENSIS 'SKYROCKET'
	FRAXINUS OXYCARPA 'RAYWOOD ASH'
	BUCHLOE DACTYLOIDES UC VERDE BUFFALO GRASS
	FESTUCA RUBRA NO-MOW RED FESCUE
	MIXED FLOWERING SHRUBS LOW-WATER USE
	MIXED EVERGREEN SHRUBS MYRTUS COMMUNIS RHAMNUS CROCEA RHAMNUS MOUND SAN BRUNO WESTRINGIA MUNDI GREVILLEA SP. ROSMARINUS IRENE ERIOGONUM SHASTA SULFUR FESTUCA RIVER HOUSE BLUES AGAVE ATTENUATA LAVENDULA OTTO QUAST ANIGOZANTHOS HYBRIDS




Rhamnus Mound San Bruno

Festuca River House Blues



Sequoia Aptos Blue



Arbutus unedo



Pistacia chinensis



Natchez Crepe Myrtle



Juniperus 'Skyrocket'



Fraxinus 'Raywood Ash'



Aloe "Blue Elf"



Eriogonum 'Shasta Sulfur'



Rosmarinus "Irene"



Westringia "Mundi"



Diets vegeta "Variegata"



Myrtus communis-Myrtle



Anigozanthos sp.-Kangaroo Paw



Callistemon v. "Little John"



Lavendula "Otto Quast"



Mahonia a. "Compacta"



Lantana camara-Yellow





project:
WHITEHURST SULLIVAN
BURNS & BLAIR
FUNERAL HOME

client:
SGH ARCHITECTS
REDLANDS, CA

revisions	

date:
17JULY2018
scale:
1"= 16'-0"
job no:
18027
sheet title:
COLOR LANDSCAPE
PLAN
L100
of

LIGHTING SCHEDULE					
Symbol	Quantity	Lighting	Arm Length	Lighting	Notes
	3	OSQ-4ME-1	SINGLE	16'	OSQ-A-NM-4ME-K40K-UL-OSQ-DA
	10	OSQ-3ME-1	SINGLE	16'	OSQ-A-NM-3ME-K40K-UL-OSQ-DA
	1	OSQ-3ME-3	2 1/2 DEGREES	16'	OSQ-A-NM-3ME-K40K-UL-OSQ-DA
FLOOD LIGHT SCHEDULE					
Symbol	Quantity	Lighting	Arm Length	Lighting	Notes
	1	PS4S17C1XX	17' X 4" X .12"	STEEL SQUARE POLE	
	1	PS4S17C2XX	17' X 4" X .12"	STEEL SQUARE POLE	
MOUNTING HEIGHT = 17' POLE 3' BASE					
ADDITIONAL EQUIPMENT					
OSQ-DAXX DIRECT ARM MOUNT					
PAVEMENT		A	M	M	A/M
PROPERTY LINE		3.00	1.00	0.00	6.18
		0.00	0.00	0.00	N.A.



"DLC V4 is in effect as of April 1, 2017, which impacts the rebate eligibility of many LED products. If you require DLC-qualified fixtures, please reference <https://www.designlights.org/search/> for updated qualified product listings. Email rebates@cree.com or rebates@cree.com for assistance.

1200 2nd Street, Suite 3177
San Francisco, CA 94107
800-236-6800

PROJECT: WHITEHURST FUNERAL HOME
DATE: 7/23/2018
SHEET: 30
FLOOR: 1ST FLOOR
CLIENT: CHRIS BOSANEC

SR-2612